



SACCHIDANANDA SAMARTHA SADGURU SHRI SAINATHA KRIPA

INDIAN GENIUS IN TĀĻAPRASTĀRA

ĀKEĻĻA MALLIKĀRJUNA ŠARMA Violinist, Retd. Principal, Govt. College of Music & Dance, Hyderabad, Andhra Pradesh.

SAI SANNIDHI SANGITA PUBLICATIONS, 10-283/9/1/1, Vasantapuri Colony (VPC-200), Malkajgiri, HYDERABAD-500 047, Andhra Pradesh.





INDIAN GENIUS IN TĀĻAPRASTĀRA

by Akella Mallikarjuna Sharma

© Akella Mallikarjuna Sharma No part of this publication may be reproduced or transmitted in any form or by any means without the written permission of the author.

First Edition, 2001.

Price: Rs. 300/- US \$ 20 (Packing & postage extra)

Laser type setting & printing by : Kaanthi Computer Data Systems, Somajiguda, Hyderabad-500 082. Ph: 040-2340 2010

Other works of this author :

- * Talaprastara Ratnakaramu (Telugu)
- * Talaprastara of Nihshanka Sharngadeva's Sangita Ratnakara (English)
- * Sangita Svararaga Sudha (Telugu/English)
- * Systematisation of Talaprastara Details of Deshi Talas (English)

"Mahāmahōpādhyāya, Rāṣṭrabhūṣaṇa" Dr. R. Sathyanārāyaṇa, M.Sc., Ph.D., D.Litt., D.Litt. (Hon)., F.R.A.S., M.S.A., I.C.T.M., F.A.S.I., F.A.M.R. Phone : (0821) 567891 Trayi Lakṣmi, 9th Cross, Jayanagar, MYSORE - 570 014, India. Date : 01-03-2001

FOREWORD

Every culture may be finally analysed into an irreducibly small number of concepts and values which distinguish it from its competers. The multiple modes of expression of a given culture are alternative routes to its self expression and result by the variation, recurrence and permutation of the self same concepts and values at different points in the spatiotemporal co-ordinates of the culture. These last therefore operate in every such mode of expression at two levels : 1) in their foundational, original form at the roots and 2) in their transformed forms which are immediate to the specific expression at the level of stimulation, motivation and articulation. Thus its theory consists of a never-changing infrastructure and an ever-changing superstructure. Music, like all art is a growing, dynamic organism. Its discipline is descriptive, not prescriptive.

In any discipline involving human endeavour, the aim of theory is to provide a matrix and apparatus which 1) comprehends the entirety of practice 2) explains the empirical data, facts, functioning and techniques underlying such practice and 3) predicts future events and trends. This is true of the arts also. Art experience, in its autonomy can neither be translated nor extrapolated. But the different art reveal some common attributes in their symbolic material and in their modi operandi. Also, in its heteronomy, art experience is ramified into several aspects and disciplines. Therefore, the study of such experience admits of a reductionistic analysis and an interdisciplinal approach.

Among the many interdisciplinal correlates of music, mathematics and metre (prosody) may be mentioned in the context of the present work. Mathematical techniques, especially permutation and combination are found applied in both Saṅgīta and Chandaḥ śāstra in an elaborate and perfected state for well over a thousand years. The genius of these theorists lies in 1) enunciating the rules in an aphoristic, yet lucid and unambiguous style 2) developing schemes of comprehensive, yet compact schemes of tabulation 3) reducing such schemes to the simplest arithmatical operations and 4) revealing highly pragmatic applications for such purely theoretical techniques.

Permutation refers in mathematics to a scheme or tabulation of systematic arrangement of a set of things in every possible order; it also refers to any one such arrangement i.e., any one possible order of arrangement of a given number of things taken from a given number. This has

been known in India as prastāra (lit. extension, expansion) from about two thousand years. In metrics (Chandahsāstra) it signifies a representation or enumeration of all the possible combinations of a certain given number of laghus (short syllables) and gurus (long syllables) in a metre. Though prastāra is a general mathematical concept, it is probable that music borrowed it and its cognate concepts and techniques from metrics. The science of metrics has developed in India six theoretical tools to exact knowledge of the various mathematical aspects of metres under the collective name Sat-pratyaya. They enable the student to determine the prosodial type to which a given metrical form belongs, its serial number in a scheme of systematic tabulation, the number of meters which are possible or may be derived from each type, their exact forms etc. These tools are prastāra, nasta, uddista, ēka-dvyādi-la-ga-kriya, sānkhyana and adhvayoga. Of these, prastāra means the expansion of a prototype metrical structure into every possible variation according to principles of syllables per each of four feet respectively have 2,4,8,16,32......67108864 possible different arrangements respectively. G yatri, for example with six syllables for foot has sixty-four permutations. Each of these is also called prastāra. Prototypes with more syllables than 26 are called Mālāvrttas. Eight kinds of prast ra viz., suchi, mēru, patāka, samudra, viparītasamudra, pātāļa, salmāli and viparītas almāli are described in Chandaļs āstra. These are alternative routes to permutation.

ā

The method of finding out the actual form or arrangement given its serial number in the tabulation is called Nasta. For example, which is the metre corresponding to serial number 355799 (out of a total of 10458576) in the prototype Krtichandas (containing 20 syllables per foot). Na ta enables to find out that it is composed of gllglgllgllgllgllglglg (1=laghu, g=guru) i.e., the Utpalamāla metre. Uddista pratyaya is the reverse of this. It enables us to find out the serial number of the metre in the tables if its composition is given. Thus, if the foregoing composition of Utpalamāla metre is given, Uddista enables to find out that its serial number in the prastāra tables is 355799. The next two pratyayas are classificatory in scope. Eka-dvyādi-la-ga-kriya teaches us to determine the number of permutations in a given prototype containing 1,2,3.....laghus. If the total number of syllables is 'n', then the number of permutations containing gurus would be correspondingly n-1, n-2, n-3...... Thus, this method enables us to break up the total number of permutations into those containing given numbers of its components. It is thus possible to say that in the Ushnik metre (containing 7 syllables per foot) there are metrical structures one each containing all laghus or all gurus, 7 containing one laghu or six laghus, 21 containing two or five laghus and 35 containing three or four laghus, thus totalling 128. This may also be expressed thus : the number of permutations containing 7, 6, 5, 4, 3, 2, 1 or 0 gurus or laghus are 1, 7, 21, 35, 35,

21, 7 and 1 respectively. Sānkhyana pratyaya enables the student to find out the number of permutations of samavītta, ardhasama or vi amavīttas possible in a given prototype, its predecessor or successor. Adhvay ga is not, in reality, a pratyaya of metrics but is concerned with spatial computation. It answers the question, assuming uniform spacing in both writing and gaps, what is the space required to write horizontally a given metre?

Indian music is indebted to Chandah śāstra for numerous models. The following among others may be mentioned: the concepts and relative proportions of temporal units laghu, guru and pluta; rhythm structures without a tāļa frame as in tāna in Karnāṭaka music; syllabic triads (Varnagaṇa) such as ma-gaṇa are employed (mātrāgaṇa) structural units are found used in early and medieval music compositions; elaborate rules were framed for the use of specific single or double gaṇas at the beginning of the composition with promise of desirable fruits and warning of undesirable effects accompanying such usage. Many songs were named after the metre in which they were prescribed to be set e.g., hayalīla, krauncapada, ārya, dvipatha, kalahamsa, tōṭaka, jhampaṭa, paddhādi etc., prastāra techniques are used from very early times in tabulating śuddha and kūṭa tānas, mūrcana, mēlakartas in Karnāṭaka music and in the dēsī-tāļas. Musicology has adapted corresponding techniques from Chandahsʿāstra to accommodate specific situation and requirements.

In the context of tāla only five pratyayas viz., prastāra, sankhya, nasta, uddista and pātāla are found adequate. Their connotations correspond to those in Samskrita metrics. A known arrangement of the a gas (druta, laghu, guru, pluta and rarely kākapāda, and in the modern context anudruta) fixed in number and order, is taken as a prototype. The structure and total time span of such a prototype is thus fixed and constant. Permutations of this are then obtained (and tabulated) by systematic replacement of an anga (structural unit) by a progressively smaller one until in the final permutation the prototype is reduced to only (an appropriate number of) the lowest anga (i.e., druta (in ancient parlance) or anudruta(in modern parlance) in Karnātaka music. Theoretical texts have described the following pratyaya varieties; prastāra, sankhya, nasta, uddista, pātāla, sarvapātāļa, drutamēru, drutamēru-nasta, drutamēru-uddista, laghumēru, laghumēru-nasta, laghumēru-uddista, gurumēru, gururmēru-nasta, gurumēru-uddista, plutamēru, plutamēru-nasta, plutamēru-uddista, samyogamēru, khanda-prastāra and akhanda-prastāra. The theory of tāļaprastāra continued to be actively studied in India till comparatively recently. For instance, Sudhākalasa adds in 1350 A.D. the prastāra genre called kalita in his Sangītopanisatsāroddhāra; Paņdarīka Vitthala adds the varieties of pratyaya called mālāprastāra, viparita nasta-uddista, drutahāra nasta-uddista as well as nasta-uddistas above and below medial forms in his Nartananirnaya; Laksminārāyaņa extends the pratyayas to anudruta and virāma in his

Saṅgītasūryōdaya; Pōlūri Gōvindakavi extends prastāra to the five laghu-jātis in his Tāļadasaprāṇapradīpika. Authors such as K.V. Srīnivāsa Iyyengār, Taccūr Singarācārya Brothers and Tenugupēṭa Veṅkaṭaramaṇayya in the beginning of the 20th century have revealed familiarity with the tāļapratyaya.

The Tāļapratyaya has been trasmitted not only in more or less continuous textual tradition as mentioned above, but also in oral tradition. Because of the distancing of the latter from the original perspective, it has been preserved in isolation by individual musicians anonymously. An instance of this is the Late Uppalapāti Ankaiah who preserved the key to prastāra and fornunately taught it to Saṅgīta Vidwān Ākeļļa Mallikārjuna Śarma. He thus prevented its passing into oblivion. It would be a service to our musical traditions to find out such persons, bring to light their isolated knowledge, restore it to its total perspective and benefit from such knowledge by contemporisation.

In the pretext of 'melodiousness' and popularity, scholarship in the practice of music is being unfortunately allowed to wane at the present time. Technique, virtuosity and scholarship, when mastered and applied with effortless ease and grace promote excellence and highest creative activity in music. Individual caprice, eccentricity and mannerisms should not be confounded with genius or brilliance. Genius assumes a deep and broad base of profound, continuous, conscious learning which is intensified and sublimated to the subconscious level.

When viewed in the light of the foregoing, the work of Saṅgīta Vidwān Ākeļļa Mallikārjuna Śarma gains a special significance. He is a pioneer in the modern studies of tāļapratyaya and is indeed a genius of our times. With indefatigable zeal, patience and perseverance, with indomitable determination, with a total, single-minded devotion and dedication Śri Śarma has unravelled the mysteries of the tāļapratyaya in such minute detail that he has been able even to correct some inaccuracies in exposition and fact of great authors of the past. He has clearly shown the enduring relevance of these pratyayas in the form of many applications to the practice of music (and dance). He deserves the congratulation, admiration, respect and gratitude of every one who is interested in the promotion of the highest ideals of Indian music and Indian culture.

Indian culture is a garden; Indian music is a Sanātana Tree therein; the quality and quantity of its flowers and fruits depend on how deep, strong and far-reaching are its roots. Śri Śarma has done much to deepen and strengthen these hoary roots and is worthy of emulation.

I hope that this scholarly work - which needs to be studied slowly, steadily and patiently - will be welcomed with enthusiasm by discerning musicians, musicologists and music lovers.

R. Sathyanārāyaņa

PREFACE

Fine arts play a very important role in promoting the human culture and progress. They chasten the human minds and help them to lead fuller and happier lives. Life will become dull, insipid, un-interesting and bereft of all charms if fine arts are not allowed to prosper and grow.

Among the fine arts, while the visual arts like painting, sculpture and architecture appeal through the medium of the eye, the poetry and music appeal through the medium of ear.

According to the ancient Sanskrit Ślōka:

''संगीतमपि साहित्यं सरस्वत्यास्तनद्वयं एकमापात मधुरं अन्यथालोचनामृतं''

"Music and poetry are the two breasts of Saraswati, the Goddess of Learning. Whereas music pleases the moment one hears it, poetry gives pleasure only after one contemplates on it".

Music is the language of emotion. In the history of human culture music is the earliest and finest of the Fine Arts. Music is of universal appeal influencing scholar and the lay person alike. Music is a veritable elixir and has the unique capacity of giving one the much needed tranquility and the mental peace.

Music is both art (Kaļa) and a science (Śāstra). Its study and practice results in the development of the intellectual and the soul. According to the Ślōka:

''त्रिवर्ग फलदास्सर्वे दानयज्ञ जपादयः एकंसंगीत विज्ञानं चतुर्वर्ग फलप्रदं''

"gifts, holy sacrifices and prayers lead to the realisation of Dharma, Artha and Kama, the three-fold desires. But musical knowledge alone is capable of bestowing the fruits of all the four Puruṣārthas: Dharma, Artha, Kāma and Mōkṣa" and according to the Ślōka:

''वीणवादन तत्वज्ञः श्रुति जाति विशारदः तालज्ञश्चाप्रयासेन मोक्षमार्गं नियच्छति''

"One who is well-versed in $V\bar{i}$ na-play, one who is an adept in varieties of Srutis and who is an adept in Tāļa; they all attain salvation without effort".

Music has played great part in the life of the Indian people and has entered the hearts of all people by being the instrument through which religion and philosophy have pervaded the land. Whether in drama, dance or on the concert stage, in the home, in the temples, in the fields and in the lives of the peasant, the king or the householder, music gave richness to our civilisation and culture.

In the systems of music of the world, while the western solfa system had the heritage of nearly 1000 years, the Indian solfa system, being the oldest upon earth, had the heritage of more than 4000 years. The famous Kudimiamālai inscriptions on music were written in 7th Century A.D.

Great musicians carried on their traditions for which we must be grateful to the Indian rulers and other noble men. In South India this tradition has fortunately survived in a greater measure than any where else in the country because almost every child was taught the beautiful compositions of our great composers and this helped them to appreciate music. Thus, while great musicians, on one hand, strived hard to pass on the cultural heritage of the compositions of great composers to the next generations, great scholars, on the other hand, strived hard to record them in the books written by them to pass on the traditional techniques of the Sacred Fine Art, Music to the next generations.

According to the Saint composer, Tyāgarāja (1767-1847), the first and revered as the greatest of the musical Trinity:

''संगीत ज्ञानमु सारूप्य सौख्यदमेमनसा - मुखारिराग - आदिताल''

--knowledge of the science of music conduces to Bliss Divine. Beethoven (1770-1827), the great composer of Europe called music a revelation higher than all science and philosophy.

The student of mathematics will find the practical application of many of the concepts, series, progressions and formulae of mathematics, in music. The primordial scale of Indian music was found to take notes of correct and well recognised musical intervals. In the same manner there is an order of rhythm in all things pertaining to nature. There is rhythm in the movements of stellar bodies. There is rhythm in the pulse of the hand. In music all the rhythmical forms have been originated on accurate mathematical basis.

It is the duty of every loyal Indian citizen to take proper steps to keep this sacred Fine Art, Music in tact and to pass on to the next generations in the same manner like our ancestors.

While Rāga and Tāļa are the two main divisions of Indian Music containing its own lakṣaṇa of each the Tāļa, in its Lakṣaṇa, consists of ten elements which are "Tāļadasaprāṇas". Kāla, Mārga, Kriya, Aṅga, Graha, Jāti, Kaļa, Laya, Yati and Prastāra.

''सर्वेषामपि तालानां प्रस्तारो मातृका मता तस्मादादौ प्रवक्ष्यामि प्रस्तारं तालवृद्धये''

As mentioned above by the Jaina Monk, Vācanācārya Sudhākalaśa in his Sanskrit work namely "Saṅgītōpaniṣatsārōddhāra" - 22nd Ślōka-Chapter-II-written in 1350 A.D., among the ten elements the tenth element, Prastāra, though many are not aware of it, is the only source of all the rhythmical forms of universe. In fact, all kinds of rhythmical forms could be obtained only by this element and all these rhythmical forms are having serial numbers of origin and basing upon these serial numbers of origin only the authenticity of any rhythmical form could be identified.

For example in the Tālas of Karnātaka-music :

41	is the serial number of	Ādi-tāļa (422),
3	-do-	Rūpaka-tāļa (24),
21	-do-	Triputa-tāļa (322),
193	-do-	Jhampa-tāļa (712) and
3	-do-	Trisra-rūpaka-tāļa (23)

and	in th	e Tāļ	las of	Hind	lustān	i-music	:
-----	-------	-------	--------	------	--------	---------	---

2057	is the serial number of	Tintāl or Tritāl (484),
1	-do-	Jhaptāl (253),
67	-do-	Dādra(6),
649	-do-	Ēktāl (4422),
517	-do-	Diptcandi (374),
529	-do-	Damār (554),
547	-do-	Aḍā-cautāl (2444) and
1053	-do-	Gaja-Jhampa (474).

But, while furnishing these serial numbers of $T\bar{a}$ as, there is every scope of furnishing incorrect serial numbers if the author does not take proper care by checking them thoroughly. So, to avoid the embarrassment of furnishing any incorrect serial number for any $T\bar{a}$ and $T\bar{a}$ and

In the annals of our music literature Pārśvadēva of 13 century was the first person to furnish serial numbers for nearly 50 Tā ļas (furnished in the end of this book) in his book, "Sangītasamayasāra(Sanskrit)" out of which 10 numbers are found incorrect. The second book is "Gāyakalōcanam (Telugu)" written and published in 1902 by Taccūr Singarācārya Bros., in which around 160 Tā ļas (furnished in the end of this book) are furnished along with new names, serial numbers and Tā ļā ngas out of which around 50 numbers are found incorrect. The incorrectness of these above serial numbers is found with the help of the easy method "Uddiṣṭa" of this element, Prastāra. In all other books no such serial numbers are furnished and in the absence of these serial numbers there is no scope of determining the authenticity of any Tāļa cited in them.

In 1957, having come across several tables with figures in the Tāļa chapter of "Gāyakalōcanam", even without any definitions, and somehow guessing, by intuition, the latent treasure thereof I had a deep desire to bring out, what had been hitherto in dark, into light with indefatigable spirit. My pursuit since 1957 to find a person having profound knowledge in this subject, ended successfully in 1963 when I found an exponent on this chapter of Tāļa in Late Uppalapāți Aňkaiah who was my colleague. He expressed his deep anguish for not having cared and bestowed any interest to learn much more about this in his teens from his father who could taught him only different modes of permutation of Tāļa-prastāra. He was very kind enough to teach me the various modes of permutation and affectionately showered his blessings upon me for my success in this Himālayan task of expounding all the hidden clues of this element. Later, though I have gone through many of the ancient and recent publications written in Sanskrit, Telugu, Tamil, Hindi and English wherein, unfortunately, no clues were revealed clearly, I was unable to understand even one hundredth of the original matter; but in my continued research, only by the grace of the Almighty, the top clue of "NAṢṬA" flashed in my mind on 6-9-1969 and then after all the other clues followed suit.

I am very grateful to Late Prof. P.Sāmbamūrty who advised me to compile my research papers into the form of a book and also blessed me with an invaluable Fore-word to the first Telugu version, 'Tāļaprastārasāgara'.

I am thankful to Śri Dwāram Bhāvanārāyana Rāo, who had very carefully gone through this book with great interest and enthusiasm and gave his precious opinion to the Telugu version.

I shall ever be grateful to :

Late Uppalapāti Ankaiah, my beloved Guru in this subject.

My beloved parents Late Ākeļļa Aswatthanārāyaṇa Mūrty and Smt. Kanakam who taught me this Sacred Fine Art, Music and encouraged me.

My wife, Chi. Sow. Ākeļļa Kāmēśwari, for her inspired co-operation given althrough my extensive research work.

Sri Cherukupally Pūrņānanda Śarma for the pains taken in giving a shape to this book both in Telugu and English versions.

Sri K.L.Nārāyaņa and Śri M.S.N. Śarma for their co-operation in translating the Prastāra portion of Saṅgīta Ratnākara,

"Mahāmahōpādhyāya, Rastrabhūṣaṇa" Dr. R.Sathyanārāyaṇa, the internationally reputed musicologist, who has incessantly been extending his very kind helping hand in so many ways like coining the title in English for this work as 'Permutative genius in Tāļa (-prastāra) in Indian Music', consenting to include his English translation of Nartananirṇaya in this book, writing the 'Foreword' with his unfathomable depth of knowledge etc., which I could never forget and

In compliance to Late Prof. P.Sāmbamūrthy's advice I could compile my research material on this topic in the form of a book during 1970 itself. But, since then, I have been adding on much more valuable material obtained in my research re-writing and re-tuning this book in 1974, 1982, 1984, 1985 (the year of publication of the first Telugu version by A.P. Sangeeta Academy) 1987, 1988, 1989, 1992 (the year of publication of the first English version by the Telugu University, Hyderabad) 1995, 1997, 1998, 1999, 2000 and 2001.

Any lapses occurred in course of explaining this unfamiliar and intricate subject may kindly be adjudged with an open mind and intimated to me for correction in the next edition.

I happily welcome those persons who inform and enlighten me about points relating to this element, Prastāra, if any, for incorporating them in the future editions.

Hyderabad Date : 01-06-2001 Ākeļļa Mallikārjuna Śarma Author

PROLOGUE

In our ancient books on Music ten elements are mentioned in the Tāļa-chapter and they are 1.Kāla 2.Mārga 3.Kriya 4.Anga 5.Graha 6.Jāti 7.Kaļa 8.Laya 9.Yati and 10.Prastāra. In this book, I intend to deal with the tenth element i.e., Prastāra, giving, however, brief definitions of the remaining nine elements about which some differences of opinion are prevailing.

To define briefly, Prastāra means the process of making different permutations and combinations of the Talangas on a systematic basis, avoiding iteration. Categorising according to the number of Angas utilised in the process of the permutation, there are two kinds of modes of permutation mentioned in the ancient treatises. They are 1. Caturanga-prastara in which only four Angas, namely Druta, Laghu, Guru and Pluta are used in the process of permutation of the Angas pertaining to Caturaśra-jāti only and 2. Pañcānga-prastāra where in only five Angas, namely Anudruta, Druta, Laghu, Guru and Pluta are used in the process of permutation of the Angas other than Caturaśra-jāti. In those days Kākapāda was forbidden from usage, it being an Anga to be rendered without producing any sound. But this omission does not seem reasonable as the then authors themselves have mentioned in their books Talas like Simhanandana having 128-units which includes one Kākapāda, Prithvikuņdali having 268-units including two Kākapādas, Indrakuņdali having 384 units including one Kākapāda and also some other Tāļas along with Kākapāda. As such, keeping the mathematical importance of Kākapāda in view, this is now included in the processes of Caturanga and Pañcānga-prastāras and thus transformed Pañcānga and Ṣaḍangaprastāras respectively only are prescribed in this book. Details are worked out and given applying Pañcānga-prastāra to the Angas of only Caturasra-jāti and Ṣaḍanga-prastāra to the Angas of all Jātis including Caturaśra-jāti. Apart from these kinds of modes of permutation another mode of permutation called 'Samyuktānga-prastāra' which is of recent past and so vast that in addition to all the permutations derived in the processes of Pañcānga and Sadanga-prastāras, innumerable other permutations also derive in the process of this permutation, is also furnished, (Now, this is being called 'Sodasanga-prastara', but it is not correct. This name 'Sodasanga-prastara' is proper if this process of permutation is applied to the Angas pertaining to Caturaśra-jāti only; and this name should have to be changed whenever the Jati is changed. The correct name of this mode of permutation is 'Samyuktānga-prastāra' as interlaced Angas written one above the other are also used in this process of permutation).

The figures of all the different tables in this book are worked out upto 12-units and furnished. If necessary, further figures may be obtained following the respective procedure.

To make this very rare and complicated topic easy to the readers a number of examples are furnished in detail wherever necessary. The vital aspects, Naṣṭa, Uddiṣṭa and Kalita, of this element, which are very interesting and useful at all times and which have never been elaborated clearly in any book, are furnished in detail, with the help of more than hundred different examples to make them easy to understand, digest, assimilate, remember and follow to the reader. For ready reference the Sanskrit versions of the relevant portions of prastāra pertaining to Sangīta Ratnākara (97 Ślōkas starting from 312th to 408th of Tāļādhyāya) and Nartananirṇaya (35 Ślōkas starting from 196th to 230th of Tāļaprakaraṇa) are also furnished in this book along with free English translation and the major reforms made accordingly by the author in the different old texts.

In the annals of music literature, till now, only two books, Saṅgītasamayasāra (12th century) and Gāyakalōcanam (1902), in which serial numbers, having natural link with the series of Aṅgas, are furnished, are found. Those Tāļas also are furnished in this book along with the correct versions, wherever necessary.

UTILISATION : This element of prastāra is highly useful for not only percussionists but also vocalists and instrumentalists. This helps the musicians to prove the authenticity of any rhythmical form with the help of its serial number and in obtaining all the different mathematical combinations to use them in practical music. There are two kinds of prastāras:

1. Prastāras having scientific origin which can also be rendered (all the Tāļas having the same value of Jāti for all the constituent Angas and devoid of Samyuktāngas come under this category. Example : 35 Tāļas etc.).

2. Prastāras having scientific origin but cannot be rendered (all the prastāras containing Saṁyuktāṅgas also in combination with two or more Aṅgas like Druta-virāma or Laghu-druta or Pluta-laghu-druta-virāma or Kākapāda-dvi-druta etc., written one above the other and also having different value of Jāti for the constituent Aṅgas, come under this category. Example : Śarabhanandana Tāļa etc.).

In Samyuktānga-prastāra in the process of permutation of an Anga of sixteen-units (Kākapāda-laghu-virāma of Trisra-jāti-3; Kākapāda of Caturaśra-jāti-4; Pluta-virāma of Khaņḍa-jāti-5; Guru-dvi-druta of Divya-sankirņa-jāti-6; Guru-druta of Miśra-jāti-7; Guru of Miśra-sankirņa-jāti-8; Laghu-tri-druta-virāma of Sankirņa-jāti-9; Laghu-tri-druta of Dēśya-sankirņa-jāti-10; Laghu-dvi-druta of Miśra-dēśya-sankirņa-jāti-12; Laghu of Dēśya-suddha-sankirņa-jāti-16-either of them pertaining to 16-units only) 32,768 varieties of prastāras only derive and they include the prastāras 6595 of Caturaśra-jāti pertaining to Pañcānga-prastāra, 12975 of Trisra-jāti 5294 of Caturaśra-jāti, 3221 of Khaṇḍa-jāti, 2412 of Divya-sankirṇa-jāti, 2031 of Miśra-jāti, 1834 of Miśra-sankirṇa-jāti, 1727 of Sankirṇa-jāti, 1668 of Dēśya-sankirṇa-jāti, 1617 of Miśra-dēśya-sankirṇa-jāti and 1598 of Dēśya-suddha-sankirṇa-jāti pertaining to Ṣaḍanga-prastāra. It will be interesting and colourful if some of these varieties of rhythmical forms are translated and sung in Swara-improvisions. Some examples of them are furnished here.

In each of the following combinations the series of units is furnished in the first line along with its serial number in the right extreme, the corresponding Mrdanga-jāti in the second line which could be repeated thrice to utilise it as 'Muktāyi or Tihāi' and the corresponding notation in the last three lines which could be sung in Swara-improvisation.

APPLICATION OF THE COMBINATIONS :

The notation of the following combinations is set to Sama-graha Pallavi of the Kriti "Sarōjadaļanētri-Śankarābharaṇa-rāga-ādi-tāļa-Śyāmaśāstry" in which each one of them starts from the 5th Kriya in the medium tempo and starts from the 3rd Kriya in slow tempo.

In the series of units :

- '1' denotes Anudruta,
- '2' denotes Druta,
- '3' denotes Laghu of Trisra-jāti or Druta-virāma of other remaining jātis,
- '4' denotes Laghu-virāma of Trisra-jāti or Laghu of Caturaśra-jāti or Dvi-druta of other remaining jātis and
- '5' denotes Laghu-druta of Trisra-jāti or Laghu-virāma of Caturasra-jāti or Laghu of Khaņḍajāti or Dvi-druta-virāma of other remaining jātis.

In Mridanga-jati : 't' should be pronounced as 'ta'(π); 't' as 'ta'(ϵ); 'k' as 'ka'(π); 'k' as 'ki'($\bar{\pi}$); and 'd' as 'dhi'. ($\bar{\mu}$)

In notation :

- 's' stands for 'sa' (स)
- 'r' stands for 'ri or re' (रि वा रे)
- 'g' stands for 'ga' (ग)
- 'm' stands for 'ma' (म)
- 'p' stands for 'pa' (प)
- 'd' stands for 'dha' (ध) and
- 'n' stands for 'ni' (नि)
- 's' carries '1-unit' and 'S' '2-units' of time

1.	3 t;	3 d;	3 t;	2 d,	-	1 t	1 k	1 t	1 k	1 t												-	-	32037
	ģ;	ŕ;	ś;	n,		ģ	ŕ	Ś	n	d														
	ŕ;	\$;	n;	d,		ŕ	Ś	n	d	р														
	\$;	n;	d;	p,		g	m	p	d	n														
2.	1	2	-	1	2	-	1	2	-	2	-	1	1	1	1	1						-		32110
	t	d,		t	d,		t	d,		t,		t	k	t	k	t								
	ģ	ŕ,		Ś	n,		d	p,		d,		ġ	ŕ	Ś	n	d								
	ŗ	ġ,		n	d,		р	m,		p,		ŕ	Ś	n	d	р								
	Ś	n,		d	p,		m	g,		m,		g	m	p	d	n								
3.	1	2	-	1	2	-	1	2	-	1	2	-	1	2	-	1						-	-	23406
	t	d,		t	d,		t	d,		t	d,		t	d,		t								
	r	s,		g	r,		m	g,		р	m	,	d	p,		m								
	g	r,		m	g,		р	m,		d	p,		n	d,		р								
	m	g,		p	m,	,	d	p,		n	d,		Ś	n,		ŗ								
4.	1	1	1	-	1	1	1	-	1	1	1	-	1	1	-	1	1	1	1	1		-		32768
	t	k	t		t	k	t		t	k	t		t	k		t	k	t	k	t				
	ģ	ŕ	Ś		ŕ	Ś	n		s	n	d		n	d		ģ	ŕ	Ś	n	d				
	ŗ	Ś	n		Ś	n	d		n	d	р		d	р		ŕ	Ś	n	d	р				
	Ś	n	d		n	d	р		d	р	m		р	m		g	m	р	d	n				
5.	1	1	3	-	1	1	1	3	-	1	1	1	1	1								-	-	31988
	t	k	d;		t	k	t	d;		t	k	t	k	t										
	ģ	ŕ	\$;		ģ	ŕ	Ś	n;		ģ	ŕ	Ś	n	d										
	ŕ	Ś	n;		ŕ	Ś	n	d;		ŕ	Ś	n	d	р										
	Ś	n	d;		Ś	n	d	p;		g	m	p	d	n										
6.	1	1	1	2	-	1	1	1	1	2	-	1	1	1	1	1						-		32248
	t	k	t	d,		k	t	t	k	d,		t	k	t	k	t								
	g	m	р	m	,	r	g	m	р	m,		S	r	g	m	р								
	m	р	d	p,		g	m	р	d	p,		r	g	m	р	d								
	р	d	n	d,		m	р	d	n	d,		g	m	р	d	n								
7.	1	1	1	1	1	2	-	1	1	1	1	2	-	1	1	1						-		30688
	t	k	t	k	t	d,		k	t	t	k	d,		t	k	t								
	r	g	m	р	d	p,		g	m	р	d	p,		g	m	р								
	g	m	р	d	n	d,		m	р	d	n	d,		m	р	d								
	m	р	d	n	Ś	n,		р	d	n	s	n,		р	d	n								

8.	1	2	-	1	1	2	-	1	1	1	2	-	1	1	1	1	-	31710
	t	d,		t	k	d,		t	k	t	d,		k	t	t	k		
	р	d,		m	р	d,		g	m	р	d,		r	g	m	р		
	d	n,		р	d	n,		m	р	d	n,		g	m	р	d		
	n	\$,		d	n	\$,		p	d	n	\$,		m	p	d	n		
0	1	1	1	1	2		1	1	1	2		1	1	2		1		24049
9.	1	1 ≁	1	1	2 d	-	1	1	1	2 d	-	1	1	2 d	-	1	-	24048
	к r	ι σ	ι m	n n	u, d		ι σ	к m	ı n	u, d		ι m	к n	u, d		ι n		
	σ	s m	n	Р d	u, n		s m	n	Р d	u, n		n	Р d	u, n		Р d		
	ь m	p	Р d	n	s.		p	Р d	n	s.		P d	n	s.		n		
		r					r							,				
10.	1	1	5		-	1	1	5		-	1	1					-	25028
	t	k	d;;			t	k	d;	;		t	k						
	r	g	m;	;		g	m	p;	;		m	р						
	g	m	p;;			m	р	d;;	;		р	d						
	m	р	d;;			р	d	n;	;		d	n						
11	1	1	1	4			1	1	1	4			1	1				25511
11.	ı t	1 1	1 t	4 d		-	1 t	ı k	1 t	4 1.		-	1 t	1 1			-	25544
	t S	r	σ	m.			r	σ	ι m	u,, n ·			ι m	n				
	r	g	ь m	p.	;,		g	ь m	p	р,, d.:			p	Р d				
	g	m	р	d,:	;		m	р	d	n,;			d	n				
	C		•					•										
12.	2	1	1	2		-	2	1	1	2			2	1	1		-	27567
	d,	t	k	d,			d,	t	k	d,			d,	t	k			
	s,	r	g	m	,		r,	g	m	p,			g,	m	р			
	r,	g	m	p,			g,	m	р	d,			m,	р	d			
	g,	m	р	d			m,	p	d	n,			p,	d	n			
13	1	1	1	1	2	_	1	1	1	1	2	_	1	1	1	1	_	31728
13.	ı k	ı t	ı t	ı k	ے d	-	ı k	ı t	t	ı k	ے d	-	ı k	ı t	ı t	ı k	-	51720
	p	r m	g	r	g.		d	r D	r m	g	m.		r	g	r m	p		
	r d	р	в т	g	<i>в</i> , m,		n	r d	р	в т	р,		g	в m	р	r d		
	n	d	р	m	p,		Ś	n	d	р	d,		m	р	d	n		
14.	1	1	2	-	1	1	1	1	2	-	1	1	1	1	1	1	-	32508
	t	k	d,		k	t	t	k	d,		t	k	k	t	t	k		
	g	m	p,		g	r	g	m	p,		m	g	r	g	m	p		
	m	р	d,		m	g	m	p	d,		p	m	g	m	р	d		
	р	d	n,		р	m	р	d	n,		d	р	m	р	d	n		

15.	1	1	1	1	1	1	2	-	1	1	1	1	2	-	1	1	-	28608
	t	k	k	t	t	k	d,		k	t	t	k	d,		t	k		
	g	r	S	r	g	m	p,		S	r	g	m	p,		m	p		
	m	g	r	g	m	р	d,		r	g	m	р	d,		р	d		
	р	m	g	m	р	d	n,		g	m	р	d	n,		d	n		
16.	3	2	-	3	2	-	3	2	-	1							-	21141
	d;	t,		d;	t,		d;	t,		t								
	g;	r,		m	;g,		p;	m,	,	р								
	m	; g,		p;	m,		d;	p,		d								
	p ;	m,	,	d;	p,		n;	d,		n								
17.	2	3	-	2	3	-	2	3	-	1							-	19027
	t,	d;		t,	d;		t,	d;		t								
	g,	r;		m,	g;		p,	m	;	р								
	m,	g;		p,	m;		d,	p;		d								
	p,	m	;	d,	p;		n,	d;		n								
18.	2	1	2	-	2	1	2	-	2	1	2	-	1				-	23255
	d,	t	d,		d	t	d,		d,	t	d,		t					
	s,	g	r,		r,	m	g,		g,	р	m	,	р					
	r,	m	g,		g,	р	m,		m,	, d	p,		d					
	g,	p	m,		m,	d	p,		p,	n	d,		n					
19.	1	2	2	-	1	2	2	-	1	2	2	-	1				-	22198
	t	d,	t,		t	d,	t,		t	d,	t,		t					
	S	g,	r,		r	m,	g,		g	p,	m	,	р					
	r	m,	g,		g	p,	m,		m	d,	p,		d					
	g	p,	m,		m	d,	p,		p	n,	d,		n					
20.	1	1	3	-	1	1	3	-	1	1	3	-	1				-	20084
	t	k	d;		t	k	d;		t	k	d;		t					
	S	g	r;		r	m	g;		g	р	m	;	р					
	r	m	g;		g	р	m;		m	d	p;		d					
	g	p	m;		m	d	p;		p	n	d;		n					
21.	1	1	1	2	-	1	1	1	2	-	1	1	1	2	-	1	-	24312
	t	k	t	d,		t	k	t	d,		t	k	t	d,		t		
	s	g	r	r,		r	m	g	g,		g	р	m	m,	,	p		
	r	m	g	g,		g	р	m	m,	,	m	d	р	p,		d		
	g	р	m	m,	,	m	d	р	p,		р	n	d	d,		n		

22.	1	1	1	4 -	1	1	4	-	1	1	1							- 29128
	,	t	k	d ;,	t	k	d	,	t	k	t							
	,	S	r	g ;,	r	g	m	;,	g	m	р							
	,	r	g	m ;,	g	m	p	;,	m	р	d							
	,	g	m	p ;,	m	р	d	;,	р	d	n							
23.	1	1	1	13-	1	1	1	3	-	1	1	1					-	29648
	,	t	k	<i>t</i> d;	t	k	t	d;		t	k	t						
	,	s	r	g m;	r	g	m	p;		g	m	р						
	,	r	g	m p;	g	m	р	d;		m	р	d						
	,	g	m	pd;	m	p	d	n;		p	d	n						
24.	1	1	1	22-	1	1	2	2	_	1	1	1					-	30168
	,	t	k	d, d,	t	k	d,	d,		t	k	t						
	,	S	r	g, m,	r	g	m,	p,		g	m	р						
	,	r	g	m, p,	g	m	p,	d,		m	р	d						
	,	g	m	p, d,	m	р	d,	n,		р	d	n						
25.	1	1	1	1 1 1	-	1	1	1	1	1	-	1	1	1	1	1	-	32768
	,	t	k	t <i>k t</i>		t	k	t	k	t		t	k	t	k	t		
	,	S	r	g m p		r	g	m	р	d		g	m	р	d	n		
	,	r	g	m p d		g	m	р	d	n		m	р	d	n	Ś		
	,	g	m	p d n		m	р	d	n	Ś		р	d	n	Ś	ŕ		

IMPORTANT TECHNICAL - TERMS, ABBREVIATIONS & SIGNS

1.	'A' - 'U' - Anudruta or '∕'	-	AP AEP ADP ACP AAEP	- - -	Anudruta-permutation Anudruta-ending-permutation Anudruta-devoid-permutation Anudruta-containing-permutation All-anudruta-ending-permutation
2.	'D' - 'O' - Druta	-	DP DEP DDP DCP ADEP	- - -	Druta-permutation Druta-ending-permutation Druta-devoid-permutation Druta-containing-permutation All-druta-ending-permutation
3.	'L' - 'I' - Laghu	-	LP LEP LDP LCP ALEP	- - -	Laghu-permutation Laghu-ending-permutation Laghu-devoid-permutation Laghu-containing-permutation All-laghu-ending-permutation
4.	'G' - 'S' - Guru	-	GP GEP GDP GCP AGEP	- - -	Guru-permutation Guru-ending-permutation Guru-devoid-permutation Guru-containing-permutation All-guru-ending-permutation
5.	'P' - 'Ś' - Pluta	-	PP PEP PDP PCP APEP	- - -	Pluta-permutation Pluta-ending-permutation Pluta-devoid-permutation Pluta-containing-permutation All-pluta-ending-permutation
6.	'K' - '+' - Kākapāda	-	KP KEP KDP KCP AKEP	- - -	Kākapāda-permutation Kākapāda-ending-permutation Kākapāda-deviod-permutation Kākapāda-containing-permutation All-kākapāda-ending-permutation
7.			UEP UEP UDP UCP	- - -	Unit(s)-permutation Unit(s)-ending-permutation Unit(s)-devoid-permutation Unit(s)-containing-permutation

- 8. IAEP:- Identical-anga-ending-permutation
- 9. BL:- Proxies of the bottom line
- 10. ILL:- Proxies of the immediate lower line
- 11. UL:- Proxies of the upper line
- 12. SL:- Proxies of the same line
- 13. 'S':- Sankhya:- The total number of prastāras obtained in the process of permutation.
- 14. 'M' :- Mahāpātāļa :- The total number of Angas used in the process of permutation.
- 15. SM-figure:- The total of the figures of both Sankhya and Mahāpātāļa together.
- 16. SF:- In Pañcāṅga, Ṣaḍaṅga and Saṁyuktāṅga-prastāras Druta, Anudruta and figure '1' are the inferior (least) ones respectively and all the remaining are superior ones. In a series of Aṅgas of a prastāra the inferior Aṅgas are originated by the un-deducted figures of Saṅkhya. The total of the figures of Saṅkhya which are successfully substracted and originated superior Aṅgas is called 'Superiors' - figure', and this is used in Uddiṣṭa.
- 17. MN- The exact middle number of the prastāras for the odd-number of Sańkhya and the Anulōma-serial-number of the prastāras of the last prastāra of the first half for the even number of Sańkhya is called the prastāra of the 'Midmost-number or mid number (MN)' and this should always be excluded while counting the upper or lower numbers of prastāras of the MN. This is of two kinds and they are :
 - (i) Madhyarūpa-uparisthita: the prastāra above the MN.
 - (ii) Madhyarūpa-adhaḥsthita: the prastāra below the MN.
- 18. Prastāra :- Process of permutation.
- 19. Caturanga prastāra :- Quadrivalent permutation
- 20. Pañcānga prastāra :- Pentavalent permutation
- 21. Sadanga prastāra :- Hexavalent or Sexivalent permutation
- 22. Samyuktānga prastāra :- Synaptic permutation
- 23. Akhanda prastāra :- General permutation
- 24. Khanda prastāra :- Divisional permutation
- 25. Hina prastāra :- Devoid permutation
- 26. Yukta prastāra :- Containing permutation
- 27. Anuloma prastara :- Obverse permutation
- 28. Vilōma prastāra :- Reverse permutation
- 29. General-key-rule: While writing 'Saňkhya' of all the tables of general permutation and for the lowest-lines of all the tables of Aňgas of divisional permutation figure '1' should invariably be written to the left of the extreme left house.
- 30. Proxies :- In this element of Prastāra several tables containing figures are to be written which furnish the details of various innumerable prastāras obtained in the process of permutation. But to avoid the laborious process of permutation, certain easy methods are explained to write these figures basing upon the figures of particularly specified preceding houses (but not of the succeeding houses at all), which classify and represent the Anudruta-ending-permutations (AEPs), Druta-ending-permutations (DEPs), Laghu-ending-permutations (LEPs) and so on, thus classifying the prastāras basing upon the Tāļāngas

remaining in the extreme right of each prastāra. The numbers of these specified preceding houses, which here-in-after are called 'PROXIES', play an indispensable role in this element.

In Pañcāṅga-prastāra where in only five Tālāṅgas ie., Druta, Laghu, Guru, Pluta and Kākapāda are used in the process of permutation, there are only five 'Proxies' viz., 1,2,4,6 & 8 representing the respective Aṅga-ending-permutations of the above five Aṅgas respectively (it may be noted that Aṅgas pertaining to Caturaśra-jāti only could be permuted in Pañcāṅga-prastāra wherein Druta is the least Aṅga) and in Ṣaḍaṅga-prastāra wherein all the six Aṅgas i.e., Anudruta, Druta, Laghu, Guru, Pluta & Kākapāda are used in the process of permutation the six 'Proxies' representing the respective Aṅga-ending-permutations of these above six Aṅgas are :-

1-2-3-6-9-12	-	for Trisra-jāti,
1 - 2 - 4 - 8 - 12 - 16	-	for Catura śra-jāti,
1 - 2 - 5 - 10 - 15 - 20	-	for Khaṇḍa-jāti,
1 - 2 - 7 - 14 - 21 - 28	-	for Miśra-jāti and
1 - 2 - 9 - 18 - 27 - 36	-	for Sankirņa-jāti and

in Saṁyuktāṅga-prastāra, where in addition to these above six Aṅgas, the other synaptic Aṅgas are also used, all the preceding consecutive houses are 'Proxies'. While 1&2 are common to all modes of permutation it should be remembered that in Pañcāṅga-prastāra all the remaining proxies are multiples of '2', in Ṣaḍaṅga-prastāra, all the remaining proxies are the multiples of '3' in Trisra-jāti, '4' in Caturaśra-jāti, '5' in Khaṇḍa-jāti, '7' in Miśra-jāti and '9' in Saṅkirṇa-jāti and in Saṁyuktāṅga-prastāra all the numbers serially and consecutively are the 'Proxies' and always the specific mention of these above figures, '2,3,4,5,7,9 & 1' indicates the relation of the concerned respectively. If needed the relevant details of all other Viśēṣa-jātis, Divya-saṅkirṇa-jāti (6), Miśra-saṅkirṇa-jāti (8), Dēśya-saṅkirṇa-jāti (10), Miśra-dēśya-saṅkirṇa-jāti (12) and Dēśya-śuddha-saṅkirṇa-jāti (16) could also be obtained basing upon the multiples of their respective proxies in the same manner.

31. Un-deducted proxy : This is of two kinds.

(a) At the starting point of the process of deducting the respective proxies, either in the beginning or in the middle of the process, if any proxy could not be subtracted from the remainder, being a figure bigger than the remainder, such figure is called the 'un-deducted-proxy' (udp-Apatita-अपतित), by which we always get the least Anga only.

(b) Immediately, after a successful subtraction of a proxy, if the immediate next consecutive proxy is not subtracted from the remainder, being a figure bigger than the remainder, such figure is called the 'left-off-proxy' (lop-Visarjita-विसर्जित), by which we will not get any Anga at all.

32. Indicative figures of the examples : In this book while furnishing the examples of various problems of Naṣṭa, Uddiṣṭa and Kalita, several questions relating to different permutations are furnished along with their respective methods of answering them to make all these problems easy to understand. Application of these figures pertaining to those permutations are given here under :

Akhaṇḍa- prastāra	Khaṇḍa- prastāra	Particulars
(Nos. of	the figures)	
1	1	Indicative number of the mode of permutation (i.e., 2,3,4,5,7,9 & 1)
2	2	Unit-value of the permutation in figures
_	3	Proxy-number of the table concerned which represents the respective Anga
_	4	Devoid or containing numbers of the respective Angas
3	5	Sankhya
4	6	Serial numbers of the prastāra for Naṣṭa or Kalita OR

Series of the Angas of the prastāra for Uddista

Example : Akhaṇḍa-prastāra :- 2-12-632-1---Among them the first figure '2' represents the Pañcāṅga-prastāra, the second figure '12' represents the 12-Druta-permutation, the third figure '632' represents the respective Saṅkhya and the last figure '1' represents the 1st prastāra,

Khaṇḍa-prastāra :- 2-12-1-0-29-12----- Among them, the first figure 2, as above, indicates the Pañcāṅga - prastāra, the second figure '12', as above, indicates the 12-Druta-permutation, the third figure '1' indicates the first-proxy of Druta, the fourth figure '0' indicates the Druta-devoid-permutations, the fifth figure '29' indicates the Saṅkhya of the Druta-devoid-permutations of 12-DP and the sixth figure '12' indicates the 12th prastāra.

- 33. Groups of combinative Angas :- In the table of the combinative Angas vertical lines should be drawn to each of the independent Angas and also to the combinations of two, three, four, five and six Angas. In respect of these groups of combinative Angas while there are '1' group ending with Druta, '2' with Laghu, '4' with Guru, '8' with Pluta and '16' with Kākapāda, thus doubling each time making a total of (1+2+4+8+16=) '31' pertaining to the Pañcānga-prastāra there are '1' group ending with Anudruta, '2' with Druta, '4' with Laghu, '8' with Guru, '16' with Pluta and '32' with Kākapāda, thus doubling each time making a total of (1+2+4+8+16=) '31' pertaining to tag total of (1+2+4+8+16+32=) '63' pertaining to the Ṣaḍanġa -prastāra. This total number varies each time in respect of Samyuktānġa prastāra depending upon the requirement of units. These details are furnished in the 'List of Combinative-angas' of this book.
- 34. '—':- In the places needed the figures of the lower lines are indicated with a small horizontal (-) line beneath the figure.
- 35. Anulōma and Vilōma serial numbers:- In order to obtain the corresponding serial number from Anulōma-serial-number to Vilōma-serial-number or vice-versa of Saṅkhya, subtract the question number of the prastāra from the respective Saṅkhya and add figure '1' to the remainder.
- 36. Angas and figures:- To make the matters more easier to the reader to follow and understand, the details of Samyuktānga-prastāra are furnished in terms of figures which could be transliterated into Angas if needed.



CONTENTS

	Page
Fore-word by Dr.R. Sathyanārāyaņa	i
Preface	v
Prologue	V
Important technical terms, abbreviations & signs	xvi
Contents	XX
List of Tables, Diagrams etc.,	xxii

CHAPTER-1 TEN ELEMENTS OF TĀĻĀ

1.1	Kāla	•••	 1
1.2	Mārga	•••	 1
1.3	Kriya	•••	 2
1.4	Aṅga		 3
1.5	Graha	•••	 3
1.6	Jāti	•••	 3
1.7	Kala		 4
1.8	Laya		 4
1.9	Yati		 4
1.10	Prastāra		 4

CHAPTER - 2 PRASTĀRA

2.1	Modes	s of prastāra	 	7
2.2	Divisio	ons of prastāra	 	7
2.3	Rules f	for the process of prastāra	 	8
	2.3.1.	Akhaṇḍa - prastāra	 	9
		2.3.1.1. Anulōma-prastāra	 	9
		2.3.1.2. Vilōma-prastāra	 	9
	2.3.2.	Khaṇḍa - prastāra	 	10
2.4	Tables	of Angas and their application	 	10

CHAPTER - 3 APPLICATION OF PRASTĀRA

3.1	Pañcāṅga-prastāra	 	15
	3.1.1. Akhaņḍa - prastāra	 	15
	3.1.1.1. Anuloma-prastara	 	15
	3.1.1.2. Vilōma-prastāra	 	15
T.1.	Table of general permutations	 	16
	1. Saṅkhya	 	16
	2. Mahāpātāļa	 	16
3.1.2.	Khaṇḍa - prastāra	 	17
	3.1.2.1. Hina-prastāra	 	17
	3.1.2.1.1. Anuloma-prastara	 	17
	3.1.2.1.2. Vilōma-prastāra	 	18

	3.1.2.2. Yukta-prastāra			18
	3.1.2.2.1. Anuloma-prastara			18
	3.1.2.2.2. Vilōma-prastāra			19
T.2.	Table of Druta (Druta-mēru)			20
Т.З.	Table of Laghu (Laghu-mēru)			22
T.4.	Table of Guru (Guru-mēru)			23
T.5.	Table of Pluta (Pluta-mēru)			23
T.6.	Table of Kākapāda (Kākapāda-mēru)			24
Т.7.	Table of Combinative-angas (Samyōga-mēru)			24
3.2	Ṣaḍaṅga-prastāra			30
3.3	Saṁyuktāṅga-prastāra			31
	CHAPTER-4 NASTA, UDDISTA & KAI	LITA		
4 1	No 4 -			24
4.1			•••	34
4.2.	Uddișța Kalita			02 72
4.3	Kanta CHADTED 5	•••	•••	13
	RELEVANT OLD SANSKRIT TEXTS FOLLO TRANSLATION	WED BY FI N	REE ENGL	ISH
5.1	Sanskrit text of Tālaprastāra from Sangita			
	Ratnākara written by Nih anka Śārngadēva			86
	5.1.1. Free English translation			89
	-			
5.2	Sanskrit text of Tāļaprastāra from Nartananirņaya	l		
	written by Paṇḍarika Viṭṭhala 🔬 🔬			94
	5.2.1. Free English translation			95
	CHAPTER - 6			
	TĀĻA PRASTĀRA-A CRII	FIQUE		
6.1.	Details of treatises			98
6.2.	Modes of permutation			100
6.3.	Allocation of divisions of prastāra		•••	101
6.4.	Rules of the process of prastāra		•••	102
6.5.	The process of arriving at the figures of tables			102
6.6.	Pātāļa and Mahāpātāļa		•••	102
6.7.	Akhanda-nașta & Uddișța			104
6.8.	Akhanda-kalita			104
6.9.	Table of Druta (Druta-mēru)		•••	105
6.10.	Table of Combinative-angas (Samyōga-mēru)			105
6.11	Khanda-nașța, Uddișța & Kalita	•••	•••	105
6.12.	Sodasangas - A critique			111
	CHAPTER-7			
	TĀĻAS WITH SERIAL NUN	MBERS		
	Tālas furnished with serial numbers	•••	•••	115
7.1	Tāļas furnished in 'Sangita Samayasāra'			116
7.2	Tāļas furnished in 'Gāyakalōcanam'			118
	Glossary to the technical - terms			164

LIST OF TABLES, DIAGRAMS ETC.

1.	Division of prastāra	6
2.	Proxies of different modes of permutation	13
3.	Proxies of different tables	14
4.	Examples of Nașța, Uddișța & Kalita	32
5.	Kalita-8 DP-Brief version	74
6.	Kalita-8 DP-Detailed version	75
7.	Kalita-8 DP-Brief & detailed versions	76
8.	Kalita-12 DP-DDP-Brief version	79
9.	Kalita-12 DP-DDP-Detailed version	79
10.	Kalita-12 DP-DDP-Brief & detailed versions	80
11.	Kalita-8 DP-2 DCP-Brief version	83
12.	Kalita-8 DP-2 DCP-Detailed version	83
13.	Kalita-8 DP-2 DCP-Brief & detailed versions	84
14.	Modified version of Caturaṅga-akhaṇḍa-prastāra	103
15.	Modified version of Caturanga Druta-mēru	106
16.	List of Combinative-angas	107
17.	Samudāyānga-mēru of Gāyakalōcanam	109
18.	Modified version of Samyōga-mēru	110
19.	Table of General - permutation - Trisra-jāti-Pañcāṅga-	
	said to have been written by Syāma Sāstry himself.	113
20.	Serial numbers of 35 Tāļas	114
21.	Examples of different permutations	124
22.	Tables of different permutations	139

CHAPTER - 1

TEN ELEMENTS OF TĀĻA

In South Indian Music the chapters of Rāga and Tāļa are very complex and elaborate. Between them, the system of Tāļa is more difficult and complicated. It is unparalleled in any system of music in the world. The various time measures used by all the nations of the world put together form only a small fraction of the innumerable varieties of rhythm used in South Indian Music.

The Tāla is divided into ten elements and they are : 1.Kāla 2.Mārga 3.Kriya 4.Anga 5.Graha 6.Jāti 7.Kala 8.Laya 9.Yati 10.Prastāra

1.1. KĀLA (काल)

This element is defined as the mode of measuring the duration of Kriya i.e., any act used to demonstrate or manifest the time quantity. It connotes the (uniform) speed with which the musical (or dance) event is executed over each division of the Tāļa cycle. Such speed i.e., the rate at which elements of a musical (or dance) event occur per unit time, is said to be first, second, third etc., depending on whether the event is executed at the initial, doubled or quadrupled rate i.e., whether the same event is executed in a given duration or in half or quarter of the original duration. Thus Kāla (musical speed) changes by progressive doubling.

The unit time for reckoning Kāla is Mātra. In order to accommodate elastic use and subjective variation, the Mātra is given in Śāstra a flexible definition.

1. The Mātra is taken as the total duration of uttering the five short syllables 'Ka, Ca, Ța, Ta and Pa'.

"Pañca-laghu- akṣarōccāra - mitā mātrēha kathyatē" - Śārṅgadēva's Saṅgīta Ratnākara, 5.16.

This value is adopted in Mārga Tālas. Since Laghu (short) syllables are involved, the span is called Laghu. This also is approximately of the duration of a second.

2. It is equated to 'Nimēṣakāla' i.e., the time required to close and open the eyes naturally.

"Nimēṣakālō mātraḥ" - Kaļānidhi (commentary of Kallinātha) on Śārṅgadēva's Saṅgīta Ratnākara, 5.15. (Gods are called 'Animiṣas' because they do not blink; others are 'Nimiṣas' because their eyes open and close).

This is taken roughly equal to a second and so Mātra roughly corresponds to the objective duration of a second.

3. In Dēśi Tāļas, however, the Laghu had a variable value; its Mātra could be of 4,5 or 6 units. This was finally standardised to a duration of a 4 units and is so used. This Laghu is hence called Caturaśra while the one of three units is called Trisra.

1.2. MĀRGA (मार्ग)

Mārga means extent or measure. It measures the magnitude of the organs of Tāļa such as Druta, Laghu etc. Its measuring device is Mātra or Kāla. It is not merely the total quantity of time but must include Kriya i.e., the act of performing Tāļa also. In other words Kāla, which is of the

form of a group of Kriyas is Mārga. The word Mārga is appropriate to this vital element because it indicates the root taken in time to arrive at the destination by manipulation of other elements.

Acyutarāya prescribed 8, 4, 2 & 1 Mātra-durations respectively for the Mārgas, Dakṣiṇa, Vārtika, Citra and Citratara. He further described the durations of Druta and Anudruta respectively for Citra-tama and Ati-citra-tama Mārgas.

1.3. KRIYA (क्रिय)

Kriya is the manual act used to demonstrate or manifest the quantity of each organ, the structure and the quantity of the Cycle (Āvarta) of a Tāļa which are borne in the mind for their physical manifestation. Kriyas are separately described for Mārga and Dēśi Tāļas. These are divided into sounded (Saśabda) and silent (Niḥśabda) Kriyas. Beat, finger snapping, clapping are examples of the former while counting, waving of the hand are examples of the latter.

I. Mārga-kriyas :

- (a) Niķsabda-kriyas:
 - 1. Āvāpa : Counting of the time duration by folding the fingers of the hand facing upwards.
 - 2. Niṣkrāma : Counting of the time duration by unfolding the fingers of the hand facing down-wards.
 - 3. Vikṣēpa : Moving the hand towards right.
 - 4. Pravēsa : Bringing it back.
- (b) Sasabda-kriyas :
 - 1. Dhruva : Producing sound with the thumb and the middle-finger.
 - 2. Samya : Striking on the right-hand palm with the left-hand palm.
 - 3. $T\bar{a}$!a : Striking on the left-hand palm with the right-hand palm.
 - 4. Sannipāta : Clapping with both the hands facing each other.
- II. Dēśya-kriyas :
- (a) Nihsabda-kriyas:
 - 1. Sarpini : Moving the hand towards left like a flag with the palm facing downwards.
 - 2. Kṛṣṇa : Moving it towards right.
 - 3. Padmini : Bringing it downwards towards the front side.
 - 4. Visarjita : Waving it outwards turning the palm upwards.
 - 5. Viksipta : Bringing it towards self closing-in the fingers.
 - 6. Patāka : Raising the hand upwards like a flag.
 - 7. Patita : Bringing it down like a flag.

- (b) Sasabda-kriya:
 - 1. Dhruvaka : A beat of the hand.

1.4. ANGA (अंग)

Anga means organ. This element describes the structure of the Tāla in terms of the various divisions each of which is marked by an account of beat. The Anga of Tāla also means the number and order of its structural units. These are Anudruta containing single-unit duration, Druta having double-unit duration; and while Laghu carries varying duration basing upon the unit-values of Jāti, other remaining Guru, Pluta and Kākapāda carry 2, 3 & 4 times of the duration of Laghu respectively.

- 1. Anudruta : "U" is the sign of Anudruta. This should be rendered with the help of Dēśyakriya, Dhruvaka and its synonyms are Ardhacandra, Vyañjana, Anunāsika, Avyakta and Virāma.
- 2. Druta : "O" is the sign of Druta. This should be rendered with the help of Dhruvaka and Visarjita of Dēśya-kriyas and its synonyms are Ardhamātra, Vyōma, Bindu, Valaya, V**t**ta and Kham.
- 3. Laghu : "I" is the sign of Laghu. This should be rendered with the help of Dhruvaka followed by counting fingers for maintaining the different units of time of Jāti and its synonyms are Mātra, Saraļa, Hrasva, Kaļa and Śara.
- 4. Guru : "S" is the sign of Guru. This should be rendered with the help of Dhruvaka and Patita each followed by counting fingers for maintaining the units of time of Jāti and its synonyms are Dvimātra, Vakra, Kāņa, Yamala and Dirgha.
- 5. Pluta : "S" is the sign of Pluta. This should be rendered with the help of Dhruvaka, Sarpini and Kṛṣṇa each followed by counting fingers for maintaining the units of time of Jāti and its synonyms are Samōdbhava, Dīpta, Tryaṅga and Trimātra.
- 6. Kākapāda : "+" is the sign for Kākapāda. This should be rendered with the help of Sarpiņi, Krsna, Patāka and Patita, it being an absolute Nihsabda-anga, each followed by counting fingers for maintaining the units of time of Jāti and its synonyms are Hamsapāda, Nihsabda, Caturlaghu and Caturmātra.

1.5. GRAHA (ग्रह)

Graha is the position of attack i.e., mutual relation between the commencement of the $T\bar{a}$!a cycle and the commencement of the melody line. This is of two kinds. It is said to be Sama if both positions of commencement coincide i.e., if the melody line commences at the commencement of the $T\bar{a}$!a cycle itself. It is said to be Viṣama otherwise. This is again of two kinds. It is Anāgata if the melody line commences after the $T\bar{a}$!a cycle has commenced. It is Atīta if the melody line commences first.

1.6. JATI (जाति)

Jāti defines the quantity of the Tāla cycle by defining the quantity of Laghu. There are five Laghu-jātis. They are : Trisra, Caturaśra, Khaṇḍa, Miśra and Saṅkirṇa and have the time quantities of 3, 4, 5, 7 & 9 units respectively. Rarely other Laghu-jātis such as Divya-saṅkirṇa, Miśra-

saṅkīrṇa, Dēśya-saṅkīrṇa, Miśra-dēśya-saṅkīrṇa and Dēśya-śuddha-saṅkīrṇa containing 6, 8, 10, 12 & 16 units respectively are also used. Synonyms of all these ten Jātis are Svarga-laghu (3), Manuṣya-laghu (4), Dēśya-laghu (5), Hamsa-laghu (7), Citra-laghu (9), Divya-laghu (6), Simhalaghu (8), Varṇa-laghu (10), Vādya-laghu (12), and Karnāṭaka-laghu (16) respectively. The different units of Laghu-jātis should be maintained by counting fingers of the same hand followed by the starting Kriya.

1.7. KALA (कळ)

Kaļa defines the quantity of time possesses by the entire cycle or Āvarta of a Tāļa. While the original quantity of such time is called. "Yathākṣara" or "Ēka-kaļa", twice of its quantity is called "Dvikaļa" and twice of the quantity of "Dvi-kaļa" is called "Catuṣkaļa". Dvi-kaļa and Catuṣkaļa are made use in Mārga-tāļas in terms of Gurus only.

1.8. LAYA (लय)

Laya may be roughly translated as tempo which describes the speed of the melody line. It is of 3 kinds : Druta, Madhya and Vilambita i.e., fast, medium and slow respectively. Sometimes these tempi themselves are further sub-divided into the following 9 varieties, the names of which are self-descriptive :

Vilambita	-vilambita,	Madhya	-vilambita,	Druta	-vilambita		
-do-	-madhya	-do-	-madhya	-do-	-madhya		
-do-	-druta	-do-	-druta	-do-	-druta		
1.9. YATI (यति)							

Yati is roughly translated into English as 'Caesura'. It consists of forming different patterns in melodic or word flow by arranging the pauses in various ways. This was done in two methods : (i) manipulating the slow, middle and fast tempi in such a way as to arrive at the desired pattern and (ii) arranging the $T\bar{a}$ organs of different sizes (heavy, light etc.) in such a way as to obtain the required pattern. They are different approaches to the same aspect.

Early treatises describe three Yatis : Sama, Śrōtōvaha and Gōpuccha. In Sama-yati the density of flow is uniform in word or melody. In Śrōtōvaha-yati it commences small but gradually enlarges like a river. Gōpuccha (lit.cow's tail) is the opposite i.e., flow begins large but tapers off at the end. Later treatises add three more : Mrdaṅga-yati having heavy Aṅgas at the middle and lighter Aṅgas at the ends. This is also called 'Yavamadhya'. The opposite of this is called 'Pipīlika or Vēdamadhya'. If two tempi frequently recur in a repeating Tāla-cycle, it is said to be Kharjūrika-yati. In Viṣama-yati there is no discernible pattern in the arrangement of tempi or organs.

1.10. PRASTĀRA (प्रस्तार)

Rhythmical forms are innumerable and they all are the derivatives of this element, Prastāra, in which Tālāngas are permuted into all possible combinations in a systematic process to avoid repetition.

Taking the number of different $T\bar{a}$ and \bar{a} used in the process of permutation into account the modes of permutation are divided into four kinds and they are : 1. Caturanga-prastāra 2. Pañcānga-

prastāra 3. Ṣaḍaṅga-prastāra and 4.Saṁyuktāṅga-prastāra. Each one of these modes of permutation has two main divisions namely 1.Akhaṇḍa-prastāra and 2.Khaṇḍa-prastāra among which Khaṇḍa-prastāra has two sub-divisions namely 1.Hīna-prastāra and 2.Yukta-prastāra. All these divisions consist of two different processes of prastāra namely 1.Anulōma-prastāra and 2.Vilōma-prastāra and two key-figures namely 1.Saṅkhya and 2.Mahāpātāļa, which are the total number of prastāras and the total number of Tālāṅgas used in the process of permutation respectively.

Even without adopting the laborious process of permutation there are very interesting easy methods to obtain the above two key-figures of Sankhya and Mahāpātāļa and also to obtain the 'series of Tāļāngas of a particular serial number of prastāra in question', the 'serial number of a prastāra in question containing a particular series of Tāļāngas' and the 'total number of all the different Tāļāngas used upto a particular serial number of prastāra in question' which are named as 'Naṣṭa, Uddiṣṭa and Kalita' respectively.

This element helps in obtaining the full details of all the various prastāras many of which are highly useful also in Swara-improvisation.

1. DIVISIONS OF PRASTĀRA

PRASTĀRA





MAHĀPĀTĀLA

Chapter - 2

PRASTĀRA

Prastāra, the tenth element of rhythm, is more exhaustive and complicated than the remaining nine elements. Prastāra means permuting the $T\bar{a}$! $\bar{a}n$ gas or figures into all possible combinations and each and every conceivable rhythmical form is derived from this element. Thus, this becomes the encyclopaedic element of rhythm.

2.1. MODES OF PRASTĀRA

Depending upon the number of Angas used in the process of permutation, the modes of prastāra are divided into four kinds.

- 1. Caturanga-prastāra : In this process of permutation four Angas, Druta, Laghu, Guru and Pluta are used. This kind of permutation is prescribed for permuting the Angas pertaining to Caturasra-jāti only, it being the even number. Caturanga-prastāra is mentioned in the ancient books like Sangīta Ratnākara and Sangīta Darpana.
- 2. Pañcāṅga-prastāra : (a) In this process of permutation five Aṅgas namely, Anudruta, Druta, Laghu, Guru and Pluta are used. This kind of permutation is prescribed for permuting the Aṅgas pertaining to all the Jātis containing odd numbers i.e., Trisra, Khaṇḍa, Miśra and Saṅkirṇa. In addition to the above mentioned Caturaṅga-prastāra, this Pañcāṅga-prastāra is also mentioned in books like Tāļadaśaprāṇapradīpika.

Note : The above two modes of Caturanga and Pañcānga-prastāras are devoid of Kākapāda (sound -less Anga) and the below mentioned three modes of Pañcānga-prastāra, (b) Ṣaḍanga-prastāra and Samyuktānga-prastāra are containing of Kākapāda. The figures of all the tables of this book are calculated for these three modes of permutation given below and if the figures of the above two modes are also desired the figures pertaining to Kākapāda of them should be excluded.

(b) In this process of permutation five Angas namely Druta, Laghu, Guru, Pluta and Kākapāda are to be used and this kind of permutation is prescribed for permuting the Angas pertaining to Caturaśra-jāti only. This is only an addition of Kākapāda to the above mentioned Caturanga-prastāra.

- 3. Ṣaḍaṅga-prastāra : In this process of permutation all the six Aṅgas namely Anudruta, Druta, Laghu, Guru, Pluta and Kākapāda are to be used. This process could be applied for permuting the Aṅgas of all the Jātis consisting of the even and odd numbers alike. This too is an addition of Kākapāda to the above mentioned Pañcāṅga-prastāra (a) having been extended to Caturaśra-jāti also.
- 4. Samyuktānga-prastāra : In this process of permutation, in addition to the usual six Angas i.e., Anudruta, Druta, Laghu, Guru, Pluta and Kākapāda, various other combinations of two or more of these six Angas, formed by interlacing and writing one above the other, are also used. The synonyms of this mode of permutation are 'Miśramānga-prastāra and Miśritānga-prastāra'.

2.2. DIVISIONS OF PRASTĀRA

This element, prastāra has two main divisions and they are : 1.Akhaṇḍa-prastāra (synonyms: Nija-prastāra and Sarva-prastāra) in which Aṅgas should be permuted following some stipulated

rules and regulations and 2.Khaṇḍa-prastāra in which Aṅgas should be permuted following the same rules as in Akhaṇḍa-prastāra but observing some restrictions like devoid of a particular Aṅga. Among them Khaṇḍa-prastāra has two sub-divisions and they are : 1.Hīna-prastāra in which permutation should be made devoid of a particular Aṅga and 2.Yukta-prastāra in which permutation should be made containing of a particular number of a particular Aṅga. The process of permutation of all the above divisions is of two kinds and they are 1.Anulōma-prastāra in which the process of permutation should be made in obverse order and 2.Vilōma-prastāra in which the process of permutation should be made in reverse order.

Under all the above divisions various and innumerable prastāras derive upon mathematical basis and to precisely know the details of all those prastāras two key-figures namely Sańkhya and Mahāpātāļa are prescribed which represent the total number of the prastāras and the total number of all the different Angas used in the process of permutation respectively.

There are very interesting easy methods to obtain the above two key-figures of Saňkhya and Mahāpātāļa even without adopting the laborious process of permutation. Also there are three more very important and useful easy methods named as Naṣṭa, Uddiṣṭa and Kalita by which answers for 'the series of Aṅgas of a particular number of prastāra in question', 'the serial number of a prastāra containing a particular series of Aṅgas in question' and 'the total number of all the different Aṅgas used in the process of permutation upto a particular number of prastāra in question' could respectively be obtained very easily even without adopting the laborious process of permutation.

Among them while Naṣṭa and Uddiṣṭa could be answered with the help of Saṅkhya, Kalita could be answered with the help of both Saṅkhya and Mahāpātāļa.

2.3. RULES FOR THE PROCESS OF PRASTARA

In order to easily understand and follow the process of permutation let us recollect the unit's column, tenth's column etc., as is taught in general mathematics. These columns are counted and read from the right towards left. For example, in the number 987654321, the figure:

- '1' is in the units' column,
- '2' is in the tenths' column,
- '3' is in the hundreds' column,
- '4' is in the thousands' column,
- '5' is in the ten-thousands' column,
- '6' is in the lakhs' column,
- '7' is in the ten-lakhs' column,
- '8' is in the crores' column,
- '9' is in the ten-crores' column,

Note : For the purpose of permutation the Angas should always be cited and written only from right towards the left observing the above columns.

Some rules and regulations are to be followed to write all the possible permutations and combinations serially to avoid iteration and they are prescribed hereunder :

2.3.1. AKHAŅDA-PRASTĀRA

(General-permutation)

2.3.1.1. Anuloma-prastāra (obverse-permutation) :

- 1. The value of any prastāra should be cited in number of the least (inferior) Angas only occurring in a particular mode of permutation and for the value of such prastāra, minimum possible number of Angas only should be written in the 1st prastāra, carefully observing the relevant rules and restrictions, if any. If two or more Angas are to be written in the 1st prastāra they should be written anti-clockwise only in descending order of value from right to left of the 1st prastāra.
- 2. If there is more than one Anga in the prastāra, the permutable Anga at the extreme left should at first be permuted.
- 3. If the Angas in the extreme left are so minute that they cannot further be permuted, the immediate next permutable Anga to their right only should be permuted.
- 4. To permute an Anga write down the immediate lower Anga in value than of the upper Anga in the same column.
- 5. After writing down the lower Anga than of the upper Anga, for the remainder, a suitable independent Anga should be written to the left of the Anga already written. For this remainder, if two or more Angas are to be written they should be written anti-clockwise only in descending order of value to the left of the Anga already written.
- 6. If there are Angas to the left of the upper Anga the remainder-value of the permuted Anga should be added to the total value of all the left-side Angas and a suitable Anga should be written to the left of the Anga already written and if two or more Angas are to be written for this total value they should be written anti-clockwise to the left of the Anga already written in descending order of value.
- 7. The Angas, if any, which are at the right of the Anga being permuted, should be brought down and written as they are in the same columns.
- 8. Carefully observing the relevant rules and restrictions, if any, the process of permutation should be continued until all the Angas become so minute that none of them could further be permuted.
- 9. Among all the prastāras the total value of all the Angas of each prastāra should always be one and the same.

2.3.1.2. Vilōma-prastāra (reverse-permutation) :

Note : In Vilōma-prastāra the process of permutation of Angas should be made just in the reverse order of Anulōma-prastāra mentioned above and this could easily be understood by writing the Anulōma-prastāras in reverse order successively one below the other from the last one to the first one.

1. In the 1st prastāra all the Angas of inferior value should only be written to the value of the prastāra and in this process if different Angas are to be written they should always be written

anti-clockwise i.e., from right to left, in ascending order of value carefully observing the restrictions, if any.

- 2. From left to right the second of the Angas should only be permuted in reverse order into possible superior Angas.
- 3. To permute an Anga in reverse order the immediate superior Anga should always be written below the inferior Anga i.e., Druta below Anudruta, Laghu below Druta, figure '2' below '1', figure '3' below '2' and so on following the restrictions, if any.
- 4. If the value of the superior Anga to be written exceeds the value of its upper Anga, including the total value of its preceding Angas, without permuting this upper Anga, the next Anga of its right should only be permuted.
- 5. After writing the superior Anga below the inferior Anga if the total value of the above inferior Anga, including its preceding Angas, exceeds the value of the superior Anga one or more least (inferior) Angas should be written for the difference of value anti-clockwise to the left of the superior Anga, carefully observing the restrictions, if any.
- 6. All the Angas which are at the right side of the inferior Anga being permuted in reverse order should always be brought down and written as they are in their respective columns.
- 7. This process of permutation in reverse order should always be continued until all the Angas of the prastāra become possible superior ones.
- 8. Among all the prastāras the total value of all the Angas of each prastāra should always be one and the same.

2.3.2. KHAŅDA-PRASTĀRA

(Divisional-permutation)

The process of Khaṇḍa-prastāra should also be made following the same rules of Akhaṇḍaprastāra mentioned above but observing some restrictions like devoid or containing a particular Aṅga. This is of two kinds and they are namely 1. Hīna-prastāra(Devoid-permutation) in which the process of permutation should be made devoid of a particular Aṅga and 2. Yukta-prastāra (Containing-permutation) in which the process of permutation should be made containing a particular number of a particular Aṅga as furnished in the examples.

2.4. TABLES OF ANGAS AND THEIR APPLICATION

The detials of the two key-figures, Sańkhya and Mahāpātāļa of all modes of permutation are furnished in this book in the 'Tables of different permutations' at the end of this book. Among them the tables from :

(a)	1st	to	7th	belong to	Pañcāṅga-prastāra	(Caturaśra-jāti)
(b)	8th	to	15th	belong to	Ṣaḍaṅga-prastāra	(Trisra-jāti)
(c)	16th	to	22nd	belong to	Ṣaḍaṅga-prastāra	(Caturaśra-jāti)
(d)	23rd	to	28th	belong to	Ṣaḍaṅga-prastāra	(Khaṇḍa-jāti)

(e)	29th	to	33rd	belong to	Ṣaḍaṅga-prastāra	(Miśra-jāti)
(f)	34th	to	38th	belong to	Ṣaḍaṅga-prastāra	(Sankirņa-jāti)
(g)	39th	to	52nd	belong to	Samyuktānga-prastāra	(all Jātis)

In each group of tables, except for Samyöga-mēru, for the remaining tables of generalpermutation and for all the horizontal-lowest-lines of the tables of independent Angas, write the number of houses upto the required permutation in terms of the number of the least Angas and for all the upper-lines, gradually reducing the number of houses corresponding with their respective proxies for each upper-line, from the left extreme. For example, for 12 DP, the horizontal-lowestlines of all the tables should consist of 12 houses and for the tables of Druta, Laghu, Guru, Pluta and Kākapāda the number of houses of each upper-line, should gradually reduce equal with the number of their respective proxies i.e., 1, 2, 4, 6 & 8 from the left extreme.

In each page of these tables the serial numbers given in thick bold type at the top of the vertical lines denote the unit-value of each respective permutation in number of the respective least (inferior) Anga (Drutas in respect of Pañcānga-prastāra, Anudruta in respect of Ṣaḍanga-prastāra and the general units in respect of Saṃyuktānga-prastāra). The respective figures of Saṅkhya and Mahāpātāļa are given below in the respective houses in bold and small types of figures respectively. In each group of tables while the first table furnishes the particulars of Akhaṇḍa-prastāra, all the other remaining tables furnish the particulars of Khaṇḍa-prastāra.

In each group of tables in the first 'Table of General permutations' the figures in the top horizontal line are the respective figures of Sankhya and Mahāpātāļa shown in bold and small types of figures respectively and in the subsequent lower houses the numbers of the Angas containing are furnished in detail of which the grand total of each vertical line forms the figure of the respective Mahāpātāļa. For example in the first table of Pañcānga-prastāra the vertical line having the bold figure '8' in the top indicates the 8-Drutas-permutation (8-DP) in which Kākapāda stands in the first permutation and in which there are 61 permutations (Sankhya) in total containing of 299 Angas (Mahāpātāļa) and as per the figures of the subsequent lower lines there are :

180	Drutas	(total of the 1st proxies	-	33	+	147	=	180)
91	Laghus	(total of the 2nd proxies	-	19	+	72	=	91)
22	Gurus	(total of the 4th proxies	-	6	+	16	=	22)
5	Plutas	(total of the 6th proxies	-	2	+	3	=	5)
1	Kākapāda	(total of the 8th proxies	-	1	+	-	=	1)

--- striking the grand-total of 299 Angas of Mahāpātāļa.

In each group of tables, in the last table which is called Samyōga-mēru or Table of combinative Angas, the figures of each horizontal line are the total numbers of permutations (Sańkhya) consisting the Anga or combinations of Angas written at the top of the vertical line. For example, in the 7th table of Pañcānga-prastāra from left towards right as per the general vertical line having the thick bold figure '8' which denotes the 8-Druta-permutation there are bold type figures, 1, 1, 32, 1, 5, 3, 0, 12, 3, 2 & 1 which are the total numbers of permutations (Sańkhya) pertaining to Druta, Laghu, Druta-Laghu, Guru, Druta-Guru, Laghu-Guru, Pluta, Druta-Laghu-Guru, Druta-pluta, Laghu-pluta and Kākapāda respectively as per the Anga or combination of Angas written at the top of the respective vertical line and the small type of figures, 8, 4, 189, 2,

25, 9, 0, 48, 9, 4 & 1 indicate the total numbers of the Angas (Mahāpātāļa) containing of the above permutations respectively.

Apart from the first and last tables of each group of tables each other table furnishes the details of a particular Anga. In these tables while each vertical line, usually, belongs to a certain unit-value of permutation as per the thick bold type of figures written at the top, bold and small types of figures of each horizontal line furnish the details of Sankhya and Mahāpātāļa respectively consisting a particular number of a particular Anga as per the bold type of figure written at the extreme right. For example, as per the 2nd 'Table of Druta' of Pañcānga-prastāra the vertical line, wherein the thick bold type of figures 8, 0, 25, 0, 20, 7, 0 & 1 and the respective small type of figures, 20, 0, 107, 0, 115, 0, 49, 0 & 8 are the figures of Sankhya and Mahāpātāļa respectively pertaining to the permutations Devoid-of-druta, containing 1-Druta, 2-Drutas, 3-Drutas, 4-Drutas, 5-Drutas, 6-Drutas, 7-Drutas and 8-Drutas as per the figures 0, 1, 2, 3, 4, 5, 6, 7 & 8 indicated in the extreme right of each horizontal line respectively from bottom to top of the table.

In the same manner the figures of all the tables should be applied and understood.


Units	Pañcāńga		\$	Şadanga	l			Sam	yuktā	ńga		Units
	2	3	4	5	7	9	3	4	5	7	9	
1	о	U	U	U	U	υ	U	U	U	U	U	1
2	I 1	0	о	о	0	о	о	ο	ο	о	о	2
3	оі	I	UO	UO	UO	UO	I	Я	8	8	8	3
4	s	UI	I	00	00	00	Y	ı	8	8	8	4
5	os	OI	U	I	UOO	UOO	Ŷ	Y	I	ğ	ğ	5
6	Ś	S	О	UI	000	000	S	Ŷ	Y	8	8	6
7	os	US	UOI	OIL	I	0000	š	φ	Ŷ	I	8 8	7
8	+	OS	S	UOI	UI	0000	ŝ	s	γ	Y	88	8
9	0+	Ś	US	001	0	1	Ś	š	8	Ŷ	I	9
10	I+	UŚ	os	S	υοι	UI	š	ŝ	s	γ	Y	10
11	01+	OŚ	UOS	US	001	01	၀ Տ) S	š	8	Ŷ	11
12	S+	+	Ś	os	UOOI	UOI	+	Ś	° s	ğ	Ý	12

2. THE FIRST ANGAS OF DIFFERENT MODES OF PERMUTATION

3. PROXIES OF DIFFERENT TABLES

Prastāra		P	añcă	inga	ı - (Catu	ıraśr	a		Şa	dan.	ga -	Tris	ra			Şa	ļang	a - (Catu	raśra	L		Şa	ıdan	ga -	Kha	ņḍa			Ş	Şada	nga-	Mis	fra			Şaç	lang	a- S	ańk	irņa		5	Sam	yukt	nga	- All	jātis	s
Akhaṇḍa	- prastāra		1	2	4	6	5 8			1	2	3	6	9	12		1	2	4	8	12	16		1	2	5	10	15	20		1	2	7	14	21	28		1	2	9	18	27	36		1	2	3	4	5	6
Sl.No.of	- Line		╧	_	SL	-		=	!			SL				⊒			SL				Ę			SL				⊒			SL				Ę			SL				Ę			SL			
1	- BL-		-	-	2	4	6 8	; -	.	-	2	3	6	9	12	-	-	2	4	8	12	16	-	-	2	5	10	15	20	-	-	2	7	14	21	28	-	-	2	9	18	27	36	-	-	2	3	4	5	6
	UL -		1	- 1	2	4	6 8	1		-	2	3	6	9	12	1	-	2	4	8	12	16	1	-	2	5	10	15	20	1	-	2	7	14	21	28	1	-	2	9	18	27	36	1	-	2	3	4	5	6
2	- BL -		-	1	- 4	4	6 8	; -		1	-	3	6	9	12	-	1	-	4	8	12	16	-	1	-	5	10	15	20	-	1	-	7	14	21	28	-	1	-	9	18	27	36	-	1	-	3	4	5	6
	UL -		2	1	- 4	4	6 8	2	2	1	-	3	6	9	12	2	1	-	4	8	12	16	2	1	-	5	10	15	20	2	1	-	7	14	21	28	2	1	-	9	18	27	36	2	1	-	3	4	5	6
3	- BL -		-	1	2	- (6 8	; -		1	2	-	6	9	12	-	1	2	-	8	12	16	-	1	2	-	10	15	20	-	1	2	-	14	21	28	-	1	2	-	18	27	36	-	1	2	-	4	5	6
	UL -		4	1	2	- (6 8	: 3	3	1	2	-	6	9	12	4	1	2	-	8	12	16	5	1	2	-	10	15	20	7	1	2	-	14	21	28	9	1	2	-	18	27	36	3	1	2	-	4	5	6
4	- BL -		-	1	2	1	- 8	; -		1	2	3	-	9	12	-	1	2	4	-	12	16	-	1	2	5	-	15	20	-	1	2	7	-	21	28	-	1	2	9	-	27	36	-	1	2	3	-	5	6
	UL -		6	1	2	1	- 8	$ \epsilon $	5	1	2	3	-	9	12	8	1	2	4	-	12	16	10	1	2	5	-	15	20	14	1	2	7	-	21	28	18	1	2	9	-	27	36	4	1	2	3	-	5	6
5	- BL -		-	1	2	4	6 -	-		1	2	3	6	-	12	-	1	2	4	8	-	16	-	1	2	5	10	-	20	-	1	2	7	14	-	28	-	1	2	9	18	-	36	-	1	2	3	4	-	6
	UL -		8	1	2	4	6 -	9	,	1	2	3	6	-	12	12	1	2	4	8	-	16	15	1	2	5	10	-	20	21	1	2	7	14	-	28	27	1	2	9	18	-	36	5	1	2	3	4	-	6
6	- BL -							- -		1	2	3	6	9	-	-	1	2	4	8	12	-	-	1	2	5	10	15	-	-	1	2	7	14	21	-	-	1	2	9	18	27	-	-	1	2	3	4	5	-
	UL -							1	2	1	2	3	6	9	-	16	1	2	4	8	12	-	20	1	2	5	10	15	-	28	1	2	7	14	21	-	36	1	2	9	18	27	-	6	1	2	3	4	5	-

Chapter - 3

APPLICATION OF PRASTĀRA

3.1. PAÑCĀŅGA-PRASTĀRA

In this mode of Pañcāṅga-prastāra five Aṅgas, Druta, Laghu, Guru, Pluta and Kākapāda should be used in the process of permutation and this is prescribed for permuting the Aṅgas of Caturaśra-jāti only.

3.1.1. AKHAŅDA-PRASTĀRA

3.1.1.1. Anuloma-prastāra : Example : 4-DP (4-Drutas-permutation)

- 1st prastāra : As per rule No.1 write Guru in the units' column (S).
- 2nd prastāra : As per rule No.4, just below the Guru of the units' column write one Laghu and as per rule No.5 write another Laghu in the tens' column (II).
- 3rd prastāra : Write one Druta in the tens' column as per rules Nos.2 & 4, write another Druta in the hundreds' column as per rule No.5 and one Laghu in the units' column as per rule No.7.(00I).
- 4th prastāra : Write one Druta in the units' column as per rules Nos. 3 & 4, one Laghu in the tens' column and one Druta in the hundreds' column as per rule No.6 (0I0)
- 5th prastāra : Write one Druta in the tens' column as per rules Nos. 3 & 4, one Laghu in the hundreds' column as per rule No.6 and one Druta in units' column as per rule No.7 (100).
- 6th prastāra : Write one Druta in the hundreds' column as per rule No.4, another Druta in the thousands' column as per rule No.5 and one Druta each in tens' and units' columns as per rule No.7 (0000).

By now as per rule No.8 the process of permutation of 4-DP is over resulting in six kinds of prastāras, in total. In all these varieties the total value of Angas is '8' as per rule No.9. Among these six prastāras, the 1st prastāra is Gurvanta-prastāra, 2nd and 3rd are Laghvanta-prastāras, 4th, 5th and 6th prastāras are Drutānta-prastāras and the last one is called 'Sarva-drutānta-prastāra (All-durta-ending-permutation-ADEP)'.

3.1.1.2. Vilōma-prastāra : Example : 4-DP

- 1st prastāra : As per rule No.1 write four Drutas in the thousands', hundreds', tens' and units' columns respectively (0000).
- 2nd prastāra : As per rules Nos.2, 3 & 4 write Laghu in the hundreds' column and as per rule No.6 write Druta in each of the units' and tens' columns (I00).
- 3rd prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the tens' column, write Druta in the hundreds' column as per rule No.5 and write another Druta in the units' column as per rule No.6 (010).
- 4th prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the units' column and write Druta each in tens' and hundreds' columns as per rule No.5 (00I).

5th prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the tens' column and write another Laghu in the units' column as per rule No.6 (II).

6th prastāra : As per rules Nos.2, 3 & 4 write Guru in the units' column (S).

As per rule No.7 this Guru is the only possible superior Anga of 4-DP and as per rule No.8 all these six permutations carry the same value of 4-DP.

In the same manner the process of all modes of permutation should be followed. More examples are furnished at the end of this book.

	1	2	3	4	5	6	7	8	9	10	11	12
1	1	2	3	6	10	19	33	61	108	196	350	632
	1	3	7	16	34	72	147	299	596	1182	2316	4517

T.1. TABLE OF GENERAL - PERMUTATIONS

Key-rules :

1. Saňkhya : The total of all the existing 1st, 2nd, 4th, 6th and 8th proxies which represent the Drutānta-prastāras, Laghvanta-prastāras, Gurvanta-prastāras, Plutānta-prastāras and Kākapādānta-prastāras respectively, should be written (refer table-1).

Example : At the first instance write the figure '1' to the left of the extreme left house as per the general key-rule mentioned in the 'Important technical-terms, abbreviations & signs'.

No. of the house	1st Proxy	2nd Proxy	4th Proxy	6th Proxy	8th Proxy	Total
1	1	-	-	-		1
2	1	1	-	-	-	2
3	2	1	-	-	-	3
4	3	2	1	-	-	6
5	6	3	1	-	-	10
6	10	6	2	1	-	19
7	19	10	3	1	-	33
8	33	19	6	2	1	61
9	61	33	10	3	1	108
10	108	61	19	6	2	196
11	196	108	33	10	3	350
12	350	196	61	19	6	632

In the above manner write the figures of 'Sankhya' of all the tables pertaining to all the other modes of permutation using the respective proxies.

2. Mahāpātāļa : The total of all the existing 1st, 2nd, 4th, 6th and 8th proxies of both 'Sankhya and Mahāpātāļa' should be written. While doing so, the figure '1' to the extreme left of Sankhya, which is written as per the general key-rule, should also be taken into account even if its corresponding figure of 'Mahāpātāļa' does not exist.

Example :

No. of the	1st	t Proxy	2nd	l Proxy	4th	Proxy	6th	Proxy	8th F	Proxy	Tatal
house	S	М	S	М	S	М	S	Μ	S	Μ	Total
1	1	-	-	-	-	-	-	-	-	-	1
2	1	1	1	-	-	-	-	-	-	-	3
3	2	3	1	1	-	-	-	-	-	-	7
4	3	7	2	3	1	-	-	-	-	-	16
5	6	16	3	7	1	1	-	-	-	-	34
6	10	34	6	16	2	3	1	-	-	-	72
7	19	72	10	34	3	7	1	1	-	-	147
8	33	147	19	72	6	16	2	3	1	-	299
9	61	299	33	147	10	34	3	7	1	1	596
10	108	596	61	299	19	72	6	16	2	3	1182
11	196	1182	108	596	33	147	10	34	3	7	2316
12	350	2316	196	1182	61	299	19	72	6	16	4517

In the above manner write the figures of 'Mahāpātāļa' of all the tables pertaining to all the other modes of permutation using the respective proxies.

3.1.2. KHA NDA-PRASTĀRA

3.1.2.1. Hina-prastāra :

- 3.1.2.1.1. Anuloma-prastāra : Example : Druta-devoid-permutation (DDP) of 8-DP.
 - **Note :-** Since this is exclusively the process of DDPs each and every permutation should be devoid of Druta.
- 1st prastāra : According to Akhaņḍa-prastāra since the 1st prastāra is devoid of Druta write the same in the 1st prastāra (+).
- 2nd prastāra : According to Akhaņḍa-prastāra since the 2nd prastāra is also devoid of Druta write the same in the 2nd prastāra (IS).
- 3rd prastāra : According to Akhaņḍa-prastāra if the Laghu which is in the tens' column of 2nd prastāra is further permuted it results in two Drutas which is contrary to the main principle of arriving at any prastāra devoid of Druta. So, without permuting the Laghu which is in the tens' column, the Pluta which is in the units' column should only be permuted by writing one Guru in the units' column and another Guru in the tens' column as per rule No.6 (SS).
- 4th prastāra : According to Akhaņḍa-prastāra as per rules Nos. 4 & 5 write one Laghu each in the tens' and hundreds' columns and write Guru in the units column as per rule No.7 (IIS).
- 5th prastāra : Further permuting the Laghus in the hundreds' and tens' columns of the 4th prastāra results in writing Drutas. So, the Guru in the units' column should only be permuted and thus

write one Laghu in the units' column as per rule No.4 and write one Pluta in the tens' column as per rule No.6 (\$I).

- 6th prastāra : Write as in Akhaņḍa-prastāra (ISI).
- 7th prastāra : Further permuting the Laghu in the hundreds' column of 6th prastāra results in writing Drutas. So, avoiding it, the Guru in the tens' column should only be permuted and thus write one Laghu in the tens' column as per rule No.4, write one Guru in the hundreds' column as per rule No.6 and write another Laghu in the units' column as per rule No.7 (SII).
- 8th prastāra : Write as in Akhaņḍa-prastāra and no further permutation should be made as it results in contrary to the main principle of avoiding Drutas (IIII).

3.1.2.1.2. Vilōma - prastāra : Example : DDPs of 8-DP

- 1st prastāra : As per rule No.1 write Laghus in each of the units', tens', hundreds' and thousands' columns equal to the value of 8-DP (IIII).
- 2nd prastāra : As per rules Nos. 2, 3 & 4 write Guru in the hundreds' column and write one Laghu each in the units' and tens' columns as per rule No.6 (SII).
- 3rd prastāra : As per rules Nos. 2, 3 & 4 write Guru in the tens' column, write Laghu in the hundreds' column as per rule No.5 and write another Laghu in the units' column as per rule No.6 (ISI).
- 4th prastāra : As per rules Nos. 2, 3 & 4 write Pluta in the tens' column and write Laghu in the units' column as per rule No.6 (SI).
- 5th prastāra : As per rules Nos. 2, 3 & 4 write Guru in the units' column and write Laghu each in the tens' and hundreds' columns as per rule No.5 (IIS).
- 6th prastāra : As per rules Nos. 2, 3 & 4 write Guru in the tens' column and write another Guru in the units' column as per the rule No.6 (SS).
- 7th prastāra : As per rules Nos. 2, 3 & 4 write Pluta in the units' column and write Laghu in the tens' column as per rule No.5 (IS).
- 8th prastāra : As per rules Nos. 2, 3 & 4 write Kākapāda in the units' column (+).

As per rule No.7 this Kākapāda is the possible superior Anga of 8-DP and as per rule No.8 all these eight prastāras carry the same value of 8-DP.

3.1.2.2. Yukta-prastāra :

3.1.2.2.1. Anuloma-prastāra: Example: Two-druta-containing-permutations (2-DCPs) of 6-DP.

Note :- As this is the process of 2-DCPs each and every prastāra should invariably contain two Drutas.

- 1st prastāra : According to Akhaņḍa-prastāra, if a Pluta is written at the first instance this prastāra becomes absolutely devoid of Druta which is contrary to the principle and so to make it 2-DCP write one Guru in the units' column and one Druta each in the tens' and hundreds' columns (OOS).
- 2nd prastāra : According to Akhaņḍa-prastāra, as per rule No.4 the Guru in the units' column should be permuted and a Laghu should be written in the units' column but later, as per rule

No.6 since writing a Guru results in contrary to the principle, write one Laghu each in the units' and tens' columns and one Druta each in the hundreds' and thousands' columns (OOII).

- 3rd prastāra : Write as in Akhaņda-prastāra (OIOI)
- 4th prastāra : Write as in Akhaņda-prastāra (IOOI)
- 5th prastāra : Further permuting the Laghu in the thousands' column is contrary to the principle as it results in writing more number of Drutas, as per rules Nos. 4 & 6 the Laghu in the units' column should only be permuted and thus write Druta, Guru and Druta in the units', tens' and hundreds' columns respectively (OSO).
- 6th prastāra : Write as in Akhaņḍa-prastāra (OIIO).
- 7th prastāra : Write as in Akhaņḍa-prastāra (IOIO).
- 8th prastāra : Since it is contrary to the principle to permute the Laghu in the thousands' column as it results in writing more number of Drutas permute the Laghu which is in the tens' column only and write one Druta in the tens' column and one Guru in the hundreds' column as per rules Nos. 4 & 6 and write another Druta in the units' column as per rule No.7 (SOO).
- 9th prastāra : Write as in Akhaņda-prastāra (IIOO).

This process of permutation should not be continued as it is contrary to the principle.

3.1.2.2.2. Vilōma-prastāra : Example : 2-DCPs of 6-DP.

- 1st prastāra: As per rule No.1 write Druta in each of the units' and tens' columns and write Laghu in each of the hundreds' and thousands' columns (IIOO).
- 2nd prastāra : As per rules Nos. 2, 3 & 4 write Guru in the hundreds' column and write Druta each in the units' and tens' columns as per rule No.6 (SOO).
- 3rd prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the tens' column, write Druta and Laghu in the hundreds' and thousands' columns respectively as per rule No.5 and write Druta in the units' column as per rule No.6 (IOIO).
- 4th prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the hundreds' column, write Druta in the thousands' column as per rule No.5 and write Druta and Laghu in the units' and tens' columns respectively as per rule No.6 (OIIO).
- 5th prastāra : As per rules Nos. 2, 3 & 4 write Guru in the tens' column, write Druta in the hundreds' column as per rule No.5 and write another Druta in the units' column as per rule No.6 (OSO).
- 6th prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the units' column and write Druta each in tens' and hundreds' columns and Laghu in the thousands' column as per rule No.5 (IOOI).
- 7th prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the hundreds' column, write Druta in the thousands' column as per rule No.5 and write Laghu and Druta in the units' and tens' columns respectively as per rule No.6 (OIOI).
- 8th prastāra : As per rules Nos. 2, 3 & 4 write Laghu in the tens' column, write Druta each in the hundreds' and thousands' columns as per rule No.5 and write another Laghu in the units' column as per rule No.6 (OOII).

9th prastāra : To make it 2-DCP write Guru in units' column as per rules Nos. 2, 3 & 4 and write Druta each in the tens' and hundreds' columns as per rule No.5 (OOS).

As per rule No.7 this is the series containing the possible superior Angas without violating the restriction of 2-DCP and as per rule No.8 all these nine permutations carry the same value of 6-DP.

The above method should be applied to all the other modes of permutation also.

			/		<								
	12	11	10	9	8	7	6	5	4	3	2	1	
2	165	0	66	0	25	0	9	0	3	0	1		
	903	0	321	0	107	0	33	0	9	0	2		
1	0	62	0	28	0	12	0	5	0	2	0	1	
L	0	268	0	104	0	38	0	13	0	4	0	1	
Λ	29	0	15	0	8	0	4	0	2	0	1	0	1
U	107	0	47	0	20	0	8	0	3	0	1	0	

T.2. TABLE OF DRUTA (DRUTA-MĒRU)

Key-rules :

Lowest-line :

1. Saňkhya : The total of the existing respective proxies, except the 1st proxy, it being the table of the 1st Anga, should be written (refer table-2).

Note:- As per the general key-rule mentioned in the 'Important technical terms, abbreviations & signs' write figure '1' to the left of the extreme left house.

No. of the house	2nd Proxy	4th Proxy	6th Proxy	8th Proxy	Total
1	-	-	-	-	0
2	1	-	-	-	1
3	0	-	-	-	0
4	1	1	-	-	2
5	0	0	-	-	0
6	2	1	1	-	4
7	0	0	0	0	0
8	4	2	1	1	8
9	0	0	0	0	0
10	8	4	2	1	15
11	0	0	0	0	0
12	15	8	4	2	29

No. of the	2nd P	roxy	4th I	Proxy	6th F	roxy	8th P	roxy	Tatal
house	S	М	S	М	S	М	S	М	
1	-	-	-	-	-	-	-	-	0
2	1	-	-	-	-	-	-	-	1
3	0	0	-	-	-	-	-	-	0
4	1	1	1	-	-	-	-	-	3
5	0	0	0	0	-	-	-	-	0
6	2	3	1	1	1	-	-	-	8
7	0	0	0	0	0	0	-	-	0
8	4	8	2	3	1	1	1	-	20
9	0	0	0	0	0	0	0	0	0
10	8	20	4	8	2	3	1	1	47
11	0	0	0	0	0	0	0	0	0
12	15	47	8	20	4	8	2	3	107

2. Mahāpātāļa : The total of the respective proxies of both 'Saṅkhya and Mahāpātāļa', except the 1st proxies, they being the houses of 1st Aṅga, should be written.

Upper-lines :

1. Sankhya : The total of the existing respective proxies of the same line, except the 1st proxy from the immediate lower-line, should be written.

No. of the house	1st Proxy of the lower line	2nd Proxy	4th Proxy	6th Proxy	8th Proxy	Total
1	1	-	-	-	-	1
2	0	-	-	-	-	0
3	1	1	-	-	-	2
4	0	0	-	-	-	0
5	2	2	1	-	-	5
6	0	0	0	-	-	0
7	4	5	2	1	-	12
8	0	0	0	0	-	0
9	8	12	5	2	1	28
10	0	0	0	0	0	0
11	15	28	12	5	2	62
12	0	0	0	0	0	0

No. of the house	1st Pr the low	roxy of wer line	2 P1	nd oxy	4 Pr	th oxy	6t Pro	h oxy	8t Pro	h oxy	Total
	S	м	s	м	s	м	s	м	s	м	
1	1	-	-	-	-	-	-	-	-	-	1
2	0	0	-	-	-	-	-	-	-	-	0
3	1	1	1	1	-	-	-	-	-	-	4
4	0	0	0	0	-	-	-	-	-	-	0
5	2	3	2	4	1	1	-	-	-	-	13
6	0	0	0	0	0	0	-	-	-	-	0
7	4	8	5	13	2	4	1	1	-	_	38

2. Mahāpātāļa : The total of the existing respective proxies of both 'Saṅkhya and Mahāpātāļa', except the 1st proxies from the immediate lower-line, should be written.

In the above manner, basing upon their respective proxies the figures of 'Sankhya and Mahāpātāļa' should be written for all the other remaining tables.

	1	2	3	4	5	6	7	8	9	10	11	12	
		1	2	3	4	7	12	21	34	56	90	145	1
		1	4	9	16	29	54	101	182	322	560	965	T
1	1	1	1	2	3	5	7	11	16	24	35	53	Λ
	1	2	3	5	9	16	27	45	74	121	195	314	U

T.3. TABLE OF LAGHU (LAGHU-MĒRU)

Key-rules :

Lowest-line :

- **1. Saňkhya :** The total of the existing respective proxies, except the 2nd proxy, it being the table of 2nd Anga, should be written (refer table-3).
- 2. Mahāpātāļa : The total of the existing respective proxies of both 'Saṅkhya and Mahāpātāļa', except the 2nd proxies, they being the houses of 2nd Aṅga, should be written.

Upper-lines :

1. Sańkhya : The total of the existing respective proxies, except the 2nd proxy from the immediate lower-line, should be written.

2. Mahāpātāļa : The total of the existing respective proxies of both 'Sańkhya and Mahāpātāļa', except the 2nd proxies from the immediate lower-line, should be written.

	1	2	3	4	5	6	7	8	9	10	11	12	
				1	2	5	10	20	38	73	136	255	1
				1	4	13	34	82	184	399	836	1719	T
1	1	2	3	5	8	14	23	40	67	114	192	325	Λ
	1	3	7	15	30	59	113	215	403	750	1382	2531	U

T.4. TABLE OF GURU (GURU-MĒRU)

Key-rules :

Lowest-line :

- **1. Saňkhya :** The total of the existing respective proxies, except the 3rd proxy, it being the table of 3rd Anga, should be written (refer table-4).
- 2. Mahāpātāļa : The total of the existing respective proxies of both 'Sankhya and Mahāpātāļa', except the 3rd proxies, they being the houses of 3rd Anga, should be written.

Upper-lines :

- **1. Saňkhya :** The total of the existing respective proxies, except the 3rd proxy from the immediate lower line, should be written.
- 2. Mahāpātāļa : The total of the existing respective proxies of both 'Saṅkhya and Mahāpātāļa', except the 3rd proxies from the immediate lower-line, should be written.

	1	2	3	4	5	6	7	8	9	10	11	12	
						1	2	5	10	22	44	89	1
						1	4	13	34	86	202	461	
1	1	2	3	6	10	18	31	56	98	174	306	542	Λ
	1	3	7	16	34	71	143	286	562	1096	2114	4054	U

T.5. TABLE OF PLUTA (PLUTA-MĒRU)

Key-rules :

Lowest-line :

- 1. Saňkhya : The total of the existing respective proxies, except the 4th proxy, it being the table of 4th Anga, should be written (refer table-5).
- 2. Mahāpātāļa : The total of the existing respective proxies of both 'Saṅkhya and Mahāpātāļa', except the 4th proxies, they being the houses of 4th Aṅga, should be written.

Upper-lines :

1. Saňkhya : The total of the existing respective proxies, except the 4th proxy from the immediate lower-line, should be written.

2. Mahāpātāļa : The total of the existing respective proxies of both 'Saṅkhya and Mahāpātāļa', except the 4th proxies from the immediate lower-line, should be written.

	1	2	3	4	5	6	7	8	9	10	11	12	
								1	2	5	10	22	1
								1	4	13	34	86	▲
1	1	2	3	6	10	19	33	60	106	191	340	610	0
	1	3	7	16	34	72	147	298	592	1169	2282	4431	U

T.6. TABLE OF KĀKAPĀDA (KĀKAPĀDA-MĒRU)

Key-rules :

Lowest-line :

- **1. Saňkhya :** The total of the existing respective proxies, except the 5th proxy, it being the table of 5th Anga, should be written (refer table-6).
- 2. Mahāpātāļa : The total of the existing respective proxies of both 'Sankhya and Mahāpātāļa', except the 5th proxies, they being the houses of the 5th Anga, should be written.

Upper-lines :

- **1. Sańkhya :** The total of the existing respective proxies, except the 5th proxy from the immediate lower-line, should be written.
- 2. Mahāpātāļa : The total of the existing respective proxies of both 'Saṅkhya and Mahāpātāļa', except the 5th proxies from the immediate lower-line, should written.

T. 7. TABLE OF COMBINATIVE ANGAS (SAMYOGA-MERU)

The details of the series of both individual Angas and the interbred combinations of different Angas of all modes of permutation under systematic groups are furnished in the 'List of Combinative angas'. Among them basing upon the series of combinations furnished in the above table pertaining to Pañcānga-prastāra the table of combinative Angas i.e.. Samyōga-mēru has to be written (refer table-7).

Key-rules :

1. Sańkhya :

- A. For the vertical lines of IAEPs (Identical-anga-ending-permutations) of individual Angas write the figure "1" in each of the houses pertaining to the respective proxy and its multiples of the Anga concerned.
- B. For the vertical lines consisting the combinations of two Angas or more the total of the existing upper proxies representing the respective Angas of the same vertical line besides the corresponding serial figures of the vertical lines pertaining to the respective interbred combinations like IAEPs of double-anga combinations, duplets of triple-anga combinations, triplets of quadruple-anga combinations, quadruplets of quintuple-anga combinations, quintuplets of sextuple-anga combinations and so on, should be written.

Example:

- 1. D-line : The total number of ADEPS (All-druta-ending-permutations) is furnished in this line and as per rule No.A write figure '1' only in each house consecutively since the proxy of Druta is '1'.
- 2. L-line : The total number of ALEPs is furnished in this line and as per rule No.A write figure "1" only in each of the 2nd house of this line since the proxy of Laghu is '2'.
- 3. DL-line : The total number of prastāras derived from the interbred combinations of Druta and Laghu i.e., combination containing either Druta-Laghu or Laghu-Druta, is furnished in this line and as per rule No.B write the total of the figures of the existing upper 1st and 2nd proxies representing Druta and Laghu respectively of the same vertical line besides the corresponding serial figures of the vertical lines of IAEPs of both Druta and Laghu.

1st house : Being the 1st house of which the upper proxies of the same vertical line are absent, write the total of the figures of the 1st house of the vertical lines of IAEPs of both Druta (1) and Laghu (1) thus arriving at a grand total (1+1)2.

2nd house : Write the total of the figures of the existing upper 1st proxy (2) representing Druta of the same vertical line (2nd proxy is absent) besides the corresponding 2nd figures (being the 2nd house) of the vertical lines of IAEPs of both Druta (1) and Laghu (0) thus arriving at a grand total (2+1+0=)3.

3rd house : Write the total of the figures of the existing upper 1st (3) and 2nd (2) proxies representing Druta and Laghu respectively of the same vertical line besides the corresponding 3rd figures (being the 3rd house) of the vertical lines of IAEPs of both Druta (1) and Laghu (1) thus arriving at a grand total (3+2+1+1=)7.

4th house : Write the total of the figures of the existing upper 1st (7) and 2nd (3) proxies representing Druta and Laghu respectively of the same vertical line besides the corresponding 4th figures (being the 4th house) of the vertical lines of IAEPs of both Druta (1) and Laghu (0) thus arriving at a grand total (7+3+1+0=)11.

No. of the	Uppe	er figure of	Sl. fig	Total	
house	1st	2nd	ADEP	ALEP	Totai
1	-	-	1	1	2
2	2	-	1	0	3
3	3	2	1	1	7
4	7	3	1	0	11
5	11	7	1	1	20
6	20	11	1	0	32
7	32	20	1	1	54
8	54	32	1	1	87
9	87	54	1	1	143
10	143	87	1	0	231

In the same manner figures upto the required prastāra of the same line and also for the other vertical lines pertaining to the combinations of two Angas or more could be written.

- 4.G-line : The total number of AGEPs is furnished in this line and as per rule No. A write figure '1' only in each of the 4th house of this line since the proxy of Guru is '4'.
- 5.DG-line : The total number of the interbred combinations of Druta and Guru is furnished in this line and as per rule No.B write the total of the figures of the existing upper 1st and 4th proxies representing Druta and Guru respectively of the same vertical line besides the corresponding serial figures of the vertical lines of the IAEPs of both Druta and Guru.
- 6.LG-line : The total number of the interbred combinations of Laghu and Guru is furnished in this line and as per rule No.B write the total of the figures of the existing upper 2nd and 4th proxies representing Laghu and Guru respectively of the same vertical line besides the corresponding serial figures of the vertical lines of the IAEPs of both Laghu and Guru.
- 7.P-line : The total number of APEPs in furnished in this line and as per rule No.A write figure '1' only in each of the 6th house since the proxy of Pluta is '6'.
- 8.DLG-line : The total number of the interbred combinations of Druta, Laghu and Guru is furnished in this line and as per rule No.B write the total of the existing upper 1st, 2nd and 4th proxies representing Druta, Laghu and Guru respectively of the same vertical line besides the corresponding serial figures of the vertical lines of DL. DG and LG.

No. of the	U	pper figur	e of	S	SI. figure of	Total	
house	1st	2nd	4th	DL	DG	LG	
1	-	-	-	2	2	2	6
2	6	-	-	3	3	0	12
3	12	6	-	7	4	3	32
4	32	12	-	11	5	0	60
5	60	32	6	20	9	7	134
6	134	60	12	32	13	0	251

1st house : Being the 1st house as no upper proxies in the same vertical line are existing write the total of the figures of each of the corresponding 1st house (being the 1st house) of the vertical lines of DL (2), DG (2) and LG (2) thus arriving at a grand total (2+2+2=)6.

2nd house : Write the total of the existing upper 1st proxy (6) representing Druta of the same vertical line (2nd proxy is absent) besides the figures of each of the corresponding 2nd house (being the 2nd house) of the vertical lines of DL (3), DG (3) and LG (0) thus arriving at a grand total (6+3+3+0=)12.

3rd house : Write the total of the existing upper 1st (12) and 2nd (6) proxies representing Druta and Laghu respectively of the same vertical line besides the figures of each of the corresponding 3rd house (being the 3rd house) of the vertical lines of DL (7), DG (4) and LG (3) thus arriving at a grand total (12+6+7+4+3=)32.

4th house : Write the total of the existing upper 1st (32) and 2nd (12) proxies representing Druta and Laghu respectively of the same vertical line besides the figures

of each of the corresponding 4th house (being the 4th house) of the vertical lines of DL (11), DG (5) and LG (0) thus arriving at a grand total (32+12+11+5+0=) 60.

5th house : Write the total of the existing upper 1st (60), 2nd (32) and 4th (6) proxies representing Druta, Laghu and Guru respectively of the same vertical line besides the figures of each of the corresponding 5th house (being the 5th house) of the vertical lines of DL (20), DG (9) and LG (7) thus arriving at a grand total (60+32+6+20+9+7=)134.

In the same manner the figures upto the required prastāra and also of the other lines pertaining to the other combinations of Angas could be written.

9.DP-line	:	The total number of the interbred combinations of Druta and Pluta is furnished in this line and as per rule No.B write the total of the figures of the existing upper 1st and 6th proxies representing Druta and Pluta respectively of the same vertical line besides the corresponding serial figures of the vertical lines of the IAEPs of both Druta and Pluta.
10.LP-line	:	The total number of the interbred combinations of Laghu and Pluta is furnished in this line and as per rule No.B write the total of the figures of the existing upper 2nd and 6th proxies representing Laghu and Pluta respectively of the same vertical line besides the corresponding serial figures of the vertical lines of the IAEPs of both Laghu and Pluta.
11.K-line	:	The total number of AKEPs is furnished in this line and as per rule No.A write figure '1' only in each of the 8th house since the proxy of $K\bar{a}kap\bar{a}da$ is '8'.
12.DLP-line	:	The total number of the interbred combinations of Druta, Laghu and Pluta is furnished in this line and as per rule No.B write the total of the existing upper 1st, 2nd and 6th proxies representing Druta, Laghu and Pluta respectively of the same vertical line besides the corresponding serial figures of the vertical lines of DL, DP and LP.
13-DK-line	:	The total number of the interbred combinations of Druta and Kākapāda is furnished in this line and as per rule No.B write the total of the figures of the existing upper 1st and 8th proxies representing Druta and Kākapāda respectively of the same vertical line besides the corresponding serial figures of the vertical lines of IAEPs of both Druta and Kākapāda.
14.GP-line	:	The total number of the interbred combinations of Guru and Pluta is furnished in this line and as per rule No.B write the total of the figures of the existing upper 4th and 6th proxies representing Guru and Pluta respectively of the same vertical line besides the corresponding serial figures of the vertical lines of IAEPs of both Guru and Pluta.
15.LK-line	:	The total number of the interbred combinations of Laghu and Kākapāda is furnished in this line and as per rule No.B write the total of the figures of the existing upper 2nd and 8th proxies representing Laghu and Kākapāda respectively of the same vertical line besides the corresponding serial figures of the vertical lines of IAEPs of both Laghu and Kākapāda.

- 16.DGP-line : The total number of the interbred combinations of Druta, Guru and Pluta is furnished in this line and as per rule No.B write the total of the existing upper 1st, 4th and 6th proxies representing Druta, Guru and Pluta respectively of the same vertical line besides the corresponding serial figures of the vertical lines of DG, DP and GP.
- 17.DLK-line : The total number of the interbred combinations of Druta, Laghu and Kākapāda is furnished in this line and as per rule No.B write the total of the existing upper 1st, 2nd and 8th proxies representing Druta, Laghu and Kākapāda respectively of the same vertical line besides the corresponding serial figures of the vertical lines of DL, DK and LK.
- 18.LGP-line : The total number of the interbred combinations of Laghu, Guru and Pluta is furnished in this line and as per rule No.B write the total of the existing upper 2nd, 4th and 6th proxies representing Laghu, Guru and Pluta respectively of the same vertical line besides the corresponding serial figures of the vertical lines of LG, LP and GP.
- 19.GK-line : The total number of the interbred combinations of Guru and Kākapāda is furnished in this line and as per rule No.B write the total of the figures of the existing upper 4th and 8th proxies representing Guru and Kākapāda respectively of the same vertical line besides the corresponding serial figures of the vertical lines of IAEPs of both Guru and Kākapāda.

In the same manner the figures of all the other tables of combinative Angas could be written.

2. Mahāpātāļa:

- A. For the vertical lines of IAEPs of individual Angas write figures serially in ascending order of value, starting from figure '1' and onwards towards Mahāpātāļa under each figure '1' of Sankhya of each and every Anga leaving away the zeros, if any, in-between.
- B. For the vertical lines pertaining to the combinations of two Angas or more the total of both Sankhya and Mahāpātāļa of the existing upper proxies representing the respective Angas of the same vertical line besides both Sankhya and Mahāpātāļa of the corresponding serial houses of the vertical lines pertaining to the respective interbred combinations like IAEPs of double-anga combinations, duplets of the triple-anga combinations, triplets of the quadruple-anga combinations, quadruplets of the quintuple-anga combinations, quintuplets of the sextuple-anga combinations and so on should be written.
- 1.D-line : As per rule No.A write figures serially in ascending order of value starting from figure '1' and onwards under each figure '1' of Sańkhya.
- 2. L-Line : As per rule No.A write figures serially in ascending order of value starting from figure '1' and onwards under each figure '1' of Sankhya leaving away the zeros inbetween.
- 3. DL-line : As per rule No.B write the total of both Saňkhya and Mahāpātāļa of the existing upper 1st and 2nd proxies representing Druta and Laghu respectively of the same vertical line besides both Saňkhya and Mahāpātāļa of the corresponding serial figures of the vertical lines of IAEPs of Druta and Laghu.

1st house : Being the 1st house of which the upper proxies of the same vertical line are absent, write the total of both Sankhya and Mahāpātāļa of each of the corresponding 1st figures (being the 1st house) of the vertical lines pertaining to

IAEPs of both Druta (1+1=2) and Laghu (1+1+=2) thus arriving at a grand total (2+2=4).

2nd house : Write the total of both Saňkhya and Mahāpātāļa of the existing upper 1st proxy (2+4=6) representing Druta of the same vertical line (2nd proxy is absent) besides the total of both Saňkhya and Mahāpātāļa of the corresponding 2nd figures (being the 2nd house) of each of the vertical lines pertaining to IAEPs of Druta (1+2=3) and Laghu (0+0=0) thus arriving at a grand total (6+3+0=9).

3rd house : Write the total of both Sankhya and Mahāpātāļa of the existing upper 1st (3+9=12) and 2nd (2+4=6) proxies representing Druta and Laghu respectively of the same vertical line besides the total of both Sankhya and Mahāpātāļa of the corresponding 3rd figures (being the 3rd house) of each of the vertical lines pertaining to IAEPs of Druta (1+3=4) and Laghu (1+2=3) thus arriving at a grand total (12+6+4+3=)25.

4th house : Write the total of both Sańkhya and Mahāpātāļa of the existing upper 1st (7+25=32) and 2nd (3+9=12) proxies representing Druta and Laghu respectively of the same vertical line besides the total of both Sańkhya and Mahāpātāļa of the corresponding 4th figures (being the 4th house) of each of the vertical lines pertaining to IAEPs of Druta (1+4=5) and Laghu (0+0=0) thus arriving at a grand total (32+12+5+0)=49.

		Uppe	er figure of	2 1		Sl. figure of				
No. of the house	s	1st M	S	2nd M	S A	DEP M	- Al	M		
1	-	-	-	-	1	1	1	1	4	
2	2	4	-	-	1	2	0	0	9	
3	3	9	2	4	1	3	1	2	25	
4	7	25	3	9	1	4	0	0	49	
5	11	49	7	25	1	5	1	3	102	
6	20	102	11	49	1	6	0	0	189	
7	32	189	20	102	1	7	1	4	356	
8	54	356	32	189	1	8	0	0	640	
9	87	640	54	356	1	9	1	5	1153	
10	143	1153	87	640	1	10	0	0	2034	

In the same manner figures upto the required prastāra and also of other lines pertaining to the other combinations of Angas could be written.

4. G-line : As per rule No.A write figures serially in ascending order of value starting from figure '1' and onwards under each figure '1' of Saňkhya leaving away the zeros inbetween.

5. DG-line : As per the rule No.B write the total of both Sankhya and Mahāpātāla of the existing upper 1st and 4th proxies representing Druta and Guru respectively of the same

vertical line besides both Sankhya and Mahāpātāļa of the corresponding serial figures of the vertical lines of IAEPs of Druta and Guru.

- 6. LG-line : As per the rule No.B write the total of both Sankhya and Mahāpātāļa of the existing upper 2nd and 4th proxies representing Laghu and Guru respectively of the same vertical line besides both Sankhya and Mahāpātāļa of the corresponding serial figures of the vertical lines of IAEPs of Laghu and Guru.
- 7. P-line : As per rule No.A write figures serially in ascending order of value starting from figure '1' and onwards under each figure '1' of Saňkhya and leaving away the zeros in-between.
- 8. DLG-line : As per rule No.B write the total of both Sankhya and Mahāpātāļa of the existing upper 1st, 2nd and 4th proxies representing Druta, Laghu and Guru respectively of the same vertical line besides both Sankhya and Mahāpātāļa of the corresponding serial figures of the vertical lines of DL, DG and LG.

	Upper figure of						Sl. figure of						
No. of the		1st	- 2	nd	- 4t	h		DL	- I	DG	- L	G	Total
house	S	Μ	S	Μ	S	Μ	S	Μ	S	Μ	S	М	
1	-	-	-	-	-	-	-	4	2	4	2	4	18
2	6	18	-	-	-	-	-	9	3	9	0	0	48
3	12	48	6	18	-	-	7	25	4	16	3	9	148
4	32	148	12	48	-	-	11	49	5	25	0	0	330
5	60	330	32	148	6	18	20	102	9	45	7	25	802
6	134	802	60	330	12	48	32	189	13	73	0	0	1693

In the same manner figures upto the required prastāra of the same line and also for the other vertical lines pertaining to the other combinations could be written.

3.2. ṢAḍAṅGA-PRASTĀRA

In this mode of the Ṣaḍaṅga-prastāra all the six Aṅgas i.e., Anudruta, Druta, Laghu, Guru, Pluta and Kākapāda are used in the process of permutation. While Druta is the inferior (least) Aṅga in Pañcāṅga-prastāra the Anudruta is the inferior Aṅga in this Ṣaḍaṅga-prastāra. So, in this mode of permutation the process of permutation should always be continued on the lines of Pañcāṅga-prastāra until all the Aṅgas become the inferior Aṅgas, Anudrutas. Hence this last prastāra is called AAEP (All-anudruta-ending-permutation). This mode of permutation should be applied to all the jātis i.e., Trisra, Caturaśra, Khaṇḍa, Miśra and Saṅkīṟṇa jātis, and all the required figures of all the different tables could be obtained basing upon the respective proxies (refer the 'Important technical-terms, abbreviations and signs ' furnished in the beginning of this book) representing the six Aṅgas respectively.

Relevant tables and examples pertaining to the process of permutation of Akhanda and Khandaprastāras are furnished at the end of this book.

If needed the relevant details of all other Viśēṣa-jātis (6, 8, 10, 12 & 16-units) also could be obtained basing upon the multiples of the respective proxies in the same manner.

3.3. SAMYUKTĀNGA-PRASTĀRA

In the process of the Samyuktānga-prastāra, in addition to the usual six Angas i.e., Anudruta, Druta, Laghu, Guru, Pluta and Kākapāda, various other combinations of two or more of these six Angas, formed by interlacing and writing one above the other, are also used. The synonyms of this mode of permutation are 'Miśramānga-prastāra' and 'Miśritānga-prastāra'. In this process of permutation, while following, as usual, the general rules of permutation, write an Anga lesser by one unit than the above. In this mode of permutation an interlaced Anga should instantaneously be prepared, if necessary (like 'Tri-druta-virāma' for the value of 7-units in Sankīrṇa-jāti or 'Laghu-dvi-druta' for the value of 9-units in Khaṇḍa-jāti or 'Pluta-dvi-druta-virāma' for the value of 26-units in Miśra-jāti). While, in the other modes of permutation the process of permutation is applied with the Angas basing upon their respective jātis, independent or interlaced Angas for any number of units could be framed and used in this process of permutation. To make this process of permutation easier to understand numerals i.e., 1, 2, 3, 4, 5, 6 etc., only are used and, if needed, they could be transtliterated into independent or interlaced Angas according to the requirement of units.

Important-note : In this mode of permutation Virāma is not used in the sense of its textual tradition, but it is equated to one-unit of time appended to another $T\bar{a}l\bar{a}nga$.

Proxies : The figures of all the preceding houses are the proxies in this mode of permutation. In this mode of permutation tables should be prepared for 1-unit, 2-units, 3-units and so on for each and every unit in ascending order of value and the respective unit-number of that particular table is the proxy of that table which should be taken into account from the immediate lower-line for writing the figures of the upper-lines only (but not for the lowest-lines at all).

Relevant tables and examples pertaining to the process of permutation of Akhanda-prastāra and Khanda-prastāra are furnished at the end of this book.

4. EXAMPLES OF NAȘȚA, UDDIȘȚA & KALITA

Note : Follow item No.32 of the 'Important technical-terms, abbreviations & signs.'

Sl. No.	Particulars	Nașța	Uddi șța	Kalita
	A. AKHA ŅŅA-PRASTĀRA			
1.	Akhaṇḍa-anulōma-	2-12-632-1, 385; 3-11-565-318; 4-12-543-148; 5-12-377-170; 7-12-271-113; 9-12-243-2; 1-8-128-67.	2-12-632-10 \$II; 3-12-1059-SIOU; 4-12-543-1010; 5-12-377-UIIU; 7-12-271-UOUUOUUOU; 9-12-243-OUOUOUOU; 1-12-2048-2 1 1 2 1 1 2 1 1.	2-8-61-50.
2.	Akhaṇḍa-anulōma-madhyarūpa-uparisthita-	2-6-19-6; 2-5-10-2.	2-6-19-SI; 2-5-I0-I0I.	
3.	Akhaṇḍa-anulōma-madhyarūpa-adhaḥsthita-	2-6-19-8; 2-5-10-4.	2-6-19-10000; 2-5-10-1000.	
4.	Akhaṇḍa-vilōma-	2-12-632-632.	2-12-632-I0\$0I.	
5.	Akhaṇḍa-vilōma-madhyarūpa-uparisthita-	2-5-10-2.	2-7-33-S000.	
6.	Akhaṇḍa-vilōma-madhyarūpa-adhaḥsthita-	2-7-33-12.	2-5-10-0II.	
	B. KHA ŅŅA-PRASTĀRA			
7.	Khaṇḍa-hīna-anulōma-	2-12-1-0-29-12,16; 2-10-2-0-24-2,7; 1-9-1-0-21-1,6,12,19; 1-7-2-0-21-18.	2-12-1-0-29-\$\$, \$IS,SISI, +II.	2-12-1-0 -29-20.
8.	Khaṇḍa-hīna-anulōma-madhyarūpa-uparisthita-	2-12-1-0-29-3; 2-8-1-0-8-2.	2-8-1-0-8-ISI.	
9.	Khaṇḍa-hīna-anulōma-madhyarūpa-adhaḥsthita-	2-12-1-0-29-1; 2-8-1-0-8-3.	2-12-1-0-29-+S.	

SI. No.	Particulars	Nașța	Uddi șța	Kalita
10.	Khaṇḍa-hīna-vilōma-	2-12-1-0-29-18.	2-12-1-0-29-ISIS.	
11.	Khaṇḍa-hīna-vilōma-madhyarūpa-uparisthita-	2-8-1-0-8-2.	2-12-1-0-29-ISIS; 2-8-1-0-8-IS.	
12.	Khaṇḍa-hīna-vilōma-madhyarūpa-adhaḥsthita-	2-12-1-0-29-8.	2-12-1-0-29-SŚI; 2-8-1-0-8-SII.	
13.	Khaṇḍa-yukta-anulōma-	2-8-1-2-25-2,3,5,9,12,15,17,18,20,23,24; 2-8-2-1-21-3,8,13,18; 2-8-4-1-20-4,9; 2-10-6-1-22-5, 11; 2-12-8-1-22-5,11; 3-10-6-1-26-17; 4-8-4-1-20-16; 5-10-2-1-29-8; 7-12-2-1-31-11; 9-9-1-5-21-10, 17; 1-8-1-1-26-7,9, 11,14,16; 1-7-2-1-26-12, 17.	2-9-1-1-28-10\$, S0S, S0II; 2-8-1-2-25-010S; 3-10-1-1-32-SIU; 1-8-1-1-26-2 3 1 2; 4 3 1.	2-8-1-2- 25-20
14.	Khaṇḍa-yukta-anulōma-madhyarūpa-uparisthita-	2-8-1-2-25-4; 2-9-1-1-28-7.	2-9-1-1-28-0\$I.	
15.	Khaṇḍa-yukta-anulōma-madhyarūpa-adhaḥsthita-	2-8-12-25-7; 2-9-1-1-28-9.	2-8-1-2-25-\$00.	
16.	Khaṇḍa-yukta-vilōma-	2-8-1-2-25-21.	2-8-1-2-25-00SI.	
17.	Khaṇḍa-yukta-vilōma-madhyarūpa-uparisthita	2-8-1-2-25-9.	2-9-1-1-28-SSO.	
18.	Khaṇḍa-yukta-vilōma-madhyarūpa-adhaḥsthita-	2-9-1-1-28-11.	2-9-1-1-28-S0S.	

Chapter - 4

NAȘȚA, UDDIȘȚA & KALITA

In order to avoid the Himalayan task of undertaking the processes of all the permutations for which a human life is too short some very interesting and important easy methods are furnished in this chapter to obtain (a) the series of Angas of a particular number of prastāra in question, (b) the serial number of a particular prastāra in question containing a particular series of Angas and (c) the details of all the Angas used upto a particular number of prastāra in question with the help of some figures. They are named as 'Naṣṭa, Uddiṣṭa and Kalita' respectively which are elaborated hereunder along with the relevant rules and examples.

4.1. NA <u>STA</u>

The easy method of obtaining the series of Angas of a prastāra containing a particular serial number in question with the help of the figures of 'Sankhya' is called 'Naṣṭa'.

RULES FOR ANSWERING NA ȘȚA

- 1. Write the 'Sankhya' line of figures upto the required units of permutation.
- 2 (a) Anulōma-naṣṭa : Subtract the question number from the Saṅkhya and later from the remainder subtract the respective proxies consecutively.
 - (i) Anulōma-madhyarūpa-uparisthita-naṣṭa : Add the Vilōma-question-number to the MN and for the odd-numbers of Saṅkhya further subtract figure '1' and later from the last remainder subtrct the respective proxies.
 - (ii) Anulōma-madhyarūpa-adhaḥsthita-naṣṭa : From the MN subtract the Anulōmaquestion-number and for the odd-numbers of Sankhya further subtract figure '1' also later from the last remainder subtract the respective proxies.
 - (b) Vilōma-naṣṭa : Subtract figure '1' from the question-number and later from the remainder subtract the respective proxies.
 - (i) Vilōma-madhyarūpa-uparisthita-naṣṭa: From the MN subtract the Vilōma-questionnumber and also figure '1' and later from the last remainder subtract the respective proxies.
 - (ii) Vilōma-madhyarūpa-adhaḥsthita-naṣṭa : Add the Anulōma-question-number to the MN and subtract figure '1' and later from the last remainder subtract the respective proxies.
- 3. If the first proxy is not subtracted write the Anga of the first proxy and the same process should be continued until a proxy is subtracted.
- 4. For the successful subtraction of the 1st proxy consider the 'non-subtraction' of the 2nd proxy only, for the successful consecutive subtraction of the 1st & 2nd proxies consider the 'non-subtraction' of the 4th proxy only, for the successful consecutive subtraction of the 1st, 2nd & 4th proxies consider the 'non-subtraction' of the 6th proxy only and for the successful consecutive subtraction of the 1st, 2nd, 4th & 6th proxies consider the 'non-subtraction' of the 8th proxy only thus considering only the 'non-subtraction' of the last proxy and leaving it off write the Anga of it and start again fresh the process of subtraction by subtracting the relevant proxies of the 'un-subtracted-proxy'. In the absence of the remainder no figure is needed to be left off. In respect

of the table of 1-unit of Samyuktānga-khanda-prastāra the house of 'zero' also, along with its succeeding proxy, should be taken into account.

- 5 (a) After getting (i) an un-deducted proxy or (ii) a left-off proxy further Angas should be written basing upon the respective proxies of such un-deducted or left-off proxy by subtracting them consecutively starting process again from the beginning and carefully observing the relevant rules and restrictions, if any, in writing the Angas.
 - (b) For the upper-lines of the tables of all Angas sometimes, if carefully observed, Angas of higher value should have to be written than the Anga probable for the subtraction of two or more proxies of the same line or for the subtraction of the figure '1' of the extreme left, either independently or consecutively along with other proxies.
 - (c) Angas should always be written by subtracting the existing respective proxies only but carefully observing the relevant rules and restrictions, if any.

6 (a) In all modes of permutation for answering Naṣṭa of Akhaṇḍa-prastāra, if either the remainder or proxy or both are not existing, one or more inferior (least) Aṅgas should only be written to fill-in the deficit value of the prastāra.

- (b) In all modes of permutation for answering Naṣṭa of Khaṇḍa-prastāra, for all the tables of Aṅgas, except the tables of the lowest Aṅgas, one or more lowest Aṅgas should only be written for the lowest-lines and for the upper-lines, either the lowest Aṅga or the Aṅga of that particular table or both, should be written anti-clock-wise, in ascending order of value, irrespective of the number of the Aṅgas to fill-in the deficit value of the prastāra. While doing so the relevant rules and restrictions, if any, should be observed in writing the Aṅgas to fill-in the deficit value of the prastāra.
- (c) In Pañcāṅga-prastāra for answering Naṣṭa of Khaṇḍa-prastāra, for Druta-mēru, which is the table of the inferior (lowest) Aṅga, one or more Laghus, Laghu being the next immediate higher Aṅga than Druta, should only be written for the lowest-line as this is the line containing only DDPs (Druta-devoid-permutations). For the upper-lines, as Druta plays a dual role of both the lowest Aṅga of that mode and the Aṅga of that particular table as well, either Druta or Laghu or both should be written, in ascending order of value, irrespective of the number of the Aṅgas, to fill-in the deficit value of the prastāra.
- (d) In Ṣaḍaṅga-prastāra for answering Naṣṭa of Khaṇḍa-prastāra, for Anudruta-mēru, which is the table of the inferior (lowest) Aṅga of that mode, one or more Drutas, Druta being the next immediate higher Aṅga than Anudruta, should be written for the lowest-line, as this is the line containing only ADPs (Anudruta-devoid-permutations). For the upper-lines, as Anudruta plays a dual role of both the lowest Aṅga of that mode and the Aṅga of that particular table as well, either Anudruta or also with Druta or also with Laghu, should be written, in ascending order of value, irrespective of the number of Aṅgas, to fill-in the deficit value of the prastāra. Besides, it should be well remembered that one or more Laghus also have to be written, if found necessary, for both the lowest and upper-lines of this table of Anudruta.
- (e) In Samyuktānga-prastāra for answering Naṣṭa of Khanḍa-prastāra, for the table of oneunit (Ēka-anudruta-mēru), which is the table of the lowest-unit of that mode and in which the house of the 'zero' also, along with its succeeding proxy, should be accounted for writing the relevant Angas one or more Angas of 2-units, they being the immediate higher Angas than the Angas of 1-unit, should be written for the lowest-line, as this is the line

containing only 1-UDPs (one-unit-devoid-permutations). For the upper-lines, as the Anga of one-unit plays a dual role of both the lowest Anga of that mode and the Anga of that particular table as well, Angas of 1-unit or 2-units or both should be written, in ascending order of value, irrespective of the number of the figures, to fill-in the deficit value of the prastāra. Besides, it should be well remembered that one or more Angas of 3-units also have to be written, if found necessary, for the lowest and upper-lines of this table.

- 7 (a) In all modes of permutation, in respect of the upper-lines of the table of any Anga, other than the lowest, if the process of subtraction continues upto the lowest-line, further Angas should always be written as per the key-rules governing the lowest-line only.
 - (b) In all modes of permutation, for the upper-lines of the very first table of the lowest Anga, if the process of subtraction continues upto the lowest line and any figure of that line cannot be subtracted, one lowest Anga should be written at the first instance and further Angas be written later as per the key-rules governing the lowest-line only.

EXAMPLES

A. AKHA NDA-PRASTĀRA

1. Akhanda-anuloma-nașta :

1. What is the series of Angas pertaining to the 1st prastāra of 12-DP of Pañcāngaprastāra? (2-12-632-1)

To write the 'Sankhya' of Pañcānga-prastāra, the total of the existing figures of the preceding 1st, 2nd, 4th, 6th and 8th houses, which are the fixed respective proxies of Pañcānga-prastāra, should always be written and now, as per rule No.1 write the figures of 'Sankhya' upto the required 12-DP (refer table -1).

Now as per rule No.2 (a), subtract the question number '1', from the 'Sankhya' figure '632' of 12-DP as the question number belongs to the 12-DPs and the remainder (632-1) is '631'.

Now, from the above remainder '631', the respective proxies (the figures of the preceding 1st, 2nd, 4th, 6th and 8th houses i.e., first-1st proxy, second-2nd proxy, third-4th proxy, fourth-6th proxy and fifth-8th proxy of the figure '632', the 'Saňkhya' of 12-DP) should consecutively be subtracted as this figure '632' is only the combination of all these five proxies. So, accordingly, from the above remainder '631', the first - 1st proxy '350' (631-350=281), the second-2nd proxy '196' (281-196=85), the third-4th proxy '61' (85-61=24) and the fourth-6th proxy '19' (24-19=5) could consecutively be subtracted, as per rule No.4 write the fifth consecutive Aṅga (1st-Druta, 2nd-Laghu, 3rd-Guru, 4th-Pluta and 5th-Kākapāda), Kākapāda, in total, and leave away the fifth-8th proxy '6' (as this figure '6' could not consecutively be subtracted from the last remainder '5', being a figure bigger than the remainder, this figure '6' becomes the figure to be left-off, after obtaining the Aṅga, Kākapāda).

Now, as per rule No.5 (a), we have to start the process of subtraction again from the beginning by consecutively deducting the respective preceding proxies of the above left-off proxy and accordingly, from the remainder '5', the first-1st proxy '3' (5-3=2) and the second-2nd proxy '2' (2-2=0) of the above left-off proxy '6', could consecutively be subtracted and as per rule No.4, as two proxies could consecutively be subtracted, write the third consecutive Anga, Guru.

Till now we have obtained Kākapāda and Guru. Now, as no remainder is left and as also the total value of Kākapāda and Guru together is tallied with the value of 12-DP, the process of subtraction is over and thus the series of angas of this 1st prastāra of 12-DP consists of 'S+'.

2. What is the series of Angas pertaining to the 385th prastāra of 12-DP? (2-12-632-385)

As per rule No.1 write Saňkhya upto the required permutation.

Now, as per rule No.2 (a), the remainder (632-385) is '247'.

Later, as per rule No.3, as the first -1st proxy '350', being a figure bigger than the above remainder '247', could not be subtracted from the remainder, write Druta of the same first-1st proxy.

Now, as per rule No.5(a), we have to start the process of subtraction again from the beginning by consecutively deducting the respective preceding proxies of the above un-deducted proxy and accordingly from the above remainder '247', the first-1st proxy '196' of the above un-deducted proxy '350' could only be subtracted (247-196=51) and as per rule No.4, as only one proxy could be subtracted, write the second consecutive Anga, Laghu and leave away the second -2nd proxy '108' of the above un-deducted proxy '350' (had '108' also been subtracted consecutively along with '196', we would have got the third consecutive Anga, Guru, for the consecutive subtraction of two proxies, but, as '108' could not consecutively be subtracted, being a figure bigger than the last remainder '51', this '108', has become the figure to be left-off).

Now, again as per rule No.5(a), we have to start the process of subtraction again from the beginning by consecutively deducting the respective preceding proxies of the above last left-off proxy. But, accordingly, from the last remainder '51', as even the first - 1st proxy '61' of the above left-off proxy '108' could not also be subtracted being a figure bigger than the remainder, as per rule No.3 write the Anga, Druta of the same first - 1st proxy.

Now, again as per rule No.5 (a), we have to start the process of subtraction from the beginning by consecutively deducting the respective preceding proxies of the above last un-deducted proxy and accordingly now, from the last remainder '51', the first-1st proxy '33', of the above un-deducted proxy '61' could be subtracted (51-33=18) and as per rule No.4, as only one proxy could be subtracted, write the second consecutive Anga, Laghu and leave away the second - 2nd proxy '19' of the above un-deducted proxy '61'.

Now, again as per rule No.5 (a), we have to start the process of subtraction again from the beginning by consecutively deducting the respective preceding proxies of the above last left-off proxy, and accordingly now, from the last remainder '18', the first-1st proxy '10' (18-10=8), the second-2nd proxy '6' (8-6=2) and the third-4th proxy '2' (2-2=0) of the above left-off proxy '19' could consecutively be subtracted and as per rule No.4, as three proxies could consecutively be subtracted, write the fourth consecutive Anga, Pluta. Till now, we have obtained Druta, Laghu, Druta, Laghu and Pluta consecutively. Now, as no remainder is left and as also the total value of all these above Angas together is tallied with the value of 12-DP, now the process of subtraction is over and the series of this 385th prastāra of 12-DP consists of 'SIOIO'.

3. What is the series of Angas pertaining to the 318th prastāra of 11-AP of Trisra-jāti of Ṣaḍanġa-prastāra? (3-11-565-318)

To write the 'Sankhya' of Trisra-jāti of Ṣaḍaṅga-prastāra the total of the 1st, 2nd, 3rd, 6th, 9th and 12th proxies should be written and as per rule No.1 write the figures of 'Sankhya' upto the required permutation (refer table-8).

As per rule No.2 (a) the remainder (565-318) is '247'.

From this remainder '247', the first-1st proxy '302' could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

As per rule No.5(a), from the above remainder '247', the first-1st proxy '162' of the above undeducted proxy '302', could only be subtracted (247-162=85) and as per rule No.4 write the second consecutive Anga, Druta, leaving away the second-2nd proxy '86'.

Now, again as per rule No.5 (a), from the last remainder '85', the first-1st proxy '46' (85-46=39), the second -2nd proxy '25' (39-25=14) and the third-3rd proxy '13' (14-13=1) of the above left-off proxy '86', could consecutively be subtracted and as per rule No.4 write the fourth consecutive Anga, Guru, leaving away the fourth-6th proxy '2'.

Again, as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the above leftoff proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Druta. Thus the series of angas of this prastāra consists of 'O S O U'.

4. What is the series of Angas pertaining to the 148th prastāra of 12-AP of Caturaśra-jāti of Ṣaḍanġa-prastāra? (4-12-543-148)

To write the 'Sankhya' of Caturaśra-jāti of Ṣaḍaṅga-prastāra the total of the 1st, 2nd, 4th, 8th, 12th and 16th proxies should be written and as per rule No.1 write the figures of 'Sankhya' upto the required permutation (refer table -16).

As per rule No.2(a) the remainder (543-148) is '395'.

From this above remainder the first-1st proxy '306' could only be subtracted (395-306=89) and as per rule No.4 write the second consecutive Anga, Druta, leaving away the second-2nd proxy '174'.

Later, as per rule No.5(a), from the last remainder '89', the first - 1st proxy '98' of the left-off proxy '174', could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Now, again as per rule No.5 (a), from the above remainder '89', the first-1st proxy '56' (89-56=33) and the second-2nd proxy '31' (33-31=2) of the above un-deducted proxy '98', could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Laghu, leaving away the third-3rd proxy '10'.

Later, again as per rule No.5(a), from the last remainder '2', the first-1st proxy '6' of the above left-off proxy '10' and again the first-1st proxy '3' of the previously un-deducted proxy '6', thus two first-1st proxies could not consecutively be subtracted and as per rule No.3 write two Angas, Anudrutas of the first-1st proxy consecutively.

Now, as per rule No.5 (a), from the remainder '2', the first-1st proxy '2' of the above last undeducted proxy '3', could be subtracted (2-2=0) and as per rule No.4 write the second consecutive Anga, Druta. Till now, three Anudrutas, two Drutas and one Laghu are obtained, whose total value amounts to '11-units' and this is one-unit lesser than the value of 12-AP which is of '12units'. So, as per rule No.6 (a), to fill-in the deficit value of the above one-unit, write one more inferior (lowest) Anga, Anudruta. Thus the series of angas of this prastāra consists of 'U O U U I U O'.

5. What is the series of Angas pertaining to the 170th prastāra of 12-AP of Khanda-jāti of Sadanga-prastāra? (5-12-377-170)

The respective proxies of Khaṇḍa-jāti of Ṣaḍaṅga-prastāra are the 1st, 2nd, 5th, 10th, 15th and 20th proxies and as per rule No.1 write the figures of 'Saṅkhya' upto the required permutation basing upon the above proxies (refer table-23).

As per rule No.2(a) the remainder (377-170) is '207'.

From the above remainder the first-1st proxy '220' could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first 1st-proxy.

Later, as per rule No.5(a), from the remainder '207', the first-1st proxy '129' (207-129=78) and the second-2nd proxy '75' (78-75=3) of the above un-deducted proxy '220', could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Laghu, leaving away the third - 5th proxy '15'.

Now, as per rule No.5(a), from the remainder '3', the first-1st proxy '9' of the above left-off proxy '15', could not be subtracted and again the first-1st proxy '5' of the previously un-deducted proxy '9' also could not be subtracted i.e., two first-1st proxies '9 & 5' respectively of the above left-off proxy '15' and un-deducted proxy '9', could not consecutively be subtracted and as per rule No.3 write two Angas, Anudrutas of the first-1st proxy consecutively.

Later, again as per rule No.5(a), from the remainder '3', the first-1st proxy '3' of the above last un-deducted proxy '5' could be subtracted (3-3=0) and as per rule No.4 write the second consecutive Anga, Druta.

Now, as per rule No.6 (a), to fill-in the deficit value of the prastāra, write two more inferior Angas, Anudrutas. Thus the series of angas of this prastāra consists of 'UUOUUIU'.

6. What is the series of Angas pertaining to the 113th prastāra of 12-AP of Misra-jāti of Sadanga-prastāra? (7-12-271-113)

The respective proxies of Miśra-jāti of Ṣaḍaṅga-prastāra are the 1st, 2nd, 7th, 14th, 21st and 28th representing Anudruta, Druta, Laghu, Guru, Pluta and Kākapāda respectively and as per rule No.1 write the figures of 'Saṅkhya' upto the required permutation basing upon the above proxies (refer table-29).

As per rule No.2(a) the remainder (271-113) is '158'.

From the above remainder the first-1st proxy '164' could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Now, as per rule No. 5(a), from the above remainder, the first-1st proxy '99' of the above undeducted proxy '164', could be subtracted (158-99=59) and as per rule No.4 write the second consecutive Anga, Druta, leaving away the second-2nd proxy '60'.

Later, again as per rule No.5 (a), from the last remainder '59', the first-1st proxy '36' (59-36=23) and the second-2nd proxy '22' (23-22=1) of the above left-off proxy '60' could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Laghu, leaving away the third-7th proxy '2'.

Now, again as per rule No.5(a), from the last remainder '1', the first-1st proxy '1' of the above left-off proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Druta. Thus the series of angas of this prastāra consists of 'O I O U'.

7. What is the series of Angas pertaining to the 2nd prastāra of 12-AP of Sankirņa-jāti of Sadanga-prastāra ? (9-12-243-2)

The respective proxies of Sankirna-jāti of Ṣaḍanga-prastāra are the 1st, 2nd, 9th, 18th, 27th and 36th which represent the Anudruta, Druta, Laghu, Guru, Pluta, and Kākapāda respectively and as per rule No.1 write the figures of 'Sankhya' upto the required permutation basing upon the above proxies (refer table-34).

As per rule No.2 (a) remainder (243-2) is '241'.

From this above remainder the first-1st proxy '149' (241-149=92) and the second-2nd proxy '91' (92-91=1) could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Laghu, leaving away the third-9th proxy '3'.

Now, as per rule No.5 (a), from the remainder '1', the first-1st proxy '2' of the above left-off proxy '3', could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first -1st proxy.

Later, again as per rule No.5(a), from the remainder '1', the first-1st proxy '1' of the above undeducted proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Druta. Thus the series of angas of this prastāra consists of 'O U I'.

8. What is the series of figures pertaining to the 67th prastāra of 8-UP of Samyuktāngaprastāra? (1-8-128-67)

The respective proxies of Samyuktānga-prastāra are the figures of all the preceding houses and as per rule No.1 write the figures of 'Sankhya' upto the required units of permutation basing upon all the preceding proxies (refer table-39).

As per rule No.2 (a) the remainder (128-67) is '61'.

From this above remainder the 1st proxy '64' could not be subtracted and as per rule No.3 write the Anga of one-unit or figure '1' of the 1st proxy.

Now, as per rule No.5 (a), from the remainder '61', the 1st proxy '32' (61-32=29), the 2nd proxy '16' (29-16=13), the 3rd proxy '8' (13-8=5) and the 4th proxy '4' (5-4=1) of the above un-deducted proxy '64' could consecutively be subtracted and as per rule No.4 write the fifth consecutive Anga containing five units or figure '5' leaving away the 5th proxy '2'.

Later, as per rule No.5 (a), from the remainder '1', the 1st proxy '1' of the above left-off proxy '2' could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga containing two-units or figure '2'. Thus the series of unit-values of this prastāra is '2 5 1'.

2. Akhanda-anuloma-madhyarupa-uparisthita-nasta:

9. What is the series of Angas of the 6th Vilōma-prastāra of 6-DP from the prastāra of the MN ? (2-6-19-6)

As per rule No.1 write down the 'Sankhya' upto the required 6-DP (refer table -1).

As 'Sankhya' of 6-DP is of odd-number '19' the prastāra of the 'midmost-number (MN)' is Anulōma-10.

As per rule No.2 (a) (i) the Vil \bar{o} ma-serial -number '6' should be added to MN '10' (6+10=16) and for the odd-number of 'Sankhya' figure '1' should also be subtracted from the above total '16' (16-1=15).

The above remainder '15' is the SF (Superior-angas'-figure). As per rules of Nașța this SF '15' gives out the series 'S I' of 6-DP and this is the answer.

10. What is the series of Angas of the 2nd Vilōma-prastāra of 5-DP from the MN ? (2-5-10-2)

As per rule No.1 write down the 'Sankhya' upto the required 5-DP (refer table-1).

As 'Sankhya' of 5-DP is of even number '10' the MN is Anuloma-5.

As per rule No.2 (a) (i) the question-number '2' should be added to the MN '5' (2+5=7).

The above total '7' is the SF. As per Nasta this figure gives out the series '101' of 5-DP and this is the answer.

3. Akhanda-anuloma-madhyarupa-adhahsthita-nasta:

11. What is the series of the 8th Anuloma-prastāra of 6-DP from the MN? (2-6-19-8)

As per rule No.1 write down the 'Sankhya' upto the required 6-DP (refer table-1).

As 'Sankhya' of 6-DP is of odd-number '19' the MN is Anuloma-10.

As per rule No.2 (a) (ii) the question-number '8' should be subtracted from the MN '10' (10-8=2) and for the 'Saṅkhya' of odd-number further subtract figure '1' also from the above remainder (2-1=1) which is the SF. As per Naṣṭa this figure gives out the series '10000' of 6-DP and this is the answer.

12. What is the series of the 4th Anuloma-prastara of 5-DP from the MN? (2-5-10-4)

As per rule No.1 write down the 'Sankhya' upto the required 5-DP (refer table-1).

As 'Sankhya' of 5-DP is of even-number '10' the MN is Anuloma-5.

As per rule No.2 (a) (ii) the question number '4' should be subtracted from the MN by which the remainder (5-4=) '1' is the SF. As per Naṣṭa this figure gives out the series '1000' of 5-DP and this is the answer.

4. Akhanda-viloma-nasta:

13. What is the series of Angas pertaining to the 632nd prastāra of 12-DP of Pañcāngaprastāra? (2-12-632-632)

As per rule No.1 write down the Sańkhya upto the required 12-DP (refer question-1). Now, as per rule No.2 (b) subtract figure '1' from the question number '632' (632-1) and the remainder is '631'. Later follow as in Akhaṇḍa-anulōma-naṣṭa.

5. Akhanda-viloma-madhyarupa-uparisthita-nasta:

14. What is the series of Angas of the 2nd Vilōma-prastāra from the MN pertaining to the 5-DP? (2-5-10-2)

As per rule No.1 write Sańkhya upto the required permutation. As the respective Sańkhya '10' is the even number the last permutation of the first-half of the 10 permutations i.e., the 5th permutation is the MN.

As per rule No.(b) (i) subtract the question number from the MN (5-2=3) along with figure '1' and the last remainder is (3-1=) '2'.

From the above remainder '2', as the first-1st proxy '6' and again its first-1st proxy '3' could not consecutively be subtracted write two first Angas i.e., two Drutas as per rule No.3 and continue the process.

Now, as per rule No. 5(a), basing upon the un-deducted last proxy '3' the process continues and accordingly, from the above remainder '2', as the first-1st proxy '2' could be subtracted (2-2=0) write the second A ga, Laghu as per rule No.4.

Later, write one Druta in the left extreme of the permutation to fill in the deficit value of the prast ra permutation as per rule No.6(c). Thus, this prast \bar{a} ra contains 'OIOO' in the series of Angas.

6. Akha da-viloma-madhyarupa-adhahsthita--nasta:

15. What is the series of Angas of the 12th Anulōma-prastāra form the MN pertaining to the 7-DP? (2-7-33-12)

As per rule No.1 write Sańkhya upto the required permutation. As the respective Sańkhya '33' is the odd number the 17th permutation is the MN.

As per rule No.(b)(ii) add the question-number to the MN (12+17=29) and subtract figure '1' and the remainder is (29-1=) '28'.

From the above remainder '28', as the first-1st proxy '19' could be subtracted (28-19=9) write the second consecutive Anga, Laghu as per rule No.4 and leave off the second-2nd proxy '10' to continue the process.

Now, as per rule No. 5(a), basing upon the above left-off proxy '10' the process continues and accordingly, from the last remainder '9', the first-1st and second-2nd proxies could consecutively be subtracted (9-6=3-3=0) write the third consecutive A ga, Guru as per rule No.4.

Later, write one Druta in the left extreme of the permutation to fill in the deficit value of the permutation as per rule No. 6(c). Thus this prast ra contains 'O S I' in the series of Angas.

B. KHA DA-PRASTĀRA

7. Khanda-hina-anuloma-nașța :

16. What is the series of Angas pertaining to the 12th DDP of 12-DP? (2-12-1-0-29-12)

To write the figures of 'Sankhya' of Pañcānga-prastāra the total of the 1st, 2nd, 4th, 6th and 8th proxies should be written and for the lowest-line of Druta-mēru the total of the above proxies, except the 1st proxy, it being the lowest devoid line of the first table of Druta, should be written.

Now, as per rule No. 1 write the figures of 'Sańkhya' upto the required permutation (refer table -2).

As per rule No.2 (a) the remainder (29-12) is '17'.

From the above remainder, the second-2nd proxy '15' could be subtracted (17-15=2) and as per rule No.4 write the third consecutive Anga, Guru, leaving away the third-4th proxy '8'.

Now, as per rule No.5(a), from the last remainder '2', the second-2nd proxy '4' of the above left-off proxy '8', could not be subtracted and as per rule No.3 write the second consecutive Anga, Laghu.

Now, again as per rule No.5(a), from the last remainder '2', the second-2nd proxy '2' of the above un-deducted proxy '4', could be subtracted (2-2=0) and as per rule No.4 write the third consecutive Anga, Guru.

Later, as per rule No. 6(c), to fill-in the deficit value of the prastāra and to make it Druta-devoidpermutation (DDP) write one Laghu and thus the series of angas of this prastāra consists of "ISIS".

17. What is the series of Angas pertaining to the 16th DDP of 12-DP? (2-12-1-0-29-16)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (29-16) is '13'.

From the above remainder the second-2nd proxy '15' could not be subtracted and as per rule No.3 write the second consecutive Anga, Laghu.

Now, as per rule No.5(a), from the above remainder '13', the second-2nd proxy '8' (13-8=5) and the third-4th proxy '4' (5-4=1) of the above un-deducted proxy '15' could consecutively be subtracted and as per rule No.4 write the fourth consecutive Anga, Pluta, leaving away the fourth-6th proxy '2'.

Later, again as per rule No.5 (a), from the last remainder '1', the second-2nd proxy '1' of the above left-off proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the third consecutive Anga, Guru. Thus the series of angas of this prastāra consists of 'SSI'.

18. What is the series of Angas pertaining to the 2nd LDP of 10-DP? (2-10-2-0-24-2)

To write the figures of 'Sańkhya' for the lowest line of Laghu-mēru, the total of all the proxies of Pañcāṅga-prastāra, except the second-2nd proxy, it being the lowest devoid line of the second table of Laghu, should be written and now, as per rule No.1 write the same upto the required permutation (refer table -3).

As per rule No.2 (a) the remainder (24-2) is '22'.

From the above remainder the first-1st proxy '16' (22-16=6) and the third-4th proxy '5' (6-5=1) could consecutively be subtracted and as per rule No.4 write the fourth consecutive Anga, Pluta, leaving away the fourth-6th proxy '2'.

Now, as per rule No. 5(a), from the last remainder '1', the first-1st proxy '1' of the above left-off proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the third consecutive Anga, Guru. Thus the series of angas of this prastāra consists of 'S \pm '.

19. What is the series of Angas pertaining to the 7th LDP of 10-DP? (2-10-2-0-24-7)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (24-7) is '17'.

From the above remainder the first-1st proxy '16' could be subtracted (17-16=1) and as per rule No.4 write the third consecutive Anga, Guru, leaving away the third-4th proxy '5'.

Now, as per rule No.5(a), from the last remainder '1', the first-1st proxy '3' and its first-1st proxy '2' of the above left-off proxy '5' could not consecutively be subtracted and as per rule No.3 write two Angas, Drutas of the first-1st proxy.

Later, again as per rule No.5(a), from the above remainder '1', the first-1st proxy '1' of the above last un-deducted proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the third consecutive Anga, Guru. Thus the series of angas of this prastar consists of 'SOOS'.

20. What is the series of unit-values pertaining to the 1st 1-UDP of 9-UP? (1-9-1-0-21-1)

To write 'Saṅkhya' for the Saṁyuktāṅga-prastāra the total of the figures of all the preceding houses, which are proxies, should be written and for the lowest-line of the table of one-unit the total of all the proxies, except the 1st proxy, being the lowest devoid line of the first table of one-unit, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table-40)

As per the rule No.2 (a) the remainder (21-1) is '20'.

From the above remainder the 2nd proxy '8' (20-8=12), the 3rd proxy '5' (12-5=7), the 4th proxy '3' (7-3=4), the 5th proxy '2' (4-2=2), the 6th proxy '1' (2-1=1) and the 7th proxy '1' (1-1=0), thus six proxies, could consecutively be subtracted and as per rules Nos. 4 & 6 (e) as it amounts to eight houses, including the houses of the 1st proxy and the last zero, write the figure '9' of 9-units. Thus the series of this prastāra consists of '9'.

21. What is the series of unit-values of the 6th 1-UDP of 9-UP? (1-9-1-0-21-6)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (21-6) is '15'.

From the above remainder the 2nd proxy '8' (15-8=7) and the 3rd proxy '5' (7-5=2) could consecutively be subtracted and as per rules Nos.4 & 6 (e), as it amounts to three houses, write the figure '4' of 4-units leaving away the 4th proxy '3'.

Now, as per rule No.5 (a), from the last remainder '2', the 2nd proxy '1' (2-1=1) and the 3rd proxy '1' (1-1=0) of the above left-off proxy '3', could consecutively be subtracted and as per rules Nos.4 & 6 (e), as it amounts to four houses, write the figure '5' of 5-units. Thus the series of this prastāra consists of '5 4'.

22. What is the series of unit-values of the 12th 1-UDP of 9-UP? (1-9-1-0-21-12)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (21-12) is '9'.

From the above remainder the 2nd proxy '8' could be subtracted (9-8=1) and as per rules Nos.4 & 6 (e), as it amounts to two houses, write the figure '3' of 3-units leaving away the 3rd proxy '5'.

Now, as per rule No.5 (a), from the last remainder '1', the 2nd proxy '2' of the left-off proxy '5', could not be subtracted and as per rule No. 3 write figure '2' of the 2nd proxy.

Later, again as per rule No.5 (a), from the last remainder '1', the 2nd proxy '1' of the above undeducted proxy '2' could be subtracted (1-1=0) and as per rules Nos. 4 & 6 (e) as it amounts to three houses, including the houses of zero and the omitted first-1st proxy, write figure '4' of 4-units. Thus the series of this prastāra consists of '4 2 3'.

23. What is the series of unit-values of the 19th 1-UDP of 9-UP? (1-9-1-0-21-19)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (21-19) is '2'.

From the above remainder the 2nd proxy '8' could not be subtracted and as per rule No.3 write figure '2' of the 2nd proxy.

Now, as per rule No.5 (a), from the above remainder '2', the 2nd proxy '3' of the above undeducted proxy '8' could not also be subtracted and as per rule No.3 write one more figure '2' of the 2nd proxy.

Later, again as per rule No.5 (a), from the above remainder '2', the 2nd proxy '1' (2-1=1) and the 3rd proxy '1' (1-1=0) of the above un-deducted proxy '3' could consecutively be subtracted and as per rules Nos. 4 & 6 (e), as it amounts to four houses, including the houses of zero and the omitted 1st proxy, write the next consecutive figure '5' of 5-units. Thus the series of this prastāra consists of '5 2 2'.

24. What is the series of unit-values of the 18th 2-UDP of 7-UP? (1-7-2-0-21-18)

To write 'Sańkhya' for the lowest-line of the table of '2-units' the total of all the preceding consecutive proxies, except the 2nd proxy, being the lowest devoid line of the second table of 2-units, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table-41)

As per the rule No.2 (a) the remainder (21-18) is '3'.

From the above remainder three 1st proxies '12, 7 & 4' could not consecutively be subtracted and as per rule No.3 write the figure '1' three times.

Now, as per rule No.5 (a), from the above remainder '3', the 1st proxy '2' (3-2=1) and the 3rd proxy '1' (1-1=0) of the above un-deducted last proxy '4', could consecutively be subtracted and as per rules Nos.4 & 6 (e), as it amounts to three houses, including the omitted 2nd proxy, write the figure '4' of 4-units. Thus the series of this prastāra consists of '4 1 1 1'.

8. Khanda-hina-anuloma-madhyarupa-uparisthita-nasta:

25. What is the series of Angas of the 3rd Vilōma-prastāra from the MN pertaining to the DDP of 12-DP? (2-12-1-0-29-3)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the DDP of 12-DP is odd-number '29' the MN is '15'.

As per rule No.2 (a) (i) add the question-number '3' to the MN '15' (15+3=18) and being oddnumber of Sankhya, further subtract figure '1' also from the above total (18-1=17). The remainder '17' is the SF which, as per Nașța, gives out the answer-series 'I S I S'.

26. What is the series of Angas of the 2nd Vilōma-prastāra pertaining to the DDP of 8-DP from the MN? (2-8-1-0-8-2)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the DDP of 8-DP is of even-number '8' the MN is Anuloma-4.

As per rule No.2 (a) (i) add the question-number '2' to the MN '4' (2+4=6) and the total figure '6' is the SF which, as per Nașța, gives out the answer-series 'I S'.

9. Khanda-hina-anuloma-madhyarupa-adhahsthita-nasta:

27. What is the series of Angas of the 1st Anuloma-prastara, from the MN, pertaining to DDP of 12-DP? (2-12-1-0-29-1)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the DDP of 12-DP is of odd-number '29' the MN is '15'.

As per rule No.2 (a) (ii) subtract the question-number '1' from the MN '15' (15-1-14) and being odd-number of Sańkhya further subtract figure '1' also from the above remainder (14-1=13). The remainder '13' is the SF, which, as per Nasta, gives out the answer-series 'S S I'.

28. What is the series of Angas of the 3rd Anuloma-prastara, from the MN, pertaining to the DDP of 8-DP? (2-8-1-0-8-3)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the DDP of 8-DP is of even-number '8' the MN is Anuloma-4.

As per rule No.2 (a) (ii) subtract the question number '3' from the MN '4' (4-3=1). The remainder '1' is the SF, which, as per Naṣṭa, gives out the answer-series 'S I I'.

10. Khaņda-hina-viloma-nasta:

29. What is the series of Angas of the 18th DDP of 12-DP? (2-12-1-0-29-18)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (b) subtract figure '1' from the question-number (18-1=17).

Later, follow as in Nasta and obtain the answer series 'ISIS'.

11. Khanda-hina-viloma-madhyarupa-uparisthita-nasta:

30. What is the series of Angas of the 2nd Vilōma-prastāra from the MN pertaining to the DDP of 8-DP? (2-8-1-0-8-2)

As per rule No.1 write Sańkhya upto the required permutation. As the respective Sańkhya '8' is the even number the last permutation of the first-half of the 8 permutations i.e. the 4^{th} permutation is the MN.

As per rule No. 2 (b)(i) subtract the question number from the MN (4-2=2) along with figure '1' and the last remainder is (2-1=) '1'.

From the above remainder '1' as the second 2nd-proxy '4' and again its second-2nd proxy '2' could not consecutively be subtracted write two Laghus consecutively as per rule Nos.3, 5(a), 3 and continue the process.

Later, as per rule No. 5(a), basing upon the un-deducted last proxy '2' the process starts again and accordingly, from the above remainder '1', as the second- 2^{nd} proxy '1' could be subtracted (1-1=0) write the third consecutive Anga, Guru as per rules Nos. 5(a) & 4. Thus this prast ra contains 'S II' in the series of Angas.

12. Kha da-hina-viloma-madhyarupa-adhahsthita-nasta:

31. What is the series of Angas of the 8th Anulōma-prastāra form the MN pertaining to the DDP of 12-DP? (2-12-1-0-29-8)

As per rule No.1 write Sankhya upto the required permutation. As the respective Sankhya of the DDP of 12-DP is of odd-number '29' the MN is '15'.

As per rule No.2 (b)(ii) add the question-number to the MN (8+15=23) and subtract figure '1' of which the remainder is (23-1=) '22'.

From the above remainder as the second-2nd proxy '15' could be subtracted (22-15=7) write the third consecutive Anga, Guru and leave away the third-4th proxy '8' as per rule No.4 to continue the process.

Now, as per rule No. 5(a), from the last remainder '7', as the second- 2^{nd} proxy '4', third- 4^{th} proxy '2' and fourth- 6^{th} proxy '1' could consecutively be subtracted (7-4=3-2=1-1=0) write the fifth consecutive A ga, K kapāda as per rule No.4. Thus, the series of this prastāra consists of '+S'.

13. Khanda-yukta-anuloma-nasta:

32. What is the series of Angas pertaining to the 2nd 2-DCP of 8-DP? (2-8-1-2-25-2)

The total of all the proxies of Pañcāṅga-prastāra, except the first-1st proxy from the immediate lower line, it being the first table of Druta should be written for the upper-lines of Druta-mēru and now as per rule No.1 write the figure of 'Saṅkhya' upto the required permutation. (refer table-2)

As per rule No.2 (a) the remainder (25-2) is '23'.

From the above remainder the lower first-1st proxy '12' (23-12=11) and the second-2nd proxy '9' (11-9=2) could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru, leaving away the third-4th proxy '3'.

Now, as per rule No. 5 (a), from the last remainder '2', the lower first-1st proxy '2' of the above left-off proxy '3', could only be subtracted (2-2=0) and as per rule No.4 write the second consecutive Anga, Laghu.

Later, as per rule No.6 (c), to fill-in the deficit value of the prastāra and also to make it 2-DCP, two inferior Angas, Drutas should be written. Thus the series of angas of this prastāra consists of 'O O I S' (refer the permuted examples furnished at the end of this book).

33. What is the series of Angas pertaining to the 3rd 2-DCP of 8-DP? (2-8-1-2-25-3)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2(a) the reminder (25-3) is '22'.

From the above remainder the lower first -1st proxy '12' (22-12=10) and the second-2nd proxy '9' (10-9=1) could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru, leaving away the third-4th proxy '3'.

Later, as per rule No.5(a), from the last remainder '1', the lower first-1st proxy '2' of the above left-off proxy '3' could not be subtracted and as per rule No.3 write the first Anga, Druta.

Now, again as per rule No.5(a), from the last remainder '1', the lower first-1st proxy '1' of the above un-deducted proxy '2', could be subtracted and as per rule No.4 write the second consecutive Anga, Laghu.

Later, as per rule No.6 (c), to fill-in the deficit value of the prastāra and also to make it 2-DCP write one Druta and thus the series of angas of this prastāra consists of 'O I O S'.

34. What is the series of Angas pertaining to the 5th 2-DCP of 8-DP? (2-8-1-2-25-5)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (25-5) is '20'.

From the above remainder the lower first-1st proxy '12' could be subtracted (20-12=8) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '9'.

Later, as per rule No.5 (a), from the last remainder '8' the lower first-1st proxy '5' (8-5=3) and the second-2nd proxy '3' (3-3=0) of the above left-off proxy '9', could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru.

As per rule No.6 (c), to fill-in the deficit value of the prastāra and also to make it 2-DCP write two inferior Angas, Drutas. Thus the series of angas of this prastāra consists of 'O O S I'.

35. What is the series of Angas pertaining to the 9th 2-DCP of 8-DP? (2-8-1-2-25-9)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2(a) the remainder (25-9) is '16'.

From the above remainder the lower first-1st proxy '12' could be subtracted (16-12=4) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '9'.
Now, as per rule No.5 (a), from the last remainder '4', the lower first-1st proxy '5' of the above left-of proxy '9', could not be subtracted and as per rule No.3 write the Anga of the first-1st proxy, Druta.

Now, again as per rule No.5 (a), from the last remainder '4', the lowest first-1st proxy '2' (4-2=2) and the second-2nd proxy '2' (2-2=0) of the above un-deducted proxy '5', could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru.

As per rule No.6(c), to fill-in the deficit value of the prastāra and also to make it 2-DCP write an inferior Anga, Druta and thus the series of angas of this prastāra consists of 'O S O I'.

36. What is the series of Angas pertaining to the 12th 2-DCP of 8-DP? (2-8-1-2-25-12)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (25-12) is '13'.

From the above remainder the lower first-1st proxy '12' could be subtracted (13-12=1) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '9'.

Now, as per rule No.5(a), from the last remainder '1', the first-1st proxy '5' of the above left-off proxy '9' could not be subtracted and also again the first-1st proxy '2' of the previously undeducted proxy '5' could not be subtracted and as per rules Nos. 3&7 (b) write two inferior Angas, Drutas of the first-1st proxy.

Now, as per rules Nos.5(a) and 7(b), from the last remainder '1', the second-2nd proxy '1' of the above last un-deducted proxy '2' of the lowest-line, could be subtracted (1-1=0) and as per rule No.4 write the third consecutive Anga, Guru. Thus the series of angas of this prastāra consists of 'S O O I'.

37. What is the series of Angas pertaining to the 15th 2-DCP of 8-DP? (2-8-1-2-25-15)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2(a) the remainder (25-15) is '10'.

From this above remainder the lower first-1st proxy '12' could not be subtracted and as per rule No.3 write the Anga of the first-1st proxy, Druta.

Now, as per rule No. 5(a), from the above remainder '10', the lowest first-1st proxy '4' (10-4=6) and the second-2nd proxy '5' (6-5=1) of the above un-deducted proxy '12', could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru, leaving away the third-4th proxy '2'.

Later, again as per rule No.5 (a), from the last remainder '1', the lowest first-1st proxy '1' of the above left-off proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Laghu.

Now, as per rule No. 6(c), to fill-in the deficit value of the prastāra and also to make it 2-DCP write an inferior Anga, Druta and thus the series of angas of this prastāra consists of 'O I S O'.

38. What is the series of Angas pertaining to the 17th 2-DCP of 8-DP? (2-8-1-2-25-17)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2(a) the remainder (25-17) is '8'.

From the above remainder the lower first-1st proxy '12' could not be subtracted and as per rule No.3 write the Anga of the first-1st proxy, Druta.

Now, as per rule No.5 (a), from the above remainder '8', the lowest first-1st proxy '4' of the above undeducted proxy '12', could be subtracted (8-4=4) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '5'.

Later, again as per rule No.5 (a), from the last remainder '4', the lowest first-1st proxy '2' (4-2=2) and the second-2nd proxy '2' (2-2=0) of the above left-off proxy '5', could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru.

Now, as per rule No. 6(c), to fill-in the deficit value of the prastāra and also to make it 2-DCP write an inferior Anga, Druta and thus the series of angas of this prastāra consists of 'O SIO'.

39. What is the series of Angas pertaining to the 18th 2-DCP of 8-DP? (2-8-1-2-25-18)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (25-18) is '7'.

From the above remainder the lower first-1st proxy '12' could not be subtracted and as per rule No.3 write the Anga of the first-1st proxy, Druta.

Now, as per rule No.5 (a), from the above remainder '7', the lowest first-1st proxy '4' of the undeducted proxy '12', could be subtracted (7-4=3) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '5'.

Later, again as per rule No.5(a), from the last remainder '3', the lowest first-1st proxy '2' of the above left-off proxy '5', could be subtracted (3-2=1) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '2'.

Now, again as per rule No.5 (a), from the last remainder '1', the lowest first-1st proxy '1' of the above left-off proxy '2', could be subtracted (1-1=0) and again as per rule No.4 write the second consecutive Anga, Laghu.

Later, as per rule No.6 (c), to fill in the deficit value of the prastāra and also to make it 2-DCP write an inferior Anga, Druta and thus the series of angas of this prastāra consists of 'OIIIO'.

40. What is the series of Angas pertaining to the 20th 2-DCP of 8-DP? (2-8-1-2-25-20)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (25-20) is '5'.

From the above remainder the lower first-1st proxy '12' could not be subtracted and as per rule No.3 write the Anga of the first-1st proxy, Druta.

Later, as per rule No.5 (a), from the above remainder '5', the lowest first-1st proxy '4' of the above un-deducted proxy '12', could be subtracted (5-4=1) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '5'.

Now, again as per rule No.5(a), from the last remainder '1', the lowest first-1st proxy '2' of the above left-off proxy '5', could not be subtracted and as per rules Nos. 3 & 7 (b) write the Anga of the first-1st proxy, Druta.

Later, as per rules Nos. 5 (a) and 7 (b), from the last remainder '1', the lowest second-2nd proxy '1' of the above un-deducted lowest proxy '2', could be subtracted and as per rule No.4 write the third consecutive Anga, Guru. Thus the series of angas of this prastāra consists of 'SOIO'.

41. What is the series of Angas pertaining to the 23rd 2-DCP of 8-DP? (2-8-1-2-25-23)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2(a) the remainder (25-23) is '2'.

From the above remainder the lower first-1st proxy '12' and its lowest first-1st proxy '4' could not consecutively be subtracted and as per rules Nos. 3 and 7 (b) write two Angas of the first-1st proxy, Drutas.

Later, as per rules Nos.5 (a) and 7 (b), from the above remainder '2', the lowest second-2nd proxy '2' of the above un-deducted last proxy '4' could be subtracted (2-2=0) and as per rule No.4 write the third consecutive Anga, Guru.

Now, as per rule No.6(c), to fill-in the deficit value of the prastāra write the inferior Anga, Laghu, of the lowest line. Thus the series of angas of this prastāra consists of 'I S O O'.

42. What is the series of Angas pertaining to the 24th 2-DCP of 8-DP? (2-8-1-2-25-24)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2(a) the remainder (25-24) is '1'.

From the above remainder the lower first-1st proxy '12' and its lowest first-1st proxy '4' could not consecutively be subtracted and as per rules Nos.3 and 7(b) write two Angas, Drutas of the first-1st proxy.

Later, as per rules Nos.5(a) and 7(b), from the above remainder '1', the lowest second-2nd proxy '2' of the above un-deducted last proxy '4', could not be subtracted again and as per rule No.4 write the Anga, Laghu of the same second-2nd proxy of the lowest line.

Now, again as per rules Nos.5 (a) and 7 (b), from the above remainder '1', the second-2nd proxy '1' of the above un-deducted lowest proxy '2' could , now, be subtracted (1-1=0) and as per rule No.4 write the third consecutive Anga, Guru. Thus the series of angas of this prastāra consists of 'SIOO'.

43. What is the series of Angas pertaining to the 3rd 1-LCP of 8-DP? (2-8-2-1-21-3)

To write the 'Sańkhya' for the upper-lines of Laghu-mēru, the total of all the proxies of Pañcāṅgaprastāra, except the second-2nd proxy, it being the second table of Laghu, from the immediate lower line, should be written and now, as per rule No.1 write the same upto the required permutation (refer table-3).

As per rule No.2 (a) the remainder (21-3) is '18'.

From the above remainder the first-1st proxy '12' (18-12=6) and the lowest second-2nd proxy '5' (6-5=1) could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru, leaving away the third-4th proxy '3'.

Later, as per rule No.5 (a), from the last remainder '1', the first-1st proxy '2' of the above left-off proxy '3', could not be subtracted and as per rule No. 3 write the Anga of the first-1st proxy which is Druta.

Now, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the above undeducted proxy '2', could be subtracted (1-1=0) and per rule No.4 write the second consecutive Anga, Laghu.

Later, as per rule No.6 (b), to fill-in the deficit value of the prastāra write an inferior Anga, Druta. Thus the series of angas of this prastāra consists of 'OIOS' (refer the permuted examples furnished at the end of this book).

44. What is the series of Angas pertaining to the 8th 1-LCP of 8-DP? (2-8-2-1-21-8)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (21-8) is '13'.

From the above remainder the first-1st proxy '12' could be subtracted (13-12=1) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the lowest second-2nd proxy '5'.

Now, as per rules Nos.5 (a) 7 (a), from the last remainder '1', the first-1st proxy '3' and again its first-1st proxy '2' of the above left-off proxy '5', could not consecutively be subtracted and as per rule No.3 write two Angas, Drutas of the first-1st proxy.

Later, again as per rule No. 5(a), from the last remainder '1', the first-1st proxy '1' of the above undeducted last proxy '2', could be subtracted (1-1=0) and as per rules Nos. 4 & 7 (a) write the Anga, Guru of the third consecutive proxy, as the second consecutive Anga, Laghu should not be written, being the lowest devoid line of Laghu-mēru. Thus the series of angas of angas of this prastāra consists of 'SOOI'.

45. What is the series of Angas pertaining to the 13th 1-LCP of 8-DP? (2-8-2-1-21-13)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (21-13) is '8'.

From the above remainder the first-1st proxy '12' could not be subtracted and as per rule No.3 write the Anga, Druta of the first-1st proxy.

Later, as per rule No.5 (a), from the above remainder '8', the first-1st proxy '7' of the above undeducted proxy '12', could be subtracted (8-7=1) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the lowest second-2nd proxy '3'.

Now, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '2' of the above left-of proxy '3', could not be subtracted and as per rule No.3 write the Anga, Pluta of the first-1st proxy.

Later, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the undeducted proxy '2', could be subtracted (1-1=0) and as per rules Nos.4 & 7 (a) write the third consecutive Anga, Guru, as the second consecutive Anga, Laghu, should not be written, being the lowest devoid line of Laghu. Thus the series of angas of this prastāra consists of 'S O I O'.

46. What is the series of Angas pertaining to the 18th 1-LCP of 8-DP? (2-8-2-1-21-18)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (21-18) is '3'.

From the above remainder the first-1st proxy '12', its first-1st proxy '7' and again its first-1st proxy '4' thus three first-1st proxies could not consecutively be subtracted and as per rule No.3 write three Angas, Drutas of the first-1st proxy.

Later, as per rule No. 5(a), from the above remainder '3', the first-1st proxy '3' of the above undeducted last proxy '4', could be subtracted (3-3=0) and as per rule No.4 write the second consecutive Anga, Laghu.

Now, as per rule No.6 (b), to fill-in the deficit value of the prastāra write three inferior Angas, Drutas. Thus the series of angas of this prastāra consists of 'OOO1 OOO'.

47. What is the series of Angas pertaining to the 4th 1-GCP of 8-DP? (2-8-4-1-20-4)

To write the figures of 'Sańkhya' for the upper lines of Guru-mēru, the total of all the proxies of Pañcāṅga-prastāra, except the third-4th proxy, being the third table of Guru, of the immediate lower line, should be written and now, as per rule No.1 write the same up to the required permutation. (refer table-4).

As per rule No. 2(a) the remainder (20-4) is '16'.

From the above remainder the first-1st proxy '10' (16-10=6) and the second-2nd proxy '5' (6-5=1) could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Guru, leaving away the lowest third-4th proxy '5'.

Now, as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '3' and again its first-1st proxy '2' of the above left-off proxy '5' could not consecutively be subtracted and as per rule No.3 write two Angas, Drutas of the first-1st proxy.

Later, again as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted last proxy '2' could be subtracted (1-1=0) and as per rule No. 4 write the second consecutive Anga, Laghu. Thus the series of angas of this prastāra consists of 'I O O S'.

48. What is the series of Angas pertaining to the 9th 1-GCP of 8-DP? (2-8-4-1-20-9)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (20-0) is '11'.

From the above remainder, the first-1st proxy '10' could be subtracted (11-10=1) and as per rule No.4, write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '5'.

Now, as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '2' of the above left-off proxy '5', could not be subtracted and as per rule No. 3 write the Anga, Druta of the first-1st proxy.

Later, again as per rule No. 5(a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted proxy '2' could , now, be subtracted and as per rules Nos. 4, 5 (b) & (c) write Guru as it should be 1-GCP.

Now, as per rule No. 6 (b), to fill - in the deficit value of the prastāra write one Druta and thus the series of angas of this prastāra consists of 'O S O I'.

49. What is the series of Angas pertaining to the 5th 1-PCP of 10-DP? (2-10-6-1-22-5)

To write the figures of 'Sańkhya' for the upper-lines of Pluta-mēru, the total of all the proxies of Pañcāṅga-prastāra, except the fourth-6th proxy, being the fourth table of Pluta, of the immediate lower line, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table-5)

As per rule No. 2(a) the remainder (22-5) is '17'.

From the above remainder, the first-1st proxy '10' (17-10=7), the second-2nd proxy '5' (7-5=2) and the third-4th proxy '1' (2-1=1) could consecutively be subtracted and as per rule No.4 write the fourth consecutive Anga, Pluta, leaving away the lowest fourth-6th proxy '6'.

Later, as per rule No.5 (a), from the last remainder '1', the first-1st proxy '3' and again the first-1st proxy '2' of the above left-of proxy '6' could not consecutively be subtracted and as per rules Nos.3 & 7(a) write two Angas, Drutas of the first-1st proxy.

Now, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted last proxy '2', could be subtracted (1-1=0) and as per rules Nos.4 & 7(a) write the second consecutive Anga, Laghu. Thus the series of angas of this prastāra consists of 'I O O S'.

50. What is the sereis of Angas pertaining to the 11th 1-PCP of 10-DP? (2-10-6-1-22-11)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (22-11) is '11'.

From the above remainder the first-1st proxy '10' could be subtracted (11-10=1) and as per rule No.4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '5'.

Now, as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '2' of the above left-off proxy '5' could not be subtracted and as per rule No.3 write the Anga, Druta of the first - 1st proxy.

Later, again as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted proxy '2', could be subtracted (1-1=0) and as per rules Nos.4,5 (b) & (c) write Pluta as it should be 1-PCP.

Later, as per rule No. 6 (b), to fill-in the deficit value of the prastāra write one Druta and thus the series of angas of this prastāra consists of 'O \pm O I'.

51. What is the series of Angas pertaining to the 5th 1-KCP of 12-DP? (2-12-8-1-22-5)

To write the figures of 'Saṅkhya' for the upper-lines of Kākapāda-mēru, the total of all the proxies of Pañcāṅga-prastāra, except the fifth-8th proxy, being the fifth table of Kākapāda, of the immediate lower line, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table -6)

As per rule No.2 (a) the remainder (22-5) is '17'.

From the above remainder the first-1st proxy '10' (17-10=7), the second-2nd proxy '5' (7-5=2) and the third-4th proxy '1' (2-1=1) could consecutively be subtracted and as per rules Nos.4, 5 (b) & (c) write Kākapāda as it should be a 1-KCP and leave away the lowest fifth-8th proxy '6'.

Later, as per rule No.5 (a), from the last remainder '1', the first-1st proxy '3' and again its first-1st proxy '2' of the above left-off proxy '6' could not consecutively be subtracted and as per rules Nos.3 & 7 (a) write two Angas, Drutas of the first-1st proxy.

Now, again as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted last proxy '2' could be subtracted (1-1=0) and as per rules Nos.4 & 7 (a) write the second consecutive Anga, Laghu. Thus the series of angas of this prastāra consists of 'I O O +'.

52. What is the series of Angas pertaining to the 11th 1-KCP of 12-DP? (2-12-8-1-22-11)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (22-11) is '11'.

From the above remainder the first-1st proxy '10' could be subtracted (11-10=1) and as per rule No. 4 write the second consecutive Anga, Laghu, leaving away the second-2nd proxy '5'.

Later, as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '2' of the above left-off proxy '5' could not be subtracted and as per rule No.3 write the Anga, Druta of the first-1st proxy.

Now, again as per rule No. 5(a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted proxy '1' could be subtracted (1-1=0) and as per rules Nos. 5 (b) & (c) write Kākapāda as it should be a 1-KCP.

Later, as per rule No. 6(b), to fill-in the deficit value of the prastāra write one Druta. Thus the series of angas of this prastāra consists of 'O + O 1'.

53. What is the series of Angas pertaining to the 17th 1-GCP of 10-AP of Trisra-jāti ? (3-10-6-1-26-17)

To write 'Sańkhya' for the upper-lines of Guru-mēru pertaining to Trisra-jāti of Ṣaḍaṅga-prastāra, the total of all the 1st, 2nd, 3rd, 9th and 12th proxies, except the fourth-6th proxy, being the fourth table of Guru, of the immediate lower-line should be written and now, as per rule No. 1 write the figures upto the required permutation. (refer table-12)

As per rule No. 2(a) the remainder (26-17) is '9'.

From the above remainder, the first-1st proxy '12', could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Later, as per rule No. 5 (a), from the above remainder '9', the first-1st proxy '5' (9-5=4), the second-2nd proxy '2' (4-2=2) and the third-3rd proxy '1' (2-1=1) of the above un-deducted proxy '12', could consecutively be subtracted and as per rule No. 4 write the fourth consecutive Anga, Guru, leaving away the lowest fourth-6th proxy '4'.

Now, as per rules Nos.7(a) & 5(a), from the last remainder '1', the first-1st proxy '2' of the above left-off proxy '4', could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Later as per rule No. 5 (a), from the last remainder '1', the first-1st proxy '1' of the above undeducted proxy '2' could be subtracted and as per rule No.4 write the second consecutive Anga, Druta. Thus the series of angas of this prastāra consists of 'O U S U'.

54. What is the series of Angas pertaining to the 16th 1-LCP of 8-AP of Caturasra-jāti? (4-8-4-1-20-16)

To write 'Saṅkhya' for the upper-lines of Laghu-mēru pertaining to Caturaśra-jāti of Ṣaḍaṅgaprastāra, the total of all the 1st, 2nd, 8th, 12th and 16th proxies, except the third-4th proxy, being the third table of Laghu, of the immediate lower line, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table-19)

As per rule No.2(a) the remainder (20-16) is '4'.

From the above remainder the first-1st proxy '10' and again its first-1st proxy '5' could not consecutively be subtracted and as per rule No. 3 write two Angas, Anudrutas of the first-1st proxy.

Later, as per rule No.5 (a), from the above remainder '4', the first-1st proxy '2' (4-2=2) and the second-2nd proxy '1' (2-1=1) of the above un-deducted last proxy '5', could consecutively be subtracted and as per rule No.4, write the third consecutive Anga, Laghu, leaving away the lowest third-4th proxy '2'.

Now, as per rules Nos.7 (a) & 5(a) from the last remainder '1', the first-1st proxy '1' of the above left-off proxy '2' could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Druta. Thus the series of angas of this prastāra consists of 'OIUU'.

55. What is the series of Angas pertaining to the 8th 1-DCP of 10-AP of Khanda-jāti ? (5-10-2-1-29-8)

To write 'Saṅkhya' for the upper-lines of Druta-mēru of Khaṇḍa-jāti of Ṣaḍaṅga-prastāra, the total of all the 1st, 5th, 10th, 15th and 20th proxies, except the second-2nd proxy, being the second table of Druta, of the immediate lower-line, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table-25)

As per rule No.2 (a) the remainder (29-8) is '21'.

From the above remainder the first-1st proxy '20' could be subtracted (21-20=1) and as per rule No.4 write the second consecutive Anga, Druta, leaving away the lowest second-2nd proxy '5'.

Now, as per rules Nos.7 (a) & 5 (a), from the last remainder '1' the first-1st proxy '4' of the above left-off proxy '5', its first-1st proxy '3' and again its first-1st proxy '2', thus three first-1st proxies, could not consecutively be subtracted and as per rule No.3 write three Angas, Anudrutas of the first-1st proxy.

Later, as per rules Nos.5 (a) & 7 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted last proxy '2' could be subtracted (1-1=0) and as per rule No. 4 write the third consecutive Anga, Laghu, as in this table of Druta the Druta and its second-2nd proxy are omitted for the lowest-line being the line of DDPs. Thus the series of angas of this prastāra consists of 'I U U U O'.

56. What is the series of Angas pertaining to the 11th 1-DCP of 12-AP of Misra-jāti ? (7-12-2-1-31-11)

To write 'Sankhya' for the upper-lines of Druta-mēru of Miśra-jāti of Ṣaḍaṅga-prastāra, the total of all the 1st, 7th, 14th, 21st and 28th proxies, except the second-2nd proxy, being the

second table of Druta, of the immediate lower-line, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table-31).

As per the rule No.1 (a) the remainder (31-11) is '20'.

From the above remainder the first-1st proxy '22' could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Now, as per rule No.5 (a), from the above remainder '20', the first-1st proxy '15' (20-15=5) and the second-2nd proxy '4' (5-4=1) of the above undeducted proxy '22' could consecutively be subtracted and as per rule No.4 write the third consecutive Anga, Laghu, leaving away the third-7th proxy '3'.

Later, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '2' of the above left-off proxy '3', could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Now, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted proxy '2' could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Druta.

Later, as per rule No.6 (b), write the lowest Anga, Anudruta to fill-in the deficit value of the prastāra. Thus the series of angas of this prastāra consists of 'UOUIU'.

57. What is the series of Angas pertaining to the 10th 5-ACP of 9-AP of Sankirna-jāti? (9-9-1-5-21-10)

To write 'Sańkhya' for the upper-lines of Anudruta-mēru of Sańkīrņa-jāti of Ṣaḍaṅga-prastāra, the total of all the 2nd, 9th, 18th, 27th and 36th, except the first-1st proxy, being the first table of Anudruta, of the immediate lower-line, should be written and now, as per rule No.1 write the same upto the required permutation. (refer table-35)

As per the rule No.2 (a) the remainder (21-10) is '11'.

From the above remainder the first-1st proxy '15' could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Later, again as per rule No.5 (a), from the above remainder '11', the first-1st proxy '10' of the above un-deducted proxy '15', could be subtracted (11-10=1) and as per rule No.4 write the second consecutive Anga, Druta, leaving away the second-2nd proxy '5'.

Now, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '4' of the above left-off proxy '5' its first-1st proxy '3' and again its first-1st proxy '2', thus three first-1st proxies, could not consecutively be subtracted and as per the rule No.3 write three Angas, Anudrutas of the first-1st proxy.

Later, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted last proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Druta.

Now, as per rule No.6 (d), write an Anudruta, the lowest Anga, to fill-in the deficit value of the prastāra and also as it should be a 5-ACP. Thus the series of angas of this prastāra consists of 'UOUUUOU'.

58. What is the series of Angas pertaining to the 17th 5-ACP of 9-AP of Sankirna-jāti? (9-9-1-5-21-17)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (21-17) is '4'.

From the above remainder the first-1st proxy '15', its first-1st proxy '10' and again its first-1st proxy '6', thus three first-1st proxies, could not consecutively be subtracted and as per rule No.3 write three Angas, Anudrutas of the first-1st proxy.

Later, again as per rule No.5 (a), from the above remainder '4', the first-1st proxy '3' of the above un-deducted last proxy '6', could be subtracted (4-3=1) and as per rule No.4 write the second consecutive Anga, Druta, leaving away the second-2nd proxy '3'.

Now, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the above left-off proxy '3', could not be subtracted and as per rule No.3 write the Anga, Anudruta of the first-1st proxy.

Now, again as per rule No.5 (a), from the last remainder '1', the first-1st proxy '1' of the above un-deducted proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the second consecutive Anga, Druta.

Later, again as per rule No.6 (d), write an Anudruta, the lowest Anga, to fill-in the deficit value of the prastāra and also as it should be a 5-ACP. Thus the series of angas of this prastāra consists of 'UOUOUUU'.

59. What is the series of unit-values of the 7th 1-UCP of 8-UP? (1-8-1-1-26-7)

To write 'Sańkhya' for the upper-lines of the table of '1-unit' the total of all the preceding consecutive proxies, except the 1st proxy, being the first table of one-unit, of the immediate lower-line, should be written and as per rule No.1 write the same upto the required permutation. (refer table-40)

As per the rule No.2 (a) the remainder (26-7) is '19'.

From the above remainder the lowest 1st proxy '8' (19-8=11) and the 2nd proxy '8' (11-8=3) could consecutively be subtracted and as per rule No.4 write the next consecutive figure '3' leaving away the 3rd proxy '5'.

Now, as per rule No.5 (a), from the last remainder '3', the lowest 1st proxy '2' of the above leftoff proxy '5' could be subtracted (3-2=1) and as per rule No.4 write the next consecutive figure '2' leaving away the 2nd proxy '2'.

Later, again as per rule No.5 (a), from the last remainder '1', the lowest 1st proxy '1' of the above left-off proxy '2', could be subtracted (1-1=0) and as per rule No.4 write the next consecutive figure '2'.

Now, as per rule No.6 (e) write figure '1' to fill in the deficit value of the prast \bar{a} ra. Thus the series of angas of this prast \bar{a} ra consists of '1 2 2 3' (refer the permuted examples furnished at the end of this book).

60. What is the series of unit-values of the 9th 1-UCP of 8-UP? (1-8-1-1-26-9)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (26-9) is '17'.

From the above remainder the lowest 1st proxy '8' (17-8=9) and the 2nd proxy '8' (9-8=1) could consecutively be subtracted and as per rule No.4 write the 3rd consecutive figure '3' leaving away the 3rd proxy '5'.

Now, as per rule No.5 (a), from the last remainder '1', the lowest 1st proxy '2' of the above left-off proxy '5' could not be subtracted and as per rule No. 7 (b) write the figure '1' of the 1st proxy.

Later, again as per rules Nos. 7 (b) & 5 (a), from the last remainder '1', the 2nd proxy '1' of the above undeducted proxy '2' could be subtracted (1-1=0) and as per rules Nos. 4 & 6 (e), as it amounts to three houses, including the zero and 1st proxy, write the figure '4' of 4-units. Thus the series of this prastāra consists of '4 1 3'.

61. What is the series of unit-values of the 11th 1-UCP of 8-UP? (1-8-1-1-26-11)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (26-11) is '15'.

From the above remainder the lowest 1st proxy '8' could be subtracted (15-8=7) and as per rule No.4 write the figure '2' leaving away the 2nd proxy '8'.

Now, as per rule No.5 (a), from the above remainder '7', the lowest 1st proxy '3' (7-3=4), the 2nd proxy '2' (4-2=2) and the 3rd proxy '2' (2-2=0) of the above left-off proxy '8' could consecutively be subtracted and as per rules Nos. 4 & 6 (e), as it amounts to four houses, including the house of zero, write the figure '5' of 5-units.

Later, as per rule No. 6 (e) write the figure '1' to fill-in the deficit value of the prast \bar{a} ra. Thus the series of this prast \bar{a} ra consists of '1 5 2'.

62. What is the series of unit-values of the 14th 1-UCP of 8-UP? (1-8-1-1-26-14)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (26-14) is '12'.

From the above remainder the lowest 1st proxy '8' could be subtracted (12-8=4) and as per rule No.4 write the figure '2' leaving away the 2nd proxy '8'.

Now, as per rule No.5 (a), from the last remainder '4', the lowest 1st proxy '3' of the above leftoff proxy '8' could be subtracted (4-3=1) and as per rule No. 4 write the figure '2', leaving away the 2nd proxy '2'.

Again, as per rule No.5 (a), from the last remainder '1', the lowest 1st proxy '1' of the above leftoff proxy '2' could be subtracted (1-1=0) and now, as per rules Nos. 4 & 6 (e), as it amounts to two houses, including the house of zero, write the figure '3' of 3-units.

Later, as per rule No.6 (e) write the figure '1' to fill-in the deficit value of the prast \bar{a} ra. Thus the series of this prast \bar{a} ra consists of '1 3 2 2'.

63. What is the series of unit-values of the 16th 1-UCP of 8-UP? (1-8-1-1-26-16)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (a) the remainder (26-16) is '10'.

From the above remainder the lowest 1st proxy '8' could be subtracted (10-8=2) and as per rule No.4 write the figure '2' leaving away the 2nd proxy '8'.

Now, as per rule No.5 (a), from the last remainder '2', the lowest 1st proxy '3' of the above left-off proxy '8' could not be subtracted and as per rule No.7 (b) write the figure '1'.

Later, again as per rules Nos. 7 (b) & 5 (a), from the last remainder '2', the 2nd proxy '1' (2-1=1) and the 3rd proxy '1' (1-1=0) of the above un-deducted proxy '3' could consecutively be subtracted and as per rules Nos. 4 & 6 (e), as it amounts to four houses, including the houses of zero and the omitted 1st proxy, write the figure '5' of 5-units. Thus the series of this prastāra consists of '5 1 2'.

64. What is the series of unit-values of the 12th 1-2-UCP of 7-UP? (1-7-2-1-26-12)

To write 'Sańkhya' for the upper-lines of the table of '2-units' the total of all the preceding consecutive proxies, except the 2nd proxy, being the second table of 2-units, of the immediate lower-line, should be written and as per rule No.1 write the same upto the required permutation. (refer table-41)

As per the rule No.2 (a) the remainder (26-12) is '14'.

From the above remainder the 1st proxy '13' could be subtracted (14-13=1) and as per rule No.4 write the figure '2' leaving away the 2nd proxy '7'.

Now, as per rules Nos.7(a) & 5 (a), from the last remainder '1', two 1st proxies '4 & 2' of the above left-off proxy '7', could not consecutively be subtracted and as per rule No.3 write the figure '1' two times.

Later, as per rule No. 5(a), from the last remainder '1', the 1st proxy '1' of the above undeducted last proxy '2', could be subtracted (1-1=0) and as per rule No.4, figure '2' has to be written. But, as it is contrary to write more than one figure of 2-units, being a single-figure containing permutation of 2-units, as per rules Nos.5(c) & 6(e), instead of writing figure '2' of 2-units, figure '3' of 3-units should only be written. Thus the series of this prastāra consists of '3 1 1 2'.

65. What is the series of unit-values pertaining to the 17th 1-2-UCP of 7-UP? (1-7-2-1-26-17)

As per rule No.1 write Sańkhya upto the required permutation.

As per rule No.2 (a) the remainder (26-17) is '9'.

From the above remainder the lowest 1st proxy '13' could not be subtracted and as per rule No.3 write the figure '1' of the 1st proxy.

Later, as per rule No. 5 (a), from the above remainder '9', the 1st proxy '6' of the above undeducted proxy '13' could be subtracted (9-6=3) and as per rule No.4 write the figure '2' leaving away the lowest 2nd proxy '4'.

Now, as per rule Nos. 7 (a) & 5(a), from the last remainder '3', the 1st proxy '2' (3-2=1) and the 3rd proxy '1' (1-1=0) of the above left-off proxy '4' could consecutively be subtracted and as per rules Nos. 4 & 6 (e), as it amounts to '3' houses, including the omitted 2nd proxy, write the figure '4' of 4-units. Thus the series of this prastāra consists of '4 2 1'.

14. Khanda-yukta-anuloma-madhyarupa-uparisthita-nasta:

66. What is the series of Angas of the 4th Vilōma prastāra, from the MN, pertaining to the 2-DCP of 8-DP? (2-8-1-2-25-4)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the 2-DCP of 8-DP is of odd-number '25' the MN is '13'.

As per rule No.2 (a) (i) add the question-number '4' to the MN '13' (13+4=17) and being the odd-number of Sankhya, further subtract figure '1' also from the above total (17-1=16). The remainder '16' is the SF which, as per Nasta, gives out the answer-series 'O S O I'.

67. What is the series of Angas of the 7th Vilōma-prastāra, from the MN, pertaining to the 1-DCP of 9-DP? (2-9-1-1-28-7)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the 1-DCP of 9-DP is of even-number '28' the MN is Anuloma-14.

As per rule No.2 (a) (i) add the question-number '7' to the MN '14' (14+7=21). This total '21' is the SF, which, as per Nașta, gives out the answer-series 'S O S'.

15. Khanda-yukta-anuloma-madhyarupa-adhahsthita-nasta:

68. What is the series of Angas of the 7th Anulōma-prastāra, from the MN, pertaining to 2-DCP of 8-DP? (2-8-1-2-25-7)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the 2-DCP of 8-DP is of odd-number '25' the MN is '13'.

As per rule No.2 (a) (ii) subtract the question-number '7' from the MN '13' (13-7=6) and being odd-number of Sankhya further subtract figure '1' also from the above remainder (6-1=5). The remainder '5' is the SF, which, as per Nașta, gives out the answer-series 'S O I O'.

69. What is the series of Angas of the 9th Anulōma-prastāra, from the MN, pertaining to 1-DCP of 9-DP? (2-9-1-1-28-9)

As per rule No.1 write Sankhya upto the required permutation.

As Sankhya of the 1-DCP of 9-DP is of even-number '28' the MN is '14'.

As per rule No.2 (a) (ii) subtract the question-number '9' from the MN '14' (14-9=5). The remainder '5' is the SF, which, as per Naşta, gives out the answer series 'S S O'.

16. Khanda-yukta-viloma-nasta:

70. What is the series of Angas of the 21st 2-DCP of 8-DP? (2-8-1-2-25-21)

As per rule No.1 write Sankhya upto the required permutation.

As per rule No.2 (b) subtract figure '1' from the question-number (21-1=20).

Later, follow as in Nasta and obtain the answer series 'O O S I'.

17. Khanda-yukta-viloma-madhyarupa-uparisthita-nasta:

71. What is the series of Angas of the 9th Vilōma-prastāra from the MN pertaining to the 2-DCP of 8-DP? (2-8-1-2-25-9)

As per rule No.1 write Sankhya upto the required permutation. As the respective Sankhya of the 2-DCP of 12-DP is of odd-number '25' the MN is '13'.

As per rule No. 2(b)(i) subtract the question number from the MN (13-9=4) along with figure '1' and the last remainder is (4-1=) '3'.

From the above remainder, as the first-1st proxy '12' and again its first-1st proxy '4' could not be subtracted write two Drutas of the 1st proxy as per rules Nos. 3, 5(a), 7(b) & 3 to continue the process.

Now, as per rule No. 5(a) & 7(b), from the above remainder, as the second-2nd proxy '2' and the third -4th proxy '1' could consecutively be subtracted (3-2=1-1=0) write the fourth consecutive Anga, Pluta as per rule No.4. Thus the series of A gas of this prast raconsists of 'S O O'.

18. Khanda-yukta-viloma-madhyarupa-adhahsthita-nasta:

72. What is the series of Angas of the 11th Anuloma-prastāra from the MN pertaining to the 1-DCP of 9-DP? (2-9-1-1-28-11)

As per rule No.1 write Sańkhya upto the required permutation. As the respective Sańkhya '28' is the even number the last permutation of the first half of the 28 permutations i.e., the 14th permutation is the MN.

As per rule No. 2 (b) (ii) add the question number to the MN (14+11=25) and subtract figure '1' and the remainder is (25-1=) '24'.

From the above remainder '24' as the first-1st and second-2nd proxies could consecutively be subtracted (24-8=16-12=4) write the third consecutive Anga, Guru and leave off its third-4th proxy '5' as per rule No.4 to continue the process.

Later, as per rule No.5(a), basing upon the above left-off proxy '5' the process starts again and accordingly, from the last remainder '4', again the first- 1^{st} and second- 2^{nd} proxies could consecutively be subtracted (4-2=2-2=0) write the third consecutive A ga, Guru as per rule No.4.

Now, write one Druta in the left extreme of the permutation to fill in the deficit value of the permutation and also to make it 1-DCP as per rule No.6(c). Thus, this prast ra contains 'O S S' in the series of Angas.

4.2. UDDI ȚA

Uddista is the easy method to obtain the serial number of any prastāra in question containing a particular series of Angas, basing upon the figures of Sankhya and also applying the same rules governing 'Naṣța'.

Note : For Uddista the following rule could also be applied.

As per the rules of Naṣṭa the total of the successfully subtracted proxies should be subtracted from "Sankhya" and the remainder is the answer of Uddiṣṭa.

As per rules governing 'Nasta' the un-deducted proxies always originate the inferior (least) Angas and the deducted proxies always originate the superior Angas. In a question-series of Angas of a

prastāra the total of the proxies which are successfully subtracted and originated superior Angas is the superiors'-figure (SF).

- (a) Anulōma-uddiṣṭa : Subtract the SF from the Saṅkhya and the remainder is the answer-serialnumber.
 - (i) Anulōma-madhyarūpa-uparisthita-uddiṣṭa : Subtract the MN from the SF and for the odd-number of Saṅkhya further add figure '1' and the last figure is the answer-serial-number.
 - (ii) Anulōma-madhyarūpa-adhaḥsthita-uddiṣṭa : Subtract the SF from the MN and for the odd-numbers of Saṅkhya further subtract figure '1' also and the last figure is the answerserial-number.
- (b) Vilōma-uddiṣṭa : Add figure '1' to the SF and the total is the answer-serial-number.
 - (i) Vilōma-madhyarūpa-uparisthita-uddiṣṭa : Subtract the SF from the MN and subtract figure '1' also and the last remainder is the answer-serial-number.
 - (ii) Vilōma-madhyarūpa-adhaḥsthita-uddiṣṭa : Subtract the MN from the SF and add figure '1' and the last figure is the answer-serial-number.

A. AKHAŅDA-PRASTĀRA

1. Akhaņda-anulōma-uddista:

1. What is the serial number of the 12-DP containing 'I O $\stackrel{\prime}{S}$ O I' in the series of Angas ? (2-12-632-I O $\stackrel{\prime}{S}$ O I)

Write the figures of Sankhya upto the required permutation (refer table-1).

Ι	Ο	Ś	Ο	Ι
1	(2)	61	(108)	350
		33		[196]
		10		
		[3]		

Note : In the above figures mentioned just below the Angas the un-deducted proxies, from which the inferior Angas, Drutas are originated, are shown in small brackets and the proxies, which are left-off after obtaining the superior Angas, are shown in big brackets and the proxies, which are successfully subtracted and originated superior Angas are shown without any signs.

SF of the question-series is (350+61+33+10+1=) '455' and as per rule No. (a) the answer-serial-number is (632-455=) '177'.

2. What is the serial number of 12-AP of Trisra-jāti containing 'S I O U' in the series of Angas? (3-12-1059-S I O U)

As per rule No. 1 of Nasta write Sankhya upto the required permutation. (refer table-8).

S	Ι	0	U
13	86	302	(565)
7	46	[162]	
4	[25]		

SF of the question-series is (302+88+46+13+7+4=) '458' and as per rule No. (a) the answer-serial-number is (1059-458=) '601'.

3. What is serial number of 12-AP of Caturaśra-jāti containing 'I O I O' in the series of Angas? (4-12-543-I O I O)

As per rule No. 1 of Nasta write Sankhya upto the required permutation. (refer table-16)

Ι	Ο	Ι	0
3	10	98	306
2	[6]	56	[174]
		[18]	

SF of the question-series is (306+98+56+10+3+2=) '475' and as per rule No. (a) the answer-serial-number is (543-475=) '68'.

4. What is the serial number of 12-AP of Khaṇḍa-jāti containing 'U I I U' in the series of Aṅgas? (5-12-377-U I I U)

As per rule No. 1 of Nașta write Sankhya upto the required permutation. (refer table-23).

Ι	Ι	U
9	129	(220)
5	75	
	[15]	

U

SF of the question-series is (129+75+9+5=) '218' and as per rule No. (a) the answer-serial-number is (377-218=) '159'.

5. What is the serial number of 12-AP of Miśra-jāti containing 'UOUUOUUOU' in the series of Aṅgas ? (7-12-271-UOUUOUUOU)

As per rule No. 1 of Nasta write Sankhya upto the required permutation. (refer table-29).

U	0	U	U	0	U	U	Ο	U
	2	(3)	(5)	13	(22)	(36)	99	(164)
				[8]			[60]	

SF of the question-series is (99+13+2=) '114' and as per rule No. (a) the answer-serial-number is (271-114=) '157'.

6. What is the serial number of 12-AP of Saṅkīrṇa-jāti containing 'O U O U O U O U' in the series of Aṅgas? (9-12-243-O U O U O U O U)

As per rule No. 1 of Nasta write Sankhya upto the required permutation. (refer table-34)

0	U	0	U	0	U	0	U
1	(2)	5	(8)	21	(34)	91	(149)
		[3]		[13]		[56]	

SF of the question-series is (91+21+5+1=) '118' and as per rule No. (a) the answer-serial-number is (243-118=) '125'.

7. What is the serial number of 12-UP containing '2 1 1 2 1 1 2 1 1' in the series of Angas? (1-12-2048-2 1 1 2 1 1 2 1 1)

As per rule No. 1 of Nașta write Sańkhya upto the required permutation. (refer table-39).

2	1	1	2	1	1	2	1	1
1	(2)	(4)	16	(32)	(64)	256	(512)	(1024)
			[8]			[128]		

SF of the question-series is (256+16+1=) '273' and as per rule No. (a) the answer-serial-number is (2048-273=) '1775'.

2. Akhanda-anuloma-madhyarūpa-uparisthita-uddista:

8. What is the Vilōma-serial-number of the series 'S I' of 6-DP from the MN? (2-6-19-S I)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

As Sankhya of 6-DP is of odd-number '19' the MN is '10'.

SF of the question-series is (10+3+2=) '15'. As per rule No.(a) (i) subtract the MN '10' from the SF '15' (15-10=5) and being odd-number of Sankhya further add figure '1' also to the remainder of which the total (5+1=) '6' is the answer-serial-number.

9. What is the Vilōma-serial-number of the series 'I O I' of 5-DP from the MN? (2-5-10-I O I)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

As Sankhya of 5-DP is of even-number '10' the MN is '5'.

Ι	0	Ι
1	(2)	6
		[3]

SF of the question-series is (6+1=) '7'. As per rule No. (a) (i) subtract the MN '5' from the SF '7' of which the remainder (7-5=) '2' is the answer-serial-number.

3. Akhanda-anuloma-madhyarupa-adhahsthita-uddista:

10. What is the Anulōma-serial-number of the series 'I O O O O' of 6-DP from the MN? (2-6-19-I O O O O)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

As Sankhya of 6-DP is of odd-number '19' the MN is '10.

Ι	0	0	0	0
1	(2)	(3)	(6)	(10)

SF of the question series is '1'. As per rule No.(a) (ii) subtract the SF '1' from the MN '10' (10-1=9) and being odd-number of Sankhya further subtract figure '1' also of which the remainder (9-1=) '8' is the answer-serial-number.

11. What is the Anulōma-serial-number of the series 'I O O O' of 5-DP from the MN? (2-5-10-I O O O)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

As Sankhya of 5-DP is of even-number '10' the MN is '5'.

Ι	0	0	0
1	(2)	(3)	(6)

SF of the question series is '1'. As per rule No.(a) (ii) subtract the SF '1' from the MN '5' and the remainder (5-1=) '4' is the answer-serial-number.

4. Akhaņda-vilōma-uddista:

12. What is the Vilōma-serial-number of the 12-DP containing 'I OSO I' in the series of Angas? (2-12-632-I OSO I)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

Ι	0	Ś	0	Ι
1	(2)	61	(108)	350
		33		[196]
		10		
		[3]		

SF of the question series (350+61+33+10+1=) '455' and as per rule No. (b) add figure '1' to the SF of which the total (455+1=) '456' is the answer-serial-number.

5. Akhanda-viloma-madhyarūpa-uparisthita-uddista:

13. What is the Vilōma-serial-number of the 7-DP form the MN containing 'S O O O' in the series of Angas? (2-7-33-S000)

As per rule No.1 of Nasta write Sankhya upto the required permutation. As the respective Sankhya of the 7-DP is of the odd number '33' the MN is the 17th permutation.

S	0	0	0
3	(6)	(10)	(19)
2			

The SF is (3+2=) '5' and as per rule No. (b)(i) subtract the SF from the MN (17-5=12) along with figure '1' of which the last remainder (12-1=) '11' is the answer-serial-number.

6. Akhanda-viloma-madhyarūpa-adhahsthita-uddista:

14. What is the Anulōma-serial-number of the 5-DP from the MN containing 'O I I' in the series of Angas? (2-5-10-O I I)

As per rule No.1 of Nasta write Sankhya upto the required permutation. As the respective Sankhya '10' is the even number the last permutation of the first-half of the 10 permutations i.e., the 5th permutation is the MN.

0	Ι	Ι
	2	6
		[3]

The SF is (6+2=) '8'. As per rule No.(b)(ii) subtract the MN from the SF (8-5=3) and add figure '1' of which the last figure (3+1=) '4' is the answer-serial-number.

B. KHAŅDA-PRASTĀRA

7. Khaņda-hina-anuloma-uddista:

15. What is the serial number of DDP of 12-DP containing 'S S' in the series of Angas? (2-12-1-0-29-S S)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

Note : It should be noted that the lowest Anga for the lowest-line of Druta-mēru is Laghu as it is DDPs' line.

S	Ś
2	15
1	8
	[4]

SF of the question-series is (15+8+2+1=) '26' and as per rule No. (a) (29-26=) '3' is the answer-serial-number.

16. What is the serial number of DDP of 12-DP containing 'S I S' in the series of Angas ? (2-12-1-0-29-S I S)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

Ś	Ι	S
2	(4)	15
1		[8]

SF of the question-series is (15+2+1=) '18' and as per rule No. (a) (29-18=) '11' is the answer-serial-number.

17. What is the serial number of DDP of 12-DP containing 'S I S I' in the series of Angas ? (2-12-1-0-29-S I S I)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

S	Ι	S	Ι
1	(2)	8	(15)
		[4]	

SF of the question-series is (8+1=) '9' and as per rule No. (a) (29-9=) '20' is the answer-serial-number.

18. What is the serial number of DDP of 12-DP containing '+ I I' in the series of Angas? (2-12-10-29-+ I I)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

SF of the question-series is (4+2+1=) '7' and as per rule No. (a) (29-7=) '22' is the answerserial-number.

8. Khanda-hina-anuloma-madhyarupa-uparisthita-uddista:

19. What is the Vilōma-serial-number of the DDP of 8-DP from the MN containing 'I S I' in the series of figures ? (2-8-1-0-8-ISI)

As per rule No.1 of Nasta write Sankhya upto the required permutation. As the respective Sankhya '8' is the even number the last permutation of the first half of the 8 permutations i.e., the 4th permutation is the MN.



The SF is '2'. As per rule No. (a)(i) after subtracting the SF from the MN (4-2=2) along with figure '1' the last remainder (2-1=) '1' is the answer-serial-number.

9. Khanda-hina-anuloma-madhyarupa-adhahsthita-uddista:

Ι

20. What is the Anulōma-serial-number of the DDP of 12-DP from the MN containing '+ S' in the series of figures ? (2-12-1-0-29-+S)

As per rule No.1 of Nasta write Sankhya upto the required permutation. As the respective Sankhya '29' is the odd number the MN is the 15th permutation.

+	S
4	15
2	[8]
1	

The SF is (15+4+2+1=) '22'. As per rule No.(a)(ii) subtract the MN from the SF (22-15=7) and add figure '1' of which the last figure (7+1=) '8' is the answer-serial-number.

10. Khanda-hina-viloma-uddista:

21. What is the Vilōma-serial-number of the DDP of 12-DP containing 'I S I S' in the series of Aṅgas? (2-12-1-0-29-I S I S)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

Ι

S	Ι	S
2	(4)	15
		[8]

SF of the question series is (15+2=) '17'. As per rule No. (b) add figure '1' to the SF and the total (17+1=) '18' is the answer-serial number.

11. Khanda-hina-viloma-madhyarupa-uparisthita-uddista:

Ι

22. What is the Vilōma-serial-number of the DDP of 12-DP from the MN containing 'I S I S' in the series of Aṅgas? (2-12-1-0-29-I S I S)

As per rule No.1 of Naṣṭa write Saṅkhya upto the required permutation. As Saṅkhya of DDP of 12-DP is of odd-number '29' the MN is '15'.

S	Ι	S
2	(4)	15
		[8]

SF of question series is (15+2=) '17'. As per rule No. (b) (i) subtract the MN '15' from the SF '17' (17-15=2) and being odd number of Sańkhya further add figure '1' also by which the total (2+1=) '3' is the answer-serial-number.

23. What is the Vilōma-serial-number of the DDP of 8-DP from the MN containing 'I S' in the series of Aṅgas? (2-8-1-0-8-I S)

As per rule No.1 of Naṣṭa write Saṅkhya upto the required permutation. As Saṅkhya of DDP of 12-DP is of even-number '8' the MN is Anulōma-4.

SF of the questions series is (4+2=) '6'. As per rule No. (b) (i) subtract the MN '4' from the SF '6' and the remainder (6-4=) '2' is the answer-serial-number.

12. Khanda-hina-viloma-madhyarupa-adhahsthita-uddista:

1

24. What is the Anulōma-serial-number of the DDP of 12-DP from the MN containing 'S S I' in the series of Angas? (2-12-1-0-29-S S I)

As per rule No.1 Nasta write Sańkhya upto the required permutation. As Sańkhya of DDP of 12-DP is of odd-number '29' the MN is '15'.

SF of the question series is (8+4+1=) '13'. As per rule No. (b) (ii) subtract the SF '13' from the MN '15' (15-13=2) and being odd-number of Sankhya further subtract figure '1' also by which the last remainder (2-1=) '1' is the answer-serial-number.

25. What is the Anulōma-serial-number of the DDP of 8-DP from the MN containing 'S I I'in the series of Angas? (2-8-1-0-8-S I I)

As per rule No.1 of Naṣṭa write Saṅkhya upto the required permutation. As Saṅkhya of DDP of 8-DP is of even-number '8' the MN is Anulōma-4.

S	Ι	Ι
1	(2)	(4)

SF of the question series is '1'. As per rule No. (b) (ii) subtract the SF '1' from the MN and the remainder (4-1=) '3' is the answer-serial-number.

13. Khanda-yukta-anuloma-uddista:

26. What is the serial number of 1-DCP of 9-DP containing 'I O S' in the series of Angas? (2-9-1-1-28-I O S)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

Ι



Note : It should be noted that the above Druta and Laghu after Pluta are written only to fill-in the deficit value of the prastāra.

SF of the question-series is (8+12+5=) '25' and as per rule No. (a) (28-25=) '3' is the answer-serial-number.

27. What is the serial number of 1-DCP of 9-DP containing 'S O S' in the series of Angas? (2-9-1-1-28-S O S)

As per rule No.1 of Nasta write Sankhya upto the required permutation.



SF of the question-series is (8+12+1=) '21' and as per rule No. (a) (28-21=) '7' is the answerserial-number.

28. What is the serial number of 1-DCP of 9-DP containing 'S O I I' in the series of Angas? (2-9-1-1-28-S O I I)

As per rule No.1 of Nașta write Sankhya upto the required permutation.

S	0	Ι	Ι
1	<u>(2)</u>	<u>4</u>	<u>8</u>
		[5]	[12]

SF of the question-series is (8+4+1=) '13' and as per rule No. (a) (28-13=) '15' is the answerserial-number.

29. What is the serial number of 2-DCP of 8-DP containing 'O I O S' in the series of Angas? (2-8-1-2-25-O I O S)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

0	Ι	0	S
	<u>1</u>	<u>(2)</u>	<u>12</u>
			9
			[3]

SF of the question-series is (12+9+1=) '22' and as per rule No. (a) (25-22=) '3' is the answer-serial-number.

30. What is the serial number of 1-ACP of 10-AP pertaining to Trisra-jāti containing 'S I U' in the series of Angas? (3-10-1-1-32-S I U)

As per rule No.1 of Nașta write Sankhya upto the required permutation.

S	Ι	U
<u>1</u>	<u>3</u>	<u>(8)</u>
<u>1</u>	[2]	

SF of the question-series is (3+1+1=) '5' and as per rule No. (a) (32-5=) '27' is the answerserial-number.

31. What is the serial number of 1-1-UCP of 8-UP containing '2 3 1 2' in the series of Angas? (1-8-1-1-26-2 3 1 2)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

2	3	1	2
	<u>1</u>	<u>(3)</u>	<u>8</u>
			[8]

SF of the question-series is (8+1=) '9' and as per rule No. (a) (26-9=) '17' is the answer-serial-number.

32. What is the serial number of 1-1-UCP of 8-UP containing '4 3 1' in the series of Angas? (1-8-1-1-26 - 4 3 1)

As per rule No.1 of Nașta write Sankhya upto the required permutation.

4	3	1
<u>1</u>	<u>3</u>	<u>(8)</u>
	[2]	

SF of the question-series is (3+1=) '4' and as per rule No. (a) (26-4=) '22' is the answer-serial-number.

14. Khanda-yukta-anuloma-madhyarupa-uparisthita-uddista:

33. What is the Vilōma-serial-number of the 1-DCP of 9-DP from the MN containing 'O S I' in the series of Angas ? (2-9-1-1-28-O S I)

As per rule No.1 of Nasta write Sankhya upto the required permutation. As the respective Sankhya '28' is the even number the last permutation of the first-half of the '28' permutations i.e., the 14th permutation is the MN.

0	Ś	1
	4	8
	5	[12]
	2	

The SF is (8+4+5+2=) '19'. As per rule No. (a) (i) subtract the MN from the SF and the remainder (19-14=) '5' is the answer-serial-number.

15. Khanda-yukta-anuloma-madhyarupa-adhahsthita-uddista :

34. What is the Anulōma-serial-number of the 2-DCP of 8-DP from the MN containing 'S O O' in the series of Angas ? (2-8-1-2-25-SOO)

As per rule No. 1 of Nasta write Sankhya upto the required permutation. As the respective Sankhya '25' is the odd-number the MN is the 13th permutation.

Ś	0	0
2	(4)	(12)
1		

The SF is (2+1=) '3'. As per rule No. (a)(ii) subtract the SF from the MN (13-3=10) along with figure '1' and the last remainder (10-1=) '9' is the answer-serial-number.

16. Khanda-yukta-viloma-uddista:

35. What is the Vilōma-serial-number of the 2-DCP of 8-DP containing 'O O S I' in the series of Aṅgas? (2-8-1-2-25-O O S I)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

0	0	S	Ι
		<u>5</u>	<u>12</u>
		<u>3</u>	[9]

SF of the question series is (12+5+3=) '20'. As per rule No. (b) add figure '1' to the SF and the total (20+1=) '21' is the answer-serial number.

17. Khanda-yukta-viloma-madhyar uparisthita-uddista:

36. What is the Vilōma-serial-number of the 1-DCP of 9-DP from the MN containing 'S S O' in the series of Angas? (2-9-1-1-28-S S O)

As per rule No.1 of Naṣṭa write Saṅkhya upto the required permutation. As Saṅkhya of 1-DCP of 9-DP is of even-number '28' the MN is Anulōma-14.

S	S	0
<u>1</u>	<u>4</u>	<u>(8)</u>
	[2]	

SF of the question series is (4+1=) '5'. As per rule No.(b) (i) subtract the SF '5' from the MN (14-5=9) and also substract figure '1' from the remainder by which the last remainder (9-1=) '8' is the answer-serial-number.

18. Khanda-yukta-viloma-madhyarupa-adhahsthita-uddista:

37. What is the Anulōma-serial-number of the 1-DCP of 9-DP from the MN containing 'S O S' in the series of Angas? (2-9-1-1-28-S O S)

As per rule No.1 of Nasta write Sankhya upto the required permutation.

As Sankhya of 1-DCP of 9-DP is of even-number '28' the MN is '14'.

S	0	S
<u>1</u>	<u>(2)</u>	<u>8</u>
		12
		[5]

SF of the question series is (8+12+1=) '21'. As per rule No.(b) (ii) subtract the MN '14' from the SF (21-14=7) and add figure '1' to the remainder by which the last figure (7+1=) '8' is the answer-serial-number.

4.3. KALITA

'Kalita' is the easy method for obtaining the full particulars of all the Angas used in the process of permutation up to the required prastāra in question avoiding the laborious process of the permutation. There are two methods in it. In the first method of brief analysis the figures of both Sankhya and Mahāpātāļa have to be utilised and in the second method of detailed analysis the figure of either Sankhya or of both Sankhya and Mahāpātāļa have to be utilised. The full details in which these two methods are elaborated are furnished hereunder along with suitable examples and diagrams for easy understanding.

A. AKHANDA-PRASTARA :

1. Akhanda-anuloma-kalita:

1. Give the particulars of all the Angas occurring up to the 50th prastāra of 8-DP (2-8-61-50).

In the mode of Pañcāṅga-prastāra the 1st, 2nd, 4th, 6th and 8th proxies represent Druta, Laghu, Guru, Pluta and Kākapāda respectively and the particulars of both Saṅkhya and Mahāpātāļa should be written upto the required prastāra as in the table '1'.

According to this table, at the outset, it could be understood that as per the:

1st	proxy there is/are	33 DEPs	along with	147	Aṅgas
2nd	-do-	19 LEPs	-do-	72	-do-
4th	-do-	6 GEPs	-do-	16	-do-
6th	-do-	2 PEPs	-do-	3	-do-
8th	-do-	1 KEP	-do	-	-do-
th	us totalling to '61' pra	stāras along v	with '299' Angas		

--- thus totalling to '61' prastāras along with '299' Angas.

These '61' permutations starting with $K\bar{a}kap\bar{a}da$ (+) in the first permutation in the process of Anuloma-prastar could be analysed in the following manner.

- (a) As per the Sankhya '1' of the corresponding 8th KEP proxy, as its corresponding Mahāpātāļa does not exist, it should be understood that there is only '1' KEP with a single Anga i.e., Kākapāda (had there been any figure of Mahāpātāļa beneath this Sankhya figure '1' there would have been the union of some other Anga also along with this Kākapāda).
- (b) According to the brief analysis, as per the Sańkhya '2' and its Mahāpātāļa '3' of the corresponding 6th PEP proxy, it should be understood that, apart from the '2' Plutas which are in the right extreme end of these '2' PEPs, there are '3' other Angas also thus totalling to (2+3=) '5' Angas in all these '2' PEPs. Here it is also interesting to know that there are only '5' Plutas in all these '61' prastāras. According to the detailed analysis it may also be noted that, in these '2' PEPs, there



are '2' Plutas as per the Sańkhya '2' of this 6th PEP proxy, '1' Laghu as per the Sańkhya '1' (no Mahāpātāļa) of the corresponding 2nd LEP proxy and '2' Drutas as per the SM-figure (1+1=) '2' of the corresponding 1st DEP proxy of the same PEP proxy --- thus striking the total to (2P+1L+2D=) '5' Aṅgas.

- (c) According to the brief analysis, as per the Sańkhya '6' and its Mahāpātāļa '16' of the corresponding 4th GEP proxy, it should be understood that, apart from the '6' Gurus which are in the right extreme end of these prastāras, there are '16' other Aṅgas also, thus totalling to (6+16=) '22' Aṅgas in all these '6' GEPs. Here it is also interesting to know that there are '22' Gurus only in all these '61' prastāras. According to the detailed analysis, it may also be noted that, in these '6' GEPs, there are '6' Gurus as per the Saṅkhya '6' of this 4th GEP proxy, '1' Guru as per the Saṅkhya '1' (no Mahāpātāļa) of the corresponding 4th GEP proxy, '5' Laghus as per the SM-figure (2+3=) '5' of the corresponding 2nd LEP proxy and '10' Drutas as per the SM-figure (3+7=) '10' of the corresponding 1st DEP proxy of the same GEP proxy ---- thus striking the total to (6G+1G+5L+10D=)'22' Aṅgas.
- (d) According to the brief analysis, as per the Sańkhya '19' and its Mahāpātāļa '72' of the corresponding 2nd LEP proxy, it should be understood that, apart from the '19' Laghus which are in the right extreme end of these prastāras, there are '72' other Aṅgas also thus totalling to (19+72=) '91' Aṅgas in all these '19' LEPs. Here it is also interesting to know that there are only '91' Laghus in all these '61' prastāras. According to the detailed analysis, it may also be noted that, in these '19' LEPs, there are '19' Laghus as per the Saṅkhya '19' of this 2nd LEP proxy, '1' Pluta as per the Saṅkhya '1' (no Mahāpātāļa) of the corresponding 6th PEP proxy, '5' Gurus as per the SM-figure (2+3=) '5' of the corresponding 4th GEP proxy, '22' Laghus as per the SM-figure (10+34=) '44' of the DEP proxy of the same LEP proxy ---- thus striking the total to (19L+1P+5G+22L+44D=) '91' Aṅgas.
- (e) According to the brief analysis, as per the Sańkhya '33' and its Mahāpātāļa '147' of the corresponding 1st DEP proxy, it should be understood that, apart from these '33' Drutas which are in the right extreme end of these prastāras, there are '147' other Aṅgas also thus totalling to (33+147=)

6. KALITA - 8 DP(61) - DETAILED VERSION



7. KALITA - 8 DP(50/61) - BRIEF & DETAILED VERSIONS

		S	К 8	P 6	G 4	L 2	D 1	Total	М
(a)		1	1	-	-	-	-	1	1
(b)		2	-	2	-	-	-	2	
		"	-	-	-	1	2	3	5
(c)		6	-	-	6	-	-	6	
		,,	-	-	1	5	10	16	22
(d)		19	-	-	-	19	-	19	
		,,	-	1	5	22	44	72	91
		28	1	3	12	47	56	119	119
		33	-	-	-	-	33	33	
		,,	-	2	10	44	91	147	180
		61	1	5	22	91	180	299	299
(e)	(i)	22	-	-	-	-	22	22	22
	(ii)		-	1	-	-	1	2	2
	(iii)		-	-	3	-	-	3	
			-	-	-	2	5	7	10
	(iv)		-	-	-	10	-	10	
			-	-	2	10	22	34	44
	(v)		-	-	-	-	8	8	
			-	1	-	-	-	1	
			-	-	2	-	-	2	
			-	-	-	1	2	3	14
			-	-	-	5	-	5	
			-	-	1	-	-	1	
			-	-	-	2	-	2	
			-	-	-	1	2	3	11
			-	-	-	-	2	2	
			-	-	-	1	1	2	
			-	-	-	1	1	2	6
		22	-	2	8	33	66	109	109
		50	1	5	20	80	122	228	228

'180' Angas in all these '33' DEPs. Here it is also interesting to know that there are only '180' Drutas in all these '61' prastāras. According to the detailed analysis, it may also be noted that, in these '33' DEPs, there are '33' Drutas as per the Sankhya '33' of this 1st DEP proxy, '2' Plutas as per the SM-figure (1+1=) '2' of the corresponding 6th PEP proxy, '10' Gurus as per the SM-figure (3+7=) '10' of the corresponding 4th GEP proxy, '44' Laghus as per the SM-figure (10+34=) '44' of the corresponding 2nd LEP proxy and '91' Drutas as per the SM-figure (19+72=) '91' of the corresponding 1st DEP proxy of the same DEP proxy ----- thus striking the total to (33D+2P+10G+44L+91D=) '180' Angas.

But, as per the question of Kalita, as we require the details upto the 50th permutation of the above, besides the details of '1' KEP, '2' PEPs, '6' GEPs and '19' LEPs totalling to (1+2+6+19=) '28' permutations, the details of the remaining '22' DEPs out of the '33' DEPs are also required. To obtain the details of these '22' DEPs, from the beginning, '1' PEP as per the 6th PEP-proxy, '3' GEPs as per the 4th GEP-proxy, '10' LEPs as per the 2nd LEP-proxy and the first '8' DEPs out of the '19' DEPs as per the 1st DEP-proxy --- thus totalling to (1P+3G+10L+8D=) '22' permutations are to be analysed. So, now, according to the next part of the analysis, we should understand that there are:

- i) '22' Drutas lying in the right extreme end of each of the first '22' DEPs;
- ii) '1' Pluta as per the Sańkhya '1' of its corresponding 6th PEP-proxy and '1' Druta as per the Sańkhya '1' (no Mahāpātāļa) of the corresponding 1st DEP-proxy --- thus totalling to (1P+1D=) '2' Aṅgas;
- iii) '3' Gurus as per the Sańkhya '3' of its corresponding 4th GEP-proxy, '2' Laghus as per the SM-figure (1+1=) '2' of the corresponding 2nd LEP-proxy and '5' Drutas as per the SM-figure (2+3=) '5' of the corresponding 1st DEP-proxy --- thus totalling to (3G+2L+5D=) '10' Aṅgas;
- iv) '10' Laghus as per the Saňkhya '10' of its corresponding 2nd LEP-proxy, '2' Gurus as per the SM-figure (1+1=) '2' of the corresponding 4th GEP-proxy, '10' Laghus as per the SM-figure (3+7=) '10' of the corresponding 2nd LEP-proxy and '22' Drutas as per the SM-figure (6+16=) '22' of the corresponding 1st DEP-proxy --- thus totalling to (10L+2G+10L+22D=) '44' Angas.
- v) '8' Drutas in the first '8' DEPs out of the '19' DEPs as per its 1st DEP-proxy;

'l' Pluta as per the Sankhya (no Mahāpātāla) of the corresponding 6th PEP-proxy;

'2' Gurus as per the Sankhya of the corresponding 4th GEP-proxy,

'1' Laghu as per the Sańkhya (no Mahāpātāļa) of the corresponding 2nd LEP-proxy and '2' Drutas as per the SM-figure (1+1=) '2' of the corresponding 1st DEP-proxy of the same 4th GEP-proxy;

'5' Laghus in the first '5' LEPs out of the '6' LEPs as per the corresponding 2nd LEP-proxy; '1' Guru as per the Saňkhya (no Mahāpātāļa) of the corresponding 4th GEP-proxy; '2' Laghus as per the Saňkhya of the corresponding 2nd LEP-proxy; '1' Laghu as per the Saňkhya (no Mahāpātāļa) of the corresponding 2nd LEP-proxy; '2' Drutas as per the SM-figure (1+1=) '2' of the corresponding 1st DEP-proxy of the same 2nd LEP-proxy;

'2' Drutas of the 1st DEP-proxy of the required '2' permutations out of '3' DEPs; '1' Laghu as per the Sankhya of the corresponding 2nd LEP-proxy and again '1' Druta as per the Sankhya of the corresponding 1st DEP-proxy of the same 2nd LEP-proxy and '1' Druta out of the '2' DEPs as

per the Sankhya of the corresponding 1st DEP-proxy and again '1' Laghu as per the Sankhya of the corresponding 2nd LEP- proxy of the same 1st DEP-proxy -- thus striking the total to (8D+1P+2G+1L+2D+5L+1G+2L+1L+2D+2D+1L+1D+1L=) '31' Angas.

The table and diagram of the above analysis are furnished here.

B. KHA ŅDA-PRASTĀRA

1. Khaņda-hīna-anuloma-kalita:

2. Give the details of all the A ngas occurring up to the 20th DDP of 12-DP (2-12-1-0-29-20)

In the mode of Pañcāṅga-prastāra the 1st, 2nd, 4th, 6th and 8th proxies represent Druta, Laghu, Guru, Pluta and Kākapāda respectively and for writing the figures of the lowest-line of the Druta-mēru, the total of the existing proxies mentioned above, except the 1st DEP-proxy being the lowest-line pertaining to the DDPs should be written as in the table '2'.

According to this table, at the outset, it could be understood that as per the:

2nd	proxy there are	15 LEPs	along with	47	Aṅgas,
4th	-do-	8 GEPs	-do-	20	-do-
6th	-do-	4 PEPs	-do-	8	-do-
8th	-do-	2 KEPs	-do-	3	-do-

--- totalling to '29' permutations along with '107' Angas.

The '29' permutations starting with 'K \bar{a} kap \bar{a} da-guru (S+)' in the first permutation in the process of Anul \bar{o} ma-prast \bar{a} ra could be analysed in the following manner:

- (a) According to the brief analysis, as per the SM-figure (2+3=) '5' of the corresponding 8th KEP-proxy, it should be understood that, apart from these '2' Kākapādas which are in the right extreme end of each of these prastāras, there are '3' other Angas also thus totalling to (2+3=) '5' Angas in all these '2' KEPs. Here it is also interesting to know that there are '5' Kākapādas only in all these '29' permutations. According to the detailed analysis it may also be noted that, in these '2' KEPs there are '2' Kākapādas as per the Sankhya '2' of this 8th KEP-proxy, '1' Guru as per the Sankhya '1' (no Mahāpātāļa) of the corresponding 4th GEP-proxy, '2' Laghus as per the SM-figure (1+1=)'2' of the corresponding 2nd LEP-proxy of the same KEP proxy --- thus striking the total to (2K+1G+2L=) '5' Angas.
- (b) According to the brief analysis, as per the Sańkhya '4' and its Mahāpātāļa '8' of the corresponding 6th PEP-proxy, it should be understood that, apart from the '4' Plutas which are in the right extreme end of each of these prastāras, there are '8' other Angas also thus totalling to (4+8=) '12' Angas in all these '4' PEPs. Here it is also interesting to know that there are '12' Plutas only in all these '29' permutations. According to the detailed analysis it may also be noted that, in these '4' PEPs, there are '4' Plutas as per the Sańkhya '4' of this 6th PEP-proxy, '1' Pluta as per the Sańkhya '1' (no Mahāpātāļa) of the corresponding 6th PEP-proxy, '2' Gurus as per the SM-figure (1+1=)'2' of the corresponding 4th GEP-proxy and '5' Laghus as per the SM-figure (2+3=) '5' of the corresponding 2nd LEP-proxy of the same PEP proxy --- thus striking the total to (4P+1P+2G+5L=) '12' Angas;
- (c) According to the brief analysis, as per the Sankhya '8' and its Mahāpātāļa '20' of the 4th GEPproxy, it should be understood that, apart from the '8' Gurus which are in the right extreme end of

8. KALITA - 12 DP - DDP(29) - BRIEF VERSION



9. KALITA - 12 DP - DDP(29) - DETAILED VERSION



10. KALITA - 12 DP - DDP(20/29) - BRIEF & DETAILED VERSIONS

		S	К 8	P 6	G 4	L 2	D 1	Total	Μ
(a)		2	2	-	-	-	x	2	
		"	-	-	1	2	x	3	5
(b)		4	-	4	-	-	x	4	
		"	-	1	2	5	x	8	12
(c)		8	-	-	8	-	x	8	
		"	1	2	5	12	x	20	28
		14	3	7	16	19	x	45	45
		15	-	-	-	15	x	15	
		,,	2	5	12	28	x	47	62
		15	2	5	12	43	x	62	62
		29	5	12	28	62	x	107	107
	(i)	6	-	-	-	6	x	6	6
	(ii)		1	-	-	-	x	1	
			-	-	-	1	x	1	2
	(iii)		-	2	-	-	x	2	
			-	-	1	2	x	3	5
	(iv)		-	-	3	-	x	3	
			-	1	-	-	x	1	
			-	-	1	-	х	1	
			-	-	-	1	х	1	
			-	-	-	1	x	1	
			-	-	1	-	x	1	8
		6	1	3	6	11	x	21	21
		20	4	10	22	30	х	66	66

each of these prastāras there are '20' other Aṅgas also thus totalling to (8+20=) '28' Aṅgas in all these '8' GEPs. Here it is also interesting to know that there are '28' Gurus only in all these '29' permutations. According to the detailed analysis it may also be noted that, in these '8' GEPs, there are '8' Gurus as per the Saṅkhya of this 4th GEP-proxy, '1' Kākapāda as per the Saṅkhya '1' (no Mahāpātā]a) of the corresponding 8th KEP-proxy, '2' Plutas as per the SM-figure (1+1=) '2' of the corresponding 6th PEP-proxy, '5' Gurus as per the SM-figure (2+3=) '5' of the corresponding 4th GEP-proxy and '12' Laghus as per the SM-figure (4+8=) '12' of the corresponding 2nd LEP-proxy of the same GEP-proxy --- thus striking the total to (8G+1K+2P+5G+12L=) '28' Aṅgas.

(d) According to the brief analysis, as per the Sańkhya '15' and its Mahāpātāļa '47' of the 2nd LEP-proxy, it should be understood that, apart from the '15' Laghus which are in the right extreme end of each of these prastāras there are '47' other Aṅgas also thus totalling to (15+47=) '62' Aṅgas in all these '15' LEPs. Here it is also interesting to know that there are '62' Laghus only in all these '29' permutations. According to the detailed analysis it may also be noted that, in these '15' LEPs, there are '15' Laghus as per the Saṅkhya '15' of this 2nd LEP-proxy, '2' Kākapādas as per the SM-figure (1+1=) '2' of the corresponding 8th KEP-proxy, '5' Plutas as per the SM-figure (2+3=) '5' of the corresponding 6th PEP-proxy, '12' Gurus as per the SM-figure (8+20=) '28' of the corresponding 2nd LEP-proxy of the same DEP-proxy ---- thus striking the total to (15L+2K+5P+12G+28L=) '62' Aṅgas.

But, as we require the details upto the 20th permutation of the above, besides the details of '2' KEPs, '4' PEPs and '8' GEPs totalling to (2+4+8=) '14' permutations, the details of the remaining '6' LEPs only out of the '15' LEPs are needed. So, now, according to the next part of the analysis, we should understand that there are;

- i) '6' Laghus lying in the right extreme end of each of its first '6' LEPs;
- ii) '1' Kākapāda as per the Sańkhya of its corresponding 8th KEP-proxy and '1' Laghu as per the Sańkhya of the corresponding 2nd LEP-proxy of the same KEP-proxy --- thus totalling to (1K+1L=) '2' Aṅgas;
- iii) '2' Plutas as per the Sańkhya of the corresponding 6th PEP-proxy, '1' Guru as per the Sańkhya '1' (no Mahāpātāļa) of the corresponding 4th GEP-proxy and '2' Laghus as per the SM-figure (1+1=) '2' of the corresponding 2nd LEP-proxy of the same PEP-proxy --- thus totalling to (2P+1G+2L=) '5' Ańgas;
- '3' Gurus of the '3' GEPs out of the '4' GEPs as per the Sankhya of its corresponding 4th GEPproxy;

'1' Pluta as per the Sankhya of the corresponding 6th PEP-proxy;

'1' Guru as per the Sankhya of the corresponding 4th GEP-proxy and '1' Laghu as per the Sankhya of the corresponding 2nd LEP-proxy;

'1' Laghu of the '1' LEP out of the '2' LEPs as per the Sankhya of the corresponding 2nd LEPproxy and again '1' Guru as per the Sankhya of the corresponding 4th GEP-proxy ---- thus totalling to (3G+1P+1G+1L+1G=) '8' Angas. The table and diagram of the above analysis are furnished here.

3. Khanda-yukta-anuloma-kalita:

3. Give the details of all the Angas occurring up to the 20th 2-DCP of 8-DP (2-8-1-2-25-20)

In the mode of Pañcāṅga-prastāra the 1st, 2nd, 4th, 6th and 8th proxies represent Druta, Laghu, Guru, Pluta and Kākapāda respectively and for writing the figures of the line of 2-DCPs of Druta-mēru, the total of the existing proxies from the same line and only the 1st DEP-proxy from the immediate lower-line, should be written as in the table '2'.

According to this table, at the outset, it could be understood that as per the:

1st	proxy there is/are	12	DEPs	along with	38	Angas,
2nd	-do-	9	LEPs	-do-	33	-do-
4th	-do-	3	GEPs	-do-	9	-do-
6th	-do-	1	PEP	-do-	2	-do-

--- totalling to '25' permutations along with '107' Angas.

These '25' permutations starting with Pluta and two Drutas (O O \dot{S}) in the first permutation in the process of Anulōma-prastāra could be analysed in the following manner:

- (a) According to the brief analysis, an per the Sańkhya '1' and its Mahāpātāļa '2' of the corresponding 6th PEP-proxy, it should be understood that, apart from the '1' Pluta which is in the right extreme end of this prastāra there are '2' other Aṅgas also thus totalling to (1+2=) '3' Aṅgas in this '1' PEP. Here it is also interesting to know that there are '3' Plutas only in all these '25' permutations. According to the detailed analysis it may also be noted that, in this '1' PEP, there are '1' Pluta as per the Saṅkhya '1' of this 6th PEP-proxy and '2' Drutas as per the SM-figure (1+1=) '2' of the 1st DEP-proxy of the immediate lower-line --- thus totalling to (1P+2D=) '3' Aṅgas;
- (b) According to the brief analysis, as per the Sańkhya '3' and its Mahāpātāļa '9' of the corresponding 4th GEP-proxy, it should be understood that, apart from the '3' Gurus which are in the right extreme end of each of these prastāras, there are '9' other Angas also thus totalling to (3+9=) '12' Angas in all these '3' GEPs. Here it is also interesting to know that there are '12' Gurus only in all these '25' permutations. According to the detailed analysis, it may also be noted that, in these '3' GEPs, there are '3' Gurus as per the Sańkhya '3' of this 4th GEP-proxy, '6' Drutas as per the SM-figure (2+4=) '6' of the corresponding 1st DEP-proxy of the immediate lower-line and '3' Laghus as per the SM-figure (1+2=) '3' of the corresponding 2nd LEP-proxy --- thus totalling to (3G+6D+3L=) '12' Angas;
- (c) According to the brief analysis, as per the Sańkhya '9' and its Mahāpātāļa '33' of the corresponding 2nd LEP-proxy, it should be understood that, apart from the '9' Laghus which are in the right extreme end of each of these prastāras, there are '33' other Angas also thus totalling to (9+33=) '42' Angas in all these '9' LEPs. Here it is also interesting to know that there are '42' Laghus only in all these '25' permutations. According to the detailed analysis it may also be noted that, in these '9' LEPs, there are '9' Laghus as per the Sańkhya '9' of this 2nd LEP-proxy, '18' Drutas as per the SM-figure (5+13=) '18' of the corresponding 1st DEP-proxy of the immediate





12. KALITA - 8 DP - 2 DCP(25) - DETAILED VERSION



13. KALITA - 8 DP - 2 DCP(20/25) - BRIEF & DETAILED VERSIONS

		S	K 8	P 6	G 4	L 2	D 1	Total	М
(a)		1	-	1	-	-	-	1	
		,,	-	-	-	-	2	2	3
(b)		3	-	-	3	-	-	3	
	,,	-	-	-	3	6	9	12	
(c)		9	-	-	-	9	-	9	
	,,	-	-	3	12	18	33	42	
		13	-	1	6	24	26	57	57
		12	-	-	-	-	12	12	
		,,	-	2	6	18	12	38	50
		12	-	2	6	18	24	50	50
		25	-	3	12	42	50	107	107
(d)	(i)	7	-	-	-	-	7	7	7
	(ii)		-	1	-	-	-	1	
			-	-	-	-	1	1	2
	(iii)		-	-	2	-	-	2	
			-	-	-	2	-	2	
			-	-	-	-	2	2	6
	(iv)		-	-	-	4	-	4	
			-	-	1	-	-	1	
			-	-	-	-	1	1	
			-	-	-	2	-	2	
			-	-	-	2	-	2	
			-	-	-	-	2	2	
			-	-	-	-	1	1	
			-	-	1	-	-	1	14
		7	-	1	4	10	14	29	29
		20	-	2	10	34	40	86	86
lower-line, '12' Laghus as per the SM-figure (3+9=) '12' of the corresponding 2nd LEP-proxy and '3' Gurus as per the SM-figure (1+2=) '3' of the corresponding 4th GEP-proxy --- thus totalling to (9L+18D+12L+3G=) '42' Angas;

(d) According to the brief analysis, as per the Sańkhya '12' and its Mahāpātāļa '39' of the corresponding 1st DEP-proxy of the immediate lower-line, it should be understood that, apart from the '12' Drutas which are in the right extreme end of each of these prastāras, there are '38' other Aṅgas also thus totalling to (12+38=) '50' Aṅgas in all these '12' DEPs. Here it is also interesting to know that there are '50' Drutas only in all these '25' permutations. According to the detailed analysis it may also be noted that, in these '12' DEPs, there are '12' Drutas as per the Sańkhya '12' of this 1st DEP-proxy of the immediate lower-line, '12' Drutas as per the SM-figure (4+8=) '12' of the corresponding 1st DEP-proxy of the immediate lower-line, '18' Laghus as per the SM-figure (5+13=) '18' of the corresponding 2nd LEP-proxy, '6' Gurus as per the SM-figure (1+1=) '2' of the corresponding 6th PEP-proxy ---- thus totalling to (12D+12D+18L+6G+2D=) '50' Aṅgas.

But, as we require the details upto the 20th permutation of the above, besides the details of '1' PEP, '3' GEPs and '9' LEPs totalling to (1+3+9=) '13' permutations, the details of the remaining '7' DEPs only out of the '12' DEPs are needed. So, now, according to the next part of the analysis, we should understand that there are:

- i) '7' Drutas lying in the right extreme end of each of the first '7' DEPs;
- ii) '1' Pluta as per the Sankhya '1' of its corresponding 6th PEP-proxy;
- iii) '2' Gurus as per the Sańkhya '2' of its corresponding 4th GEP-proxy, '2' Laghus as per the SM-figure (1+1=) '2' of the corresponding 2nd LEP-proxy and '2' Drutas as per the SM-figure (1+1=) '2' of the corresponding 1st DEP-proxy of the immediate lower-line --- thus totalling to (2G+2L+2D=) '6' Aṅgas;
- iv) '4' Laghus of its first '4' LEPs out of the '5' LEPs as per the Sankhya '5' of the corresponding 2nd LEP-proxy;

'1' Guru as per the Saňkhya '1' of the corresponding 4th GEP-proxy, '1' Druta as per the Saňkhya '1' of the corresponding 1st DEP-proxy of the immediate lower-line; '2' Laghus as per the Saňkhya '2' of the corresponding 2nd LEP-proxy, '2' Laghus as per the SM-figure (1+1=) '2' of the corresponding 2nd LEP-proxy and '2' Drutas as per the SM-figure (1+1=) '2' of the corresponding 1st DEP-proxy of the immediate lower-line; '1' Druta lying in the right extreme end of the first DEP out of the '2' DEPs as per the Saňkhya '2' of the corresponding 1st DEP-proxy of the immediate lower-line; '1' Druta lying in the right extreme end of the immediate lower-line and '1' Guru as per the Saňkhya '1' of the corresponding 4th GEP-proxy --- thus totalling to (4L+1G+1D+2L+2L+2D+1D+1G=) '14' Angas.

The table and diagram of the above analysis are furnished here.

Chapter - 5

RELEVANT OLD SANSKRIT TEXTS FOLLOWED BY FREE ENGLISH TRANSLATION

Note : Each foot of each Ślōka is divided into two halves and thus the four halves of each Ślōka are named as 'A, B, C & D'.

5.1. Sanskrit Text of Tāļaprastāra from Sangīta Ratnākara of Niņśanka Śārngadēva

(Tāļādhyāya : Ślōkas 312 - 408)

संगीतरत्नाकरः

अन्येऽपि सनति भूयांसस्तालास्ते लक्ष्यवर्त्मनि । प्रसिध्दिविधुरत्वेन शास्त्रेऽस्मित्रप्रदर्शिताः ।। (1)	तालभेदाः ऋमादङ्कैः संख्यायन्ते स्थितैरिह । यदङ्कयोगादन्त्योऽङ्को लब्धस्तैरन्ततः क्रमातू ।। (1	11)
तद्भेदप्रत्ययार्थं तु लघूपाया भवन्त्यामी । प्रस्तारसंख्ये नष्टं चोद्दिष्टं पातालकास्ततः ।। (2)	भेदा द्रुतान्तलध्वन्तगुर्वन्ताश्च प्लुतान्तकाः । संख्यायन्त इति प्रोक्ताः संख्या निःशङ्कसूरिणा ।। (1	12)
द्रुतमेरुर्लघोर्मेरुर्गुरुमेरुः प्लुतस्य च । मेरुः संयोगमेरुश्च खण्डप्रस्तारकस्ततः ।। (3)	अत्रैतावितिथो भेदः किंरूप इति पृच्छति । यत्र तत्रष्टमाख्यातं तस्योत्तरमिहोच्यते ।।	13)
प्राचां चतुर्णां मेरुणां नष्टोद्दिष्टे पृयक्पृयकू । एकोनविंशातिरिति प्रत्ययास्तान् ब्रुवेऽधुना ।। (4)	भेदानां यावतां मध्ये नष्टप्रशनः कृतो भवेत् । तावत्संख्याङ्रूपर्यन्तां लिखेत्संख्याङ्रूसंततिम् ।। (1	14)
न्यस्याल्पमाद्यान्महतोऽधस्ताच्छेषं यथोपरि । प्रगूने वामसंस्थास्तु संभवे महतो लिखेत् ।। (5)	अन्त्याङ्के तत्र नष्टाङ्कं पातयोदथ शेषतः । पातयेात्पूर्वर्वाङ्कंतत्र त्वपतितो द्रुतः ।।	15)
अल्पानसंभवे तालपूर्त्यौ भूयोऽप्ययं विधिः । सर्वद्रुतावधिः कार्यः प्रस्तारोऽयं लघौ गुरौ ।। (6)	पूर्वश्चेत्पतित्तो न स्याल्लघुस्तु पतिताद्भवेत् । उत्तरेणाकृतार्थेन सहितात्तदसंभवे ।।	16)
प्लुते व्यस्ते समस्ते च न तु व्यस्ते द्रुतेऽसित सः । एकद्वयङ्कौ क्रमान्यस्य युञ्जीतान्त्यं पुरातनैः ।। (7)	अकृतार्येन पूर्वेण सान्तरे पतिते पृथक् । लधुर्निरन्तरे त्वस्मिङ्वँघुरेव गुरुर्भवेत् ।।	17)
द्वितीयतुर्यष्ठाङ्कैरभावे तुर्यषष्ठयोः । तृतीयपज्वमाक्वाभ्यां क्रमात्तं योगमग्रतः ।। (8)	गुरुहेतोस्तुतीये तु पतिते गः प्लुती भवेत् । अङ्काभावे द्रुता ग्रह्यास्तालपूरणहेतवः ।।	18)
लिखेद्दक्षिणासंस्थैवमङ्कश्रेणी विधीयते । सा चाङ्कैरिष्टतालस्थद्रतासंख्यैः समाप्यते ।। (9)	इति नष्टस्य विज्ञेयमुत्तरं रूपनिर्णयात् । ईदृग्रूपोऽत्र कतिधा भेदः प्रश्न इतीदृशः ।। (1	19)
द्रुतो लघुः सार्धमात्रो गुरुः सार्धद्रिमात्रिकः । प्लुतः सार्धत्रिमात्रश्वेत्येकैकद्रुतवर्धितैः ।। (10)	उद्दिष्टं तत्र संख्याड्कसंततिं नष्टवल्लिखेत । यैरङ्कैः पतितैर्नष्टे लभ्यन्ते ये प्लुतादयः ।। (2	20)

तानेङ्काल्लॅभन्ते ते भदमुद्दिष्ट माश्रिताः । यदूा षट्प्लुतहेत्वङ्कमध्ये ऽन्त्यात्प्राचि सप्तम ।।	(21)	लधुमेरौ कोष्ठपङ्क्तीः प्रग्वन्न्यस्येत्तदादिमः । एकैककोष्ठ एकाङ्कयुक्तोऽधः पङ्क्तिकेषु तु ।।	(36)
तदभावे तु षष्ठाङ्केपातितेऽनत्याङ्कमध्यतः । यः शेषः स प्लुताल्लभ्यो लव्धहीनान्तयशेषतः ।।	(22)	शेषकोष्ठेष्वन्त्यतुर्यषष्ठयोगं निवेशयेत् । परासां शेषकोष्ठेषूपान्त्याधस्तनसयुतम् ।।	(37)
ज्ञानं पूरणसंख्याया उद्दिष्टोत्तर मिष्यते । आदौ रूपमथैकैकमङ्कसख्याङ्कसंततेः ।।	(23)	त्रियोग मेवमादथ्यादत्र च द्रुतमेरुवत् । सदसत्वे प्रतिनिधेः कोष्ठाङ्केर्ह्यपङ्क्तिगैः ।।	(38)
क्रमादधोऽधो विन्यस्येदन्त्यादींश्चतुरस्ताथा । स्वपङ्क्तिस्थाँ ल्लिखेदङ्कानग्रसंख्याङ्कवद्युतान् ।।	(24)	लघुहीनादुपक्रम्यै कोद्येकोत्तर वृद्धलाः । सर्वलान्ताः क्रमाज्ञेयाः संख्या सर्वाङ्कसंगतेः ।।	(39)
किंतु प्रतिनिधिर्नात्र विद्यते तुर्यषष्ठयोः । इष्टतालद्रुतमितेष्वङ्केषु लिखितेष्विति ।।	(25)	गुरुमेरावधःपङ्क्तेः परा कोष्ठत्रयोनिता । चतुश्चतुष्कोष्ठहीनाः स्वस्वपूर्वावलेः पराः ।।	(40)
क्रमादन्तयोपान्त्यतुर्यषष्ठैर्यत्र द्रुतादयः । मीयन्ते सर्वभेदस्याः पातालः सोऽभिधीयते ।।	(26)	एकाङ्रुवन्त आद्याद्यकोष्ठाः प्रथमपङ्क्तिगः । द्वितीयो द्व्यङ्कवानन्त्योपान्त्यषष्ठाङ्कयोगिनः ।।	(41)
फ्ड्क्ति कृत्वेष्टतालस्यद्वतसंमितकोष्ठिकाम् । तीरश्चीं तत्परामूनां कोष्ठेनाथ ततः पराः ।।	(27)	शेषकोष्ठाः परासां तु द्वितीयादिषु लिख्यते । योगोऽन्त्योपान्त्यषष्ठानामधस्तुर्याङ्कसंयुतः ।।	(42)
द्विद्विकोष्ठोनिताः स्वस्वपूर्वतोऽथाङ्कयोजना । द्वौ द्वौ तासामाद्योकोष्ठौ स्यातामेकाङ्कसंयुतौ ।।	(28)	लघुस्थाने गुरुर्ज्ञेयः शेषं तु लघुमेरुवत् । प्लुतमेरावधः पङ्क्तेः पञ्चकोष्ठोनिता परा ।।	(43)
अधस्तन्यास्तृतीयादौ विषमे कोष्ठके लिखेत् । अन्त्याद्यङ्कचतुष्कस्य योगं संख्याङ्कसंघवत् ।।	(29)	तत्पराः स्वस्वपूर्वातः षट्षट्कोष्ठोनिता मताः । अधः पङ्क्तौ तु षष्टाङ्कस्थाने तुर्यं नियोजयेत् ।।	(44)
समे त्वन्त्यं विनैतेषां योगं न्यस्याथ पड्रक्तिषु । परासु शेषकोष्ठेषु चतुर्योगोऽयमिष्यते ।।	(30)	त्रियोगोऽयमधः षष्ठ्युक्तः स्यात्परपङ्क्तिषु । प्लुतो ज्ञेयो गुरुस्थाने शेषं तु गुरुमेरुवत् ।।	(45)
नास्ति प्रतिनिधिस्त्वासामङ्ककयोस्तुर्यषष्ठयोः । तासु स्वभावतो यास्तु निष्पन्न ऊर्ध्वपंड्रक्तयः ।।	(31)	संयोगमेरावूर्ध्वाः स्युश्वतस्नः कोष्ठपङ्क्तयः । इष्टतालद्रुतमितैः कोष्ठैर्युक्ताास्ततः परे ।।	(46)
तन्मध्ये तु समा कोष्ठेऽन्त्यस्थानेऽन्त्यादघस्तनः । अङ्कः कार्योऽथ तैरङ्कैर्भेदसंख्याभिधीयते ।।	(32)	द्वे पङ्क्ती स्वस्वपूर्वातो द्विद्विकोष्ठोनिते ततः । द्वे षष्ठ्या एककोष्ठोने ततस्तिस्रोऽष्टमावलेः ।।	(47)
विषमायामूर्ध्वपङ्क्तौ स्थितैरङ्कैरधः क्रमात् । एकद्रुताद्या विषमत्र्यादिसंख्या द्रुता भिदाः ।।	(33)	एककोष्ठोनिताः पश्चाद् द्विद्विकोष्ठोनिते परे । पङ्क्तिभ्यां स्वस्वपूर्वाभ्यां तथैकैकोनिते परे ।।	(48)
सर्वद्वतान्ता मीयन्ते समपङ्क्तिस्थितैः पुनः । द्वतहीनादयो द्व्यदिसमसंख्या द्वता भिदाः ।।	(34)	आद्यासु चतसृष्वासां क्रमेण सकलद्रुताः । समस्तलघवः सर्वगुरवः सकलप्लुताः ।।	(49)
सर्वद्वतान्ता ज्ञायन्ते द्वतमेरुश्यं मत । ऊध्वपङ्क्तिस्थर्वाङकयोगात्संख्यापि गम्यते ।।	(35)	एकाङ्मयुक्तनिःशेषकोष्ठाद्या स्यात्परा पुनः । खयुक्तैर्विषमैः कोष्ठैः समैस्त्वेकाङ्कसंयुत्तैः ।।	(50)

कर्तव्या गुरुपङ्क्तेस्तु त्रयः कोष्ठा नभोन्विताः। तुर्य एकाङ्रूवानेवं चतुष्कोष्ठाः परा अपि।।	(51)	द्रुतहीनादयो भेदोध्दारा ये मेरुबोधिताः । सर्वप्रस्तारवत्तेषां प्रस्तारः किं तु तेषु यः ।।	(66)
प्लुतपङ्क्तौ सशून्या स्युः पञ्च षष्ठस्तु रूपवान् षट्कोष्ठास्तद्वदन्ये स्युः षट्सुपङ्क्तिष्वनन्तरम् ।।	(52)	द्रुतादिनियमः सोऽत्र न भङ्क्तव्यः प्रयत्नतः । संख्यैषा मेरुकोष्ठाङ्काद्यस्मात्पूर्वोक्तरीतितः ।।	(67)
द्वियोगजाः क्रमाभ्देदा दलघू दगुरू दपौ । लगौ लपौ गपौ चेती तदङ्कप्रक्रिया त्वियम् ।।	(53)	लभ्यते तत्र नष्टांङ्कं पातयेदथ शेषतः । तृतीयपञ्चमोपान्त्यावपाते लभ्यते लघुः ।।	(68)
अत्रोपरिष्टादारभ्य श्यादधोऽधोऽङ्कलेखनम् । अन्त्यपूर्वद्वितीयाङ्कतुर्यषष्ठास्तया क्मात् ।।	(54)	परो यद्यकृतार्थः स्यात्सह तेनाथ चेदुभौ । अकृतार्थो ततस्ताभ्यां स्वं विनैवैष लभ्यते ।।	(69)
योज्या दलगपेषु स्युस्तेषु तद्योगजा भिदाः । पङ्क्तौ तदङ्कयोगाङ्कं तत्कोष्ठे संभवाँळ्ळिखेत् ।।	(55)	परे कृतार्ये ग्राह्यः स्यादकृतार्थः पुरातनः । पतिताद् गुरुलाभः स्यात्सह प्राचा तदा परा ।।	(70)
लेख्यपड्क्त्युपरिश्रेणीया तिरश्ची तदाश्रिताः । अङ्क दलगपानां स्युराद्यपङ्क्तिचतुष्टये ।।	(56)	चतुरङ्की निवर्तेत पतिते पञ्चमेऽप्यथ । गुरुः प्लुती भवेत्प्रचा सह चैषा निवर्तते ।।	(71)
तेषु प्रस्तुत भेदस्यद्रुतादिव्यक्ति संश्रितान् । अङ्कानाृह्णीत तेऽप्यन्त्यद्वितीयाद्या द्रुतादिषु ।।	(57)	रूपाप्तौ प्रापकाङ्केभ्यः शेषेष्वेष पुनर्विधिः । गुरुलाभे त्वपातार्हः पञ्चमः शेषतां व्रजेत् ।।	(72)
प्रस्तुतेषु विपर्यस्ताःस्युङ्कासंभवे तु खम् । त्रियोगजाश्च ये भेदाश्चतुर्योगभवश्च यः ।।	(58)	अङ्राभावे तु गुह्यान्ते लघवस्ताल पूर्तये । उद्दिष्टे तु गुरोर्लभ्यस्तृतीयोऽन्त्यत्पुरातनः ।।	(73)
तत्पङ्क्तीनामपि ज्ञायमेवमेवाङ्रूपूरणम् । किंतु त्रियोगजे भेदे ये त्रयः स्युर्द्वियोगजाः ।।	(59)	प्राग्वच्चतुर्निवृत्तिः स्यात्तृतीयॠ पञ्चमस्तथा । प्लुताल्लभ्यो निवृत्तिस्तु षण्णामथ पुनविधिः ।।	(74)
तेषां संनिहिताद्यानां प्रागुक्तोऽङ्कविपर्ययः । चदुर्योगे तु चत्वारो ये स्युर्भेदास्त्रियोगजाः ।।	(60)	लघोरङ्बो न लभ्येत निवृत्तिस्त्वङ्कयोर्द्वयोः । लब्धाङ्कयोगीनेऽन्त्ये शेषादुद्दिष्टबोधनम् ।।	(75)
तदङ्कृष्वेव पूर्वोक्तं स्याद्विपर्यासयोजनम् । ये चत्वारस्त्रियोगोत्थश्चतुर्योगोत्थपञ्चमाः ।।	(61)	समस्तनष्टवन्नष्टं विषमे कोष्ठके भवेत् । द्रुते लब्धे ततः पूर्वेरङ्के स्यात्समकोष्ठवत् ।।	(76)
भेदास्ते पङ्क्तिषु ज्ञेयाः क्रमादन्त्यासु पङ्क्तिषु । दलगा दलपाश्चैव दगपा लगपाः क्रमात् ।।	(62)	समस्तोद्दिष्टवत्प्रोक्तमुद्दिष्टमिह सूरिभिः । द्रुताङ्कानन्तरं कार्यं विधानं समकोष्ठवत् ।।	(77)
त्रियोगजाश्चतुर्योगोभ्दवा दलगपा इति । एष संयोगमेरुः स्यादतो ज्ञेयमथोच्यते ।।	(63)	कोष्ठे समोर्ध्वपङ्क्तिस्थे परासामधिको भवेत् । द्वितीयाधस्तनः पात्यस्तत्र त्वपतिताद् द्रुतः ।।	(78)
तिर्यक्पङ्क्तिस्थकोष्ठाङ्कैस्तैस्तैः सर्वद्रतादयः। उर्ध्वपङ्क्तिगता मेयास्तदभावस्तु शून्यतः ।।	(64)	पतिताल्लः पात्यपातानन्तर्येऽल्पो महान्भवेत् । रूपपूर्तै निवर्तन्ते पूर्ववत्स्वीयपङ्क्तिगाः ॥	(79)
तावद् द्वतोऽत्र तालः स्यात्पङ्क्तिर्यावतिथी तिरः उपरिष्टात्समारभ्य संख्या पङ्क्त्यङ्कसंगतेः ।।	ا (65)	अधः समवदन्यत्स्यान्निवृत्तौ तु पुनर्विधिः । यस्मात्स यस्यामूर्ध्वायां पङ्कवतौ सा विषमा यदि।।	(80)

89

5-7B : Place the lower (anga) below the higher (anga). Write the remaining in the same way. If the $T\bar{a}$ a-units are lesser than the previous and if the lower Angas are suitable, write them to the left. If not, to fill-in the $T\overline{a}la$, write lower A ngas. This should be done till all become Drutas. This is the permutation in regard to Laghu, Guru and Pluta and their mutual combinations but not for Druta.

PRASTĀRA

- 1-4 of the four-mērus. I shall now, define them.
- : In practical music there are many other $T\bar{a}$ as. As they are not in vogue they have not been described in this Sastra. These are the easy methods to know their varieties of those Tālas. They are nineteen : Prastāra, Sankhya, Nasta, Uddista, Pātāla, Druta-mēru, Laghumēru, Guru-mēru, Pluta-mēru, Samyoga-mēru, Khaņda-prastāra, Nasta and Uddista

5.1.1. FREE ENGLISH TRANSLATION

पूर्वेषौ पात्यमानानामपाते पुर्ववद् द्रुतः । पतितात्सह पूर्वाभ्यां परेण च गुरुर्भवेत् ।।	(85)
पतिते वृत्तगुर्वङ्कानन्तरे गः प्लुती भवेत् । एवं नष्टस्य बोधः स्यादित्युक्तं सूरिशाङ्गिणा ।।	(86)
नष्टे तु परपङ्क्तीनां पातयेत्प्रातिलोभ्यतः । द्वितीयं च तृतीयाधस्तनमङ्कं च पञ्चमम् ।।	(87)
पुरेषु च निवृत्तेशु शेषेष्वेष पुनर्विधिः समस्तनष्टवच्चात्र द्रुतादेः प्राप्तिरिष्यते ।।	(88)
किंतु लब्धे लघौ शेषेष्वाद्याधस्तनतः क्रिया । सोऽधस्तनः स्वपङ्क्तिस्थविधिमेवं प्रवर्तयेत् ।।	(89)

विधिर्विषमकेष्ठोक्तः समा चेत्तर्ह्यायं मतः ।

विषमोर्ध्वश्रेणिसंस्थे कोष्ठेऽधोविषमोदितः ।।

द्रतहीनद्यकोष्ठास पङक्ति षुर्घ्वास यो लघुः । तस्माद्रदिष्ट रूपस्थान्नाङ्कः कश्चिदवाप्यते ।।

यैरङ्के पतितैर्नष्टैर्लभ्यन्ते ये प्लुतादयः । तेभ्य उद्दिष्टसंस्थेभ्यस्तदङ्कावाफ्तिरिष्यते ।।

लब्धाङ्कन्यूनितान्त्यङ्करोषादुद्दिष्ट वेदनम् । लघुमेरावधःपङक्तेर्नष्टाङेनान्त्यशेषतः ।।

	(81)	अधस्तनश्रेणिसंख्या नष्टस्यैष विधिः स्मृतः ।।	(90)
	(82)	गुरु मेरोरधः पङ्क्तौ नष्टं सकलनष्टवत् । प्लुतलाभस्तु गुरु वत् परपड्क्तिष्वयोच्यते ।।	(91)
	(83)	तृतीयाधस्तनस्थाने तृतीयोऽङ्कोऽत्र पात्यते । स्थाने तु पञ्चमस्याधः पञ्जमो लघुवद्गुरौ ।।	(92)
	(84)	लब्धेऽधोव्रजनं शेषाल्लघुवद्गुरुलम्भनम् । लघुमेरुवदन्यत्तु नष्टे स्यात्परपङ्क्तिषु ।।	(93)
	(85)	समस्तनष्वन्नष्टं प्लुतमेरावुदाह्यतंम् । विशेषः कथ्थते त्वेष द्वितीयादिषु पङ्क्तिषु ।।	(94)
I	(86)	अधो गच्छेत् प्लुते पूर्णो गुरुमेरौ गुराविव । द्रुतो लघुर्गुरुर्वान्त्यैरङ्केर्लब्धः प्लुती भवेत् ।।	(95)
	(87)	तदङ्रधस्तनैः साधामङ्रुषट्कमतीत्य च । अधः पङ्क्तौ स्थितैरङकैः शेषैरेष पुनर्विधिः ।।	(96)
	(88)	पङ्क्तौ तु प्लुतहीनायां नान्तिमः प्लुततां व्रजेत् सर्वोद्दिष्टवदुद्दिष्टं लघुमेर्वादिषु त्रिषु ।।	ا (97)

शेषेऽङूश्रितपङ्क्त्यङ्काभावे तु लघवो मताः ।

SANKHYA

7C-12 : Write figures 1 & 2 consecutively. Add the previous (ultimate), previous second (penultimate), fourth and sixth. If fourth and sixth are absent add the 3rd and 5th (pratinidhi) instead. Write the total figures continuously to the right. This (series) ends with the (number of) Drutas (equivalent in total duration) of the required Tāļa. The series should proceed by gradually increasing by one Druta : eg., Druta, Laghu, Mātra and a half, Guru, two Mātras and a half, Pluta, three Mātras and a half. The varieties of Tāļas are enumerated by these figures of Sańkhya. Among the figures which add upto the total figure of Tāļa varieties (Sańkhya), those figures reckoned serially from the right give the number of Tāļas ending in Druta (DEP), Laghu (LEP), Guru (GEP) and Pluta (PEP) respectively.

NAȘŢA

13-19B : If it is asked : 'what form does Tāļa bearing a particular number (in the Prastāra scheme) consist?' - the answer is given by Naṣṭa; (this is determined) by writing the series of figures of Saṅkhya, upto the number of Drutas which are equivalent to the quantity of the Tāļa. The Naṣṭa-number is subtracted from the final figure; from the remainder, subtract the preceding figures. If not subtractable, write Druta; if the figure is not thus subtractable but subtracted either along with the un-deducted figure on the right or on the left, write Laghu. If subtracted alternatively or discontinuously write Laghus separately. If subtracted consecutively, this Laghu becomes Guru. If the third from the figure giving out Guru is also subtracted, this Guru becomes Pluta. In the absence of subtractable numbers fill-in the deficit of the Tāļa is known.

UDDIȘȚA

19C-23B: Whatever the Pluta (-ending Tāļas) etc., are obtained by subtracting whatever figures the self-same figures give the Uddiṣṭa (forms) also. For example, the serial number of the Uddiṣṭa (desired) Tāļa is as the remainder obtained when from the final figure the penultimate, the seventh or in its absence, the sixth figure are deducted.

PATALA

23C-26 : First write '1' in the first house, below Sankhya, and other figures one after the other in the later houses. Write the upper figure of the previous figure including the last four figures beginning with the last in the present line. The difference (from Uddista) is in this case the pratinidhis 3rd & 5th, should not be taken if the 4th & 6th figures are absent. Like this the figures should be written upto the total number of Drutas equal to the quantity of the Tāļa and in this process the total of the ultimate, penultimate, fourth and sixth is written it is called Pātāļa.

DRUTA-MĒRU

27-35 : Write houses horizontally upto the number of Drutas equal in quantity to the required Tāļa. Above it write another horizontal line with one house less. Then write further upper lines each with two houses lesser than its predecessor. In the houses prepared in the above manner, write figures as mentioned below. In the first two houses of all these lines write the figure '1'. In the odd-numbered houses of the lowest-line write the total of the four figures

viz., ultimate etc., as in the Saṅkhya and in the even-numbered houses write the total omitting the ultimate. In the remaining houses of the upper-lines the total of the four should be written. For the upper-lines the 'pratinidhi' of 4th & 6th houses should not be used. For the even-numbered houses of the upper-lines, instead of the ultimate, the lower figures of the ultimate should be written. From the figures of the upper-lines, the number of varieties of the prastāras could be furnished. In the odd vertical lines, serially from bottom, varieties consisting of odd-numbers of Drutas, like one-Druta, along with Sarva-Drutānta (ADEPs) in the end, are written and in the even-lines, varieties consisting of zero-Drutas and even-number of Drutas, like 2-Drutas, along with Sarva-Drutānta in the end, are written. This is the method of Druta-mēru. Also by totalling of all these figures of these vertical lines, the Saṅkhya could be obtained.

LAGHU-MĒRU

36 - 39 : Keep the lines of houses of Laghu-mēru as in Druta-mēru and write '1' in the first houses. Write the total of the ultimate, fourth and sixth houses in the remaining houses of the lowest line. Add the lower figure of the penultimate to the triplet of the remaining houses of the upper-lines. Here also the 'pratinidhi' effects are as in Druta-mēru. The figures of the vertical lines should be understood serially starting from the varieties of zero-Laghu, one-Laghu varieties in gradually increasing order of Laghus upto Sarva-laghvantas (ALEPs). The total of all the figures form Sańkhya.

GURU-MĒRU

40-43B : In Guru - mēru write the second line with three houses lesser than the lowest-line and its upper-lines, four houses lesser than the precedent ones. Write '1' in the first houses. Second house of the first line should consist of '2' and the remaining the total of the ultimate, penultimate and sixth. From the second upper-line add the lower of the fourth to this total of the ultimate, penultimate and sixth. In place of Laghu keep Guru. The rest is as in Laghumēru.

PLUTA-MĒRU

43C - 45 : In Pluta-mēru write the second line with five houses lesser than the lowest line and its upper-lines six houses lesser than their previous ones. In the lowest line in place of 6th take the 4th. The upper-lines include the lower of the sixth with the triplet. In place of Guru keep Pluta. The rest is as in Guru-mēru.

SAMYOGA-MĒRU

46-65 : In Saṁyōga-mēru, the four vertical lines consist of houses upto the requirement of Drutas. Next two lines are of two houses lesser than their predecessors. Next two lines have one house lesser than the sixth. Next three lines have one lesser than the eighth. Next two lines have two houses less. Next two lines have one house lesser than their predecessors. Among them, the first four lines are of the varieties of Sarva-drutāntas (ADEPs), Sarva-laghvantas (ALEPs), Sarva-gurvantas (AGEPs) and Sarva-plutāntas (APEPs) respectively. First line has the number '1' in all houses, next line is of 'O' in odd-houses and '1' in even-houses. In Guru-line three houses have 'O', 4th has '1' and in the same manner in each of the four houses later. In Pluta-line five houses have 'O', 6th has '1' and in the same manner in the next six houses. The next six lines are of the duplets of DL, DG, DP, LG, LP and GP. This is the way of writing figures. Here figures are written starting from top to bottom. In respect of D, L, G and Ps ultimate, penultimate, 4th & 6th are taken respectively. The total of the figures of the respective combinations are to be written. The figures of the respective D, L, G & Ps of first four of the upper horizontal lines should be taken into account. In respect of ultimate, penultimate etc., of Druta etc., the above figures are in reverse order. Write 'O' if no figures are existing. The figures for the lines of triplets derived out of the quadruplets are also written in the same manner. For the three duplets, derived out of the triplets and which begin from the nearest figure, the above reverse order is followed. Only for the figure of the four triplets derived out of the quadruplets the above reverse order is to be followed. In the last five lines the four triplets and the fifth quadruplet are DLG, DLP, DGP, LGP and DLGP. This is called Samyōga mēru and later the thing to be known is mentioned. By the figures of the horizontal lines pertaining to the vertical lines of Sarva-drutāntas (ADEPs), Sarva-laghvantas (ALEPs) etc., the varieties should be known and their absence by 'O'. In this table the serial number of the horizontal line is the value of Drutā of that Tāļa. Starting from the above the total of the numbers of all the lines is Sańkhya.

KHAŅ**DA-PRAST**ĀRA

66 - 67B : Even for the varieties lacking Druta mentioned in Druta-mēru etc., the prastāra is same, but prastāra should be made without violating the restrictions of Druta etc.

DRUTA-MĒRU-NASŢŌDDISŢA

- 67C-73B : Lowest-line-even-number-Naṣṭa : The question number is subtracted from the Saṅkhya which is formed from particular mēru figures. Then, from the remainder, the 3rd, 5th and the penultimate should be subtracted. If it is not subtractable Laghu is obtained. If the next figure is not subtractable, or including it, if the next two figures are not subtracted, even without them, Laghu is obtained. If the next figure is subtracted the un-deducted ultimate should be taken into account. Guru is obtained from the subtracted figure. Then, including the ultimate, the next four figures should be left-off. If the fifth is also subtracted the Guru becomes Pluta. This figure including the ultimate should be repeated in respect of the remaining figures. If Guru is obtained the un-deductible fifth becomes the remainder. In the absence of the figures Laghus should be written to fill-in the deficit of Tāļa.
- 73C 75 : Lowest line even number -uddi sta : In Uddi sta, from Guru, the 3rd figure of the ultimate is obtained and four figures should be omitted as above. From Pluta, the 3rd and 5th figures are obtained and six figures should be omitted. Follow as above in respect of the remaining figures. From Laghu, no figure is obtained but two figures should be omitted. By subtracting the total of the obtained figures from the remainder, the Uddi sta should be answered.
- 77 : Lowest-line-odd-number-uddista : For Uddista, proceed as above. After obtaining the figure from Druta proceed as in Uddista of even-houses.
- 78-81 : Upper-lines-Naṣṭa : For the even-houses of the upper-lines the lower of the 2nd should also be subtracted in addition. Druta is obtained from the undeducted figure and Laghu

from the deducted. If figures are subtracted discontinuously the lower ones become higher ones. After obtaining Laghu etc., the figures of the same line should be omitted as above. The rest is as for the even-houses of the lowest-line. After leaving the figures the procedure should be started again as prescribed for the odd houses or the even houses. For odd houses of upper-lines follow as for the odd houses of the lowest-line.

82-84B : Upper-lines-uddi sta : Pluta etc., are obtained in Uddi sta from the very same figures by subtracting which Pluta etc., are obtained in Nasta. Where there is Laghu in the vertical lines, in which zero Drutas are in the first house, from that Laghu no figure could be obtained. By subtracting the total of the obtained figures from the remainder, the Uddi sta should be derived.

LAGHU-MĒRU-NA ṢŢA

84C - 90 : For the lowest-line of Laghu-mēru, Druta is obtained from the remainder as above from the un-deductible preceding figures, after deducting the question-number from the final figure. By subtraction of two previous figures and one upper figure, Guru is obtained. If the alternative figure of the figure giving out Guru, is also subtracted, the Guru becomes Pluta. In this manner the Naṣṭa should be understood as told by Sārṅgadēva. For the Naṣṭa of the upper - lines the 2nd, the lower of the 3rd and the 5th should be subtracted in reverse order. After the upper figures are disposed off, the previous method should be followed in respect of the remaining figures. Here, as in general Naṣṭa, Drutas etc., are obtained. But, while Laghu is obtained in respect of other Aṅgas, it should be followed starting from the lower figure of the figure of the line, the Laghus, equal with the number of the lower-lines should be taken. This is for Naṣṭa.

GURU-MĒRU-NAṢṬA

91-93 : The Naṣṭa for the lowest-line of Guru-mēru is as in general Naṣṭa. Pluta is obtained like Guru-mēru. The procedure in respect of the upper-lines will now be described. Here, in place of the lower of the 3rd, the 3rd should be subtracted, and in place of the 5th, the lower of the 5th should be subtracted. Like Laghu, if Guru is obtained, same procedure should be adopted as in the lowest-line. Guru is obtained like Laghu. In Naṣṭa of upper-lines the rest is as in Laghu-mēru.

PLUTA-MĒRU-NA SŢA

94-97B : Pluta-mēru Naṣṭa is as in general Naṣṭa. For the 2nd and further upper-lines a difference should be noted. As it is done after obtaining Guru for Guru-mēru, in this table, after obtaining Pluta, the same procedure should be followed as in the lowest-line. Either Druta, Laghu or Guru, obtained from the last figure, becomes Pluta. The process should be repeated with the figures of the lowest-line after omitting six figures of the lowest-line of the ultimate figure. No ultimate figure of the lowest Pluta-devoid-line becomes Pluta.

UDDISTA OF OTHER MĒRUS

97C & D : The general Uddi sta should be followed for the Uddi sta of the three tables (mērus) of Laghu etc.

नर्तवनिर्णय									
अन्येन दशितास्ताला ग्रन्थविस्तरभीरूणा ।	पातयेत्पूर्वपूर्वाङेकं तत्रत्वपतितोद्रुतः ।								
तभ्देदज्ञापकोपायाश्चत्वारस्तान् ब्रुवेऽधुना ।। (1)	पूर्वश्चेत्पतितो न स्याल्लघुस्तु पतिताद्भवेत् ।। (16)								
प्रस्तार संख्ये नष्टं चोद्दिष्टं चेत्यथ लक्षणम् ।	उत्तरेणाकृतार्थेन सहितात्तदसम्भवे ।								
न्यस्याल्पमाद्यान् महतोऽथस्तात् शेषं यथोपरि ।। (2)	अकृतार्थेन पूर्वेण सान्तरे पतिते पृथक् ।। (17)								
प्रगूने वामसंस्थांस्तु सम्भवे महतो लिखेत् ।	लघुर्निरन्तरेत्वस्मिन् लघुरेव गुरूर्भवेत् ।								
अल्पानसम्भवे तालपूर्त्ये भूयोऽप्ययं विधिः ।। (3)	गुरुहेतोस्तृतीये तु पतितेगः प्लुती भवेत् ।। (18)								
सर्वद्रुतावधिः कार्यः प्रस्तारोऽयं लघौ गुरौ ।	अङकाऽभावे द्रुताग्राह्यास्तालपूरणहेतवः ।								
प्लुतो व्यस्ते समस्ते च न तु व्यस्ते द्रुते ऽस्ति सः ।।(4)	इति नष्टस्य विज्ञेयमुत्तरं रूपनिर्णयात् ।। (19)								
ननु त्वया दलगपैः प्रस्तारोऽत्र दर्शितः ।	ईदृग्रूपोऽत्र कतिथो भेदो यत्र इतीरितः ।								
विरामादिस्वरूपस्य प्रस्तारः किंनलक्षितः ।। (5)	उद्दिष्टं तत्र सख्याङकसन्ततिं नष्टवल्लिखेत् ।। (20)								
ब्रूमो विश्रान्तिरूपस्य विरामस्य भवेद्यदि ।	यैरङकैः पतितैर्नष्टे लभ्यन्ते ये प्लुतादयः ।								
प्रस्तारादिकमेतद्दलपान्तं तत्प्रसज्यते ।।	तानेवाङकान् सामादाय त्वन्त्यङके पातयेत्ततः ।। (21)								
तत्स्वाकारेत्वतिव्यप्त्या शास्त्रं व्याकुलितं भवेत् ।	अङकाःस्युरवशिष्टा येतेभ्य उद्दिष्टसाधनम् ।								
अतो विरामसहित प्रस्तारादिकथा वृथा ।। (7)	तालव्यत्यय प्रस्तारेऽथोऽथो दलगपान् क्रमात् ।। (22)								
एकद्रद्वयङ्की क्रमान्न्यस्य युञ्जीतान्त्यं पुरातनैः ।	न्यसेत् वामेतदूर्ध्वस्थान् दक्षिणो द्रुतपूरणम् ।								
द्वितीयतुर्यषष्ठाङ्कैरभावे तुर्य षष्ठयोः ।। (8)	किन्तु सव्यत एकैकं त्यक्त्वा प्रस्तारयेत् क्रमात् ।। (23)								
तृतीय पञ्जमाङ्काभ्यां क्रमात्तं योगामग्रतः ।	नष्टोद्दिष्टं कथं ज्ञेयं प्रस्तारेऽत्र विपर्यये ।								
लिखेद्दक्षिणसंस्थैवमङ्कश्रेणीविधियते ।।	प्रश्नाङकैरेव कार्येहि नष्टे चैकं परित्यजेत् ।। (24)								
साचाङ्कैरिष्टतालस्थ द्रुतसंख्यैस्समाप्यते ।	उद्दिष्टेचैकमादाय शेषकार्यंतु पूर्ववत् ।								
द्रुतो लघुः सार्थमात्रो गुरुः सार्यद्रिमात्रिकः ।। (10)	द्रुतादिकान्तप्रस्तारं हारखण्डचतुष्टये ।।								
प्लुतः सार्थत्रिमात्रश्चत्येकैक द्रुतवर्धितैः ।	तत्प्रधानकं रूपं कृत्वा तु प्राक् निरर्थवत् ।								
तालभेदाः क्रमादङ्के संख्यायन्ते स्थितैरिह ।। (11)	तत्तत्संख्यान्ततः प्रश्नोनष्टोद्दिष्टेतु पूर्ववत् ।। (26)								
यदङ्कयोगादन्त्योऽङ्कोलब्धस्थैरन्ततः क्रमात् ।	नष्टोदिष्टं कथं चात्र मध्यरुपोपरिस्थिते ।								
भेदा द्वतान्ता लध्वान्ता गुर्रन्ताश्च प्लुतान्तकाः ।। (12)	निश्चित्य मध्यरूपाङकं तत्रैकाङकं परित्यजेत् ।। (27)								
संख्यायन्त इति प्रेक्ता संख्या निश्राङ्कसूरिणा ।	शेषप्रश्नाङकमादायोपरिनिष्ठन्तु पूर्ववत् ।								
अत्रैतावतिधो भेदः किं रूप इति पृच्छति ।। (13)	उद्दिष्टे लब्धकाङकेषु मध्याङकं तत्र पातयेत् ।। (28)								
यत्र तन्नष्टमाख्यातं तस्योत्तरमिहोच्यते ।	शेषमेकं समादाय शेष कार्यतु पूर्ववत् ।								
भेदानां यावतां मध्ये नष्टप्रश्नः कृतो भवेत् ।। (14)	नष्टोद्दिष्टप्रकारं हि मध्यरूपादधः कथम् ।। (29)								
कानत्संख्याङ्रुपर्यन्तां लिखेत् संख्याङ्कसन्ततिम् ।	लुप्तमध्याङ्कके चैकं युक्तान्यत् पूर्ववत्स्मृतम् ।								
अन्त्याङ्के तत्र नष्टाङ्कं पातयेदथ शेषतः ।। (15)	उद्दिष्टे मध्यमाङ्क्षेषु लब्धाङकान् सुपरित्यजेत् ।। (30)								

5.2. Sanskrit text of Tāļaprastāra from Nartananirņaya written by Paṇḍarīka Vițțhala (Tāļaprakaraṇa :- Ślōkas 196 - 231)

शिष्टमध्याङकतश्चैकमादायोद्दिष्टमीरितम् ।	पञ्चाङ्रयोगादःत्यांङ्रो भवेत् पाताल संज्ञकः ।
संख्याङकसन्ततेश्चाथ आदावेकाङककं न्यसेत् ।। (31)	संख्योपान्त्यं पातयित्वा पातालान्त्याङ्कतः क्रमात् ॥(34)
अन्त्योपरिस्थ संख्याङ्कानन्त्यादींश्चरस्तथ ।	तछ्छिष्टाङ्कश्च पातालोपान्त्याधः क्रमेशो लिखेत् ।
स्वपङिक्तस्थां लिखेदग्रे संयेज्येष्टद्रुतं क्रमात् ।। (32)	तदङ्कात् सर्वपातालमादिरोद्विठलोदितम् ।। (35)
मीयन्ते सर्वभेदस्थाः पातालस्सोऽभिधीयते ।	द्रुतलघुगुरु त्रिमात्रामेरुसंयोग मेरवो व्यर्थाः ।
अन्त्योपान्त्य तुर्य षष्ठमन्त्यादूर्ध्वस्थितं तथा ।। (33)	इति मत्याऽत्र न लिखिताः पर्वतखाननाच्च मूषकप्राप्तिः ।।(36)

5.2.1. FREE ENGLISH TRANSLATION

1-2B : These are the four Upāyas to know precisely the varieties of Dēśya Tāļas : Prastāra, Saṅkhya, Naṣṭa and Uddiṣṭa.

PRASTĀRA

2C-7 : Write the desired Tāļa to be permuted in its original form and (among its Aṅgas) under the first Mahat (higher Aṅga) Alpa (lower Aṅga) is established, writing the remaining as in the above line. If there is a lesser Aṅga behind this, then the one on the left should be regarded as Mahat and should be written (again) for completing the Tāļa. If it is not available Alpa itself should be written. This procedure should be incessantly continued till only Drutas remain. In Laghu, in Guru and in Pluta, permutation should be carried out individually and in combination. But there is no permutation in a single individual Druta. 'You have described permutation only in DLGP but not for Virāma etc., why?' (if so objected) I shall explain. If prastāra etc., of Virāma, which is of the nature of pause are executed, then it contradicts the prastāra of DL. Also it creates a logical fallacy of over-extension (Ativyāpti) leading to confusion in the Śāstra. Therefore the description of prastāra of Virāma of LGP is futile.

SANKHYA

8-13B : Write figures '1 & 2', then combine the ultimate with the precedent second (penultimate), 4th and 6th figures. If the 4th and 6th are absent, it (i.e., the last figure) should be added instead to the 3rd and 5th respectively. Thus, a series of figures should be written to the right further and further. It (i.e., the series of figures) should be ended with the number of Drutas equal to the size of the permuted Tāļa. Druta, Laghu, 1½ Mātra, Guru, 2½ Mātras, Pluta, 3½ Mātras - in this way the number of Tāļa varieties having Drutas, regularly increased by one, can be known from the figures written here. By adding whatever figures the final figure is obtianed, from these figures, the number of Tāļa varieties ending in Druta, ending in Laghu, ending in Guru and ending in Pluta can be obtained as stated by Sārngadēva.

NASTA

13C - 19: Wherein it is asked here (i.e., in the Sańkhya series) 'what is the form of such and such numbered Tāļa variety ?' it is named Naṣṭa. Its answer is now given. Whatever the varieties among which the Naṣṭa question is raised, the Sańkhya series should be written till that figure. Then from the remainder the further and further precedent figures should be subtracted. While doing so that which cannot be subtracted indicates Druta. If its previous figure remains un-subtracted, the subtracted figure adds to the next of the 'Akṛtārtha', and if that is not available it adds to the figure previous to the 'Akṛtārtha'. If there are figures

which can be subtracted discontinuously (i.e., at intervals), the Laghu is to be reckoned as separate. But if they can be subtracted consecutively or successively such a Laghu becomes Guru. If the third figure from that figure which yields Guru, can be subtracted, the Guru becomes the Pluta. If there are no figures left for subtraction, Drutas should be added till the $T\bar{a}$ is completed. The answer to determine the form of the desired $T\bar{a}$ a variety should be thus known from Naṣța.

UDDIȘȚA

20-22B : Wherein it is asked ' how manieth is the Tāļa variety as derived here in Naṣṭa ?' it is Uddiṣṭa. Herein the Saṅkhya series of figures should be written as in Naṣṭa. Whatever the figures, which, on subtraction give whatever Pluta etc., in Naṣṭa, the same figures should be added and subtracted from the final figure (indicating Naṣṭa). Uddiṣṭa results from the same figures which are the remainders.

VIPARĪTA - PRASTĀRA

22C - 23 : In the reversed Tāļa - prastāra, DLGP should be written in reverse order respectively, one below the other. The Anga higher to it should be written to the left. Drutas should be added to the right till the Tāļa is completed. But, prastāra should be executed by dropping respectively the one's line to the left.

VIPARĪTA - NA ṢṬŌDDI ṢṬA

24 - 25B : 'How to understand Naṣṭōddi ṣṭa in this Viparīta - prastāra?' (both) should be done from the question numbers themselves. But, in Naṣṭa '1' should be subtracted, in Uddi ṣṭa '1' should be added. The remaining procedures are as before.

DRUTAHĀRA - NA ṢŢ ODDI ṢŢA

25C - 26 : In the prastāra of four garland segments ending in Druta etc., the respective (form) should be made predominant and the precedent is to be ignored. The respective question number should then be subtracted from Saṅkhya. Naṣṭōddiṣṭa are as before.

$\textbf{MADHYAR}\,\bar{\textbf{U}}\textbf{PA}\textbf{-}\textbf{UPARISTHITA}\textbf{-}\textbf{NA}\,\underline{\textbf{S}}\,\underline{\textbf{T}}\,\overline{\textbf{O}}\,\textbf{DDI}\,\underline{\textbf{S}}\,\underline{\textbf{T}}\textbf{A}$

27-29B : Here, how are Naṣṭōddiṣṭa executed? Determine the figure of the medial form (Madhyarūpa). Subtract '1' from it. Add to the remainder the question number which is above. In Uddiṣṭa subtract the figure of the medial from the 'Labdha' figure. Add '1' to the remainder. The remaining procedure is as above.

MADHYAR ŪPA - ADHASTHITA - NA ṢṬŌDDI ṢṬA

29C-31B: 'How are Na sta and Uddi sta to be executed below medial form?' Add '1' to the subtracted figure of the medial form?' The rest is as before. In Uddi sta the 'Labdha' figure is subtracted from the medial number. By adding '1' to the remaining figure of the medial form, Uddi sta is described.

PATALA

31C-34B: The digit '1' should be written at the bottom (i.e., at the extreme left) of the Sankhya series. The Sankhya number above the last (number in the Pātāļa row) as well as the four numbers beginning with the last (viz., last, second, fourth and sixth) its own row, should be written. When added together, regularly, they enumerate exactly all the Drutas in all the permutations of a prastāra. This is called Pātāļa. The final number obtained by adding together these five numbers viz., the ultimate, penultimate, fourth and sixth as well as the number (of Sankhya) lying above the ultimate is called Pātāļa.

SARVAPĀTĀĻA

34C-35 : By subtracting the penultimate (Upāntya) Saṅkhya figure from the ultimate (Antya) Pātāļa figure, further and further, the remaining figure should be written below the penultimate of the Pātāļa regularly. By such figure Sarvapātāļa (Mahāpātāļa) is taught as described by Viţthala.

MĒRUS OF ANGAS

36 : Thinking that the mērus of Druta, Laghu, Guru and Pluta and the Samyoga - mērus are useless, they are not written here, becuase it would be like getting a mouse by digging a mountain.



Chapter - 6 TĀĻAPRASTĀRA - A CRITIQUE

6.1. DETAILS OF TREATISES

Though the $T\bar{a}|a$ chapter of Indian music is furnished in many of our ancient and recent books, the intricacies of this element, Prast \bar{a} ra are dealt with only in the following books:

1. Sangitasamayas āra: This is written in between 12th and 13th centuries by $P\bar{a}r \pm vad\bar{e}va$ in Sanskrit. In the annals of our music literature this is the first book in which the serial numbers for the $T\bar{a}$ as are furnished. While 50 $T\bar{a}$ as having such serial numbers are furnished in this book 10 numbers of them are suitably modified by this author. The details of all these $T\bar{a}$ as are furnished elsewhere in this book.

2. Saṅgīta Ratnākara: This is written in the 13th century in Sanskrit by Niḥśanka Śārṅgadēva. Among the 400 Ślōkas of the 5th chapter Tāļādhyāya of this treatise 100 Ślōkas are devoted for Tāļaprastāra itself which obviously reveals the great importance given to this topic even in those olden days (all these Ślōkas are furnished elsewhere in this book along with free translation). In no other treatise this much of material pertaining to this topic has ever been furnished. In this book the Caturaṅgaprastāra by which the four Aṅgas, Druta, Laghu, Guru and Pluta pertaining to Caturaśra-jāti only are permuted is defined. In the Tāļādhyāya of this book in respect of this prastāra 19 easy methods are furnished at the first instance. They are suitably modified by this author. Some easy methods to obtain the required prastāra even without making the process of permutation at all are furnished in this book. But as ambiguity and contradiction reigns this topic this is not within the easy reach of the aspirant.

3. Sangitopanişatsāroddhāra: This is the compendium of the great Sangitopanişat written in the 14th century by the author Sudhākalaśa himself in Sanskrit. Unfortunately in the absence of the original treatise this abridged edition has become the only source to get the gist of it. This is unique in furnishing an easy method 'Kalita' which was not furnished by any other author and which helps to obtain the full details of all the Angas occurred until a required permutation. No details of any tables or their Naṣta or Uddiṣta are furnished in it.

4. Tāļakaļābdhi : As per the details furnished by M.Rāmakṛṣṇakavi in his Bharatakōśa this is written by Acyutarāya in the 16th century in Sanskrit. As per the brief details available the Anudrutaprastāra, Virāma-prastāra, Krama-prastāra, Vīparita-krama-prastāra, Saṅkhya, Naṣṭōddi ṣṭa, Pātāļa and some tables are said to have been furnished in it.

5. Sangītasūry ōdaya: This is written in the 16th century by Bhandāru Lakṣmīnārāyaṇa in Sanskrit against which the author claimed that he was honoured with Gajārōhaṇam and Kanakābhiṣēkam by the then King Srīkṛṣṇadēvarāya. Among the five chapters of this treatise the first one is the Tāļādhyāya and among the 575 Ślōkas of it 270 are devoted for Tāļaprastāra itself. Pañcāṅga-prastāra containing Anudruta and relevant Saṅkhya, Naṣṭōddiṣṭa and Pātāļa along with the tables, Virāma-prastāra and relevant Saṅkhya, Naṣṭōddiṣṭa and Pātāļa along with the tables are furnished in this treatise. Khaṇḍa-naṣṭōddiṣṭa has not been furnished at all. But, like in Saṅgīta Ratnākara, as ambiguity and contradiction reigns the topic this is also not within the reach of the aspirant.

6. Nartananir ņaya : This is written in the 16th century by Paņḍarīka Viṭṭhala in Sanskrit. Saṅkhya, Naṣṭōddiṣṭa, Pātāļa and Sarvapātāļa of the old Caturaṅga-prastāra are furnished in this book. This book is unique in furnishing the Sarvapātāļa, Viparīta-prastāra, Naṣṭōddiṣṭa, Madhyarūpauparisthita-naṣṭōddiṣṭa and adhaḥ sthita-naṣṭōddiṣṭa with some details for the first time. **7.** Saṅgītadarpaṇa : This is written in between the 16th & 17th centuries by Catura Dāmōdara Paṇḍita in Sanskrit taking the Ślōkas mostly from Saṅgīta Ratnākara. Saṅkhya, Naṣṭa, Uddiṣṭa, Pātāļa of Caturaṅga-prastāra, the relevant tables of their Naṣṭa and Uddiṣṭa, Virāma-prastāra, Naṣṭa and Virāma-mēru are defined in this book. Even in this book the ambiguity and contradiction reigns the topic.

8.Tāļada saprāņapradīpika : This is written in the form of Telugu poems in the 17th century by Polūri Govindakavi. Catura nga-prastāra, Pancānga-prastāra with Anudruta, Sankhya, Pātāļa, Sarvapātāļa, Na stoddi sta of the five Jātis and different tables are defined only in poems but not even a single table is furnished. Sa myoga-mēru has not been furnished at all. The important points of this topic are not easily understandable at all.

9.R āgat ālacint āmaņi : This book is also written in the form of Telugu poems in the 17th century by Polūri Govindakavi himself. Caturaṅga-prastāra, Pañcāṅga-prastāra with Anudruta, Saṅkhya, Pātāla and Naṣṭoddiṣṭa of the five Jātis are defined in the form of poems but not even a single table is furnished or defined.

10.Tāļasamudram : This is written in the 17th century by Vanapāda $C\bar{u} d\bar{a}ma$ ņi in Tamil following Sangitadarpaņa.

11. Tāļalak ṣa ṇam : The author of this work has yet to be found. If the contents of Prastāra of this work is taken into consideration there is scope to decide that this treatise is written around 17th century. Though all the 10 elements of the Tāļa are defined in it little more importance is given to the 10th element, Prastāra. In Prastāra the Caturaśra-jāti Pañcāṅga-prastāra along with its Saṅkhya, Pātāļa, Naṣṭa, Uddiṣṭa and five mērus (tables), Virāma-prastāra along with its Saṅkhya, Pātāļa, Naṣṭa, Uddiṣṭa and four mērus (tables) and Caturaṅga-prastāra along with its Saṅkhya, Pātāļa, Sarvapātāļa and four mērus (tables) are furnished. Saṁyōga-mēru has not been furnished at all. 'Pratinidhi' system, Naṣṭa and Uddiṣṭa are difined as in Saṅgīta Ratnākara.

12. Tāļār ņavam : The author of this work has yet to be found. If the contents of Prastāra of this work is taken into consideration there is scope to decide that this treatise is written around 17th century. Though all the ten elements of the Tāļa are defined in it much importance is given to the tenth element, Prastāra only. In Prastāra the Caturaṅga-prastāra along with its Saṅkhya, Pātāļa, Adhō-pātāļa, Naṣṭa, Uddiṣṭa and four mērus (tables) and the Tisra, Miśra and Khaṇḍa-jātis of Pañcāṅga-prastāra along with their respective Saṅkhya, Pātāļa, Naṣṭa, Uddiṣṭa and five mērus (tables) are furnished. Neither the details of Saṅk Īrṇa-jāti nor any of the Saṁyōga-mērus nor even the Naṣṭa or Uddiṣṭa of Khaṇḍa-prastāra are furnished. While almost all the authors of the post Ratnākara period have truly followed Ratnākara in many ways the author of this work prescribed some modern easy methods of this element. That is the importance of this treatise. In regard to Tāļas there are some more new points of interest in this work.

13.Vai ṣṇava Saṅgīta Śāstra : This is written in the 18th century by Narahari Cakravarti in Sanskrit. Saṅkhya, Uddi ṣṭa and Naṣṭa pertaining to Catura ṅga-prastāra are furnished very briefly in this book.

14.G āyakalōcanam : This is written and published in 1902 by Tacc ūr Singarācārya Bros., in Telugu. The modes of permutation of Caturanga-prastāra and Pañcānga-prastāra with Anudruta along with the relevant tables are furnished but nothing has been defined at all in this book. In the

annals of our music literature there are only two books in which the serial numbers for the $T\bar{a}$ as are furnished and while the Sangita Samayasāra is the first one this Gāyakalōcanam occupies the second place. In this book around 160 Tā are furnished along with new names, Angas and serial numbers among which 50 of them are suitably modified by this author.

15.Mathematical basis of the Tāļā-system : This is written and published in 1962 by K.Rāmacandran. In this book the Saṁyuktāṅga-prastāra in which Aṅgas of all the denominations are used in the process of permutation is elaborated in terms of figures and the Akhaṇḍa-saṅkhya, Naṣṭa and Uddiṣṭa are explained in a circuitous manner with an arithmetical approach.

Among the above, Sangīta Ratnākara, along with two commentaries, had furnished more detailed information with tables of figures and definitions about this element than any other book. The Tāļādhyāya of this in total, consists of 408 Ślōkas, in which the five Mārga Tāļas are elaborated in the first 235 Ślōkas, the 120 Deśi Tāļas are listed out in the next 76 Ślōkas and the element, Prastāra itself is elaborated in the remaining 97 Ślōkas. The greater importance of this element has very well been noticed, even in those olden days by Śārṅgadēva who had obviously devoted nearly one-fourth of his Tāļa-chapter for its elaboration only. But, unfortunately, not only in the commentaries of Kallinathā and Simhabhūpāla but also even in the text some confusive versions are furnished. Later, some interesting new methods of this element are furnished by Sudhākalaśa, Acyutyarāya and Paṇḍarīka Vițthala in their works.

In addition to the Catura nga-prastāra (Catura śra-jāti), which has been elaborated with the help of tables of figures and definitions in Sangīta Ratnakara & Sangīta Darpana, Virāma-prastāra is also defined briefly in Sangīta Darpana. While both Pañcānga-prastāra (Catura śra-jāti) and Virāmaprastāra are elaborated in Sangītasūryōdaya with the help of tables of figures and definitions, both Catura nga (Catura śra-jāti) and Pañcānga (Trisra, Khanda, Miśra & Sankīrna-jātis) - prastāras have been elaborated in Rāgatāļacintāmaņi and Tāļada śaprānapradīpika with the help of only poems but without any tables of figures. And in Gāyakalōcanam a number of tables of figures pertaining to both Catura nga (Catura śra-jāti) and Pañcānga (Trisra, Khanda, Miśra & Sankīrna-jātis) - prastāras are furnished but without any definitions.

So, to bring out all the latent secrets of this element within the easy reach of the aspirant these following modifications are made by the author to help clear understanding of the various techniques and also to remove the textual inconsistancies in the different early texts dealing in these matters.

6.2. MODES OF PERMUTATION

In the ancient days only Caturanga-prastāra, in which the four Angas, Druta, Laghu, Guru and Pluta are used in the process of permutation of the Angas pertaining to Caturasra-jāti only, is used. In those days, while Virāma is prohibited to be used only in the process of permutation (but not from usage) having a fluctuative value of half-duration of another Anga to which it is appended, Kākapāda is prohibited not only in the process of permutation but also even from using it in any Tāļa, which is not justifiable as it is prescribed in some of the Tāļas like Simhanandana.

Later, along with this Caturanga-prastāra, the Pañcānga-prasatra in which the five Angas, Anudruta, Druta, Laghu, Guru and Pluta are used in the process of permutation of Angas pertaining to all Jātis other than Caturasra-jāti, is also used. Around this time, Virāma-prastāra, which is even basically incorrect wherein the process of permutation is concluded with either Druta or Druta-virāma or both, violating the general norm of concluding with either Virāma or Druta, is also furnished in some books.

Some time later, another Ṣōḍaśāṅga-prastāra, in which all the six Aṅgas, Anudruta (Anudruta is called as Virāma having a fixed duration of one-unit at this time), Druta, Laghu, Guru, Pluta and Kākapāda, along with interlaced combinations of these above Aṅgas, are used in the process of permutation of Aṅgas pertaining to Caturaśra-jāti only, in which Śarabhanandana Tāļa is one of these varieties.

Now, in this book (a) Pañcāṅga-prastāra, where in the five Aṅgas, Druta, Laghu, Guru, Pluta and Kākapāda are used in the process of permutation of Aṅgas pertaining to only Caturaśra-jāti, (b) Ṣaḍaṅga-prastāra, wherein all the six Aṅgas, Anudruta, Druta, Laghu, Guru, Pluta and Kākapāda are used in the process of permutation of Aṅgas of all Jātis and (c) Saṁyuktāṅga-prastāra (correct name of Ṣōḍaśāṅga-prastāra), wherein all the six Aṅgas, Anudruta (called as Virāma having a fixed duration of one-unit), Druta, Laghu, Guru, Pluta and Kākapāda, along with other interlaced combinations of all these above Aṅgas, are used in the process of permutation of Aṅgas pertaining to all Jātis (prescribed in figures but could be transliterated into Aṅgas) are furnished with tables of figures, definitions and suitable rules framed by the author.

6.3. ALLOCATION OF DIVISIONS OF PRASTĀRA

In his Sangīta Ratnākara Śārngadēva had furnished 19 easy methods to know the details of the rhythmical forms and they are: 1.Prastāra 2.Sankhya 3.Naṣṭa 4.Uddi ṣṭa 5.Pātāļa 6.Druta-mēru 7.Druta-mēru-naṣṭa 8.Druta-mēru-uddi ṣṭa 9.Laghu-mēru 10.Laghu-mēru-naṣṭa 11.Laghu-mēru-uddi ṣṭa 12.Guru-mēru 13.Guru-mēru-naṣṭa 14. Guru-mēru-uddi ṣṭa 15.Pluta-mēru 16.Pluta-mēru-naṣṭa 17.Pluta-mēru-uddi ṣṭa 18.Samyōga-mēru and 19.Khaṇḍa-prastāra. As all these are only easy methods and also as this total number varies with the other modes of permutation like Pañcānga-prastāra and Ṣaḍanga-prastāra which are named basing upon the number of Aṅgas used in the process of permutation, they cannot be treated as divisions at all. So, to make it applicable to all the different modes of permutation suitable system of divisions which has been formulated by this author is furnished hereunder.

In each mode of permutation there are two main divisions namely 1.Akhanda-prastāra and 2.Khanda-prastāra among which the Khanda-prastāra has to sub-divisions namely 1.Hīna-prastāra and 2.Yukta-prastāra. All these divisions consist of two different processes of permutation namely 1.Anulōma-prastāra and 2.Vilōma-prastāra and two key-figures namely 1.Sankhya and 2.Mahāpātāļa which are the total number of prastāras and the total number of Tāļāngas used in the process of permutation respectively. Even without adopting the laborious process of permutation there are very interesting easy methods to obtain the above two key-figures of Sankhya and Mahāpātāļa and also to obtain the 'series of Tāļāngas of a particular serial number of a prastāra in question', the 'serial number of a prastāra in question consisting of a particular series of Tāļāngas' and the 'total number of all the different Tāļāngas used upto a particular serial number of prastāra in question' which are named as 'Naṣṭa, Uddiṣṭa and Kalita' respectively. Among them to resemble the name of Khanda-prastāra the Nija-prastāra is named after Akhanda-prastāra by the author. In the same manner to maintain similarity in names the Viparīta-prastāra of Pandarīka Viṭṭhala is named after Vilōma-prastāra and the usual Krama-prastāra is named after Anulōma-prastāra by the author. Among them the 'Kalita' is prescribed by Sudhākala śa.

6.4. RULES FOR THE PROCESS OF PRASTĀRA

The mode of permutation was not defined clearly in any book, as such, suitable rules for all kinds of permutations are formulated and furnished in the II chapter of this book with examples.

6.5. THE PROCESS OF ARRIVING AT THE FIGURES OF TABLES

In respect of writing the figures of the different tables \$arngadeva contradictively prescribed to write figures both '1 & 2' for Sańkhya of Akhanda-prastāra and '1' or both '1 & 2' for different lines of different tables in different ways. But, he did not give any explanation for this disparity. He also prescribed to take the 3^{rd} and 5^{th} figures, which were called 'Pratinidhis' (proxies) by him, into account in the absence of the 4^{th} and 6^{th} preceeding figures respectively but its application differs with each table and its lower and upper horizontal lines. More-over, in support of the application of these 'Pratinidhis' to all the other tables he had gone to the extent of even deliberately altering the correct version of Druta-mēru. In Tāļada saprānapradīpika, Rāgatāļacintāmaņi and Tālārnavam it is prescribed to write figure '1' (Āsa) even before the very 1st house of Sańkhya and in Gāyakalōcanam, correctly, the figure '1' is written, even before the very first house of Sańkhya of all the tables thus eliminating this 'Pratinidhi'.

So, figure '1' is hereby prescribed to be written in the left extreme, even before the very first house, of all Sankhya lines and the lowest-lines of all the tables of all the Angas (except for Samyogamēru) pertaining to all modes of permutation as prescribed in Gāyakalōcanam. Thus, the cumbersome 'Pratinidhi' has entirely been eliminated, but, the word 'Pratinidhi (proxy)' has been prescribed in this book to be used in a different way representing the numbers of the preceding houses, which are basically most important of this element, along with the relevant rules to arrive at the figures of all the tables.

6.6. PĀTĀĻA AND MAHĀPĀTĀĻA

The 'Pātāļa' furnished by Śārṅgadēva, in his Saṅgīta Ratnākara denotes the total number of the inferior Aṅgas used in the process of Akhaṇḍa-prastāra and its figures could be obtained by writing the total of the figures of the upper Saṅkhya-house of the preceding 1^{st} and preceding 1^{st} , 2^{nd} , 4^{th} and 6^{th} houses of the same Pātāļa-line.

Along with the above $P\bar{a}t\bar{a}la$, another 'Mah $\bar{a}p\bar{a}t\bar{a}la$ ' which denotes the total number of all the different Angas used in the process of permutation, has also been furnished by Pandarika Vitthala in his Nartananirnaya but he prescribed to obtain it by subtracting the penultimate (Up \bar{a} ntya) Sankhya from the ultimate (Antya) P $\bar{a}t\bar{a}la$ figure and write the remainder below the penultimate of P $\bar{a}t\bar{a}la$. This rules does not facilitate to write the Mah $\bar{a}p\bar{a}t\bar{a}la$ figures from the very first house. But, as per the version prescribed in T $\bar{a}lada sapranad\bar{i}pika$ they could be obtained by writing the total of the preceding 1^{st} , 2^{nd} , 4^{th} and 6_{th} figures of P $\bar{a}t\bar{a}la$ treating the respective upper P $\bar{a}t\bar{a}la$ -figure as the preceding 1^{st} .

14. MODIFIED VERSION OF CATUR ANGA - AKHANDA - PRASTARA

(a) Version furnished in Sangita Ratnākara :

0	I	ΟΙ	S	OS	Ś	oŚ	ıs	olş
1	2	3	6	10	19	33	60	106
1	2	5	10	22	44	91	180	358

(b) Version furnished in Gāyakalōcanam :

	0	I	OI	S	os	Ş	oŚ	ış	oış
1	1	2	3	6	10	19	33	60	106
	1	2	5	10	22	44	91	180	358
	1	3	7	16	34	72	147	298	592

(c) Modified Version :

	1	2	3	4	5	6	7	8	9
1	1	2	3	6	10	19	33	60	106
	1	3	7	16	34	72	147	298	592

In fact, the Pātāļa figures are also included in Mahāpātāļa and Mahāpātāļa is far more useful than Pātāļa facilitating very easy application of 'Kalita' which furnishes the full details of all the Angas until the required prastāra in question. Keeping the multipotency of Mahāpātāļa in view, the Pātāļa has entirely been eliminated in this book and Mahāpātāļa, with a direct link with Saṅkhya, which has been discovered by the author of this book, has been furnished and the same could be obtained by arriving at the total of all the respective preceding proxies of both Saṅkhya and Mahāpātāļa together. Moreover, unlike in any other book this Mahāpātāļa has also been extended to almost all the tables of Khaṇḍa-prastāra and furnished with tables of figures and suitable key-rules in the III chapter of this book.

6.7. AKHANDA NAȘȚA AND UDDIȘȚA

Naṣṭa and Uddi ṣṭa, which could be answered with the help of Saṅkhya are the most important and vital aspects of this element and they are elaborated from the Ślōkas 13th to 23rd of Saṅgīta Ratnākara. This is the only book in the annals of our music literature in which Naṣṭa and Uddi ṣṭa are furnished with definitions and examples by the commentators than any other book. But, unfortunately, the modus operandi of Naṣṭa and Uddi ṣṭa furnished in it is not at all clear to follow and it looks either the author himself or the commentators or even the editors have furnished their respective versions keeping the answers only first in view.

In his Nartananir naya, along with the general Naṣṭōddiṣṭa, Paṇḍarīka Viṭṭhala prescribed entirely different varieties and they are : 1. Sarvapātāļa 2. Viparīta-naṣṭōddiṣṭa 3. Drutahāranaṣṭōddiṣṭa 4. Madhyarūpa-uparisthita-naṣṭōddiṣṭa and 5. Madhyarūpa-adhasthita – naṣṭōddiṣṭa. Among them Viparīta (reverse) – naṣṭōddiṣṭa is re-named as 'Vilōma-naṣṭōddiṣṭa' to be identical with the name of 'Anulōma-naṣṭōddiṣṭa' which is the general obverse-naṣṭōddiṣṭa and they both are included in the divisions of Naṣṭa and Uddiṣṭa. The prastāras, basing upon the Aṅgas occur in the right extreme, are called as Drutānya-prastāras, Laghvanta-prastāras, Gurvanta-prastāras etc. But, Paṇḍarīka Viṭṭhala named them as Drutahāra-prastāras etc., treating the Drutas etc., which occur in the right extreme as pendants and accordingly he had also prescribed Drutahāra-naṣṭōddiṣṭa with a brief definition following the general Naṣṭa. As the application of the process of this Drutahāranaṣṭōddiṣṭa is one and the same as in general Naṣṭōddiṣṭa this had been dropped.

Paṇḍarīka Viṭṭhala had also briefly prescribed Madhyarūpa-uparisthita – na ṣṭōddi ṣṭa and Madhyarūpa-adhasthita-na ṣṭōddi ṣṭa which facilitate to obtain the Na ṣṭōddi ṣṭa for the upper and lower prastāras of a midmost-prastāra. As their respective rules for the mode of application are inadequate relevant rules are framed by the author and prescribed in this book. Though the rules prescribed by him for Uparisthita-na ṣṭōddi ṣṭa are not incorrect, another set of rules are framed by the author and prescribed in this book bringing out the very important link between the Vilōma-Sa nkhya and the respective prastāra discovered by the Great Paṇḍarīka Viṭṭhala.

All these rules, including the modified rules of Sangita Ratnākara, are furnished in this book with a number of examples.

6.8. AKHANDA KALITA

While finding a new method for writing the figures of Mahāpātāļa linking them with Saṅkhya directly and entirely eliminating the less important Pātāļa, a very interesting link between these two lines of Saṅkhya and Mahāpātāļa has, accidentally, been discovered by the author which facilitates to know the full details of all the Aṅgas upto a required permutation in question and this has been named by the author as 'Naṣṯaṅga' and prescribed with examples in the first Telugu addition of

Tāļaprastārasāgara, along with relevant key-rules. But, a similar method which has long ago been named as 'Kalita' by Sudhākalaśa has later been found in his Saṅgītōpaniṣatsārōddhāra. So, the 'Naṣṭāṅga' has been re-named as Kalita and mentioned in this book but linking it with Saṅkhya and Mahāpātāļa and extending it to both Akhaṇḍa and Khaṇḍa-prastāras alike.

6.9. TABLE OF DRUTA (DRUTA- $M\overline{E}RU$)

The Druta-mēru furnished by Śārṅgadēva in his Saṅgīta Ratnākara is not in accordance with the other tables given by himself. In Gāyakalōcanam at the top of each vertical line of Druta-mēru while furnishing the value of prastāra the Aṅgas of the first-prastāra are furnished. As, writing thus the Aṅgas of the first-prastāra at the top sometimes becomes contrary in respect of the Devoid-permutation or containing-permutation of a specific nature, the value of the prastāra is furnished in figures at the top in this book. The Druta-mēru is properly modified and furnished with relevant key-rules in this book.

6.10. TABLE OF COMBINATIVE ANGAS (SAMYOGA-MERU)

As in the case of the Druta-mēru Śārṅgadē va had also furnished an altered version of Saṁyōgamēru in his Saṅgīta Ratnākara. In it, in total, while there are 13 horizontal lines basing upon the unitvalue of permutations in increasing order i.e. 1-Druta, 2-Drutas, 3-Drutas and so on upto 13-Drutas there are 15 vertical lines pertaining to IAEPs (Identical-aṅga-ending-permutations) of 1. Druta 2. Laghu 3. Guru 4. Pluta, duplets of 5. DL 6. DG 7. DP 8. LG 9. LP 10. GP, triplets of 11.DLG 12. DLP 13. DGP 14. LGP and a quadruplet of 15. DLGP. Unfortunately, he had so altered the order of these vertical lines that he had to add 1, 3, 5, 1, 1 & 3 numbers of zeros extra in the beginning of each of the vertical lines of L, G, P, DP, LP and GP respectively. Had he made the correct division basing upon their unit-value in serial order i.e., 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, & 26 units of D, L, DL, G, DG, LG, P, DLG, DP, LP, DLP, GP, DGP, LGP and DLGP respectively, it would have been more aesthetic and also helpful to the reader by avoiding the extra zeros. As this method prescribed in Saṅgīta Ratnākara went wrong while writing such figures pertaining to other Jātis of other modes of permutation, another specific method which could be applicable to Saṁyōga-mērus of all the Jatis of all modes of permutation is discovered by the author and furnished with suitable key-rules in this book.

In the end of the commentary of 369^{th} (58^{th}) $\$l\bar{\diamond}ka$, Kallin \bar{a} tha had incorrectly prescribed to write figure '4' instead of figure '3' in the 8^{th} house of the GP line.

In Gāyakalōcanam, probably being unware of the correct version of Saṁyōga-mēru, an entirely different version with different name 'Samudāyāṅgamēru', which is of a mere duplication of figures of all the tables of Aṅgas together, is furnished by the authors.

So, keeping all the above in view, the modified version of Samyoga-meru, including Mahapatala also in it, which is applicable to all the Jatis and modes of permutation, is furnished with suitable keyrules in this book.

6.11. KHANDA NAȘȚA, UDDIȘȚA & KALITA

Not only for all the tables of Akhanda-prastāra but also for all the tables of Khanda-prastāra (except for Samyōga-mēru) the rules for the proper application of Naṣṭa, Uddiṣṭa and Kalita are formulated by the author and furnished elsewhere in this book along with selected examples.

15. MODIFIED VERSION OF CATURĀŅGA DRUTA-MĒRU

Version furnished in Sangita Ratnākara :										
							1	1		
					1	1	7	8		
			1	1	5	6	20	27		
	1	1	3	4	9	14	25	44		
1	1	2	2	5	4	12	7	26		
1	2	3	4	5	6	7	8	9		

Version furnished in Gāyakalocanam:

(a)

(b)

									ΟIŚ	
								١Ś	1	9d
							оŚ	1	0	8D
						Ś	1	0	8	7 D
					OS	1	0	7	0	6D
				S	1	0	6	0	27	5D
			01	1	0	5	0	20	0	4D
		Ι	1	0	4	0	14	0	44	3D
	0	1	0	3	0	9	0	25	0	2D
	1	0	2	0	5	0	12	0	26	1D
1	0	1	0	2	0	4	0	7	0	Od

(c) Modified Version :

	1	2	3	4	5	6	7	8	9	
									1	9
								1	0	8
							1	0	8	7
						1	0	7	0	6
					1	0	6	0	27	5
				1	0	5	0	20	0	4
			1	0	4	0	14	0	44	3
		1	0	3	0	9	0	25	0	2
	1	0	2	0	5	0	12	0	26	1
1	0	1	0	2	0	4	0	7	0	0

16. LIST OF COMBINATIVE ĀŅGAS

(Pañcāṅga, Ṣaḍaṅga & Saṁyuktāṅga)

SI.		2		3	4	5	7	9		3	4	5	7	9	SI.
No															No.
1	0	1	U	1	1	1	1	1	Ol+	17	22	27	37	47	33
2	I	2	0	2	2	2	2	2	UOSŚ	18	23	28	38	48	34
3	OI	3	UO	3	3	3	3	3	UOI+	,,	, ,	,,	,,	,,	35
4	S	4	1	,,	4	5	7	9	ıss	,,	₩24	30	42	54	36
5	OS	5	U	4	5	6	8	10	S+	,,	,,	,,	,,	,,	37
6	IS	6	01	5	6	7	9	11	UISŚ	19	25	31	43	55	38
7	Ś	,,	UOI	6	7	8	10	12	US+	,,	,,	,,	,,	,,	39
8	OIS	7	S	,,	8	10	14	18	OISŚ	20	26	32	44	56	40
9	ОŚ	,,	US	7	9	11	15	19	OS+	,,	,,	,,	,,	,,	41
10	١Ś	8	OS	8	10	12	16	20	UOISS	21	27	33	45	57	42
11	+	,,	UOS	9	11	13	17	21	UOS+	,,	,,	,,	,,	,,	43
12	ΟIŚ	9	IS	,,	12	15	21	27	IS+	,,	28	35	49	63	44
13	0+	,,	Ś	,,	,,	,,	,,	,,	\$+	,,	,,	,,	,,	,,	45
14	sŚ	10	UIS	10	13	16	22	28	UIS+	22	29	36	50	64	46
15	l+	,,	UŚ	,,	,,	,,	,,	,,	U\$+	,,	,,	,,	,,	,,	47
16	oss	11	OIS	11	14	17	23	29	OIS+	23	30	37	51	65	48
17	Ol+	,,	os	,,	,,	,,	,,	,,	O\$+	,,	,,	,,	,,	,,	49
18	ISŚ	12	UOIS	12	15	18	24	30	UOIS+	24	31	38	52	66	50
19	S+	,,	UOŚ	,,	,,	,,	,,	,,	UO\$+	,,	,,	,,	,,	,,	51
20	OISŚ	13	ιs	,,	16	20	28	36	۱\$+	,,	32	40	56	72	52
21	OS+	,,	0+	,,	,,	,,	,,	,,	UI\$+	25	33	41	57	73	53
22	IS+	14	UIS	13	17	21	29	37	OI\$+	26	34	42	58	74	54
23	S+	,,	U+	,,	,,	,,	,,	,,	UOI\$+	27	35	43	59	75	55
24	OIS+	15	OIS	14	18	22	30	38	S\$+	,,	36	45	63	81	56
25	OS+	,,	0+	,,	,,	,,	,,	,,	US\$+	28	37	46	64	82	57
26	۱\$+	16	UOIS	15	19	23	31	39	OS\$+	29	38	47	65	83	58
27	OI\$+	17	UO+	"	} "	,,	,,	,,	UOS\$+	30	38	48	66	84	59
28	S\$+	18	ss	,,∖	[/] 20	25	35	45	IS\$+	,,	40	50	70	90	60
29	OS\$+	19	+	,,	,,	,,	,,	,,	UIS\$+	31	41	51	71	91	61
30	IS\$+	20	USŚ	16	21	26	36	46	OIS\$+	32	42	52	72	92	62
31	OIS\$+	21	UI+	,,	,,	,,	,,	,,	UOIS\$+	33	43	53	73	93	63
32			oss	17	22	27	37	47					C	Cont	d

1	1	24	8	47	4 - 7
2	2	25	1 - 8	48	1 - 3 - 7
3	1 - 2	26	2 - 7	49	5 - 6
4	3	27	3 - 6	50	1 - 4 - 6
5	1 - 3	28	1 - 2 - 6	51	2 - 3 - 6
6	4	29	4 - 5	52	2 - 4 - 5
7	1 - 4	30	1 - 3 - 5	53	1 - 2 - 3 - 5
8	2 - 3	31	2 - 3 - 4	54	11
9	5	32	9	55	1 - 11
10	1 - 5	33	1 - 9	56	2 - 10
11	2 - 4	34	2 - 8	57	3 - 9
12	1 - 2 - 3	35	3 - 7	58	1 - 2 - 9
13	6	36	1 - 2 - 7	59	4 - 8
14	1 - 6	37	4 - 6	60	1 - 3 - 8
15	2 - 5	38	1 - 3 - 6	61	5 - 7
16	3 - 4	39	1 - 4 - 5	62	1 - 4 - 7
17	1 - 2 - 4	40	2 - 3 - 5	63	2 - 3 - 7
18	7	41	1 - 2 - 3 - 4	64	1 - 5 - 6
19	1 - 7	42	10	65	2 - 4 - 6
20	2 - 6	43	1 -10	66	1 - 2 - 3 - 6
21	3 - 5	44	2 - 9	67	3 - 4 - 5
22	1 - 2 - 5	45	3 - 8	68	1 - 2 - 4 - 5
23	1 - 3 - 4	46	1 - 2 - 8	69	12

															I-60
										0	- 3 3		D	L	G
						-	19	D	L	G	Р	1	0	0	0
			0 S	- 10		D	L	G	Р	1	0	0	0	0	0
s -	6	D	L	G	1	0	0	0	0	0	0	0	7	0	0
L	G	1	0	0	0	0	0	0	6	0	0	0	0	0	0
0	0	0	0	0	5	0	0	0	0	0	0	0	20	1	0
0	0	4	0	0	0	1	0	0	14	4	0	0	0	10	0
1	0	0	3	0	9	6	0	0	0	10	0	0	25	18	1
3	1	5	4	2	0	7	5	1	12	12	10	2	0	21	20
2	5	0	3	8	4	5	14	18	0	7	23	31	7	10	39

18. MODIFIED VERSION OF SAMYOGA-MERU

	0	Ι	S	Ś											
	1	0	0	0											
	1	1	0	0	OI										
	1	0	0	0	2										
	1	1	1	0	3	0S									
	1	0	0	0	7	2	0\$	IS							
	1	1	0	1	11	3	0	2	١Ś	s\$	OIS				
	1	0	0	0	20	4	2	0	0	0	6				
	1	1	1	0	32	5	3	3	2	0	12	01\$			
	1	0	0	0	54	9	4	0	0	0	32	6			
	1	1	0	0	87	13	5	7	3	2	60	12	oss		
	1	0	0	0	143	18	6	0	0	0	134	32	6	ISŚ	
	1	1	1	1	231	24	7	11	4	0	251	60	12	6	oiss
	1	0	0	0	376	35	11	0	0	0	500	122	20	0	24
(b)	ľ	Mod	ified v	ersior	1:										
	0														
	1	Ι													
	1	1	OI												
	1	0	2	S											
	1	1	3	1	OS										
	1	0	7	0	2	IS	Ś								
	1	1	11	0	3	2	1	OIS	0\$						
	1	0	20	0	4	0	0	6	2	١\$					
	1	1	32	1	5	3	0	12	3	2	οιs				
	1	0	54	0	9	0	0	32	4	0	6	sŚ			
	1	1	87	0	13	7	0	60	5	3	12	2	0S\$		
	1	0	143	0	18	0	0	134	6	0	32	0	6	ıss	
	1	1	231	1	24	11	1	251	7	4	60	0	12	6	oiss
	1	0	376	0	35	0	0	500	11	0	122	0	20	0	24

(a) Version furnished in Sangīta Ratnākara :

6.12. \overline{SO} DA SANGAS – A CRITIQUE

In some of the music books written in the preceding century 'Soḍaśāṅgas' (16 Aṅgas) are furnished as mentioned hereunder in a decreasing order of value starting from Kākapāda:

Sl.No.	A n ga/Samyuktānga	Units	Sign
1.	Kākapāda	16	+
2.	Pluta-druta-virāma	15	ъ S
3.	Pluta-druta	14	ŝ
4.	Pluta-virāma	13	š
5.	Pluta	12	Ś
6.	Guru-druta-virāma	11	ğ
7.	Guru-druta	10	Š
8.	Guru-virāma	9	Š
9.	Guru	8	S
10.	Laghu-druta-virāma	7	ğ
11.	Laghu-druta	6	Ŷ
12.	Laghu-virāma	5	Ĭ
13.	Laghu	4	Ι
14.	Druta-virāma	3	ъ
15.	Druta	2	0
16.	Anudruta	1	J

In the olden days the 'Virāma,' having become appended to mostly either to Druta or Laghu and having a fluctuative value of half of the appended Anga, was used to be rendered along with the appended Anga. In those olden days mostly Catura śra-jāti was in vogue and this 'Virāma' was used to become appended to the Angas pertaining to the Catura śra-jāti only. But in the later period this 'Virāma' was given a fixed value of '1' unit on par with the Anudruta and furnished in these 'Ṣōḍaśānġas'.

Persons having sufficient knowledge of this Tā laprastāra can only understand easily that this term 'Ṣōḍaśā ṅgas'(16 Aṅgas) can be used only in respect of the Aṅgas pertaining to the Caturaśrajāti and that this term should be modified as 'Dvādaśā ṅgas'(12-Aṅgas) in respect of the Aṅgas pertaining to the Trisra-jāti, as 'Viṁśatyaṅgas'(20-Aṅgas) in respect of the Aṅgas pertaining to the Khaṇḍa-jāti, as 'Aṣṭāviṁśatyaṅgas' (28-Aṅgas) in respect of the Aṅgas pertaining to the Miśra-jāti and as 'Ṣaḍtrimśadangas'(36-Aṅgas) in respect of the Aṅgas pertaining to the Saṅkirṇa-jāti. They can also easily understand that many of them are only Saṁyuktāṅgas used only in Saṁyuktāṅgaprastāra having only the mathematical value but not any rendering value in any Tāla as Aṅgas at all.

For example one of the Samyuktāngas, 'Laghu-druta-virāma' prescribed in the Tāļa 'Śarabhanandana' (SIOIIOUYOOOU \heartsuit \heartsuit \circlearrowright YOUOUOYO \heartsuit \heartsuit -24 Angas, 79 Kriyas) said to have been created by Śyāma Sāstry has to be rendered, in fact, with one 'Dhruvaka' (beat) each of the Laghu, Druta and Virāma thus making a total of three beats for a single Anga in addition to their respective Niḥśabda-kriyas. But, in our music, as any Anga (except Kākapāda) consists of only one beat in the beginning and all the other kriyas, if any, are sound-less, no Anga admits more than one beat at all, it is very important to note that Tāļas like this 'Śarabhanandana' consisting of this kind of Samyuktāngas are not for rendering at all but for mathematical purpose only.

♦****♦*****♦**

19. TABLE OF GENERAL PERMUTATION-TRISRAJĀTI-PAÑCĀŅGA SAID TO HAVE BEEN WRITTEN BY ŚYĀMA ŚĀSTRY HIMSELF

(respective correct figures are furnished in the 2nd line)

Units		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Saṅkhya		1	2	4	7	13	25	46	86	162	306	561	1066	1114	3728	6175	13041	24407	45651
	1										302	565	1058	1978	3700	6923	12949	24223	45315
Pātāļa		1	2	5	12	26	56	120	250	517	1012	2163	4372	8715	17600	35068	61620	137750	271734
											1062	2159	4364	8775	17552	34964	69396	137270	270734
Mahāpātāļa		1	3	8	11	43	95	204	431	100	1857	3803	7721	15606	31340	62645	124701	247327	488161
					19					900		3799	7717	15574	31264	62473	124321	246511	487237

20. SERIAL NUMBERS OF 35 $T\bar{A}L\!AS$

					Authentic Sl. Nos.				
SI. No.	Tāļa & Aṅgas	Name	Value of Jāti	No. of Kriyas	Pañcāṅga	Sadaṅga	Saṁyuktāṅga		
1	Π	Maņi	3	11	-	20	149		
2	- I0	Śrikara	4	14	7	25	553		
3	IVa	Pramāņa	5	17	-	33	2129		
4	hru	Pūrņa	7	23	-	67	33089		
5	D	Bhuvana	9	29	-	156	525569		
6	IO	Sāra	3	8	-	5	21		
7	- I	Sama	4	10	3	5	41		
8	hya	Udaya	5	12	-	5	81		
9	Iaț]	Udīrņa	7	16	-	5	321		
10	2	Rāva	9	20	-	5	1281		
11	Ι	Cakra	3	5	-	1	3		
12	0	Patti	4	6	1	1	3		
13	ka	Rāja	5	7	-	1	3		
14	ūpa	Kula	7	9	-	1	3		
15	Ri	Bindu	9	11	-	1	3		
16) 0	Kadamba	3	6	-	9	13		
17	JI -	Madhura	4	7	-	8	25		
18	ıpa	Caṇa	5	8	-	10	49		
19	am	Sura	7	10	-	18	193		
20	JL	Kara	9	12	-	39	769		
21	0	Śankha	3	7	-	11	21		
22	- I0	Adi	4	8	5	10	41		
23	ıţa	Dușkara	5	9	-	8	81		
24	ripı	Lila	7	11	-	8	321		
25	Í	Bhōga	9	13	-	8	1281		
26		Gupta	3	10	-	71	71		
27	100	Lekha	4	12	15	85	649		
28	a -]	Vidala	5	14	-	110	2577		
29	Aţ	Lōya	7	18	-	233	41025		
30		Dhira	9	22	-	555	655617		
31		Sudha	3	3	-	1	1		
32	I -	Māna	4	4	1	1	1		
33	ka	Rata	5	5	-	1	1		
34	Ē	Rāga	7	7	-	1	1		
35		Vasu	9	9	-	1	1		

Chapter - 7

TĀĻAS WITH SERIAL NUMBERS

TĀĻAS FURNISHED WITH SERIAL NUMBERS

In the annals of our music literature there are only two books on music in which the serial numbers are furnished for the $T\bar{a}$ as prescribed in them and they are : 1. Sangitasamayasāra (Sanskrit) and 2. Gāyakalōcanam (Telugu).

The book 'Sangitasamayasāra' is written by $P\bar{a}r \le vad \bar{e}va$ around 1165 A.D. In it 52 T \bar{a} las are furnished along with names, serial numbers and series of T \bar{a} langas out of which 25 serial numbers are found incorrect.

The book 'Gāyakalōcanam' is written and published by Taccūr Siṅgarācārya Bros., in 1902. In it 158 Tāļas are furnished along with new names, serial numbers and series of Tāļā ṅgas out of which 43 serial numbers are found incorrect.

All the above mentioned Tālas are furnished here. In respect of the correct or incorrect Tālāngas :

- (a) they are shown in brackets if they are originally furnished contrarily than the required
- (b) the correct ones are shown just below the incorrect ones diagonally and
- (c) the newly found correct ones are marked with an asterisk.

For example, in the $T\bar{a}$ las of 'Sangitasamayas ara':

- (a) the 14th Tāla 'Maṭṭha' is originally furnished with the incorrect total value of the series of Tālā ngas of 16-units instead of 8-units and so, the incorrect Tālā ngas are shown within brackets,
- (b) the serial number '71' and the respective series of Tālāngas 'S O O O O S' of the 40th Tāla 'Bindumāli'contradict each other and so, the correct series of Tālāngas (O I I O O O S) of the corresponding serial number '71' and the correct serial number (74) of the corresponding series of Tālāngas 'S O O O O S' are furnished just below diagonally and
- (c) the corresponding series of Tālā ngas of the 36th and 37th Tālas 'Nandana and Srīkandarpa' respectively, which are not at all furnished originally in the text, but later found with the help of the easy method 'Naṣța', are marked with an asterisk.

In the same manner other correct and incorrect versions could be identified and understood.

7.1 TĀĻAS FURNISHED IN "SANGĪTASAMAYASĀRA"

1.	Prati	-	5	-	IOO (4 units)
2.	Karaṇayati	-	6	-	0000
3.	Rati	-	2	-	IS (6 units)
4.	Darpaṇa	-	3	-	00S
5.	Madana	-	4	-	(00\$)
					SI
6.	Haṁsal la	-	5	-	II
					Ш
7.	Kudukka	-	6	-	OOII
8.	Varņa	-	15	-	IIOO
9.	Şaț	-	19	-	000000
10.	Rājamrgānka	-	2	-	OIS (7 units)
11.	Simhal la	-	13	-	IOOOI
12.	Rājamārtānḍa	-	18	-	SI0
13.	Catuh	-	18	-	S000
			28	-	SI0
14.	Mațțha	-	4	-	(IISSII) (8 units)
					IIS (also called Udikṣaṇa)
15.	Lalita	-	5	-	700IS (also called Varnabhinna)
16.	Viravikrama	-	7	-	IOOS
17.	Ranga	-	8	-	0000S
18.	Gajalila	-	13	-	(IIII)
					IIII
19.	Rājavidyādhara	-	43	-	IS00
20.	Mallikāmōda	-	56	-	110000
21.	Ānandavardhana	-	3	-	001\$ (10 units)
22.	Viṣamakaṅkāļa	-	8	-	ISS
23.	Khaṇḍakaṅkāḷa	-	9	-	(00S)
					00SS
24.	Dheñki	-	10	-	SIS
25.	Mukunda	-	14	-	IOOIS
26.	Abhinandana	-	21	-	II00S
27.	Samakaṅkāļa	-	28	-	SSI
28.	Pūrņakankāļa	-	33	-	0000SI
29.	Tribhinna	-	2	-	IS \$ (12 units)
30.	Kōkilapriya	-	3	-	SI\$
			4	-	00S\$

Udgha ța	-	8 -	SSS
	2	2 -	1001\$
Tribhangi	-	7 -	IISS (also called Ratilila)
	2	3 -	IOIŚ
Cācapuța	- 1	- 0	SIIS
	3	1 -	0S0\$
Kanduka	- 1	1 -	IIIIS
	3	2 -	0110\$
Śrikirti	- 1	9 -	SSII
	10	7 -	000000\$
Nandana	- 1	8 -	10000\$*
Śrikandarpa	- 2	5 -	0I0SS* (also called Parikrama)
Tryaśravarņa	- 3	3 -	IOOIIS
	3	5 -	00IIIS
Vanamāli	- 6	- 0	0000I00S
	6	9 -	00000I0S
Bindumāli	- 7	1 -	S0000S
	7	4 -	011000S
Varņayati	-	2 -	II\$\$(16 units)
Cancapuța	-	8 -	SSIS
	2	8 -	ISSŚ
Śriraṅga	-	9 -	IISIŚ
	2	9 -	₽OSS\$
Vijayānanda	- 2	- 0	IISSS
	21	4 -	soos\$
Śrōtŗmațțha	- 2	3 -	SIISS
	22	2 -	1000S\$
Simhan da	- 2	8 -	ISSIS
	27	8 -	SSIS
Ananga	- 3	1 -	IŚIIS
	29	6 -	0I0SI\$
Jayamangala	- 3	3 -	IISIIS
	29	9 -	0000SI\$
Pratyanga	- 6	3 -	SSSII
	107	4 -	0010101\$
Hamsan da	- 33	- 0	I\$00\$
	13	2 -	000II0IIS
Rājacūdāmaņi	- 45	- 0	00ISI\$
	- 3	- 0	10010000IS
Şațpitāputraka	- 8	9 -	SISSIS (24 units)
	277	9 -	SISI\$\$
	Udgha țaTribhangiCācapuțaKandukaŚrīkīrtiNandana Śrīkandarpa TryaśravarņaVanamāliBindumāliVarņayati CancapuțaŚrīrangaŚrīrangaSirinhan daSimhan daJayamanga]aPratyangaHarinsan daRājacūdāmaņiŞaţpitāputraka	Udgha ta - 2 Tribhangi - 2 Cācapuța - 1 Q 3 3 Kanduka - 1 Srīkīrti - 1 Nandana - 1 Srīkandarpa - 2 Tryasravarņa - 3 Vanamāli - 6 Bindumāli - 7 Varņayati - 2 Srīranga - 2 Vijayānanda - 2 Srīranga - 2 Vijayānanda - 2 Srīranga - 2 Vijayānanda - 2 Pratyanga - 6 13 Rājacūdāmaņi - 3 Şatpitāputraka - 3 Satpitāputraka -	Udgha ta - 8 - 22 - Tribhangi - 7 - 23 - 23 - Cācapuṭa - 10 - 31 - 31 - Kanduka - 11 - 32 - 31 - Kanduka - 11 - 32 - 31 - Kanduka - 11 - 32 - 107 - Nandana - 18 - Srīkandarpa - 25 - Tryas'ravarņa - 33 - 35 - - - Vanamāli - 60 - 69 - - - Varņayati - 2 - Cancapuṭa - 8 - 29 - - - - Vijayānanda - 20 - - <

7.2. TĀĻAS FURNISHED IN "GĀYAKALŌCANAM"

Tāļa consisting of 1 ¹ ⁄2 -Mātras (6-units) :		
1. Nați	-	1 - OI
Tāļas consisting of 2 - Mātras (8-units) :		
2. Națani	-	3 - 00I
3. Nartana	-	5 - IOO
Tāļas consisting of 2 ¹ /2 - Mātras (10-units) :		
4. Karamani	-	4 - 000I
5. Jayasri	-	1 - OS
6. Śrikari	-	3 - IOI
Tāļas consisting of 3 - Mātras (12-units) :		
7. Națanajnā	-	3 - 00S
8. Nāțyamaņi	-	8 - IOOI
9. Națanamaņi	-	9 - 0000I
Tāļas consisting of 3½ - Mātras (14-units) :		
10. Națanimani	-	1 - OOIOI
	-	11 - 0\$
11. Nātyajīvi	-	3 - IOS
12. Atitvaritā	-	12 - OIOOI
13. Pādadhvani	-	9 - SOI
Tāļas consisting of 4 - Mātras (16-units):		
14. Janavinutā	-	26 - I0000I
15. Vinōdanațani	-	25 - 0I000I
16. Nartanapriyā	-	20 - IOIOI
17. Națanavinōdī	-	8 - 0000S
18. Caraṇaghaṭṭanī	-	21 - 000I0I
19. Srngārakari	-	22 - SOOI
Tāļas consisting of 41/2 - Mātras (18-units) :		
20. Śrikaļāpriyā	-	35 - IOOIOI
21. Nartanavinōdī	-	12 - I000S
22. Sadānādamaņi	-	37 - 0S00I
23. Karadēsavāsani	-	43 - 00I000I
24. Caranayugadhvani	-	36 - 0000I0I
25. Janasammōdini	-	3 - 00S0I
		30 - 000\$
Tāļas consisting of 5 - Mātras (20-units) :		
26. Sankarāhlādinī	-	55 - IOSOI
27. Layaparigrāhini	-	56 - 000S0I

28. Bharatamunindravinutā		-	181 -	000010000
29. Pādayugaghattani		-	65 -	IOOOIOI
30. Ghaṇṭānādamayi		-	67 -	\$00I
31. Karatādanadhvani		-	63 -	00I0I0I
32. Nandivādyavibhrama		-	151 -	I0I0I00
Tāļas consisting of $5\frac{1}{2}$ - Mātras (22-units) :				
33. Bhrnginatanapriyā		-	111 -	SOOIOI
34. Arjunanirmitāngi		-	32 -	IOOIOS
35. Trilokasancāriņi		-	95 -	0I0S0I
36. Vilasitapadacāriņi		-	116 -	101000000
37. Divyakusumasāyaki		-	115 -	I0000I0I
38. Nānājanakaramaņi		-	144 -	S00000I
Tāļas consisting of 6 - Mātras (24-units) :				
39. Rājēndrasammōdini		-	172 -	SOSOI
40. Națanādaōmkāriņi		-	174 -	0010S01
41. Gandharvõpakāriņi		-	192 -	(S0I0I)
				\$0I0I
42. Cidambarēśwaranațani		-	258 -	(0I0I000I)
				010100001
43. Vāsudēvānandini		-	166 -	10\$0I
44. Rasikajanānumōdinī	ā	-	200 -	101010000
45. Rājarājaprasangi		-	49 -	IOSOS
46. Kinnarabhāmadaraņā		-	217 -	I00S00I
47. Amarasannutajayasri		-	73 -	000I000S
48. Mrdangavādyānukūla		-	365 -	010S010
49. Hams nandagamani		-	252 -	\$0000I
Tāļas consisting of 6½ - Mātras (26-units) :				
50. Mēnakātmajāpramōdini		-	343 -	IOSOIOI
51. Vadhūjanāsrayadhimaņi		-	361 -	010100101
52. Ānandōtsavadāyini		_	355 -	\$00I0I
53. Anangahrdayāntarangi		-	104 -	0I000I0S
54. Sadvidhanāțyānukāriņi		_	293 -	100\$0I
55. Kāļiyavişadharabhēdini		_	372 -	1000000101
56. Gangātarangasikhariņi		_	455 -	S0I0000I
57. Padayugavinyastamani		_	304 -	0000\$0I
			294 -	0S0S0I
Tāļas consisting of 7 - Mātras (28-units) :				
58. Rambh nāţyānukūlini		-	613 -	SSOIOI

59. Tāņḍavasampr tikāriņi	-	617	- I00S0I0I	
60. Agastyanirmitamōhini	-	552	- 0I0I0S0I	
61. Sivakāmavaraprasādini	-	334	- 00I00I0I0I	
		634	- 0I0\$II	
62. Mēdinijanasantōsiņi	-	557	- IOIOOSOI	
63. Tripurāntakaprēmāmaņi	-	528	- 00I0\$0I	
64. Uttarakanyakābhyāsini	-	553	- IOOIOSOI	
65. Anādinātyaprākasini	-	616	- OIOSOIOI	
66. Sāhityarasānukūlini	-	632	- S00I0I0I	
67. Gajamukhanatanasamvardhan	-	564	- 000000S0I	
68. Gajagāminīpādayukta	-	155	- 00I0S0S	
69. Kāntājanamanōhāriņi	-	559	- S000S0I	
70. Purandarvaraprabhāmaņi	-	635	- 0100010101	
Tāļas consisting of 7½ - Mātras (30-units) :				
71. Virincyānandasvarūpiņi	-	1093	- OSSOIOI	
72. Gōpikākridāvilāsini	-	1091	- I0\$0I0I	
73. Manmadhakēļikāviloliņi	-	1124	- IOOIOIOIOI	
74. Atikathinanatanasvarūpiņi	-	1135	- 000000010101	
75. Vēņugānasamyukt mani	-	937	- I0I0\$0I	
76. Munijanānandapradāyini	ē -	1092	- 000\$0I0I	
77. Sanakasanandanasamt sini	-	994	- 0000I00S0I	
78. Sangitaprabandhavardhani	-	1117	- \$0I0I0I	
Tāļas consisting of 8 - Mātras (32-units) :				
79. Sarasvatīgaļadvanamālinī	-	2307	- 01010100101	
		2069	- I0\$0I00I	
80. Hastavinyastakramavādini	-	2306	- I0\$00I0I	
		2037	- 01\$01001	
81. Nārāyaņasamkh numōdini	-	1970	- SOOSOIOI	
82. Gaurivallabhanirmitāmaņi	-	2017	- \$00I0I0I	
83. Ādibharatasāstrapravīņatā	-	1974	- I0000S0I0I	
84. Isvaraprasādajanitanipuņā	-	2711	- I0I0I0000001	
85. Tāņḍavakriṣṇamūrṭinaṭanabhara	-	2680	- I00I0I00000I	
86. Sundarānganālāsyacāriņi	-	1968	- IOIOSOIOI	
87. Nartakadhijanahrdayaranjani	-	2130	- I00I00000I0I	
88. Parabhikarasvādhinasulabhini	-	2582	- (00I00S0000)	
			00100S00001	
89. Bhāmāmaņipādavivardhani	-	630	-	(S00S00SI)
--	---	--------	---	-------------------
				S00S00S
90. Dēvāsurāhlādōpacāriņī	-	466	-	S0\$0S
91. Kēsavapadāmbhōjānusaraņā	-	2420	-	1000\$000I
92. Kēraļavanitāpādasarasijā	-	2584	-	I0000S0000I
93. Rāmālalāmapādacāriņi	-	2511	-	SOIOIOIOI
		2011	-	0051010001
Tāļas consisting of 81/2 - Mātras (34-units):				
94. Indusēkharatāņdavādambari	-	3148	-	I0I00I0S0I
95. Rāvaņahastavādyānurāgiņi	-	3517	-	IOOIOSOIOI
96. Ranajabhērivādyabhayamkar	-	3640	-	0000\$00101
Tālas consisting of 9 - Mātras (36-units)				
97. Tilottamānghrisaroruhamodini	_	6601	_	01050100101
98 Sangaranadaghattana <ringarini< td=""><td>_</td><td>5383</td><td>_</td><td>1000010501</td></ringarini<>	_	5383	_	1000010501
99 Hanumadhharatalaksmananrakācini	_	6443	_	0010001010101
		0445		0010001010101
Tāļas consisting of 10 - Mātras (40-units):				
100. Visvambharārpitākāratāļas obhā	-	5681	-	SOIOSOIOS
101. Nāradādimunindrahrdayasammodini	-	18344	-	I0I00I0000S0I
102. Śrigajagāminipādāruņabhēdakari	-	24250	-	100100S001001
ī		24105	-	SS00I00I00I
103. Kāminijanapāncālasyahrdimaņi	-	21333	-	10100\$00101
		20833	-	0\$0S000I0I
Tāļas consisting of 12 - Mātras (48-units):				
104. Kālyaņōtsavasamayōcitavaranātyakāriņī	-	212685	-	\$00001000010101
		212529	-	10010001000010101
105. Yamunātiravāsabhāmājanahrdayamōdini	-	222262	-	00\$010\$00000101
TĀLAS PERTAINING TO TRISRA-JĀTI :				
106 Guni	_	2	_	UO
107. Gunini	_	- 3	_	UUO
108 Tāndavasrī	_	4	_	ОШ
109 Nātvainabhūsanā	_	60	_	ΠΙΟΠΟ
110 Dēvāsuramodini	_	99	_	
111. Śrógārini	_	9	_	ПЛО
112 Surānandini	_	15	_	
113. Natanapramōdā	_	11	_	UUOUI
114. Nātvavinōdā	_	5	_	пл
115. Muniprasangi	_	6	_	UOUI
		5		

116. Kalyāņasilāngi	-	4 -	IUŚ
117. Sadānandadāyini	-	19 -	UIU0U0
		109 -	· IOOI
118. Mādhavānghrisarōruha	-	(386) -	- OUIUOU
		195	
119. Vārabhājanasammōdini	-	1237 -	· OUIUUIUO
120. Vēņuvādyalilāvinodini	-	3040 -	· 0U0UIU0U0
		2518 -	OUIUUOUUU0
121. Gambhiravārāsitarangēsunāmni	-	498 -	· IUIUUIUI
		1418 -	- OOIUOII
122. Simh ndramadhyamabhūṣaṇāṅgi	-	1449 -	· IU0UUU0UI
		927 -	· UI0IUI0
123. Dundubhivādyamaņi or	-	2690 -	0U\$U0
Pakșirājēndrākrti		2168 -	- II0IUU0
124. Paramēsanirmāņanāmarūpi	-	9264 -	UU0USU0U0
		8742 -	• UUU00UUUUU0U0
125. Pārvatī manojātan āmakārini	-	16479 -	- 0U0USU0U0
		16355 -	· UUUUUUUUUUU0U0
126. Trisramiśrakhaņdasankirņayukta	-	485 -	- 0U0U0UIUI
		1405 -	- IOUOOII
127. Bhiṣaṇākārajanitānandānōtsava ā	-	7548211 -	00\$000\$00
		7446592 -	UU0UU0U00SIIU0
128. Atyantasūksmamadhyamākritisumo	-	10464 -	IU0U0U0U0UI
		10862 -	• UUU0UUUUU00UI
129. Angajanātyānusaraņākāramaņi	-	1174 -	0UUIUUUU0
		9612 -	· U00UIUUII
130. Vēdikāmadyaikākṣari	-	651 -	- OUIUIUO
131. Gārudapaksināmamaņi	-	9824 -	0UU\$UU0
		9302 -	· UU0UUU000UU0
132. Dēvēsādisurapramōdini	-	3514 -	SUU0U0U0
		31310 -	· U000UUUU0II
133. Brahmadēvanirmitākāramaņi	-	93352 -	0U0U0U\$U0
		92856 -	- 00UU0UU0SU0
134. Dēvākritihamsākritimaņi	-	1748 -	• 0UUUIUUU0
		848 -	· U0I00UUU
135. Rāsakridāvinodini	-	383 -	- SU0U0
136. Rājīvapuspam lākrtisunādā	-	3029 -	· IU0UIU0UI
137. Śrikaņțhanāțyamōdānukūlā	-	367 -	IUSUI

138. Kalhārasumamālāk ŗ tisubhadrā	-	(7633) 5891	-	IUUUSUUU
139. Yantralōkālōkādivyāpārākāriņi	-	26817	-	0USUSU0
		26693	-	U000UUUSU0
140. Jājīsukētakīmādhavīsupunnāgamālikāngi	-	244668	-	IUOUIUOUIUOUI
		242910	-	UUII00I0U0UI
141. Śrngārākārasobhitasrilaksmi	-	124467	-	SSS00UUUU
- kaṭākṣavīkṣāmaudā		6368486	-	IU00UUUUUUU00US
142. Națanajanavajrāyudhā	-	1258	-	UUUUUUUUU0
143. Karacaraṇaśabdākāramaṇi	-	27529	-	UUUUU\$UU0
		17405	-	0U0IUUU000U
144. Suravarakinnaramuninutā	-	907	-	UUUU0UUUU0
145. Bhikaradanujamadaharanamusalā	-	5105	-	0UUUUUUUUUUU0
		6025	-	0U0U0UIUU0
146. Purandarapriyakriyābhēdanapramōdini	-	203354	-	U0U0U0UIU0U0U0
		204302	-	0010U000U0U0
147. Angāntaracaturasrā	-	51	-	IUUUUI
148. Mallayuddhasādhanapramōdā	-	2411	-	0U0U0U0UI
		889	-	0S00U0
149. Vikațanațajanakuțhāri	-	191	-	UUUUUUUUI
150. Vișamanațanapratāpasēkhari	-	3861	-	UUUUU0U0U0U0
		4781	-	UUUUU0U0UU00
151. Jagadvijayataranatanasēkhari	-	4046	-	000000000
		4966	-	000000000000000000000000000000000000000
152. Vilāsalōlākāramaņi	-	9823	-	UOUŚUUO
		9301	-	00UUU000UU0
153. Ativișadharauragēndrākāriņi	-	49914	-	UUUUUUUU\$U0
		49666	-	U0U0UUU0SU0
154. Praļayakālōddaņḍacaņḍamārutākāriņī	-	1207856	-	UUU\$U0U0UIU0
		1206456	-	IUOUUUOIUUOUIUO
155. Śriparamamunindrahrdayāhlādakāriņi	-	58541	-	0UUUU0UUUIU0U0
		57771	-	0U00UU0U0U0U0
156. Sankrandananandanavaraputra	-	733987	-	UU0UUUU0UU0U0000
-satīnatanapriyā		731163	-	ΙΙυυυουιυυουο
157. Hamsatura ng ādidēvatāpriyā	-	3847	-	0UUIU0U0U0
		4767	-	0UUIU0UU00
158. Acyutanāțyanrityanartana	-	2874397	-	0UU0U0U0UUU0UUS0
-vicitralayabrahmajfiāni		2367841	-	UU0U\$U00UUUI0

21. EXAMPLES OF DIFFERENT PERMUTATIONS

Note : Follow item No.32 of the 'Important technical-terms, abbreviations and signs'.

A. Akhaņda - prastāra

1.	2 - 7 - 33
2.	3 - 6 - 25
3.	4 - 7 - 31
4.	5 - 7 - 26
5.	7 - 8 - 36
6.	9 - 9 - 56 (1,2)
7.	1 - 6 - 32
8.	1 - 6 - 32
9.	1 - 7 - 64

B. Khaṇḍa - prastāra

1.	2 - 9 - 1 - 1 - 28
2.	2 - 12 - 1 - 0 - 29
3.	2 - 8 - 1 - 2 - 25
4.	2 - 8 - 2 - 1 - 21
5.	3 - 10 - 1 - 1 - 32
6.	3 - 12 - 1 - 0 - 23
7.	1 - 8 - 1 - 1 - 26
8.	1 - 8 - 1 - 0 - 13

33	1												0	Ś
32	2											0	Ι	S
31	3											Ι	0	S
30	4										0	0	0	S
29	5											0	S	I
28	6										0	Ι	Ι	Ι
27	7										I	0	Ι	Ι
26	8									0	0	0	Ι	I
25	9											S	0	I
24	10										I	Ι	0	Ι
23	11									0	0	Ι	0	I
22	12									0	I	0	0	I
21	13									Ι	0	0	0	I
20	14									0	0	0	0	I
19	15	1											Ś	0
18	16	2										Ι	S	0
17	17	3									0	0	S	0
16	18	4										S	Ι	0
15	19	5									I	Ι	Ι	0
14	20	6								0	0	Ι	Ι	0
13	21	7								0	I	0	Ι	0
12	22	8								Ι	0	0	Ι	0
11	23	9							0	0	0	0	Ι	0
10	24	10	1								0	S	0	0
9	25	11	2							0	I	Ι	0	0
8	26	12	3							Ι	0	Ι	0	0
7	27	13	4						0	0	0	Ι	0	0
6	28	14	5	1							S	0	0	0
5	29	15	6	2						Ι	I	0	0	0
4	30	16	7	3					0	0	I	0	0	0
3	31	17	8	4	1				0	Ι	0	0	0	0
2	32	18	9	5	2	1				I	0	0	0	0
1	33	19	10	6	3	2	1	0	0	0	0	0	0	0

1													S
2												Ι	I
3											U	0	I
4											0	U	I
5										U	U	U	I
6											U	Ι	0
7											0	0	0
8										U	U	0	0
9											Т	U	0
10										U	0	U	0
11										0	U	U	0
12									U	U	U	U	0
13	1										0	I	υ
14	2									U	U	Ι	U
15	3										Ι	0	U
16	4									U	0	0	U
17	5									0	U	0	U
18	6								U	U	U	0	U
19	7	1								U	Ι	υ	U
20	8	2								0	0	υ	U
21	9	3							U	U	0	υ	U
22	10	4	1							Ι	U	υ	U
23	11	5	2						U	0	U	υ	U
24	12	6	3	1					0	υ	U	υ	U
25	13	7	4	2	1			U	lυ	U	U	U	UΙ

4-7-31	
--------	--

1												U	0	Ι
2												0	U	I
3											U	U	U	Ι
4												U	Ι	0
5											U	0	0	0
6											0	U	0	0
7										U	U	U	0	0
8												Ι	U	0
9											0	0	U	0
10										U	U	0	U	0
11										U	0	U	U	0
12										0	U	U	U	0
13									U	U	U	U	U	0
14	1											0	Ι	U
15	2										U	U	Ι	U
16	3											Ι	0	U
17	4										0	0	0	U
18	5									U	U	0	0	U
19	6									U	0	U	0	U
20	7									0	U	U	0	U
21	8								U	U	U	U	0	U
22	9	1									U	I	U	U
23	10	2								U	0	0	U	U
24	11	3								0	U	0	U	U
25	12	4							U	U	U	0	U	U
26	13	5	1								I	U	U	U
27	14	6	2							0	0	U	U	U
28	15	7	3						U	U	0	U	U	U
29	16	8	4	1	_				U	0	U	U	U	U
30	17	9	5	2		1			0	U	U	U	U	U
31	18	10	6	3		2	1	U	U	U	U	U	U	U

1												0	I
2											U	U	I
3												Ι	0
4										U	0	0	0
5										0	U	0	0
6									U	U	U	0	0
7										0	0	U	0
8									U	U	0	U	0
9									U	0	U	U	0
10									0	U	U	U	0
11								U	U	U	U	U	0
12	1										U	Ι] U
13	2									0	0	0	0
14	3								U	U	0	0	U
15	4								U	0	U	0	U
16	5								0	U	U	0	U
17	6							U	U	U	U	0	U
18	7	1									Ι	U	0
19	8	2							U	0	0	U	U
20	9	3							0	U	0	U	U
21	10	4						U	U	U	0	U	U
22	11	5	1						0	0	υ	U	U
23	12	6	2					U	U	0	υ	U	U
24	13	7	3	1				U	0	U	U	U	U
25	14	8	4	2	1			0	U	U	υ	υ	U
26	15	9	3	5	2	1	 U] U	U	U	U	U	U

1														U	Ι
2												0	0	0	0
3											U	U	0	0	0
4											U	0	U	0	0
5											0	U	U	0	0
6										U	U	U	U	0	0
7											U	0	0	U	0
8											0	U	0	U	0
9										U	U	U	0	U	0
10											0	0	U	U	0
11										U	U	0	U	U	0
12										U	0	U	U	U	0
13										0	U	U	U	U	0
14									U	U	U	U	U	U	0
15	1													I	U
16	2										U	0	0	0	U
17	3										0	U	0	0	U
18	4									U	U	U	0	0	U
19	5										0	0	U	0	U
20	6									U	U	0	U	0	U
21	7									U	0	U	U	0	U
22	8									0	U	U	U	0	U
23	9								U	U	U	U	U	0	U
24	10	1									0	0	0	U	U
25	11	2								U	U	0	0	U	U
26	12	3								U	0	U	0	U	U
27	13	4								0	U	U	0	U	U
28	14	5	1						U	U	U	U	0	U	U
29	15	6	1							U	0	0	U	U	U
30	16	7	2							0	U	0	U	U	U
31	17	8	3						U	U	U	0	U	U	U
32	18	9	4	1						0	0	U	U	U	U
33	19	10	5	2					U	U	0	U	U	U	U
34	20	11	6	3	1				U	0	U	U	U	U	U
35	21	12	7	4	2	1			0	U	U	U	U	U	U
36	22	13	8	5	3	2	1	U	U	U	U	U	U	U	U

1									I
2					U	0	0	0	0
3					0	U	0	0	0
4				U	U	U	0	0	0
5					0	0	U	0	0
6				U	U	0	U	0	0
7				U	0	U	U	0	0
8				0	U	U	U	0	0
9			U	U	U	U	U	0	0
10					0	0	0	U	0
11				U	U	0	0	U	0
12				U	0	U	0	U	0
13				0	U	U	0	U	0
14			U	U	U	U	0	U	0
15				U	0	0	U	U	0
16				0	U	0	U	U	0
17			U	U	U	0	U	U	0
18				0	0	U	U	U	0
19			U	U	0	U	U	U	0
20			U	0	U	U	U	U	0
21			0	U	U	U	U	U	0
22		U	U	U	U	U	U	U	0
23	1				0	0	0	0	υ
24	2			U	U	0	0	0	υ
25	3			U	0	U	0	0	U
26	4			0	U	U	0	0	υ
27	5		U	U	U	U	0	0	υ
28	6			U	0	0	U	0	U
29	7			0	U	0	U	0	U
I								Cont	d

30	8											U	U	U	0	U	0	U
31	9												0	0	U	U	0	U
32	10											U	U	0	U	U	0	U
33	11											U	0	U	U	U	0	U
34	12											0	U	U	U	U	0	U
35	13										U	U	U	U	U	U	0	U
36	14	1											U	0	0	0	υ	U
37	15	2											0	U	0	0	U	U
38	16	3										U	U	U	0	0	U	U
39	17	4											0	0	U	0	U	U
40	18	5										U	U	0	U	0	U	U
41	19	6										U	0	U	U	0	U	U
42	20	7										0	U	U	U	0	U	U
43	21	8									U	U	U	U	U	0	U	U
44	22	9	1										0	0	0	U	υ	U
45	23	10	2									U	U	0	0	U	U	U
46	24	11	3									U	0	U	0	U	U	U
47	25	12	4									0	U	U	0	U	U	U
48	26	13	5								U	U	U	U	0	U	U	U
49	27	14	6	1								U	0	0	U	U	υ	U
50	28	15	7	2								0	U	0	U	U	U	U
51	29	16	8	3							U	U	U	0	U	U	U	U
52	30	17	9	4	1							0	0	U	U	U	U	U
53	31	18	10	5	2						U	U	0	U	U	U	U	U
54	32	19	11	6	3	1					U	0	U	U	U	U	U	U
55	33	20	12	7	4	2	1				0	U	U	U	U	U	U	U
56	34	21	13	8	5	3	2	1		U	U	U	U	U	U	U	U	U

1												6
2											1	5
3											2	4
4										1	1	4
5											3	3
6										1	2	3
7										2	1	3
8									1	1	1	3
9											4	2
10										1	3	2
11										2	2	2
12									1	1	2	2
13										3	1	2
14									1	2	1	2
15									2	1	1	2
16								1	1	1	1	2
17	1										5	1
18	2									1	4	1
19	3									2	3	1
20	4								1	1	3	1
21	5									3	2	1
22	6								1	2	2	1
23	7								2	1	2	1
24	8							1	1	1	2	1
25	9	1								4	1	1
26	10	2							1	3	1	1
27	11	3							2	2	1	1
28	12	4						1	1	2	1	1
29	13	5	1						3	1	1	1
30	14	6	2					1	2	1	1	1
31	15	7	3	1				2] 1	1	1	1
32	16	8	4	2	1		1	1	1	1	1	1

						<u>3</u>						<u>4</u>						<u>5</u>				<u>7</u>	<u>&</u>	<u>9</u>
1						S						q						Y						8
2					U	q					U	Y					U	I					U	ğ
3					0	Y					0	I					0	8					0	8
4				U	U	Y				U	U	I				U	U	8				U	U	8
5					I	Ι					Я	б					Я	Я					Я	Я
6				U	0	Ι				U	0	Š				0	Ū	Š				U	0	Š
7				0	U	I				0	U	Я				0	U	Я				0	U	Я
8			U	U	U	Ι			U	U	U	Я			U	U	U	Я			U	U	U	Я
9					Υ	0					Ι	0					8	0					8	0
10				U	I	0				U	Я	0				U	Я	0				U	Я	0
11				0	0	0				0	0	0				0	0	0				0	0	0
12			U	U	0	0			U	U	0	0			U	U	0	0			U	U	0	0
13				I	U	0				8	U	0				В	U	0				8	U	0
14			U	0	U	0			U	0	U	0			U	0	U	0			U	0	U	0
15			0	U	U	0			0	U	U	0			0	U	U	0			0	U	U	0
16		U	U	U	U	0		U	U	U	U	0		U	U	U	U	0		U	U	U	U	0
17					Ŷ	U					Υ	U					I	U					8	U
18				U	Y	U				U	l	U				U	8	U				U	8	U
19				0	Ι	U				0	8	U				0	8	U				0	8	U
20			U	U	I	U			U	U	8	U			U	U	8	U			U	U	8	U
21				I	0	U				8	0	U				8	0	U				8	0	U
22			U	0	0	U			U	0	0	U			U	0	0	U			U	0	0	U
23			0	U	0	U			0	U	0	U			0	U	0	U			0	U	0	U
24		U	U	U	0	U		U	U	U	0	U		U	U	U	0	U		U	U	U	0	U
25				T	U	U				J	U	U				8	U	U				8	U	U
26			U	I	U	U			U	0	U	U			U	0	U	U			U	0	U	U
27			0	0	U	U			0	0	U	U			0	0	U	U			0	0	U	U
28		U	U	0	U	U		U	U	0	U	U		U	U	0	U	U		U	U	0	U	U
29			-	U	U	U		_	0	U	U	U		-	0	U	U	U		-	0	U	U	U
30		U	0	U	U	U		U	0	U	U	U		U	0	U	U	U		U	0	U	U	U
31		0	U	U	U	U		0	U	U	U	U		0	U	U	U	U		0	U	U	U	U
32	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U

					A	<u>v</u>									A	<u>v</u>
				7	4	64							c	4	22	20
			4	<i>'</i>		64						4	ю Г	1	33	32
			ו ר	0 E	2	63						ו ר	с 4	1	34 25	20
		4	2	о г	з 4	02					4	2	4	1	30	30
		I	ו כ	с л	4	60					I	ו כ	4	1	30	29
		1	ა ი	4	5	50					1	ა ი	ა ი	1	37 20	20
		י ר	2 1	4	7	59					י ר	2 1	с С	1	30	21
	1	2 1	1	4	/ 0	50				1	2 1	1	ა ი	1	39	20
	I	1	1	4	0	56				I	1	1	ა ი	1	40	20
		1	+ 2	с С	10	55					1	+ 2	2	1	41	24
		י ר	3 2	с С	10	55					י ר	3 2	2	1	42	23
	1	2	2	с С	12	53				1	2 1	2	2	1	43	22
	1	3	2 1	с С	12	52				I	3	2 1	2	1	44	21
	1	2	י 1	с С	14	51				1	2	י 1	2	1	40	10
	' 2	2 1	1	с С	15	50				' 2	ے 1	1	2	' 1	47	18
1	1	1	1	с С	16	<u>1</u> 0			1	1	1	1	2	1	48	17
•	•	•	5	2	17	48			•	•	•	5	1	1	49	16
		1	4	2	18	47					1	4	1	1	50	15
		2	3	2	19	46					2	3	1	1	51	14
	1	1	3	2	20	45				1	1	3	1	1	52	13
		3	2	2	21	44					3	2	1	1	53	12
	1	2	2	2	22	43				1	2	2	1	1	54	11
	2	1	2	2	23	42				2	1	2	1	1	55	10
1	1	1	2	2	24	41			1	1	1	2	1	1	56	9
		4	1	2	25	40					4	1	1	1	57	8
	1	3	1	2	26	39				1	3	1	1	1	58	7
	2	2	1	2	27	38				2	2	1	1	1	59	6
1	1	2	1	2	28	37			1	1	2	1	1	1	60	5
	3	1	1	2	29	36				3	1	1	1	1	61	4
1	2	1	1	2	30	35			1	2	1	1	1	1	62	3
2	1	1	1	2	31	34			2	1	1	1	1	1	63	2
1	1	1	1	2	32	33		1	1	1	1	1	1	1	64	1

1-7-64

			0	+	1										S	+
		0	I	Ś	2									Ι	Ι	+
		Ι	0	Ś	3										Ś	Ś
		0	S	S	4									Ι	S	\$
	0	Ι	Ι	S	5									S	Ι	Ś
	Ι	0	Ι	S	6								I	Ι	Ι	Ś
		S	0	S	7										+	S
	I	Ι	0	S	8									Ι	Ś	S
		0	Ś	I	9									S	S	S
	0	Ι	S	I	10								Ι	Ι	S	S
	Ι	0	S	I	11									Ś	Ι	S
	0	S	Ι	I	12								I	S	Ι	S
0	Ι	Ι	Ι	Ι	13								S	Ι	Ι	S
Ι	0	Ι	Ι	I	14							Ι	Ι	Ι	Ι	S
	S	0	Ι	I	15	1								Ι	+	
Ι	Ι	0	Ι	I	16	2								S	Ś	1
		Ś	0	Ι	17	3							Ι	Ι	Ś	
	Ι	S	0	Ι	18	4								Ś	S	
	S	Ι	0	Ι	19	5							Ι	S	S	
Ι	Ι	Ι	0	Ι	20	6							S	Ι	S	
			+	0	21	7						Ι	Ι	Ι	S	
		Ι	Ś	0	22	8	1							+	1	
		S	S	0	23	9	2						Ι	Ś	1	
	Ι	Ι	S	0	24	10	3						S	S	1	
		Ś	I	0	25	11	4					Ι	Ι	S	I	
	Ι	S	Ι	0	26	12	5	1					Ś	1	1	
	S	Ι	Ι	0	27	13	6	2	·				S			
Ι	Ι	Ι	Ι	0	28	14	7	3	1			S	1			1
					29	15	8	4	2	1	Ι	1	1	1	1	

<u>2-12-1-0-29</u>

<u>2-9-1-1-28</u>

<u>2-8-2-1-21</u>

<u>2-8-1-2-25</u>

		0	0	Ś	1						Ι	Ś
	0	0	Ι	S	2				0	0	Ι	S
	0	Ι	0	S	3				0	Ι	0	S
	Ι	0	0	S	4				Ι	0	0	S
	0	0	S	Ι	5						Ś	Ι
0	0	Ι	Ι	Ι	6				0	0	S	Ι
0	Ι	0	Ι	Ι	7				0	S	0	Ι
I	0	0	Ι	Ι	8				S	0	0	Ι
	0	S	0	Ι	9	0	0	0	0	0	0	Ι
0	Ι	Ι	0	Ι	10				0	Ι	S	0
I	0	Ι	0	Ι	11				Ι	0	S	0
	S	0	0	Ι	12				0	S	I	0
I	Ι	0	0	Ι	13				S	0	Ι	0
		0	Ś	0	14	0	0	0	0	0	I	0
	0	Ι	S	0	15				Ι	S	0	0
	Ι	0	S	0	16				S	Ι	0	0
	0	S	Ι	0	17	0	0	0	0	Ι	0	0
0	Ι	Ι	Ι	0	18	0	0	0	Ι	0	0	0
Ι	0	Ι	Ι	0	19	0	0	Ι	0	0	0	0
	S	0	Ι	0	20	0	Ι	0	0	0	0	0
Ι	Ι	0	Ι	0	21	I	0	0	0	0	0	0
		Ś	0	0	22							
	Ι	S	0	0	23							
	S	Ι	0	0	24							
Ι	Ι	Ι	0	0	25							

			U	Ś	1									+
		U	Ι	S	2								Ι	Ś
		Ι	U	S	3								S	S
		U	S	I	4							Ι	Ι	S
	U	I	I	Ι	5						0	0	0	S
	Ι	U	Ι	I	6								Ś	Ι
U	0	0	0	I	7							Ι	S	I
0	U	0	0	I	8							S	Ι	I
0	0	U	0	I	9						Ι	Ι	Ι	I
		S	U	I	10					0	0	0	Ι	I
	Ι	Ι	U	I	11					0	0	Ι	0	I
0	0	0	U	Ι	12					0	Ι	0	0	I
U	0	0	Ι	0	13					I	0	0	0	Ι
0	U	0	I	0	14						0	0	S	0
0	0	U	Ι	0	15					0	0	I	Ι	0
U	0	I	0	0	16					0	Ι	0	Ι	0
0	U	I	0	0	17					I	0	0		0
U	I	0	0	0	18	1					0	S	0	0
I	U	0	0	0	19	2				0	Ι	I	0	0
0	Ι	U	0	0	20	3				I	0		0	0
Ι	0	U	0	0	21	4 1					S	0	0	0
0	0	Ι	U	0	22	52			ı	I	1	0	0	0
0	Ι	0	U	0	23	63	2 1		0	0	0	0	0	0
Ι	0	0	U	0	24									
			Ś	U	25									
		Ι	S	U	26									
	Ι	Ι	Ι	U	27									
0	0	0	I	U	29									
0	0	I	0	U	30									
0	Ι	0	0	U	31									
I	0	0	0	U	32									

			<u>1-c</u>	0-1-1-20				<u> </u>	<u>0-1-0-</u>	13
		1	7	1						8
	1	2	5	2					2	6
	2	1	5	3					3	5
	1	3	4	4					4	4
	3	1	4	5				2	2	4
	1	4	3	6					5	3
1	2	2	3	7				2	3	3
2	1	2	3	8				3	2	3
	4	1	3	9	1				6	2
2	2	1	3	10	2			2	4	2
	1	5	2	11	3			3	3	2
1	2	3	2	12	4	1		4	2	2
2	1	3	2	13	5		2	2	2	2
1	3	2	2	14						
3	1	2	2	15						
	5	1	2	16						
2	3	1	2	17						
3	2	1	2	18						
		7	1	19						
	2	5	1	20						
	3	4	1	21						
	4	3	1	22						
2	2	3	1	23						
	5	2	1	24						
2	3	2	1	25						
3	2	2	1	26						

1-8-1-1-26

<u>1-8-</u>1-0-13

1. Caturasra - Jāti Pañcānga Table of Akhanda - prastāra " " 2. Table of Druta " " 3. Table of Laghu " " 4. Table of Guru 5. " " Table of Pluta " " 6. Table of Kākapāda " " 7. Table of Combinative-angas 8. Trisra - Jāti Şadanga Table of Akhanda - prastāra " " 9. Table of Anudruta " " 10. Table of Druta " " 11. Table of Laghu " " Table of Guru 12. " " 13. Table of Pluta " ., 14. Table of Kākapāda " ., 15. Table of Combinative-angas " 16. Caturasra - Jāti Table of Akhanda - prastāra " 17. .. Table of Anudruta " " 18. Table of Druta " " 19. Table of Laghu " .. 20. Table of Guru " ., 21. Table of Pluta " " 22. Table of Combinative-angas 23. Khanda - Jāti " Table of Akhanda - prastāra " ., 24. Table of Anudruta " " 25. Table of Druta " " 26. Table of Laghu

22. TABLES OF DIFFERENT PERMUTATIONS

27.	Khaṇḍa - Jāti	Sadanga	Table of Guru
28.	"	"	Table of Combinative-angas
29.	Miśra - Jāti	"	Table of Akhaṇḍa - prastāra
30.	"	"	Table of Anudruta
31.	"	"	Table of Druta
32.	"	"	Table of Laghu
33.	"	"	Table of Combinative-angas
34.	Sankirna - Jāti	"	Table of Akhanda - prastāra
35.	"	"	Table of Anudruta
36.	"	"	Table of Druta
37.	"	"	Table of Laghu
38.	"	"	Table of Combinative-angas
39.	All Jātis	Saṁyuktāṅga	Table of Akhaṇḍa - prastāra
40.	"	"	Table of One Unit
41.	"	"	Table of Two Units
42.	"	"	Table of Three Units
43.	"	"	Table of Four Units
44.	"	"	Table of Five Units
45.	"	"	Table of Six Units
46.	"	"	Table of Seven Units
47.	"	"	Table of Eight Units
48.	"	"	Table of Nine Units
49.	"	"	Table of Ten Units
50.	"	"	Table of Eleven Units
51.	"	"	Table of Twelve Units
52.	"	"	Table of Combinative-units

53. Combinative table of Pañcānga, Ṣaḍanga & Samyuktānga-prastāras

1.		1	2	3	4	5	6	7	8	9	10	11	12	
	1	1	2	3	6	10	19	33	61	108	196	350	632	
		1	3	7	16	34	72	147	299	596	1182	2316	4517	
0		1	2	5	10	22	44	91	180	360	704	1378	2666	
I		0	1	2	5	10	22	44	91	180	360	704	1378	
S		0	0	0	1	2	5	10	22	44	91	180	360	
Ś		0	0	0	0	0	1	2	5	10	22	44	91	
+		0	0	0	0	0	0	0	1	2	5	10	22	
2.													1	40
													l	12
													12	
												1	0	11
												11	0	••
											1	0	11	10
											10	0	121	10
										_	•	40	•	
										1	U	10	U	9
										9	0	100	0	•
									1	0	9	0	54	8
									8	0	81	0	531	•
								1	0	8	0	44	0	7
								7	0	64	0	388	0	-
							1	0	7	0	35	0	147	6
							6	0	49	0	273	0	1253	•
						1	0	6	0	27	0	104	0	5
						5	0	36	0	183	0	778	0	•
					1	0	5	0	20	0	70	0	225	4
					4	0	25	0	115	0	450	0	1590	-
				1	0	4	0	14	0	44	0	129	0	3
				3	0	16	0	66	0	236	0	771	0	-
			1	0	3	0	9	0	25	0	66	0	165	2
			2	0	9	0	33	0	107	0	321	0	903	
		1	0	2	0	5	0	12	0	28	0	62	0	1
		1	0	4	0	13	0	38	0	104	0	268	0	
	1	0	1	0	2	0	4	0	8	0	15	0	29	0
		0	1	0	3	0	8	0	20	0	47	0	107	~

3.		1	2	3	4	5	6	7	8	9	10	11	12	
													1	6
											1	6	°	5
											5	36	147	5
									1	5	15	35	75	4
									4	25	90	245	585	
_							1	4	10	20	39	76	148	3
					4	•	3	16	50	120	261	548	1132	
					1	3	6	10	18	33	61	108	189	2
			_	•	2	9	24	50	99	195	383	732	1368	
			1	2	3	4	1	12	21	34	56	90	145	1
	_		1	4	9	16	29	54	101	182	322	560	965	-
	1	1	1	1	2	3	5	7	11	16	24	35	53	0
		1	2	3	5	9	16	27	45	74	121	195	314	•
_														
4.													1	3
									1	3	Q	22	51	•
									∎ 2	J Q	33	98	264	2
					1	2	5	10	20	38	73	136	255	4
					• 1	4	13	34	20 82	184	399	836	1719	1
-	1	1	2	3	5	8	14	23	40	67	114	192	325	Δ
		1	3	7	15	30	59	113	215	403	750	1382	2531	U
5.													1	2
							1	2	5	10	22	44	89	1
							1	4	13	34	86	202	461	
	1	1	2	3	6	10	18	31	56	98	174	306	542	0
		1	3	7	16	34	71	143	286	562	1096	2114	4054	-
6.									1	2	5	10	22	1
									1	4	13	34	86	
	1	1	2	3	6	10	19	33	60	106	191	340	610	0
		1	3	7	16	34	72	147	298	592	1169	2282	4431	v

0																			7.
1	I																		-
1	•																		
1	1	OI																	N
2	1																		
1	0	2	S																ယ
3	0	4																	
1	1	3	1	OS															4
4	2	9	1																-
1	0	7	0	2	IS	ç													сл
5	0	25	0	4		3													
1	1	11	0	3	2	1	OIS	0\$											6
6	3	49	0	9	4	1		- 0		1	1								
1	0	20	0	4	0	0	6	2	١Ś	+									7
7	0	102	0	16	0	0	18	4		_									•
1	1	32	1	5	3	0	12	3	2	1	oıs	•							∞
8	4	189	2	25	9	0	48	9	4	1		0+							
1	0	54	0	9	0	0	32	4	0	0	6	2	s s	1+					Q
9	0	356	0	45	0	0	148	16	0	0	18	4							
1	1	87	0	13	7	0	60	5	3	0	12	3	2	2	22				_
10	5	640	0	73	25	0	330	25	9	0	48	9	4	4	00	UIT			0
1	0	143	0	18	0	0	134	6	0	Λ	32	4	0	0	6	6		•	_
11	0	1153	0	114	0	0	802	36	0	0	148	16		0	18	18	155	5+	
		004	, ,	- 1-4		, ,	002		0	-		-		•	10	10	-	•	
1	1	231	1	24	11	1	251	7	4	0	60	5	U	3	12	12	6	2	
12	6	2034	3	171	49	2	1693	49	16	0	330	25	0	9	48	48	18	4	

8.		1	2	3	4	5	6	7	8	9	10	11	12	
	1	1	2	4	7	13	25	46	86	162	302	565	1059	
		1	3	8	19	43	95	204	431	900	1857	3799	7718	
U		1	2	5	12	26	56	120	250	517	1062	2159	4364	
0		0	1	2	5	12	26	56	120	250	517	1062	2159	
I		0	0	1	2	5	12	26	56	120	250	517	1062	
S		0	0	0	0	0	1	2	5	12	26	56	120	
S		0	0	0	0	0	0	0	0	1	2	5	12	
+		0	0	0	0	0	0	0	0	0	0	0	1	
9													1	40
•													- 12	12
												1	0	11
												11	0	
											1	0	11	10
											10	0	121	IV
										1	0	10	10	9
										9	0	100	100	•
									1	0	9	9	45	8
									8	0	81	81	450	
_								1	0	8	8	36	72	7
								/	0	64	64	324	648	
_							1	0	7	7	28	56	119	6
							6	0	49	49	224	448	1029	
						1	0	6	6	21	42	83	168	5
						5	0	36	36	147	294	631	1344	
-					1	0	5	5	15	30	55	105	205	4
					4	0	25	25	90	180	360	735	1475	
				1	0	4	4	10	20	34	60	115	184	3
				3	0	16	16	50	100	186	360	705	1216	•
			1	0	3	3	6	12	19	30	57	85	141	2
			2	0	9	9	24	48	83	150	288	467	837	
		1	0	2	2	3	6	9	12	23	32	48	80	1
<u> </u>	_	1	0	4	4	9	18	29	48	91	138	234	394	-
	1	0	1	1	1	2	3	3	6	8	10	17	23	0
l		0	1	1	2	4	6	9	17	24	38	63	92	-

10).	1	2	3	4	5	6	7	8	9	10	11	12	
													1	6
											1	6	21	5
											5	36	147	J
									1	5	15	40	100	4
									4	25	90	270	740	•
							1	4	10	24	55	116	238	3
					-	-	3	16	50	136	345	808	1802	•
					1	3	6	13	27	51	97	183	333	2
			-		2	9	24	59	138	297	617	1257	2484	
			1	2	3	6	11	18	32	56	93	158	268	1
			1	4	9	20	43	84	162	310	573	1046	1898	
-	1	1	1	2	3	4	7	11	16	26	41	62	98	0
		1	2	4	8	14	25	45	77	132	227	382	641	-
-	•												1	4
										1	4	14	40	3
							4	•	•	3	16	66	220	•
							1	3	9	22	51	111	236	2
_				1	C	5	10	20	33	98 72	264 126	057 252	1558 AGG	
				1	2	1 2	10	20	JO	13	130	233	400	1
	1	1	2	3	5	8	³⁴	23	39		111	187	3452	•
_	•	1	3	7	15	30	59	113	214	400	741	1361	2484	U
12						00	00			100		1001	1	2
													2	L
							1	2	5	12	26	56	118	1
	4	4	2	-	7	40	1	4	13	38	100	250	600	
		1	2	4	10	13	Z4	44	Ö I 419	130	1757	2540	940	0
		1	3	0	19	43	94	200	410	002 1	1737	3049 5	10	_
13	.									1	∠	13	38	1
-	1	1	2	Λ	7	12	25	16	86	161	300	560	10/7	•
		∎ 1	3	 8	∎ 19	43	2 J 95	70 204	431	899	1853	3786	7680	0
14	-	•	Ű	Ű		.0		_01	.01			0,00	1	4
													1	1
	1	1	2	4	7	13	25	46	86	162	302	565	1058	Λ
		1	3	8	19	43	95	204	431	900	1857	3799	7717	U

U																					15.
1	0																				~
1	U																				
1	1	UO	I																		N
2	1	•••	-																		
1	0	2	1	UI																	ယ
3	0	4	1			1															•••
1	1	3	0	2	OI																4
4	2	9	0	4				1													
1	0	7	0	3	2	UOI	S														CT
5	0	25	0	9	4	001	Ŭ														•••
1	1	11	1	4	0	6	1	US													σ
6	3	49	2	16	0	18	1	••		1											•••
1	0	20	0	8	3	12	0	2	os												
7	0	102	0	34	9	48	0	4	••		11										
1	1	32	0	12	3	32	0	3	2	uos	IS	۲									$\mathbf{\omega}$
8	4	189	0	60	9	148	0	9	4			Э		1							
1	0	54	1	17	4	72	0	4	0	6	2	1	uis	пç							(0
9	0	356	3	99	16	378	0	16	0	18	4	1	010	00							
1	1	87	0	27	6	152	0	5	3	12	0	0	6	2	ois	os					_
10	5	640	0	170	24	904	0	25	9	48	0	0	18	4		00					0
1	0	143	0	40	9	311	0	6	0	32	0	0	12	3	6	2			14		
11	0	1153	0	278	41	2053	0	36	0	148	0	0	48	9	18	4	UUIS	UUS	IS	÷	
1	1	231	1	58	10	625	1	7	4	60	3	0	20	4	0	0	24	6	2	1	_
12	6	2034	4	444	50	4527	2	49	16	330	9	0	100	16	0	0	96	18	4	1	N

16		1	2	3	4	5	6	7	8	9	10	11	12	
	1	1	2	3	6	10	18	31	56	98	174	306	543	
		1	3	7	16	34	71	143	286	562	1096	2114	4055	
U		1	2	5	10	22	44	89	174	342	660	1270	2420	
0		0	1	2	5	10	22	44	89	174	342	660	1270	
Ι		0	0	0	1	2	5	10	22	44	89	174	342	
S		0	0	0	0	0	0	0	1	2	5	10	22	
Ś		0	0	0	0	0	0	0	0	0	0	0	1	
17	·												1	12
												1	0	11
											1	0	11	10
											10	0	121	10
										1	0	10	0	9
										9	0	100	0	
									1	0	9	0	54	8
								-	8	0	81	0	531	
								1	0	8	0	44	0	7
								/	0	64	0	388	0	
							1	0	7	0	35	0	140	6
							6	0	49	0	273	0	1204	•
						1	0	6	0	27	0	98	0	5
						5	0	36	0	183	0	742	0	
					1	0	5	0	20	0	65	0	195	4
					4	0	25	0	115	0	425	0	1410	-
				1	0	4	0	14	0	40	0	109	0	3
				3	0	16	0	66	0	220	0	671	0	Ŭ
			1	0	3	0	9	0	22	0	54	0	123	2
			2	0	9	0	33	0	98	0	273	0	705	
		1	0	2	0	5	0	10	0	22	0	44	0	1
		1	0	4	0	13	0	34	0	86	0	202	0	•
	1	0	1	0	2	0	3	0	6	0	10	0	19	0
1		0	1	0	3	0	7	0	16	0	34	0	72	-

18	3.	1	2	3	4	5	6	7	8	9	10	11	12	
													1	6
											1	6	21	5
											5	36	147	J
									1	5	15	35	75	4
							-	-	4	25	90	245	585	-
							1	4	10	20	39	76	144	3
					4	•	3	16	50	120	261	548	1116	
					1	3	6	10	18	33	58	96	159	2
					2	9	24	50	99	195	374	684	1218	_
			1	2	3	4	7	12	19	28	44	70	109	1
			1	4	9	16	29	54	97	164	274	460	767	•
	1	1	1	1	2	3	4	5	8	12	17	23	34	0
		1	2	3	5	9	15	23	36	58	92	141	216	
					1									
19													1	2
													3	J
-									1	3	9	22	51	2
						-	_		2	9	33	98	264	_
					1	2	5	10	20	38	71	130	237	1
	_				1	4	13	34	82	184	395	818	1653	-
	1	1	2	3	5	8	13	21	35	57	94	154	254	0
		1	3	7	15	30	58	109	202	369	668	1198	2135	•
20									1	2	5	10	22	1
									1	4	13	34	86	
	1	1	2	3	6	10	18	31	55	96	169	296	521	0
		1	3	7	16	34	71	143	285	558	1083	2080	3969	•
21	. 1												1	1
													1	
	1	1	2	3	6	10	18	31	56	98	174	306	542	0
		1	3	7	16	34	71	143	286	562	1096	2114	4054	•

U														22.
1	0													1
1														
1	1	UO												N
2	1													
1	0	2	I											ω
3	0	4												
1	1	3	1	UI										4
4	2	9	1											
1	0	7	0	2	ΟΙ									S
5	0	25	0	4										_
1	1	11	0	3	2	UOI								6
6	3	49	0	9	4									
1	0	20	0	4	0	6	S							7
7	0	102	0	16	0	18								
1	1	32	1	5	3	12	1	US						$\boldsymbol{\infty}$
8	4	189	2	25	9	48	1							
1	0	54	0	9	0	32	0	2	OS					9
9	0	356	0	45	0	148	0	4						
1	1	87	0	13	7	60	0	3	2	UOS				10
10	5	640	0	73	25	330	0	9	4					
1	0	143	0	18	0	134	0	4	0	6	IS	Ś		\rightarrow
11	0	1153	0	114	0	802	0	16	0	18		5		
1	1	231	1	24	11	251	0	5	3	12	2		1	\rightarrow
12	6	2034	3	171	49	1693	0	25	9	48	4		1	N

23.		1	2	3	4	5	6	7	8	9	10	11	12	
	1	1	2	3	5	9	15	26	44	75	129	220	377	
		1	3	7	15	31	62	122	235	447	842	1572	2916	
U		1	2	5	10	20	40	77	148	279	522	971	1792	
0		0	1	2	5	10	20	40	77	148	279	522	971	
		0	0	0	0	1	2	5	10	20	40	77	148	
5		0	0	0	0	0	0	0	0	0		Z	5	
24	1												1	4.0
24	•												∎ 12	12
												1	0	11
												11	0	
											1	0	11	10
											10	0	121	
										1	0	10	0	9
										9	0	100	0	•
									1	0	9	0	45	8
									8	0	81	0	450	•
								1	0	8	0	36	8	7
								7	0	64	0	324	64	
							1	0	7	0	28	7	84	6
							6	0	49	0	224	49	756	_
						1	0	6	0	21	6	56	42	5
						5	0	36	0	147	36	448	294	•
					1	0	5	0	15	5	35	30	70	4
					4	0	25	0	90	25	245	180	560	-
				1	0	4	0	10	4	20	20	35	60	3
				3	0	16	0	50	16	120	100	245	360	
			1	0	3	0	6	3	10	12	15	30	30	2
			2	0	9	0	24	9	50	48	90	150	180	_
		1	0	2	0	3	2	4	6	5	12	11	20	1
		1	0	4	0	9	4	16	18	25	48	49	100	-
	1	0	1	0	1	1	1	2	1	3	3	4	6	0
		0	1	0	2	1	3	4	4	9	8	16	19	

25	5.	1	2	3	4	5	6	7	8	9	10	11	12	
													1	6
											1	6	6 21	~
											• 5	36	147	3
									1	5	15	35	75	Λ
									4	25	90	245	560	
							1	4	10	20	35	60	104	3
							3	16	50	120	245	464	856	J
					1	3	6	10	15	24	40	66	105	2
					2	9	24	50	90	156	272	474	810	
			1	2	3	4	5	8	13	20	29	40	58	1
			1	4	9	16	25	40	67	112	181	280	428	
	1	1	1	1	1	2	3	4	5	6	9	13	18	0
		1	2	3	4	6	10	16	24	34	49	73	109	U
26	•										1	3	9	2
											2	9	33	
						1	2	5	10	20	38	71	130	1
						1	4	13	34	82	184	395	818	
	1	1	2	3	5	8	13	21	34	55	90	146	238	0
		1	3	7	15	30	58	109	201	365	656	1168	2065	V
27	•										1	2	5	1
											1	4	13	
	1	1	2	3	5	9	15	26	44	75	128	218	372	0
		1	3	7	15	31	62	122	235	447	841	1568	2903	V

28.																							
	1	2	2		3	2	4	Ę	5	6	5	7	7	8	3		9	1	0	1	1	1	2
																				Ű	5	7	4
																		2	2	7	4	ო	6
																C	0	-	~	0	0	0	0
													5	9	18	12	48	32	148	60	330	122	754
										ō	5	2	4	0	0	S	6	0	0	4	16	ო	6
									5	7	4	ო	6	4	16	5	25	9	36	10	58	14	88
						-		-	-	0	0	0	0	0	0	0	0	~	2	0	0	0	0
)	2	4	3	6	7	25	11	49	20	102	32	189	54	356	87	640	143	1153	231	2034
	0	-	~	0	0	-	2	0	0	-	З	0	0	1	4	0	0	-	5	0	0	7	9
С		-	2	-	З	-	4	-	5	~	9	-	7	-	ω	-	ი	-	10	-	1	-	12

29		1	2	3	4	5	6	7	8	9	10	11	12	
	1	1	2	3	5	8	13	22	36	60	99	164	271	
		1	3	7	15	30	58	110	205	378	689	1246	2236	
U		1	2	5	10	20	38	71	132	241	438	788	1410	
0		0	1	2	5	10	20	38	71	132	241	438	788	
Ι		0	0	0	0	0	0	1	2	5	10	20	38	
30													1	12
													12	
												1	0	11
											_			
											1	U	11	10
											10	0	121	••
										1	0	10	0	g
										9	0	100	0	5
									1	0	9	0	45	8
									8	0	81	0	450	
								1	0	8	0	36	0	7
								7	0	64	0	324	0	-
							1	0	7	0	28	0	84	6
							6	0	49	0	224	0	756	U
						1	0	6	0	21	0	56	6	5
						5	0	36	0	147	0	448	36	
					1	0	5	0	15	0	35	5	70	4
					4	0	25	0	90	0	245	25	560	
				1	0	4	0	10	0	20	4	35	20	3
				3	0	16	0	50	0	120	16	245	100	•
			1	0	3	0	6	0	10	3	15	12	21	2
			2	0	9	0	24	0	50	9	90	48	147	
		1	0	2	0	3	0	4	2	5	6	6	12	1
		1	0	4	0	9	0	16	4	25	18	36	48	-
	1	0	1	0	1	0	1	1	1	2	1	3	1	0
		0	1	0	2	0	3	1	4	4	5	9	6	

31.		1	2	3	4	5	6	7	8	9	10	11	12	
													1	6
											1	6	21	5
											5	36	147	J
									1	5	15	35	70	Δ
									4	25	90	245	560	
							1	4	10	20	35	56	84	3
							3	16	50	120	245	448	756	J
					1	3	6	10	15	21	28	39	57	2
					2	9	24	50	90	147	224	333	498	4
			1	2	3	4	5	6	7	10	15	22	31	1
			1	4	9	16	25	36	49	68	99	148	221	
	1	1	1	1	1	1	1	2	3	4	5	6	7	Ο
		1	2	3	4	5	6	8	12	18	26	36	48	U
					1									
32	•							1	2	5	10	20	38	1
								1	4	13	34	82	184	
	1	1	2	3	5	8	13	21	34	55	89	144	233	0
		1	3	7	15	30	58	109	201	365	655	1164	2052	v

33.	1	2	2	3	3	2	1	5	5	6)	7	7	8	3	Ç)	1	0	1	1	1	2
														О		2	4	0	0	3	9	0	0
													5	2	4	c	6	4	16	S	25	9	36
											•	1	1	0	0	0	0	0	0	0	0	0	0
		C)	7	4	3	6	7	25	11	49	20	102	32	189	54	356	87	640	143	1153	231	2034
	0	-	1	0	0	1	2	0	0	-	3	0	0	1	4	0	0	1	5	0	0	7	9
n		-	2	-	З	1	4	٢	5	7	9	7	7	٢	8	~	6	7	10	١	11	-	12

34		1	2	3	4	5	6	7	8	9	10	11	12	
	1	1	2	3	5	8	13	21	34	56	91	149	243	
		1	3	7	15	30	58	109	201	366	659	1177	2086	
U		1	2	5	10	20	38	71	130	235	422	750	1326	
0		0	1	2	5	10	20	38	71	130	235	422	750	
1		0	0	0	0	0	0	0	0	1	2	5	10	
 35.									1					
													∎ 12	12
												1	0	11
												11	0	
											1	0	11	10
											10	0	121	10
										1	0	10	0	9
										9	0	100	0	J
									1	0	9	0	45	8
									8	0	81	0	450	•
								1	0	8	0	36	0	7
								7	0	64	0	324	0	-
							1	0	7	0	28	0	84	6
							6	0	49	0	224	0	756	U
						1	0	6	0	21	0	56	0	5
						5	0	36	0	147	0	448	0	
					1	0	5	0	15	0	35	0	70	4
					4	0	25	0	90	0	245	0	560	
				1	0	4	0	10	0	20	0	35	4	3
				3	0	16	0	50	0	120	0	245	16	•
			1	0	3	0	6	0	10	0	15	3	21	2
			2	0	9	0	24	0	50	0	90	9	147	
		1	0	2	0	3	0	4	0	5	2	6	6	1
		1	0	4	0	9	0	16	0	25	4	36	18	
	1	0	1	0	1	0	1	0	1	1	1	2	1	0
	T	0	1	0	2	0	3	0	4	1	5	4	6	
36	ò.	1	2	3	4	5	6	7	8	9	10	11	12	
----	----------	---	---	---	----	----	----	-----	-----	-----	-----	------	------	---
													1	6
											1	6	21	5
											5	36	147	U
									1	5	15	35	70	Δ
									4	25	90	245	560	
							1	4	10	20	35	56	84	ર
							3	16	50	120	245	448	756	J
					1	3	6	10	15	21	28	36	45	2
					2	9	24	50	90	147	224	324	450	4
			1	2	3	4	5	6	7	8	9	12	17	1
			1	4	9	16	25	36	49	64	81	104	139	
	1	1	1	1	1	1	1	1	1	2	3	4	5	0
		1	2	3	4	5	6	7	8	10	14	20	28	U
	_													
37	.									1	2	5	10	1
										1	4	13	34	
	1	1	2	3	5	8	13	21	34	55	89	144	233	0
		1	3	7	15	30	58	109	201	365	655	1164	2052	v

38.	1			2		3	2	1	ļ	5	6)	7	7	8	3	Ç)	1	0	1	1	1	2
																							9	18
																		5	7	4	ო	6	4	16
															-		-	-	0	0	0	0	0	0
			C	2	7	4	e	6	7	25	7	49	20	102	32	189	54	356	87	640	143	1153	231	2034
	C)	-	-	0	0	-	2	0	0	~	ю	0	0	~	4	0	0	1	5	0	0	-	9
n	1	٢	-	2	-	З	-	4	-	5	7	9	٢	7	-	ω	-	6	1	10	-	11	١	12

39).	1	2	3	4	5	6	7	8	9	10	11	12	
	1	1	2	4	8	16	32	64	128	256	512	1024	2048	
		1	3	8	20	48	112	256	576	1280	2816	6144	13312	
	1	1	2	5	12	28	64	144	320	704	1536	3328	7168	
	2	0	1	2	5	12	28	64	144	320	704	1536	3328	
	3	0	0	1	2	5	12	28	64	144	320	704	1536	
	4	0	0	0	1	2	5	12	28	64	144	320	704	
	5	0	0	0	0	1	2	5	12	28	64	144	320	
	6	0	0	0	0	0	1	2	5	12	28	64	144	
	7	0	0	0	0	0	0	1	2	5	12	28	64	
	8	0	0	0	0	0	0	0	1	2	5	12	28	
	9	0	0	0	0	0	0	0	0	1	2	5	12	
	10	0	0	0	0	0	0	0	0	0	1	2	5	
	11	0	0	0	0	0	0	0	0	0	0	1	2	
	12	0	0	0	0	0	0	0	0	0	0	0	1	

40	•	1	2	3	4	5	6	7	8	9	10	11	12	
													1	12
												1	12 0	11
											1	11 0	0 11	10
										1	10 0	0 10	121 10	0
										9	0	100	100	9
									1	0	9	9	54	8
								1	8 0	0 8	81 8	81 44	531 80	_
								∎ 7	0	64	64	388	712	7
							1	Ó	7	7	35	63	175	6
						1	6 0	0 6	49 6	49 27	273 48	⁴⁹⁷ 125	1477 258	5
						5	0	36	36	183	330	925	1968	Э
					1	0	5	5	20	35	85	170	360	4
				1	4	0 1	25 1	25 1 4	115 24	205 54	540 104	1120 209	2505 404	-
				∎ 3	0			• • 66	116	286	576	1231	2496	3
			1	0	3	3	9	15	31	57	108	199	366	2
		_	2	0	9	9	33	57	131	255	519	1013	1974	L
		1	0	2	2	5	8	15	26	46	80	139	240	1
	4	1	0	4	4	13	22	47	88	170	318	593	1092	
	1	0	1	1	2	3	5	19	13	21	- 34	55	89	0
41.		0		1	3	5	10	10	- 33		105	105	<u> </u>	6
													6	U
											1	6	21	5
									1	5	15	36	147	
									∎ _/	25	00	40	765	4
							1	4	10	24	59	140	318	2
							3	16	50	136	361	924	2262	3
					1	3	6	13	30	66	139	288	591	2
\square				~	2	9	24	59	147 Г О	354	815	1824	4008	
			1	2	3	6	13	26	50	96	184	350	661	1
\vdash	4		1	4	9	20	47	106	228	480	998	2048	4151	
	1	1	۲ ر	Ζ	4	10	20	2 1	31	00	114	200	331	0
		1	2	4	9	19	38	()	147	∠ŏ⊃	547	1042	1973	

42	-	1	2	3	4	5	6	7	8	9	10	11	12	
													1	4
										1	4	14	40	3
										3	16	66	220	J
							1	3	9	22	54	126	290	2
							2	9	33	98	273	714	1804	L
				1	2	5	10	22	46	97	200	410	832	1
				1	4	13	34	86	206	483	1102	2470	5444	
	1	1	2	3	6	11	21	39	73	136	254	474	885	0
		1	3	7	16	35	76	161	337	696	1425	2894	5840	•
42													1	•
43	•												। २	3
									1	3	9	25	63	C
									2	9	33	107	312	Z
					1	2	5	12	26	58	126	270	575	1
					1	4	13	38	100	254	622	1482	3463	
	1	1	2	4	7	14	27	52	101	195	377	729	1409	0
		1	3	8	19	44	99	218	474	1017	2161	4555	9534	•
44	·-										1	3	9	つ
											2	9	33	Z
						1	2	5	12	28	62	138	302	1
						1	4	13	38	104	268	670	1630	
	1	1	2	4	8	15	30	59	116	228	449	883	1737	0
		1	3	8	20	47	108	243	538	1176	2546	5465	11649	•
45													1	2
													2	Z
							1	2	5	12	28	64	142	1
							1	4	13	38	104	272	684	
	1	1	2	4	8	16	31	62	123	244	484	960	1905	0
		1	3	8	20	48	111	252	563	1242	2712	5872	12626	•
46								1	2	5	12	28	64	4
								- 1	4	13	38	104	272	
	1	1	2	4	8	16	32	63	126	251	500	996	1984	Λ
		1	3	8	20	48	112	255	572	1267	2778	6040	13040	

47		1	2	3	4	5	6	7	8	9	10	11	12	
									1	2	5	12	28	1
									1	4	13	38	104	
	1	1	2	4	8	16	32	64	127	254	507	1012	2020	Δ
		1	3	8	20	48	112	256	575	1276	2803	6106	13208	U
48										1	2	5	12	1
										1	4	13	38	
	1	1	2	4	8	16	32	64	128	255	510	1019	2036	Ο
		1	3	8	20	48	112	256	576	1279	2812	6131	13274	U
49).										1	2	5	1
											1	4	13	
	1	1	2	4	8	16	32	64	128	256	511	1022	2043	Ο
		1	3	8	20	48	112	256	576	1280	2815	6140	13299	U
50).											1	2	1
												1	4	
	1	1	2	4	8	16	32	64	128	256	512	1023	2046	0
		1	3	8	20	48	112	256	576	1280	2816	6143	13308	V
51													1	1
													1	
	1	1	2	4	8	16	32	64	128	256	512	1024	2047	0
		1	3	8	20	48	112	256	576	1280	2816	6144	13311	~

1																			52.
1	2																		-
1	-																		
1	1	1-2	3																N
2	1		-																
1	0	2	1	1-3	4														ယ
3	0	4	1		-														•••
1	1	3	0	2	1	1-4	2-3	5											4
4	2	9	0	4	1						1								-
1	0	7	0	3	0	2	2	1	1-5	2-4	1-2-3	6							CJ
5	0	25	0	9	0	4	4	1											
1	1	11	1	4	0	3	0	0	2	2	6	1	1-6	2-5	3-4	1-2-4	7		6
6	3	49	2	16	0	9	0	0	4	4	18	1					_		
1	0	20	0	8	0	4	3	0	3	0	12	0	2	2	2	6	1		7
7	0	102	0	34	0	16	9	0	9	0	48	0	4	4	4	18	1		•
1	1	32	0	12	1	5	3	0	4	3	32	0	3	0	0	12	0		$\boldsymbol{\omega}$
8	4	189	0	60	2	25	9	0	16	9	148	0	9	0	0	48	0		•••
1	0	54	1	17	0	9	4	0	5	0	72	0	4	3	0	32	0		Q
9	0	356	3	99	0	45	16	0	25	0	378	0	16	9	0	148	0		
1	1	87	0	27	0	13	6	1	6	7	152	0	5	0	3	60	0		–
10	5	640	0	170	0	73	24	2	36	25	904	0	25	0	9	330	0		0
1	0	143	0	40	0	18	9	0	10	0	311	0	6	4	3	134	0		_
11	0	1153	0	278	0	114	41	0	58	0	2053	0	36	16	9	802	0		_
1	1	231	1	58	1	24	10	0	14	11	625	1	7	3	0	251	0		
10	6	2024		444	•	– - T 474	50	0	00	40	4507	· ·	40	0	0	1600	0		
12	ю	2034	4	444	3	171	50	0	88	49	4527	2	49	9	0	1693	U	Contd	

	ntd	52 Co															8	1-3-4	1-2-5	3-5	2-6	1-7
Q									0	2.2.1	1.2.5	4-5	1.2.6	2.6	2.7	1_0	1	6	6	2	2	2
0									7	2-3-4	1-9-9	4-0	1-2-0	3-0	2-1	1-0	1	18	18	4	4	4
0									1	6	6	2	6	2	2	2	0	12	12	0	0	3
3									1	18	18	4	18	4	4	4	0	48	48	0	0	9
10									0	0	12	0	12	0	0	3	0	20	32	0	3	4
. •									0	0	48	0	48	0	0	9	0	100	148	0	9	16
11									0	12	20	0	32	0	3	4	0	42	60	3	0	5
••									0	48	100	0	148	0	9	16	0	228	330	9	0	25
12									0	12	42	0	60	3	0	5	0	84	122	0	4	6
•									0	48	228	0	330	9	0	25	0	492	754	0	16	36
l below	tinueo	Con																				
													10	1-2-3-4	2-3-5	1-4-5	1-3-6	4-6	1-2-7	3-7	2-8	1-9
10	11	1-2-3-5	2-4-5	2-3-6	1-4-6	5-6	1-3-7	4-7	1-2-8	3-8	2-9	1-10	1	24	6	6	6	2	6	2	2	2
	1	24	F	6	6	C	6	2	e	n	n	2	1	96	18	18	18	4	18	4	4	4
11	1	24 96	18	18	18	Z	18	Z	0 18	ک	ک	ک	0	300	0	12 /18	1 2 /18	0	12	0	0	3
40	0	60 60	0	0	12	- 0	12	0	12			- 3	0	180	12	20	20	0	32	0	3	4
12	0	300	0	0	48	0	48	0	48	0	0	9	0	1020	48	100	100	0	148	0	9	16
d below	ntinue	Co		Ū		Ū		Ū		•	•	U	Ū					Ū		•	Ū	
								12	1-2-4-5	3-4-5	1-2-3-6	2-4-6	1-5-6	2-3-7	1-4-7	5-7	1-3-8	4-8	1-2-9	3-9	2-10	1-11
40								1	24	6	24	6	6	6	6	2	6	2	6	2	2	2
													10		4.0		4.0		10		4	4

	1	2	1-2	3	1-3	4	1-4	2-3	5	1-5	2-4	1-2-3	6	1-6	2-5	3-4	1-2-4	7	53.
C	1	1	231	-	-	1	24	-	-	-	11	-	1	7	-	-	251	-	
Z	12	6	2034			3	171				49		2	49			1693		
2	1	1	231	1	58	-	-	10	-	-	-	625	1	7	-	-	-	-	
3	12	6	2034	4	444			50				4527	2	49					
Л	1	1	231	-	-	1	24	-	-	-	11	-	-	-	-	-	251	-	
4	12	6	2034			3	171				49						1693		
5	1	1	231	-	-	-	-	-	0	14	-	-	-	-	3	-	-	-	
5	12	6	2034						0	88					9				
7	1	1	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	
	12	6	2034															0	
0	1	1	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	12	6	2034																
1	1	1	231	1	58	1	24	10	0	14	11	625	1	7	3	0	251	0	
	12	6	2034	4	444	3	171	50	0	88	49	4527	2	49	9	0	1693	0	Contd below
	1-7	2-6	3-5	1-2-5	1-3-4	8	1-8	2-7	3-6	1-2-6	4-5	1-3-5	2-3-4	9					
2	-	4	-	-	-	0	5	-	-	60	-	-	-	-					
L		16				0	25			330									
2	-	4	-	-	-	-	-	-	3	60	-	-	-	0					
5		16							9	330				0					
Λ	-	-	-	-	-	0	5	-	-	-	-	-	-	-					
-						0	25												
5	-	-	-	122	-	-	-	-	-	-	-	-	-	-					
V				754				-											
7	6	-	-	-	-	-	-	0	-	-	-	-	-	-					
•	36							0						0					
9	-	-	-	-	-	-	-	-	-	-	-	-	-	0					
-	6	4	0	122	84	0	5	0	3	60	0	42	12	0					
1	36	16	0	754	492	0	25	0	9	330	0	228	48	0			Co	ntd be	elow

	1-9	2-8	3-7	1-2-7	4-6	1-3-6	1-4-5	2-3-5	1-2-3-4	10	1-10	2-9	3-8	1-2-8	4-7	1-3-7	5-6	1-4-6	2-3-6	2-4-5	-2-3-5	11
2	-	3	-	-	0	-	-	-	-	-	-	-	-	12	-	-	-	12	-	-	-	-
Z		9			0									48				48				
2	4	-	-	-	-	20	-	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-
2	16					100						0							0			
Λ	-	3	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-	-
_		9												48								
5	-	-	-	-	-	-	-	-	-	0	3	-	-	-	-	-	-	-	-	-	-	-
5										0	9											
7	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				148																		
Q	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	16	•	•		•			4.0	400	•		-	•	10	•	4.0	•	4.0	-	•		_
1	4	3	0	32	0	20	20	12	180	0	3	0	0	12	0	12	0	12	0	0	60	0
-	16	9	0	148	0	100	100	48	1020	0	9	0	0	48	10	48	0	48	0	0	300	0
	1-11	2-10	3-9	1-2-9	4-8	1-3-8	5-7	1-4-7	2-3-1	1-2-0	Z-4-0	1-2-3-0	3-4-5	1-2-4-5	12			Contd.	belov	V		
2	-	-	-	-	2	-	-	-	_	-	6											
					_				_		•	-	-	-	-	-	632					
			•	•	4						18	-	-	-	-	-	632 4517					
3	-	-	2	6	4	-	-	-	-	-	18 -	- 24	-	-	-	-	632 4517 1059					
3	-	-	2 4	6 18	4	-	-	-	-	-	18 -	- 24 96	-	• •	- 1 1	-	632 4517 1059 7718					
3 4	-	-	2 4 -	6 18 -	4 2	-	-	-	-	-	18 -	- 24 96 -	-		- 1 1 1	-	632 4517 1059 7718 543					
3 4	-	-	2 4 -	6 18 -	4 2 4	-	-	-	-	-	-	- 24 96 -	-	-	- 1 1 1	-	632 4517 1059 7718 543 4055 377					
3 4 5	-	- - 2	2 4 -	6 18 -	4 - 2 4 -	-	-	-	-	-	- -	- 24 96 -	-		- 1 1 1 1 -	-	632 4517 1059 7718 543 4055 377 2916					
3 4 5	-	- - 2 4	2 4 -	6 18 -	4 - 2 4 -	-	-	-	-	-	-	- 24 96 -	-		- 1 1 1 1 -	-	632 4517 1059 7718 543 4055 377 2916 271					
3 4 5 7	-	- - 2 4 -	2 4 - -	6 18 - -	4 2 4 	-	-	-	-	-	-	- 24 96 - -	-	- - - - - -	- 1 1 1 1 -	-	632 4517 1059 7718 543 4055 377 2916 271 2236					
3 4 5 7	-	- - 2 4 -	2 4 - -	6 18 - -	4 2 	-	-	-	-	-	-	- 24 96 - -			- 1 1 1 - -	-	632 4517 1059 7718 543 4055 377 2916 271 2236 243					
3 4 5 7 9	-	- - 2 4 -	2 4 - -	6 18 - - - 6 18	4 2 	-	-	-		-	- -	- 24 96 - - -		- - - - - - - -	- 1 1 1 -	-	632 4517 1059 7718 543 4055 377 2916 271 2236 243 2086					
3 4 5 7 9	- - - -	- - 2 4 - -	2 4 - - -	6 18 - - - 6 18 6	4 2 	-	-	- - - -	-	-	- - - - -	- 24 96 - - - - 24	-	- - - - - -	- 1 1 1 - -	-	632 4517 1059 7718 543 4055 377 2916 271 2236 243 2086 2048					

GLOSSARY TO THE TECHNICAL-TERMS

Adhaḥsthita-naṣṭa	:	Nasta of the lower permutation from the 'Middle-number'.
Adhaḥsthita-prastāra	:	Lower permutation from the 'Middle-number'.
Adhaḥsthita-uddiṣṭa	:	Uddista of the lower permutation from the 'Middle- number'.
Adhikāṅga-saṅkhya	:	Total of the proxies which have originated the superior-angas (SF).
Adhō-pātāļa	:	Synonym of Mahāpātāļa.
Akhaṇḍa-prastāra	:	Synonym of General permutation.
Anāgata	:	Division of the element Graha.
Aṅga	:	The 4th element of Tāļa.
Antya	:	Preceding 1st figure (ultimate).
Anudruta	:	Division of the element Anga.
Anudruta-mēru	:	Table consisting the full details of Anudruta.
Anudrutānta-prastāra	:	Permutation ending with Anudruta in the right extreme.
Anulōma-nasta	:	Nasta of the obverse-permutation.
Anulōma-prastāra	:	Obverse-permutation.
Anuloma-uddista	:	Uddista of the obverse-permutation.
Apatita	:	The un-deducted proxy (udp).
Aticitratama	:	Division of the element Mārga.
Atīta	:	Division of the element Graha.
Āvāpa	:	Division of the element Kriya.
Caturanga-prastāra	:	Quadrivalent-permutation.
Caturasra-jāti	:	Jāti of 4 units.
Caturlaghu	:	Synonym of Kākapāda.
Caturmātra	:	Synonym of Kākapāda.
Catușkala	:	Division of the element Kala.
Citra	:	Division of the element Mārga.
Citratama	:	Division of the element Mārga.
Citratara	:	Division of the element Mārga.
Dakșina	:	Division of the element Mārga.
Dēśi-tāļas	:	Tāļas other than Mārga-tāļas.
Dēsya-kriyas	:	Division of the element Kriya.
Dēśva-śuddha-saṅkirna	:	Jāti of 16 units.
Dhruva	:	Division of the element Kriva.
Dhruvaka	:	Division of the element Kriya.
Divva-saņkirna	•	Jāti of 5 units.
Druta		Division of the elements Anga and Lava.
Druta-mēru	:	Table consisting the full details of Druta.
Drutānta-prastāra	:	Permutation ending with Druta in the right extreme.
Dvi-kaļa	:	Division of the element Kala.

Ēka-kaļa	:	Division of the element Kala.
Gōpuccha	:	Division of the element Yati.
Graha	:	The 5_{th} element of Tala.
Guru	:	Division of the element Anga.
Guru-mēru		Table consisting the full details of Guru
Gurvanta-prastāra	:	Permutation ending with Guru in the right extreme.
II		Domputation devoid of a nonticular Ariza
Hina-prastara	•	Permutation devoid of a particular Anga.
Jāti	:	The 6th element of Tāļa.
Kākapāda	:	Division of the element Anga.
Kākapāda-mēru	:	Table consisting the full details of Kākapāda.
Kākapādānta-prastāra	:	The permutation ending with Kākapāda in the right extreme
Kāla	:	The 1 _{st} element of Tāla.
Kala		The $7_{\rm th}$ element of $T\bar{a}$
Kalita	•	The easy method to obtain the full details of all the
	•	different Angas up to the required permutation
Khanda-iāti		Jāti of 5 units
Khanda-prastāra	:	Devisional-permutation.
Khariūrika		Division of the element Yati
Krisna		Division of the element Kriva
Kriva	•	The 3_{rd} element of Tala.
	•	
Laghu	:	Division of the element Anga.
Laghu-mēru	:	Table consisting the full details of Laghu.
Laghvanta-prastāra	:	Permutation ending with Laghu in the right extreme.
Laya	:	1.Rhythm 2. The 8th element of Tāļa.
Madhva	:	Division of the element Lava.
Madhyarūpa	:	'Middle-number(MN)' of the permutations.
Madhvarūpa-adhahsthita-nasta	:	Nasta of the lower permutation from the 'Middle-
		number'.
Madhyarūpa-adhaḥsthita-uddiṣṭa	:	Uddista of the lower permutation from the 'Middle-
Madhuarūna unaristhita nasta		Number.
Maunyarupa-uparisunta-nașia	•	number'.
Madhyarūpa-uparisthita-uddista	:	Uddista of the upper permutation from the 'Middle- number'.
Mahāpātāļa	:	Total number of all the Angas occur in the process
Manao		or permutation. The $2 + a lower of Table$
Iviarga Mānga Irrivas	•	Division of the element Vrive
IVI arga-Kriyas	:	Division of the element Kriya.
warga-tajas	:	1. Caccalpula-5515 2. Cacalpula-5115
		3. 5aunianuu aka-515515 4.5ampaky staka-55555

		5.Udghatta-SSS
Mātra	:	Division of the element Kala.
Mēru	:	Table.
Miśra-jāti	:	Jāti of 7 units.
Miśra-dēśya-sankirna	:	Jāti of 12 units.
Miśramāṅga-prastāra	:	Synonym of Samyukt nga-prastāra.
Miśra-sankirna	:	Jāti of 8 units.
• Miśritāṅga-prastāra	:	Synonym of Samyukt nga-prastāra.
Mrdanga	:	Division of the element Yati.
Nașța	:	Easy method to obtain the rhythmical form with the
		help of its serial number.
Nija-prastāra	:	Synonym of General-permutation.
Nimēṣa	:	Divisional of the element Kala.
Nișkrāma	:	Division of the element Kriya.
Niḥśabda-kriyas	:	Division of the element Kriya.
Ōja	:	Odd.
Padmini	:	Division of the element Kriva.
Pañcānga-prastāra	:	Pentavalent-permutation.
Patāka	:	Division of the element Kriva.
Pātāla	:	Total number of the least Angas occur in the process
		of permutation.
Patita	:	Division of the element Kriya.
Pipīlika	:	Division of the element Yati.
Pluta	:	Division of the element Anga.
Pluta-mēru	:	Table consisting the full details of Pluta.
Plutānta-prastāra	:	Permutation ending with Pluta in the right extreme.
Prastāra	:	1. The 10th element of Tāla. 2. Permutation.
Pravēsa	:	Division of the element Kriva.
Proxy	:	The serial number of a specified preceding house
-		(Pratinidhi).
So do hao prostaro		Havevalent or Sovivalent normatetion
Şaçıanga-prastara	•	Division of the elements Crobe and Veti
Samudāvāņas māru	:	Name given by Taccur Singarācārya Bros to their
Samutayanga-meru	•	name given by faceur Singaracarya Dios., to then
6		District of the above of Keise
Samya Sa y ga māru	:	Division of the element Kriya.
Sa y ga-meru	•	combinations of Angas.
Samyukt nga-prastāra	:	Synaptic-permutation.
Saňkhya	:	The total number of permutations.
Sankirna-iāti	•	Jāti of 9 units.
Sannipāta	:	Division of the element Kriva.
Sarpini	:	Division of the element Kriva.
Sarva-pātāla	:	Synonym of Mahāpātāla.
Sarva-prastāra	:	Synonym of General-permutation.
1		· · ·

Sasabda-kriyas :	Divisional of the element Kriya.
Ṣōḍaśāṅga-prastāra :	Incorrect name of Samyukt nga-prastara.
Śrōtōvaha :	Division of the element Yati.
Tāļa :	1. Rhythmical form 2. Division of the element Kriya.
Tāļāngas :	Limbs of the Tala.
Trisra-jāti :	Jāti of 3 units.
Turiya/Turya :	Preceding 4th house.
Uddișța :	Easy method to obtain the serial number with the help of the rhythmical form.
Upāntya :	Preceding 2nd house (penultimate).
Uparisthita-nasta :	Nasta of the upper permutation.
Uparisthita-prastāra :	Upper permutation.
Uparisthita-uddista :	Uddista of the upper permutation.
Vārtika :	Division of the element Mārga.
Vēdamadhyama :	Division of the element Yati.
Vikṣēpa :	Division of the element Kriya.
Viksipta :	Division of the element Kriya.
Vilambita :	Division of the element Laya.
Vilōma-naṣṭa :	Nasta of the reverse-permutation.
Vilōma-prastāra :	Reverse-permutation.
Vilōma-uddiṣṭa :	Uddista of the reverse-permutation.
Viparita-prastāra :	Synonym of Vilōma-prastāra.
Virāma :	Synonym of Anudruta.
Vișama :	Division of the elements Graha and Yati.
Visarjita :	1. Division of the element Kriya 2. The proxy to be
	left-off (lop).
Yathākṣara :	Division of the element Kala.
Yati :	The 9th element of Tāļa.
Yavamadhya :	Division of the element Yati.
Yugma :	Even.
Yukta-prastāra :	Permutation containing a particular Anga.

aeaeaea

PROFILE OF



SHRI AKELLA MALLIKARJUNA SHARMA VIOLINIST AND MUSICOLOGIST

Born in 1938, at Mummidivaram, East Godavari district, Andhrapradesh. Shri Akella Mallikarjuna Sharma had his initial training from his father Late Ashwatthanarayana Murthy and later under Shri P.P.Somayajulu. An ardent admirer and follower of Violin Virtuoso, Sangeetha Kalanidhi, Shri M.S.Gopalakrishnan. Shri Mallikarjuna Sharma is one of the few Violinists who adapted his inimitable style of playing the Violin. His close

association with Sangeetha Kalanidhi, Shri Nedunuri Krishnamurthy opened up new vistas of traditional Karnataka Music and henceforth became his disciple.

After a short stint as a staff Artist, All India Radio, Hyderabad, he worked for more than two decades as Lecturer in Violin in various Government Colleges of Music & Dance of Andhra Pradesh since 1961. He rendered remarkable service as Principal for 12 years and retired in the year 1996. A strict disciplinarian and a committed teacher, Shri Mallikarjuna Sharma has produced several good students. His duties as a paper setter, valuator and examiner for examinations held in various universities are commendable.

A 'TOP GRADE' Violinist of All India Radio, several of his programmes have been broadcast on AIR and Doordarshan respectively. He has had the privilege of participating in the Akashvani Sangeet Sammelan concerts and the National Programme of Music, AIR, which won him wide acclaim. He has also been a graded Vocal artist of AIR, Hyderabad. He has performed extensively across the country in various prestigious Sabhas including the Music Academy, Madras. He has accompanied several eminent artists of the country. He has several solo programmes to his credit. He has toured the U.K, USA and Canada accompanying Sri Nedunuri Krishnamurthy. He has also toured Singapore as an examiner.

A musicologist of great repute, his contribution to Karnataka Music is laudable. An unparalleled exponent and sole authority on Talaprastara, Shri Mallikarjuna Sharma has unravelled the mysteries of Prastara, one of the Tala Dasha Pranas. His extensive research spanning over four decades brought to light several latent secrets which he discovered all by himself. He has penned a few books. His first book 'Talaprastara Sagara' published in 1985 by the A.P.Sangeet Academy in the year 1985 received the 'Best book' (in the fine arts category) from the Telugu University, Hyderabad. His second book 'Permutative Genius in Tala (Prastara) in Indian music' was the revised version of the first book. In his extensive research he has later modified and re-published these two books in the names of 'Talaprastara Ratnakara' and 'Indian Genius in Talaprastara' respectively. He also published 'Talaprastara of Nisshanka Sharngadeva's Sangeeta Rathnakara - A critical interpretation', under the senior fellowship awarded by the Government of India and 'Systematisation of Prastara Details of Deshi Talas' on Talaprastara itself. His books 'Sangeetha Svararaga Sudha' in Telugu and English have uniquely dealt with the intricacies of Raga Alapana and Svarakalpana. A perfectionist to the core, he has prescribed several Laya exercises which will help students in rendering Svarakalpana. He has sung Svarakalpana exercises along with Alapanas for 36 ragas which are compiled in a mp3 CD and is provided along with the books.

His recent publication, 'Sangeeta Vidyabodhini' is a compilation of compositions notated and sung by him for the benefit of students appearing for the examinations held by the Govt Colleges of Music and Dance (A.P). A set of three mp3 CDs is provided along with this book. The English version of the same is also available. He has published yet another book by name, 'Sangeeta Vidyalochani' (Telugu and English) which is a compilation of notated Krithis/Keerthanas along with two mp3 CDs.

He has extensively toured all the Govt. Music Colleges in the state for two years conducting Lecturedemonstrations and workshops. He has been invited for Lecture-demonstrations and workshops all over the country by various institutions of music. Currently, Shri Mallikarjuna Sharma is teaching several students. In addition, he guides students online for the benefit of those inside and outside the country.

Shri Sharma has worked extensively on teaching methods. Having interacted with several students over scores of years, he has evolved his own teaching methodology and has prescribed several lessons. Though unconventional, his teaching methods are novel, innovative and highly effective. He has designed and produced a set of two mp3 CDs titled, AMS-Easy Methods-2007, which comprises of all the lessons beginning from the basic 'Laya' exercises to the Varnas. This set also contains the definitions of Gamakas with illustrations. The most significant part is the documentation of the Gamakas and hence they are provided with symbols and audio clippings, which are of great help to aspiring students of music. These CDs have been uploaded to http://www.sangeethamshare.org/chandra/AMS-Easy-Methods-2007/. In addition, 700 videos available in different playlists have been uploaded to http://www.youtube.com/user/msakella for the benefit of the aspirants. His work has been duly recognised and thus, was conferred with the prestigious TTK Award from the Music Academy, Madras for the year 2009, for his contribution to the field of Carnatic music.