HEADQUARTER 120 TENGINEER C BATTALION

Table of water distributed by this unit for month of January 1945 All figures in gallons

	14							
Dere; Jan.	LEMBACH	WEILER WEILER	# 93 REICHSMORFEN	TE 94 DOSSENHEIN	# 95 DRULINGEN	FF 96 ERMANTSHULLER	# 97 ZINSWILLER	DAILY TOTAL
_/	13195	4.170		and the second second second				
2	13100		2255	the strength				17365
.3	26295		6330	2.645	1			15355
4			6780	15700	7			8975
5			4075	18345	1200	1.100		23280
6			4550		2000	6155		11430
7			4765			5415		9.965
_8_			6065			6.840	890	12495
9			6420			7240	1450	14755
.10		2	8340	-		7290	1115	14825
11			9220			9040	2100	19480
12	#98		6860			12130	3400	24750
13	LIDERTH	#199	7800			6880	9-645	18385
19-	1460	WIPAMENAU	9350	#100	and the state of the	8560	3640	20000
15	4.160	1170	a second s	DOSSENNEN		9290	1200	practite Activity Pro-
16	5085	7800	10620	515		7820	18440	23350
17	4215	9.345	9870	670		86660		29.020
18	2140	8210	8500	1560				29100
19	17060	7815	122000	1710	#101	And a state of the		20410
20		5110	1. 1. 1. 1. 1.		ERMARTSWILLER	# 102		9535
21		39450		3190	0.0.0	HANGVILLER		8300
22	11. A.			2095	9.895		#1/03	14.330
23				14 225	18215	700	SPARSBACH	17.94
24						/390	10.0	19.600
25					17245	2970		20395
26	#104				19 755	1830		1809
27	SPARSBACH							21620
28	1935				12645	4160		18805
29	1.005	#105			19 260	3210		19405
30	1885	PUBERG			12 9.9.5	2780		16230
31	4.85	400			12525	4280		18690
	5310	and delet			11625	5065		17575
					139955	28250		54-279

Total water distributed in month of Jenuary Daily average (3: days) Total previously issued since landing in France is August - 3: December Total for French and German Campaign to date

Total for French and German Campaign to date (15 August - 31 January) Daily Average (155 Days) 542740

3213780 3756520

242.35

## HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

APO #45, U S Army 6 February 1945

TRAINING MEMORANDUM)

1)

NUMBER

1. A school on preparation of charge sheets in court martial cases will be held, beginning Thursday, 8 February and lasting for three (3) classes

2.	Personnel	to	attend:	o Administrative Officers, 1st Ser	geants,
				voists from all companies.	

3. Instructor:	Captain Arthur Tauscher
----------------	-------------------------

4: Place: H&S Co Officers' mess; La Petite Pierre

5. Time:

	Class:	Thursday	8 Feb,	1330A.
	Class:	Saturday	10 Feb	1330A。
3rd	Class:	Monday	12 Feb	1330A.

6. Equipment:

Each company group will bring Manual of Courts Martial, pencils, notebooks.

By order of Lt Col MONNIER:

BENJAMIN E BILLUPS Major, CE S-3

## HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

APO #45; US Army 6 February 1945

TRAINING MEMORANDUM)

SCHOOL ON USE OF MINE DETECTOR AN/PRS-1

1. A school will be held, beginning at 0900 7 Jan 1945, on use of the mine detector AN/PRS-1 (Dinah).

2. Furpose - To train at least one (1) mine detector team per company to a high level of proficiency in the use of the Dinah type detector.

3. Personnel to attend - Two (2) men from each lettered company. Individuals selected should be chosen from the same unit, having in mind that a team is being formed, and not merely individual instruction.

4. Place - Personnel will assemble initially at Bn Hq. in moving picture room of Castle at La Petite Pierre,

5. Time - Classes will be held daily from 0900A to 1200A, and from 1300A to 1530A. FIRST CLASS will be Wednesday 7 February and school will continue until further notice.

6. Instructor - Lt Fields.

7. Each team of two (2) men will bring to class one detector AN/PRS-1. A safe place for storage of detectors will be provided by H&S Co.

> MONNTER cmdg

BILLUPS S-3

1.

## HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

### APO #45, US Army 6 February 1945

#### TRAINING MEMORANDUM)

3).

NUMBER

#### SNIPER TRAINING

1. Each lettered company will furnish two (2) men for training as snipers. In selecting these men, company commanders will bear in mind that these men are to be trained as a team, rather than as individuals.

2. Men selected for sniper training will conform to the following specifications:

a. They will have previously qualified as expert riflemen.

b. Consideration will be given to coolness under fir, as demonstrated in past actions.

3. Men selected for this training will report to Lt A. Dean Foster at S-3 section, Bn Hq, at 1500A on Wednesday 7 Fab 1945.

4. Each individual will bring with him full field equipment to include bedroll, shaving equipment, 1 complete change of <u>clean</u> clothes messkit, M-1 rifle.

5. Snipers Rifles (US, M1903, Cal 30, w/telescopic sights) will be furnished by this Hq at time of assembly.

By order of Lt Col MONNIER:

JOSEPH W LOWE, JR Major, CE Executive Officer

OFFICIAL:

BENJAMIN E BILLUPS Mejor, CE 8-3

ECRET uth: CO 45th Inf Div

# HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

APO # 45, US Army 1945 January

## OPERATING INSTRUCTIONS:

MIBER

1. 45 Inf Div (reinf) continues atk to secure objectives on Caneral line LAMBERG (743447)-Dambach (922448)-LEMBACH (040450)-095445. 120 Engr C Bn (a) continues to support atk of 179th Inf, 180th Inf, 313th Inf and TF HERMEN. (b) Continues to assist Infantry in organizing the ground DAMBACH (922448)-095445. 36 Engrs will organize their own sector.

Co A, and Plat Co B atcha:

Continue to assist 157th Inf organize Maginot Line from DEMBACH (922448)-030447.

Support atk of TF HERREN. Upon reaching objectives, assist TF HERREN to wire in positions.

3. Co B. less 2nd Plat Co B:

a. Support atk 179 Inf.

Upon reaching objective, assist 179 Inf to wire in positions,

4. Co C.

a. Support atk of 180th Inf and 313 Inf.

Upon reaching objectives, assist 180 Inf and 313 Inf to b. Upon a wire in positions.

5. Ron Sec. T - Al har male (a)

Make continuous ron of area for suitable sites for preparation of obstacles.

ha Check all prepared defenses in Div area behind MLR, and nee that defense map and records are kept up to date.

6. Engr Dump is located at 4754213. No large dumps are contemplated forward of this point. Companies will draw and stockpile barbed wire and other fortification materials as needed, but not more than is expected to be used in the next 24 hours.

7. Ice on roads is becoming a serious problem. Each company will keep roads in its sector as free of ice as possible. The use of a thin layer of sand or crushed rock, not over 3/4" size on icy spots will greatly reduce danger of accidents.

SECRET

SECRET Auth: 00 48 Inf Piv

HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

45 Div, reinf, holds along line 754407-760395-782383-Reipertswiller-Rothbach.

120th Engr Bn supports Liv by:

- Wire in and lay mines along MLR.
  - Prepare demolitions to rear of MLR.

Improve Haguenau and Vosges positions.

Support 36th Engr Regt; thicken defenses of MLR.

- Maintain road in sector.
- Maintain road La Petite Pierre-RJ730296.
- Continue preparation of blocks and obstacles, between Haguenau position and MLR.
- Reconnoiter Vosges position in sector.
- Investigate possibility of demolishing Lichtonberg tower. S.a.
- - Support 179th Inf. Thicken defenses of MIR in sector, by use of wire and mines.
  - Maintain roads in sector.
  - Continue preparation of obstacles and blocks in zone between
  - Improve Haguenau position in sector.

Reconnoiter Vosges position in sector. 8.

- - Su port 180th Inf; thicken defenses of MLR in sector by use of demolitions, mines and wire. Maintain roads in sector.

  - Continue preparation of obstacles and blocks in zone
  - between MLR and Haguenau positions.
- Reconnoiter Vosges position in sector.
- Tank dozers remain at Pngr Pump.
- All available tractors will be kept busy removing snow from po di Priority will be given the following roads:

a. La Petite Pierre-RJ808316-Rosteig. b. La Petito lierre-Aittersheim-Wingen

. .

#本 * * * * * * * * * * * * * * * * * * *	
*SECRET	
*Auth:CG 45 Inf Div	
*Initials:	
*Date: 13 January 1945	
*	
**************************************	

HEADQUARTERS 120TH ENGINEER COMBAT BATT LION

APO	#45	US.	Army .
13	Jan	uary	1945

## OPERATIONS INSTRUCTIONS)

 45 Div, reinforced, continues present mission.
 b. 120th Engr C Bn supports atk of 157 Inf, 179 Inf, 180th Inf, 36th Engr Regt; assists TF Herren in organization of defensive line 867430-Dambach-095445.

2. Co A:

A. Support TF Herren b. Prepare demolition charges on bridges and other suitable terrain features in sector.

3. Co B:

Di	Support	180th and 179th Infantry	
be	Relieve	Co C of all demolition and road blocks in sector.	
C.	Man all	blocks containing primers, or where explosive can	
	readily	detonated.	
a.	Frepare	all suitable locations in sector for blocking	

4. Co C:

A. Support atk of 157 Inf, and 36 Engr Regt. b. Prepare all suitable locations in sector for demolition. c. Prepare all bridges along Rau de Falkenstein for demolition.

5. Where possible in areas S and E of the line "ingen-Ingwiller-Niederbrond-Woerth, emplacements will be prepared for explosive charges on bridges, craters or similar locations, and so arranged that traffic will not be interfered with. Charges need not be placed at this time, if the site is so prepared that the charge can be installed, and the demolition executed on short order.

6. All demolition charges on, or forward of, the line "ingen-Ingwiller-Niederbronn-woerth will be manned by a security guard to insure that charges are not tampered with.

> COMMIER CHOILER

OFFICIAL:

8

3)

\*\*\*\*\* \*S E C R E T \*Auth: CG 45 Inf Div

\*Date: 20 Jan 45

\*Initials:

HEAD JUARTERS 120TH ENGINEER COMBAT BATTALION

APO #45, U S Army 20 January 1945

OPERATIONS INSTRUCTIONS)

NUMBER

1

1. <u>a.</u> 45th Div prepares to withdraw to new positions on MLR #2. Withdrawal to be accomplished in two phases. Phase 1, 36th Engrs and 157th Inf withdraws to switch position; phase 2, Div withdraws to MLR #2. <u>b.</u> 120th Engr Bn prepares to block all approaches to division sector and to Rhine Plain.

Effective immediately, the following operations will be carried out: <u>a.</u> Co A, supporting 157th Inf and 36th Engr Regt.
 (1) Block all trails in sector not required by 157th Inf or

36th Engr Regts for current operations or for withdrawal

 Prepare demolitions on all other trails or roads in sector.
 Prepare detailed withdrawal plans with CO 36th Engrs and CO 157th Inf to include:

(a) Withdrawal routes.

Deligation of authority to execute all demolition (b)

projects in sector. (c) Plans for use of AP and AT mines in sector. Lay those for use of AP and AT mines in sector. Lay those because the sector of the sect fields which will not interfere with current operations. Fields laid now will be fenced in and marked with minefield markers, which will be removed when withdrawal is accomplished. (4) Priority will be given to blocks and demolitions in Zone 1. Blocks in Zone 1 will be manned by adequate guards, as soon as charge is

installed, and preparations made for defense of garrison from enemy patrols rior to order for execution of block. b. Co B:

(1) Support 179th Inf.

(2) Block trails in sector in Zone 2 which are not now, nor will be used.

(3) Prepare demolitions on all roads and trails not blocked. Post guards to secure against tampering with charges or premature demolition. (4) Prepare detailed withdrawal plan in cooperation with CO 179th Inf Reat to provide for:

(a) Use of mines in Zone 2, laying of fields, etc.

(b) Routes of withdrawal.
(c) Delegation of authority to order execution of demolitions, and method of transmission of order. Co C: (Same as for Co B, except read 180th Inf in lieu of 179th Inf).

3. Upon receipt of orders to execute phase 1: a. Co A will execute demolitions in zone 1, in accordance with plan, as 157th Inf and 36th Engrs withdraw. Upon conclusion of withdrawal intensify preparation of area in zone 2.

SECRET

Operations Inst #4, Hq 190th Engr C Bn 21 Jan 45 (cont'd)

c. #J700323-Puberg-Wingen. d. Tactical roads and trails forward of Haguenau positions.

7. It will be noted that Co boundaries do not follow exactly the regimental boundaries of the unit which they support. . Deviations have been made to give each company control of the roads which are used by it's supported regiment. These deviations are:

Co a is assigned the road Sparsbach-KJ806316. b.

Co a is assigned the road 793331-781350 throughout it's

length. The two roads branching westward at #J802356 are assigned to Co C.

e. Co A will maintain the road La Fetite Fierre-RJ730296.

8. Corps Engrs have been asked to maintain all main roads behind Haguenau position. However, each company will check each road daily to insure that routes are kept open at all times, and will perform any needed work that comes to their attention.

9. Snow fences will materially reduce drift snow on roads. Drifts have been noticed to be more frequent on roads running in a northerly direction than on roads running eastward. Fences will be constructed on such northerly roads by felling trees parallel to, and approximately 50 yards east or west of the road concerned.

10. An overlay to a scale of 1/25000 will be submitted to this Hq by all companies not later than noon, Tuesday, 23 Jan, which will

Defensive works constructed in sector. Manned blocks, with No of guards on each. Quantities of explosives used. 0.

MONNIER

1 - Incl: (Overlay)

<u>S E C R E T</u> Auth: CC 45 Inf Div Initials: Date: 24 Jan 45

# HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

IO # 45, U S Army 24 January 1945

## OPERATIONS INCTRUCTIONS)

1.

5)

<u>a.</u> 45 Liv. continues present mission.
 <u>b.</u> 120th angr Bn continues to support defense of Division.

Co A: 2.

> Maintain roads and trails in sector. A .

b. Improve trails from vic of SPARSBACH and ECKARTSUILLER into defense area bounded by roads WILLENAU-CR 807316-CR 731296 -ERCKARTS. VILLER - WILMENAU. Frepare this area for possible occupation by infantry.

g. Be prepared to assist either "B" Co or "C" Co with at least one (1) platoon on two (2) hour notice. <u>A. Maintain guarded blocks on road SPARSBACE - INGETIJER and on</u> road WILLINAU - INGWILLER - These blocks will be maintained in a state of constant alert. Execution will be accomplished on order of local

road block commander, in accordance with verbal instructions. g. Be prepared to block all entrances into Division sector bet-ween HAGUENAU position and VOSCES position on both Eastern and Western flanks of Divison.

3. Co B:

3. Co B: <u>a.</u> Support 179 Inf and 26 mars with one (1) platoon each. <u>b.</u> Relieve Co "A" in assigned sector to include guards for demolition charges on WI "ENAU-INGWI I. R road, <u>excent</u> the crater charge at 7999322, which will be manned by Company "A". charge at 7999322, which will be manned by Company "A". <u>c</u>. Be prepared to block all approaches into Division sector along line, ROTHEACE-799322.

Co C: 4 .

a. Support 180 Inf and 274 Inf with one (1) platoon each. b. Helieve Co "." of obstacle guard, in assigned sector, to include guards for demolition charges along INGWILLER-WILLERAU read.

Each company is responsible for keeping roads in sector free from snow, and open to traffic.

6. Division Rear Boundary - Corps Lagrs will maintain all roads South of line - FUT REBACK-LA FLTITE PIERRE-WEINBURG inclusive.

MONNIER omdg

5-3

1 - Incl: (Overlay)

MLRITT 2=38 "B C Ha 120th Engr C Bn "G 8 24 Jan 1945 Overlay to Accompany 8= 2 8 0. I. No 5 G Map: 1/50 000 uD KOSGES POSITIAN SECRET

<u>SECRET</u> Auth: CG45 Div Init: Date: 30 Jan 45

HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

APO #45, U S Army 30 January 1945

OPERATIONS INSTRUCTIONS) NUMBER 6.

Map: France - 1/50,000

1. 45th Div, and 120 Engrs continue present mission.

2. Cc A:

as Support 36th Engr Regt (1st Bn 179th Inf atchd).

be Construct and maintain rifle range at Q730264.

c. Maintain cub airstrip for Div Air OP at Petersbach (Q655305).

d. Maintain roads and trails in sector as shown on overlay.

3. Co B:

a. Support 179th Inf (-1 Bn).

b. Maintain roads and trails in sector as shown on overlay.

4. Co C:

a. Support 180th Inf.

b. Maintain roads and trails in sector as shown on overlay.

5. Tank dozers:

Both at H&S Co. Available on call.

MONNIER omdg

BILLUPS: S-3

1 - Incl: Overlay

HEADQUARTERS 120TH ENGINEER COMBAT BATTALION

SECRET	
CC 45 Inf Div	r
	1
5 Feb 45	
	1

APO #45, U S Army 5 February 1945

AUTH INIT DATE

## **OPERATIONS INSTRUCTIONS**)

NUMBER

45 Div continues to defend present MLR. ae 1. be 120 Engr Bn continues present mission.

2. Co A:

2. CO A: <u>a.</u> Support 36 Engr Regt until they are relieved (070700). <u>b.</u> Support 157 Inf effective 061200A. <u>c.</u> Relieve Co C demolition guards in sector by 061200A. <u>d.</u> Turn over to Co C, road blocks at 799323, vic of CR797310, and further south along division right flank. Arrange for Co C to make physical contact with road block commanders (645 TD Bn).

e. Relieve Co C in forward areas by 061200A.

3. Co B:

7)

a. Continue support 179 Inf.
 b. Relieve Co C demolition guards in sector by 061200A.
 c. Relieve Co C in forward areas by 061200A.

Co C: 4.

a. Relieve Co A and Co B of Work in area to rear of agent nosition. For exact boundary, see Anner A. b. Take over maintenance of division sniper range (731265) from Co A by 061200A. Meintein air OP landing strip at Peterbach (655305). Relieve Co A and Co B of work in area to rear of Haguenau

c. Maintain air OP landing strip at Peterbach (655305). d. Garrison and improve demolition blocks at present maintained by Co A in conjunction with 645 TD Bn by 061200A. Contact will be est-ablished with elements 645 TD Bn charged with protection of area of each road block.

5. For normal zones of responsibility, see Annex A.

6. In case of snow, responsibility for keeping open main roads will be apportioned as shown on Annex B.

> MONNIER emdg

BILLUPS S-3

2 = encl:ANNEX A - Zones of company responsibility ANNEX B . Road snow clearance assignments.

Distribution: 1 - ea Co

1 Corps Engr ea Inf Regt 540 Engr Regt G-2 9 - 5-1 G-3 1 - 5-2 S-3 G-4 ADE 5-4

SECRET

From the collection of:

The 45th Infantry Division in World War II: An Unofficial Guide to Resources

Researched by:

The 45th Infantry Division Museum