# SPACE SHUTTLE MISSIONS SUMMARY - BOOK 2 STS- 97 THROUGH STS-131 REVISION T PCN-5 JUNE 2010



Authors: DA8/Robert D. Legler & DA8/Floyd V. Bennett

Book Manager: DA8/Mary C. Thomas 281-483-9018 Typist: DA8/Karen.J.

Chisholm

281-483-1091 281-483-5988

### **IN MEMORIAM**



Bob Legler April 4, 1927 - March 16, 2007

Bob Legler, the originator of this Space Shuttle Missions Summary Book, was born a natural Corn Husker and lived a full life. His true love was serving his country in the US Coast Guard, Merchant Marines, United Nations, US Army, and the NASA Space Programs as an aerospace engineer. As one of a handful of people to ever support the Mercury, Gemini, Apollo, Skylab, Space Shuttle, and International Space Station missions, Bob was an icon to his peers. He spent 44 years in this noble endeavor called manned space flight. In the memorial service for Bob, Milt Heflin provided the following insight:

"Bob was about making things happen, no matter what his position or rank, in whatever the enterprise was at that time...it might have been dodging bullets and bombs while establishing communication systems for United Nations outposts in crazy places...it might have been while riding the Coastal Sentry Quebec Tracking ship in the Indian Ocean...watching over the Lunar Module electrical power system or the operation of the Apollo Telescope Mount...serving as a SPAN Manager in the MCC (where a lot of really good stories were told during crew sleep)...or even while serving as the Chairman of the Annual FOD Chili Cook-off or his beloved Chairmanship of the Apollo Flight Operations Association...in each case he gave of himself so that the "mission," no matter what it was, could be successful...Bob might not have been the most efficient chairman... story telling could get in the way from time to time...but he made up for it by being a catalyst, causing the team to rise to the occasion...

And, we all know quite well his love of capturing the history of manned space flight...Apollo reunions and producing the Space Shuttle Missions Summary Book are two of his legacies...events and things with Bob's hands that were done for the enjoyment of all...he took great pride in keeping the "official" Flight Director Log, a listing of those that have served as a Flight Director in Mission Control...the Log today lists 69 Flight Directors beginning with Red Flight, Chris Kraft...even I had a hard time in convincing Bob that I would not abuse my electronic copy of this list, if he would just send it to me...this list also contains the names of only five individuals designated as an Honorary Flight Director...Bob is number 5, known as 'History Flight,' given that honor upon his retirement..."

From Randy Stone: "Bob mentored all of the new Flight Controller's with his wisdom, knowledge, but more importantly his passion for human space flight."

Others commented: "Bob was a walking encyclopedia of space knowledge and also had a great sense of humor." "Bob was a rarity in the annuals of human space flight – a joyful cheerleader [with] unabashed love of the space program." "I could always rely on Bob for hard to find info. His enthusiasm for his work was obvious." "Bob was good natured and enjoyed a good joke, even if it was on him. I love Bob and will miss him."

And, shortly before Bob died, he received the following note from Bob Cabana: "Bob, I look forward to your summary Shuttle book after the last [final] Shuttle mission. I think it's the only way I'm ever going to remember what missions I capcom'ed on and who was on console with me."

The detail, the accuracy, the completeness of this Space Shuttle Missions\_Summary Book are a testament to Bob Legler's "passion and knowledge" for human space flight. We will finish it for him with the same dedication.

Floyd Bennett

### Friend & Colleague

### **REV T PCN 5**

### **TABLE OF CONTENTS**

TITLE	PAG	<u>LAUNC</u>	TITLE	PAG	LAUNC H	TITLE	PAG E	LAUNC	<u>TITLE</u>	<u>PAGE</u>	<u>LAUNC</u>	TITLE	PAG	<u>LAUNC</u>
	<u>E</u>	<u>H</u> <u>DATE</u>		<u>E</u>	DATE		<u>E</u>	<u>H</u> D			<u>H</u> D		<u>E</u>	<u>Н</u> <u>D</u>
								<u>A</u> T			<u>A</u> T			<u>AT</u> <u>E</u>
								<u>E</u>			<u>E</u>			
BOOK 1			STS-30	32	05/04/ 89	STS-65	75	07/08/ 94	STS-99	121	02/11/ 00	STS-119/15A	202	03/15/ 09
TABLE OF CONTENTS	i		STS-28	33	08/08/ 89	STS-64	76	09/09/ 94	STS-101/2A.2a	123	05/19/ 00	STS-125	206	05/11/ 09
INTRODUCTION	iii		STS-34	34	10/18/ 89	STS-68	77	09/30/ 94	STS-106/2A.2b	125	09/08/ 00	STS-127/2JA	210	07/15/ 09
ACRONYM LIST	vii		STS-33	35	11/22/ 89	STS-66	78	11/03/ 94	STS-92/3A	127	10/11/ 00	STS-128(17A)	214	08/28/ 09
STS-1	1	04/12/ 81	STS-32	36	01/09/ 90	STS-63	79	02/03/ 95	WEIGHT SUMMARY	1	REV Q	STS-129/ULF3	218	11/16/ 09
STS-2	2	11/12/ 81	STS-36	38	02/28/ 90	STS-67	80	03/02/ 95	BOOK 2			STS-130/(20A)	222	02/08/ 10
STS-3	3	03/22/ 82	STS-31	39	04/24/ 90	STS-71	83	06/27/ 95	IN MEMORIAM			STS-131/(19A)	226	04/05/ 10
STS-4	4	06/27/ 82	STS-41	40	10/06/ 90	STS-70	85	07/13/ 95	TABLE OF CONTENTS	i				
STS-5	5	11/11/ 82	STS-38	41	11/15/ 90	STS-69	86	09/07/ 95	INTRODUCTION	iii				
STS-6	6	04/04/ 83	STS-35	43	12/02/ 90	STS-73	87	10/20/ 95	ACRONYM LIST	vii				
STS-7	7	06/18/ 83	STS-37	45	04/05/ 91	STS-74	88	11/12/ 95	STS-97/4A	131	11/30/ 00	DATA SOURCES	A-1	REV T - 2
STS-8	8	08/30/ 83	STS-39	47	04/28/ 91	STS-72	89	01/11/ 96	STS-98/5A	133	02/07/ 01	WEIGHT SUMMARY	1	REV T - 2
STS-9	9	11/28/ 83	STS-40	48	06/05/ 91	STS-75	90	02/22/ 96	STS-102/5A.1	135	03/08/ 01	WEIGHT SUMMARY	7	REV T- 5
STS 41-B	10	02/03/ 84	STS-43	49	08/02/ 91	STS-76	91	03/22/ 96	STS-100/6A	137	04/19/ 01			
STS 41-C	11	04/06/ 84	STS-48	50	09/12/ 91	STS-77	93	05/19/ 96	STS-104/7A	139	07/12/ 01	NOTE: Yellow		
STS 41-DR	12	08/30/ 84	STS-44	51	11/24/ 91	STS-78	94	06/20/ 96	STS-105/7A.1	141	08/10/ 01	denotes REV T,		
STS 41-G	13	10/05/ 84	STS-42	52	01/22/ 92	STS-79	95	09/16/ 96	STS-108/UF-1	143	12/05/ 01	PCN -5 Files		
STS 51-A	14	11/08/	STS-45	53	03/24/	STS-80	97	11/19/	STS-109	145	03/01/			

June 2010

### **REV T PCN 5**

### **TABLE OF CONTENTS**

1		84	Ī		92			96	I		02
STS 51-C	15	01/24/ 85	STS-49	54	05/07/ 92	STS-81	98	01/12/ 97	STS-110/8A	147	04/08/ 02
STS 51-E	16	N\A	STS-50	56	06/25/ 92	STS-82	99	02/11/ 97	STS-111/UF-2	149	06/05/ 02
STS 51-D	17	04/12/ 85	STS-46	58	07/31/ 92	STS-83	101	04/04/ 97	STS-112/9A	152	10/07/ 02
STS 51-B	18	04/29/ 85	STS-47	60	09/12/ 92	STS-84	102	05/15/ 97	STS-113/11A	155	11/23/ 02
STS 51-G	19	06/17/ 85	STS-52	61	10/22/ 92	STS-94	103	07/01/ 97	STS-107	158	01/16/ 03
STS 51-F	20	07/29/ 85	STS-53	62	12/02/ 92	STS-85	104	08/07/ 97	STS-114/LF1	160	07/26/ 05
STS 51-I	21	08/27/ 85	STS-54	63	01/13/ 93	STS-86	105	09/25/ 97	STS-121/ULF1.1	164	07/04/ 06
STS 51-J	22	10/03/ 85	STS-56	64	04/08/ 93	STS-87	107	11/19/ 97	STS-115/12A	167	09/09/ 06
STS 61-A	23	10/30/ 85	STS-55	65	04/26/ 93	STS-89	108	01/22/ 98	STS-116/12A.1	171	12/09/ 06
STS 61-B	24	11/26/ 85	STS-57	66	06/21/ 93	STS-90	109	04/17/ 98	STS-117/13A	175	06/08/ 07
STS 61-C	25	01/12/ 86	STS-51	68	09/12/ 93	STS-91	110	06/02/ 98	STS-118/13A.1	179	08/08/ 07
STS 51-L	27	01/28/ 86	STS-58	69	10/18/ 93	STS-95	111	10/29/ 98	STS-120/10A	183	10/23/ 07
			STS-61	70	12/02/ 93	STS- 88/2A	113	12/04/ 98	STS-122/1E	186	02/07/ 08
STS-26	28	09/29/ 88	STS-60	72	02/03/ 94	STS- 96/2A.1	115	05/27/ 99	STS-123/1JA	190	03/11/ 08
STS-27	29	12/02/ 88	STS-62	73	03/04/ 94	STS-93	117	07/23/ 99	STS-124/1J	194	05/31/ 08
STS-29	30	03/13/ 89	STS-59	74	04/09/ 94	STS-103	119	12/19/ 99	STS-126/ULF2	198	11/14/ 08

ii June 2010

**REV T PCN 5** 

**TABLE OF CONTENTS** 

THIS PAGE INTENTIONALLY BLANK

# CHANGE SHEET FOR Space Shuttle Missions Summary BOOK 2 REV T PCN-5 JUNE 2010

\_\_\_\_\_

### **CHANGE INSTRUCTIONS**

1. Remove the following listed pages and replace with the same numbered pages attached:

- Cover Page
- Table of Contents Pages i ii (Added: STS-130(20A) & STS-131/(19A)
- Page 7 of Weight Summary (Added: STS-130 & STS-131)
- 2. Add the following pages:
  - Pages 222 -- 225 for STS-130(20A)
  - Pages 226 229 for STS-131/(19A)

**NOTE**: The complete Shuttle Missions Summary Book is available electronically at: <a href="http://mod.jsc.nasa.gov/da8/rules/space">http://mod.jsc.nasa.gov/da8/rules/space</a> shuttle mission summary/Default.aspx

Prepared by: Floyd V. Bennett/DA8, 281-483-9018

### INTRODUCTION

#### ABOUT THE DOCUMENT

THIS DOCUMENT HAS BEEN PRODUCED AND UPDATED OVER A 21-YEAR PERIOD. IT IS INTENDED TO BE A HANDY REFERENCE DOCUMENT, BASICALLY ONE PAGE PER FLIGHT, AND CARE HAS BEEN EXERCISED TO MAKE IT AS ERROR-FREE AS POSSIBLE FOR A DOCUMENT WITHOUT FORMAL REVIEW PROCESS.

THIS DOCUMENT IS BASICALLY "AS FLOWN" DATA AND HAS BEEN COMPILED FROM MANY SOURCES INCLUDING FLIGHT LOGS, FLIGHT RULES, FLIGHT ANOMALY LOGS, MOD FLIGHT DESCENT SUMMARY, POST FLIGHT ANALYSIS OF MPS PROPELLANTS, FDRD, FRD, SODB, AND THE MER SHUTTLE FLIGHT DATA AND INFLIGHT ANOMALY LIST. ORBIT DISTANCE TRAVELED IS TAKEN FROM THE PAO MISSION STATISTICS. ROBERT D. "BOB" LEGLER AUTHORED THIS BOOK THROUGH FLIGHT STS-115. COMMENTS MAY BE DIRECTED TO NASA JSC, DA8/F. V. BENNETT, TELEPHONE 281-483-9018.

### SPECIAL ENTRIES (SEVERAL ENTRIES HAVE BEEN ASSIGNED SEQUENTIAL NUMBERS FOR REFERENCE PURPOSES)

<u>FLIGHT NUMBERS</u> - THE FLIGHT NUMBERS INCLUDE THE OFFICIAL FLIGHT DESIGNATOR, FOLLOWED BY ORIGINAL FLIGHT DESIGNATOR/KSC FLIGHT DESIGNATOR, THE SEQUENTIAL FLIGHT NUMBER, THE KSC LAUNCH SEQUENTIAL NUMBER, THE OFT FLIGHT NUMBER (AS APPLICABLE), THE ISS FLIGHT NUMBER, THE LAUNCH PAD SEQUENTIAL NUMBER, AND MLP USED.

<u>CREWMEMBER FLIGHT DESIGNATORS</u> - NUMBERS RELATED TO SPACE SHUTTLE (SS) FLIGHTS ONLY: P = SEQUENTIAL NUMBER OF PERSON FLOWN ON SS; <math>R = SS ROOKIE NUMBER; V = SS VETERAN NUMBER (SECOND FLIGHT ON SS); <math>M = SS MALE NUMBER; F = SS FEMALE NUMBER. NO ATTEMPT IS MADE TO DETERMINE WHICH SEAT ARRIVES IN ORBIT ON THE SAME FLIGHT. EXAMPLE: <math>P17/R2/V1/M2 - PERSON 17, ROOKIE 2, VETERAN 1, MALE 2. ONCE ASSIGNED A NUMBER, THE CREWMEMBER RETAINS THOSE R, V, M OR F NUMBERS. ONLY THE P NUMBER WOULD CHANGE ON SUBSEQUENT FLIGHTS.

<u>EVA'S</u> - RELATES TO ONLY SS EVA'S. INCLUDES TYPE OF EVA, DATES/TIMES PF EVA'S, EVA CREWMEMBER NAMES, AND SEQUENTIAL NUMBER OF SS EVA'S AND EVA TIMES.

FLIGHT DIRECTORS - THE FLIGHT DIRECTORS AND MISSION OPERATIONS DIRECTOR ARE LISTED FOR EACH FLIGHT.

LAUNCH/LIFTOFF/ASCENT DATA - INCLUDES PAD NUMBER, LIFTOFF TIMES (PLANNED AND ACTUAL IN EASTERN TIME ZONE AND GMTLO TIME), DATE OF LAUNCH FOLLOWED BY A NUMBER INDICATING HOW MANY SS FLIGHTS HAVE BEEN LAUNCHED ON THAT MONTH TO DATE, DAY-OF-WEEK LAUNCH FOLLOWED BY A NUMBER INDICATING HOW MANY SS FLIGHTS WERE LAUNCHED ON THE DAY OF THE WEEK, WINDOW DURATION AND CLOSURE RATIONALE, PLANNED LANDING SITES INCLUDING THOSE SELECTED ON DAY OF LAUNCH, ASCENT EVENTS, AND ABORT CALLS. IN THE LATER FLIGHTS, THERE ARE TWO COLUMNS FOR THE ASCENT EVENTS. THE LEFT COLUMN IS PLANNED MET'S AND VELOCITIES, AND THE RIGHT SIDE IS THE ACTUAL MET'S AND VELOCITIES FOR THE SPECIFIED EVENTS.

### INTRODUCTION

ENTRY/LANDING DATA - INCLUDES LANDING SITE/RUNWAY FOLLOWED BY A SEQUENTIAL NUMBER INDICATING THE NUMBER OF CONCRETE/LAKEBED LANDINGS AT EDW OR A SEQUENTIAL NUMBER FOR LANDINGS AT NOR AND KSC. LANDING TIME IS IN LOCAL TIME FOR THE LANDING SITE. THE LANDING DAY OF WEEK IS FOLLOWED BY A NUMBER INDICATING HOW MANY LANDINGS HAVE BEEN MADE ON THAT DAY OF THE WEEK. THE NUMBER AFTER THE LANDING DATE IS THE SEQUENTIAL NUMBER OF LANDINGS DURING THAT MONTH, I.E., 4/2/92 (7), STS-45 IS THE SEVENTH LANDING IN APRIL. EACH ORBIT DIRECTION FOR LANDING IS FOLLOWED BY A SEQUENTIAL NUMBER. THE WINDS ARE DESIGNATED IN KNOTS OF HEAD, TAIL AND LEFT AND RIGHT CROSSWINDS. THE FIRST LISTING WAS OBTAINED FROM THE MOD DESCENT POSTFLIGHT SUMMARY AND IS BASICALLY THE WINDS OBSERVED ON A DISPLAY AT THE TOUCHDOWN TIME. THE SECOND LISTING IS THE "OFFICIAL" WINDS, WHICH ARE THE 2-MINUTE AVERAGE WINDS SPANNING THE MLG TOUCHDOWN TIME. THE FLIGHT DURATIONS ARE PROVIDED IN DAYS, HOURS, MINUTES, AND SECONDS AND HOURS, MINUTES, AND SECONDS FROM LIFTOFF TO MLG TOUCHDOWN.

<u>S/T</u> - SHUTTLE TOTAL FLIGHT TIME, I.E., ACCUMULATED TOTAL. THIS IS FOLLOWED BY AN ORBITER DESIGNATOR AND THE ACCUMULATED FLIGHT TIME FOR THAT ORBITER.

<u>SSME</u> - INCLUDES NOMINAL, ABORT, AND EMERGENCY THROTTLES, PREDICTED AND ACTUAL THROTTLE PROFILE, AND ENGINE SERIAL NUMBERS FOLLOWED BY THE NUMBER OF FLIGHTS ON THAT ENGINE. FOR A LACK OF SPACE ELSEWHERE, THE MACH 3 END-OF-MISSION WEIGHTS AND X CG AND LANDING WEIGHT AND X CG HAVE BEEN ADDED IN THIS COLUMN.

<u>SRB/SRM/RSRM</u> - INCLUDES THE "BUILD ITEM" NUMBER FOLLOWED BY SRM/RSRM TYPE OR NUMBER.

<u>ET COLUMN</u> - INCLUDES ET NUMBERS, ET RUPTURE AND BREAKUP ALTITUDES AND TIMES IN MET, AND TUMBLE VALVE USE. THESE TIMES AND ALTITUDES ARE NOT CURRENTLY AVAILABLE FOR FLIGHTS AFTER STS-46.

<u>INCLINATION</u> - THIS IS THE INCLINATION AFTER OMS-2 AND IS FOLLOWED BY A SEQUENTIAL NUMBER INDICATING HOW MANY FLIGHTS WERE FLOWN AT THAT INCLINATION. INCLINATIONS BETWEEN 28.45 AND 28.55 HAVE BEEN CONSIDERED THE SAME FOR THE PURPOSES OF ASSIGNING SEQUENTIAL NUMBERS.

<u>ORBIT HA/HP</u> - INSERTIONS WERE STANDARD INSERTIONS UNLESS SPECIFICALLY STATING "DIRECT INSERTION". GENERALLY, ALTITUDES FOR POST OMS-2 ARE GIVEN, AS WELL AS PAYLOAD DEPLOY ALTITUDES AND DEORBIT ALTITUDE.

<u>FLIGHT SOFTWARE DESIGNATORS</u> - OI NUMBERS ARE FOLLOWED BY A SEQUENTIAL FLIGHT NUMBER FOR THAT OI.

### INTRODUCTION

PAYLOAD COLUMN - INCLUDES CARGO, CHARGEABLE, DEPLOYED, NON-DEPLOYED, AND MIDDECK WEIGHTS AS DOCUMENTED IN THE SODB. THE FOLLOWING SHUTTLE ACCUMULATED WEIGHTS ARE PROVIDED: (1) TOTAL PAYLOAD DEPLOYED WEIGHTS LEFT IN ORBIT, (2) TOTAL NON-DEPLOYED PAYLOAD WEIGHTS (DOES NOT INCLUDE ANCILLARY EQUIPMENT SUCH AS ASE, CABLING, ETC.), AND (3) TOTAL CARGO WEIGHTS WHICH INCLUDE ALL ANCILLARY EQUIPMENT. WEIGHTS FOR SEVEN DOD FLIGHTS ARE NOT INCLUDED. PERFORMANCE MARGINS: FOUR NUMBERS ARE PROVIDED - (1) FLIGHT PLANNING RESERVE (FPR); (2) FUEL BIAS; (3) FINAL TDDP IS MARGIN ABOVE FPR, AND FUEL BIAS USING MEAN WIND AND ATMOSPHERE FOR LAUNCH MONTH, NO UNPLANNED DRAINBACK AND FINAL SELECTED I-LOAD; AND (4) RECON IS MARGIN ABOVE MET WIND AND ATMOSPHERE, ANY UNPLANNED DRAINBACK, FINAL ESTIMATED MPS LOADS (A.K.A., "RECONSTRUCTED" SYSTEMS PERFORMANCE). IT SHOULD BE NOTED THAT STS-27 DELTA MARGIN WAS -295 LBS FOR DRAINBACK, -365 LBS FOR WIND/ATMOSPHERE. STS-31 DELTA MARGIN WAS -753 LBS FOR DRAINBACK, +461 LBS FOR WIND/ATMOSPHERE. STS-41 WAS -358 LBS FOR DRAINBACK, -488 LBS FOR WIND/ATMOSPHERE. PAYLOADS ARE IDENTIFIED AS BEING PRIMARY, PAYLOAD BAY (PLB), AND/OR MIDDECK PAYLOADS. PAYLOAD COLUMN ALSO CONTAINS THE NUMBER OF CRYO TANK SETS AND WHETHER AN RMS WAS FLOWN FOLLOWED BY A SEQUENTIAL NUMBER AND SERIAL NUMBER OF THE RMS.

MISSION HIGHLIGHTS/MISCELLANEOUS DATA COLUMN - INCLUDES THE NUMBER OF KSC WORKDAYS IN OPF, AT VAB, AT PAD, AND THE TOTAL WORKDAYS. LAUNCH POSTPONEMENTS MAY NOT CONTAIN EARLY POSTPONEMENTS. POSTPONEMENTS ARE DEFINED AS LAUNCH DELAYS WHICH OCCURRED PRIOR TO CALL-TO-STATIONS FOR OMI S0007 SHUTTLE COUNTDOWN. SCRUBS ARE LAUNCH DATE CHANGES AFTER THE START OF SHUTTLE COUNTDOWN (COUNTDOWN WAS TERMINATED OR RECYCLED TO A LATER LAUNCH DATE). LAUNCH DELAYS ARE DELAYS WHICH OCCUR ONLY ON THE DAY OF LAUNCH. OTHER DATA INCLUDED ARE TAL WEATHER DATA, NIGHT LAUNCH AND NIGHT LANDING SEQUENTIAL NUMBERS, FLIGHT DURATION CHANGES, LANDING SITE CHANGES, FIRSTS, EVENTS, AND SIGNIFICANT ANOMALIES AS JUDGED BY THE COMPILER (NOT ALL ANOMALIES ARE INCLUDED). USE OF ALTERNATE AND DOLILU I-LOADS ARE INCLUDED WITH A SEQUENTIAL NUMBER FOR UPLINKS. STS-27 WAS THE FIRST FLIGHT WITH THE CAPABILITY TO UPLINK ALTERNATE I-LOADS FOR USE AND STS-48 WAS THE FIRST FLIGHT WITH DOLILU CAPABILITY. RENDEZVOUS OPERATIONS ARE IDENTIFIED INCLUDING THE TARGET AND SEQUENTIAL NUMBER OF EACH SPACE SHUTTLE RENDEZVOUS.

SPACE SHUTTLE FLIGHT WEIGHT SUMMARY - THE DATA FOR FLIGHTS STS-1 THROUGH STS-57 WAS EXTRACTED FROM THE SODB, VOLUME II. EFFECTIVE WITH STS-51, THE SODB DATA IS NO LONGER UPDATED AS FLOWN. THEREFORE, THE DATA HAS BEEN OBTAINED FROM THE DAY-OF-LAUNCH TDDP, WITH MACH 3 EOM AND LANDING WEIGHTS/CG'S FROM THE POSTFLIGHT PROP 30 REPORTS. THE PERFORMANCE MARGIN DATA WAS EXTRACTED FROM THE RI POSTFLIGHT TRAJECTORY RECONSTRUCTION REPORTS.

STARTING WITH STS-75, THE PROGRAM AGREED TO A 900-LB APM GAIN FOR ALL MISSIONS. STS-75 AND STS-76 HAVE 900 LBS OF INERT WEIGHT ADJUSTMENT (-450 LBS INERT WEIGHT DISCREPANCY ADJUSTMENT AND -450 LBS PERFORMANCE DISCREPANCY ADJUSTMENT, WHICH WERE SUBTRACTED FROM THE STS OPERATOR CHARGEABLE CARGO). EFFECTIVE WITH STS-77, THE -450 LBS WAS SUBTRACTED FROM THE STS OPERATOR CHARGEABLE CARGO AND THE -450 LBS PERFORMANCE DISCREPANCY IS INCLUDED IN THE MPS PROP INVENTORY. EFFECTIVE WITH STS-79, THE PERFORMANCE ADJUSTMENT WAS CHANGED TO -200 LBS WHICH IS SUBTRACTED FROM THE STS OPERATIONS CHARGEABLE CARGO. THE P/L DEPLOYED WEIGHTS

### **INTRODUCTION**

FOR MIR FLIGHTS REFLECT	THE WEIGHTS OF HARDWARE	TRANSFERRED TO	THE MIR (DOES	NOT INCLUDE (	CONSUMABLES
TRANSFERRED TO MIR).					

# SPACE SHUTTLE MISSION SUMMARY INTRODUCTION

THIS PAGE INTENTIONALLY BLANK

### ACRONYM/ABBREVIATION LIST

vii

AIM PT AIM POINT

AL ASCENDING LEFT
AOA ABORT ONCE AROUND
AR ASCENDING RIGHT
ASC ASCENT

ASC/ENT ASCENT/ENTRY

AVE BRK DECEL AVERAGE BRAKE DECELERATION

BEN BEN GUERIR

BRK INIT BRAKE INITIATION VELOCITY IN KGS BR/UP BREAK UP ALTITUDE OF ET

IN THOUSANDS OF FEET

BYD BANJUL

CI CLOSEIN

CTOB CREW TIME ON BACK

DENS ALT DENSITY ALTITUDE

DL DESCENDING LEFT

DOLILU DAY OF LAUNCH I-LOAD UPDATE

DR DESCENDING RIGHT

EDW EDWARDS AFB

EMU ENVIRONMENTAL MOBILITY UNIT

ET EXTERNAL TANK

EVA EXTRA VEHICULAR ACTIVITY

SS FEMALE NUMBER

FDRD FLIGHT DEFINITION & REQUIREMENTS DOCUMENT

FPR FLIGHT PLANNING RESERVE

FRD FLIGHT REQUIREMENTS DOCUMENT

GMTLO GREENWICH MEAN TIME OF LIFTOFF

HA/HP APOGEE AND PERIGEE IN NAUTICAL MILES

HDOT TOUCHDOWN ALTITUDE RATE

KEAS KNOTS EQUIVALENT AIRSPEED

KGS KNOTS GROUND SPEED

KSC W/DKSC WORKDAY

LD/O1 LEAD/ORBIT 1 SHIFT LDA LAUNCH DANGER AREA

M SS MALE NUMBER
M 3 EOM MACH 3 END OF MISSION
MECO MAIN ENGINE CUT OFF
MET MISSION ELAPSED TIME

MLGTD MAIN LANDING GEAR TOUCHDOWN

MLP MOBILE LAUNCH PLATFORM
MMT MISSION MANAGEMENT TEAM
MMU MANNED MANEUVERING UNIT/
MOD MISSION OPERATIONS DIRECTOR
MISSION OPERATIONS DIRECTORATE

MPS MAIN PROPULSION SYSTEM

MRN MORON

M/S MISSION SPECIALIST

MTR MOTOR

### **ACRONYM/ABBREVIATION LIST**

NEG RETNEGATIVE RETURN NLGTD NOSE LANDING GEAR TOUCHDOWN 01, 02, 03 ORBIT 1, 2, OR 3 FLIGHT DIRECTOR SHIFTS OFT OFFICIAL FLIGHT DESIGNATOR **OPERATIONAL INCREMENT** OI OMS ORBITAL MANEUVERING SYSTEM ORBITER PROCESSING FACILITY OPF ORB DIR ORBIT DIRECTION SEQUENTIAL NUMBER OF PERSON FLOWN ON SS PERF PERFORMANCE PERF MARGINS PERFORMANCE MARGINS PAYLOAD PLNG PLANNING SHIFT PLANNED LANDING SITE PLS P/S PAYLOAD SPECIALIST PTA PRESS TO ABORT ONCE AROUND PTM PRESS TO MECO SS ROOKIE NUMBER RECON RECONSTRUCTED RMS REMOTE MANIPULATOR SYSTEM RUPTURE OF ET IN THOUSANDS OF FEET RSRM REDESIGNED SOLID ROCKET MOTOR RTLS RETURN TO LAUNCH SITE SEQ **SEQUENTIAL** SECONDARY LANDING SITE SLS<sup>`</sup> SODB SHUTTLE OPERATIONAL DATA BOOK SPACE SHUTTLE OR SUN SHIELD

SHUTTLE TOTAL FLIGHT TIME

TAL TRANSOCEANIC ABORT LANDING
TD NORM 195 NORMALIZED TOUCHDOWN RANGE AT 195 KEAS
TDDP TRAJECTORY DESIGN DATA PACKAGE
TDEL DIFFERENCE IN REFERENCE TIME

SPACE SHUTTLE MAIN ENGINE

FOR SSME THROTTLE ADJUSTMENT

**TANK** 

SSME

TUMBLE VALVE T/V

NOMINAL

SS VETERAN NUMBER

VAB VEHICLE ASSEMBLY BUILDING

VEL VELOCITY

**INERTIAL VELOCITY** VI

W/D WORKDAY

WX WEATHER

X CENTER OF GRAVITY X CG

XRANGE CROSSRANGE

ZZA ZARAGOZA

# SPACE SHUTTLE MISSIONS SUMMARY ACRONYM/ABBREVIATION LIST

THIS PAGE INTENTIONALLY BLANK

# SPACE SHUTTLE MISSIONS SUMMARY DATA SOURCES - APPENDIX A

This appendix provides the data sources and Point(s) of Contact (POC's) used in preparing the portion of the Space Shuttle Mission Summary Book for missions STS-116 and all missions to follow. My thanks to all these contributors and many others who helped me find my way to the correct mission data.

Floyd V. Bennett (JSC-DA8)[USA/GHG]

ITEM	DATA SOURCES
COLUMN 1: FLT NUMBER	
FLT NO.	FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm
SEQ FLT #	Calculated from previous missions
KSC-#	Calculated from previous missions at KSC
PAD # PAD # (#)	FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm Calculated from previous missions same pad
MLP-3	FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm
# SHUTTLE FLIGHT TO ISS	Calculated from previous missions to ISS
COLUMN 2: ORBITER	
ORBITER Vehicle Designation (Number of Flights) Vehicle Name	FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm
OMS PODS Left POD #, Right POD #, & FWD RCS POD # # of Flights of each POD	MV/Orbiter Project Office, POC's: Dwyer, Kenneth J. (JSC-MV6) and Storm, Michael D. (KSC-USA) # of flights calculated from previous flight of the POD's

### SPACE SHUTTLE MISSIONS SUMMARY DATA SOURCES - APPENDIX A

ITEM DATA SOURCES

COLUMN 3: CREW SIZE: TITLE, NAMES, AND EVA'S

FLIGHT CREW SIZE FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm

FLIGHT CREW,

FLIGHT DIRECTORS,

& CAPCOMS

TITLES & NAMES DA8/Lead Flight Directors Memos & JSC PAO Mission Press Kit: <a href="http://www.shuttlepresskit.com">http://www.shuttlepresskit.com</a>

EVA's

Type and Duration JSC PAO Shuttle Status Reports: http://www.nasa.gov/centers/johnson/news/shuttle/index.html

MMT Briefings

# of EVA's Calculated from previous mission EVAs

COLUMN 4: LAUNCH SITE, LIFTOFF TIME, LANDING SITES, ABORT TIMES

LAUNCH SITE

Launch Pad FDRD: https://sspweb.isc.nasa.gov/webdata/pdcweb/07700.htm

Launch Date & Time Ascent FDO Post Flight Report, POC's: Gonzalez, Edward P. (JSC-DM) and Sparks, Carson W. (JSC-DM) [USA]

Day of Week (#) Refers to # of launches that day of week calculated from previous missions same day of week

Date (#) Refers to # of launches that month calculated from previous missions same month

LAUNCH WINDOW Real-time data, POC: Sparks, Carson W. (JSC-DM) [USA]

EOM PLS Planned landing site: FDRD: <a href="https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm">https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm</a>

TAL Ascent FDO Post Flight Report, POC's: Gonzalez, Edward P. (JSC-DM) and Sparks, Carson W. (JSC-DM) [USA]

TAX WX Spacecraft Meteorology Group Post Mission Summary, POC: Oram, Timothy D. (JSC-WS8) [NOAA]

SELECTED:

RTLS, TAL, AOA, PLS LSO Post-Flight Summary, POC: Linde, Martin G. (JSC-DM) [USA] & Hensley, Doyle W. (JSC-DM461)

MAX Q NAV STS-XXX GNC First Stage Reconstruction: <a href="https://sspweb.jsc.nasa.gov/webdata/sei/t">https://sspweb.jsc.nasa.gov/webdata/sei/t</a> Post%20Flight%20Reports/

POC's: Cooper, Carling C. (Boeing), and Biskup, Bruce A., (Boeing)

SRB STG: [MET] STS-XXX Ascent Performance Trajectory Reconstruction letter, POC: Stephen P. Brod/The Boeing Company (HM5-20)

ALL REMAINING DATA

THIS COLUMN

Ascent FDO Post Flight Report, POC's: Gonzalez, Edward P. (JSC-DM) and Sparks, Carson W. (JSC-DM) [USA]

### SPACE SHUTTLE MISSIONS SUMMARY DATA SOURCES - APPENDIX A

ITEM DATA SOURCES

### COLUMN 5: LANDING SITE/RUNWAY, CROSSRANGE, LANDING TIMES, FLIGHT DURATION, WINDS

ALL ITEMS EXCEPT Descent Postflight Summary & Quicklook Reports: <a href="http://usa1.unitedspacealliance.com/usahou/orgs/48-20/dsct/pf/">http://usa1.unitedspacealliance.com/usahou/orgs/48-20/dsct/pf/</a>

ENTRIES LISTED BELOW: POC: Schill, Barbara C. (USA)

LANDING EVENTS

Time of Landing Image Science & Analysis group: <a href="http://isal-web1.jsc.nasa.gov/Shuttle/ShowPage.pl?template=default.htm">http://isal-web1.jsc.nasa.gov/Shuttle/ShowPage.pl?template=default.htm</a>

Ascent/Descent Flight Design, POC: Lessmann, Christopher F. (USA)

Site (#) Site (#) refers to # of landings at a site, calculated from previous landing at that site Surface (#) Surface (#) surface from previous landings on same surface

Landing Day of Week (#) (#) refers to # of landings on that particular weekday, calculated from landings on same weekday

Landing Date (#) (#) refers to # of landings in a particular calendar month, calculated from landings in the same calendar month

DEORBIT BURN GMT (e.g., 051:12:59:52.0Z)-DM Trajectory Server - Legler Report, POC's:Propst, Carolyn A. (USA) & Deboeck, Toni F

(USA)

ORBIT DIR (#) refers to # of landings from the same direction, calculated from # of last mission at same direction

TIME OF EVENTS

DURING LANDING LLIMS Events: http://isal-web1.jsc.nasa.gov/llims/ObservationPublic.aspx?Mode=screening&mission=STS-XXX

**ROLLOUT** 

Distance (ft)

Calculated: wheels stop position - X RWY position

Time (sec)

Calculated: wheels stop GMT - MLGTD GMT

WINDS: OFFICIAL

and DENS ALT (ft) Spaceflight Meteorology Post Flight Mission Summary, POC: Oram, Timothy D. (JSC-WS8) [NOAA]

**FLT DURATION** 

S/T Shuttle total flight time, calculated: mission duration + sum of previous missions

OV-XXX: Total flight time for specific orbiter vehicle, calculated: mission duration + sum of previous missions

DISTANCE Statute miles traveled this mission: PAO Missions Stats Report, POC: Herring, Kyle J. (JSC-AP311)

TOTAL SHUTTLE DISTANCE Calculated: distance traveled this mission + sum of previous missions

PAO Missions Stats Report, POC: Herring, Kyle J. (JSC-AP311)

### SPACE SHUTTLE MISSIONS SUMMARY DATA SOURCES - APPENDIX A

ITEM DATA SOURCES

COLUMN 6: SSME-TL, NOM-ABORT, EMERG THROTTLE PROFILE

SSME THROTTLE LEVELS

PREDICTED FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm

ACTUAL Ascent FDO Post Flight Report, POC's: Gonzalez, Edward P. (JSC-DM) and Sparks, Carson W. (JSC-DM) [USA]

ENG. S.N. FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm

(#) Refers to # of flights by engine serial number - calculated from previous flight by that SSME

M 3 EOM and LANDING

WEIGHT and X CG IDP Cycle/Prop30 Aerosciences Report/Version 01, POC: Schill, Barbara C. (USA)

COLUMN 7: SRB, RSRM, AND ET

SRB, RSRM, and ET FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm

ET IMPACT: MET, LAT, LONG STS-XXX Nominal ET Disposal Chart and ET Summary Table, POC: Dulski, Matthew B. (USA) & Strach, Daniel P (USA)

**COLUMN 8: ORBIT INCLINATION** 

INC FDRD: https://sspweb.isc.nasa.gov/webdata/pdcweb/07700.htm

COLUMN 9: ORBIT HA/HP

INSERTION (type) FDRD: <a href="https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm">https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm</a>

POST OMS-2 (nm) and

DEORBIT HA/HP DM Trajectory Server - Legler Report Request, POC's: Propst, Carolyn A. (USA) and Deboeck, Toni F (USA)

ENTRY VELOCITY (fps) and

ENTRY RANGE (nm) Descent Post Flight Summary: http://usa1.unitedspacealliance.com/usahou/orgs/48-20/dsct/pf/, POC: Hill, Trudy D.

(Debbie) (USA)

COLUMN 10: FLIGHT SOFTWARE (FSW)

OI-XX Orbit Insertion Flight Software version # - FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm

(#) cflights flown - calculated from last flight of that FSW version

## SPACE SHUTTLE MISSIONS SUMMARY DATA SOURCES - APPENDIX A

ITEM DATA SOURCES

### COLUMN 11: PAYLOAD WEIGHTS; PAYLOADS, EXPERIMENTS

PAYLOAD WEIGHTS Day of Launch (DOL) Trajectory Design Data Package (TDDP), POC: Bhula, Jayantilal (Jay) (USA)

TOTAL, MIDDECK, DEPLOYED, and NON-DEPLOYED

SHUTTLEACCUMULATED

WEIGHTS Calculated (summed) from previous missions

DEPLOYED, NON-DEPLOYED, and CARGO TOTAL

PERFORMANCE MARGIN (LBS)

FPR and FUEL BIAS, Day of Launch (DOL) Trajectory Design Data Package (TDDP), POC's: Bhula, Jayantilal (Jay) (USA)

FINAL TDDP Provided by Mike . L. Scott/USA/FDD POC

RECON STS-XXX Ascent Performance Trajectory Reconstruction, POC:

ASSIGNMENTS FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm

PAYLOADS: PLB and MIDDECK

# CRYO TANK SETS

STS OPERATOR SELECTIONS

RMS (#) -# of flights RMS flown - calculated from previous missions with RMS

## SPACE SHUTTLE MISSIONS SUMMARY DATA SOURCES - APPENDIX A

ITEM DATA SOURCES

### **COLUMN 12: MISSION HIGHLIGHTS**

BRIEF MISSION SUMMARY JSC PAO Mission Press Kit: http://www.shuttlepresskit.com/

MMT Minutes: <a href="https://sspweb.jsc.nasa.gov/mmt/">https://sspweb.jsc.nasa.gov/mmt/</a>

KSC W/D (Work Days) KSC Milestone Interface Chart, POC: Overton, Thomas L. (KSC) [ASRC AEROSPACE]

LAUNCH POSTPONEMENTS SSPO PRCB Directives: <a href="https://sspweb.jsc.nasa.gov/meeting/mtgdata.cfm">https://sspweb.jsc.nasa.gov/meeting/mtgdata.cfm</a>

LAUNCH SCRUBS MMT Minutes: <a href="https://sspweb.jsc.nasa.gov/mmt/">https://sspweb.jsc.nasa.gov/mmt/</a>

LAUNCH WINDOW Real-time Data, POC: Sparks, Carson W. (JSC-DM) [USA]

LAUNCH DELAYS MMT Minutes: https://sspweb.jsc.nasa.gov/mmt/

TAL WEATHER Spaceflight Meteorology Group Post Mission Summary, POC: Oram, Timothy D. (JSC-WS8) [NOAA]

PERFORMANCE

ENHANCEMENTS Day of Launch (DOL) Trajectory Design Data Package (TDDP), POC: Bhula, Jayantilal (Jay) (USA)

FLIGHT DURATION

CHANGES/LANDING MMT Minutes: https://sspweb.jsc.nasa.gov/mmt/

Spaceflight Meteorology Group Post Mission Summary, POC: Oram, Timothy D. (JSC-WS8) [NOAA]

FIRSTS/LASTS JSC PAO Mission Press Kit: http://www.shuttlepresskit.com/

Flight Readiness Reviews: <a href="https://sspweb.jsc.nasa.gov/webdata/launch/">https://sspweb.jsc.nasa.gov/webdata/launch/</a>

NIGHT LAUNCH (#) Number of night launches, calculated from previous night launch mission

NIGHT LANDING (Site, #) Number of night landings at specified site, calculated from previous night landing mission at that site

RENDEZVOUS Number of rendezvous missions, calculated from previous rendezvous mission

Continued...

## SPACE SHUTTLE MISSIONS SUMMARY DATA SOURCES - APPENDIX A

ITEM DATA SOURCES

**COLUMN 12 MISSION HIGHLIGHTS** (Continued)

**EVENTS** 

Time of on-orbit maneuver events (OMS 2, IT, etc.)

DM Trajectory Server - Legler Report, POC's: Propst, Carolyn A. (USA) and Deboeck, Toni F (USA)

Time of docking/undocking

events

APDS sensor Data from the ODRC, POC: Dake, Janna J. (JSC-DS421)

Time of ISS hatch opening

and crew welcome

JSC PAO Shuttle Status Reports: <a href="http://www.nasa.gov/centers/johnson/news/shuttle/index.html">http://www.nasa.gov/centers/johnson/news/shuttle/index.html</a>

EVA descriptions and

durations

Post flight EVA notes (provided by DX POC)

JSC PAO Shuttle Status Reports: http://www.nasa.gov/centers/johnson/news/shuttle/index.html

Transfers (hardware and

consumables weights)

STS-XXX Final Customer Support Room (CSR) Report and STS-XXX Mission by the Numbers (provided by MO POC's)

SIGNIFICANT ANOMALIES

PCASS In-flight Anomalies: https://usa93.usa-spaceops.com:4443/adamvweb/ifa.ifa\_search2.wp\_execfind

**ENTRY BLACKOUT** 

INCO Electronic Flight Log (Provided by DS POC Steve Sides)

**WEIGHT SUMMARY** 

All entries except entries below:

Day of Launch (DOL) Trajectory Design Data Package (TDDP): POC: Bhula, Jayantilal (Jay)/USA

Orbiter Tail No.

FDRD: https://sspweb.jsc.nasa.gov/webdata/pdcweb/07700.htm

Shuttle /PL Accumulated WTs

Calculated from previous missions

Weight at Orbit Insertion

Ascent Post Flight Data (provided by Gonzalez, Edward P./JSC-DM)

Performance Margin Final TDDP

(Provided by Mike . L. Scott/USA/FDD POC)

Reconstructed

STS-XXX Ascent Performance Trajectory Reconstruction (provided by Kristin Smaltz Boeing/GN&C)

Orbiter at Mach 3 EOM

and at Landing

IDP Cycle/Prop30 Aerosciences Report (provided by Barbara C. Shill/USA/FDD/SDM)

**PHOTOS** 

Identified by NASA Number, unless otherwise noted.

### Revision T PCN-5 June 2010

### **SPACE SHUTTLE FLIGHT WEIGHT SUMMARY**

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

			C	RBITE	R							CARGO	)			ORE	SITER TO	TALS				PERF	ORBI	ITER	ORBI	ITER
			NON					FLIC	GHT PA	YLOAI	WEIG	HTS	FLIGH	ACCUM	ULATED				ET	SRB	SHUTTL	MARG	A.	т	ΑT	т
	TAI	W/O	PRO	OMS	RCS	PROP	ORB									WT	WT	ACCUM	TOTAL	TOTAL	TOTAL	FINAL	MACH	3 EOM	LAND	DING
FLIGHT	NO.	CONC	CON	DDOD			TOTAL	PRI	DPL	RET	ANCI	CHAR	CARG	PYLD	CARGO	@	@ ODDIT	WT @	@ CDD	LEFT	@ CDD	TDDP				
	OV-	CONS.	@ SRB	PROP	FWD	AFT	@ SRB	DPLY/ NON-	AND RET	ONL	OR *	ABLE PYLD/	тота	DPLY/ NON-	TOTAL	SRB IGN	ORBIT	ORBIT INSERT	SRB IGN	& RIGHT	SRB IGN	& RECO	WT	x cg	WT	x cg
			IGN			A	IGN	DPLY	-		DEC	STS	10.17	DPLY	101712									х		N GC
STS-1	102	172425	5197	18408	2461	5371	208437	0	0	0			10823	0	10823	219260	208415	208415	1664455	1295940	4459280	NOT AVAILABLE	195943	1096.7	195473	1098.1
	(1)							10823	_					10823						1298160						
STS-2	102	175211	5922	18011	2469	5383	212161	0 18778	0	0			18778	0 29601	29601	230939	219844	428259	1647514	1296747 1296784	4471984	2049 275	204356	1096.6	204263	1098.1
STS-3	102	175374	6560	17919	2446	5384	212846	0	0	0			22710	0	52311	235556	222985	651244	1643507	1296696	4470555	5343	207349	1095.4	207073	1096.9
	(3)							22710						52311						1296915		2278				
STS-4	102	175581	6588	22155	2446	5344	217280	0 9800	0	0	1844	11644 12848	24492	0 63955	76803	241772	228442	879696	1644745	1298213 1299253	4483983	4038 1195	209141	1092.9	208947	1094.4
STS-5	102	176729	5507	19804	2448	5379	215033	14585	0	0	1078	20830	32080	14585	108883	247113	231213	1110869	1644995	1298256	4489078	822	202643	2094.8	202480	1096.3
	(5)							5167	_			12596		70200						1298714		-1017				
STS-6	099	172837	5364	19242	1964	5384	209957	37546 6853	0	0	2263	46662 1794	46971	52131 79316	155854	256928	241325	1352224	1644495	1295364 1296180	4488967	4755 2463	190627	1099.7	190330	1101.2
STS-7	099	172822	5415	21015	2449	5372	212239	14949	3192	0	3942	31893	37124	67080	192978	249363	233619	1585843	1644631	1295695	4484035	2940	204340	1089.8	204043	1091.2
	(2)							13002	_			5448		96260						1294346		2021				
STS-8	(3)	172879	5363	22011	2456	4962	212837	7445 13179	0	0	5166	25790 4440	30076	74525 114605	223054	242913	227365	1813208	1656386	1297016 1297508	4493822	14863 15735	204141	1090.4	203945	1091.9
STS-9	102	179369	6184	16000	2446	5384	214549	0	0	0	MIDDECK 0	33131	33264	74525	256318	247813	235793	2049001	1662238	1298367	4505505	841	220288	1085.8	220027	1087.1
	(6)							32261			CRYO TK 870	1708		147736						1297983		-411				
STS 41-B	099 (4)	173041	6210	24704	2446	4970	216537	15073 10198	0	0	2981	28252 5598	33868	89598 160915	290186	250405	234108	2283109	1662570	1295569 1296187	4500237	12062 6961	201529	1087.9	201239	1089.3
(STS-11) STS 41-C	$\rightarrow$	173207	5285	25096	2449	5012	216215		0	0	41	33831	38266	1109913	328452	254481	245167	2528276	1661790	1295828	4508234	995	197170	1100.0	196976	1101.6
	(5)							12394				4446		173350						1296378		-3322				
STS-41-DR	103	173911	5748	23864	2446	4970	216105	30086 10122	0	0	1174	41382 6521	47516	141080 184646	375968	263621	246903	2775179	1662823	1296101 1298244	4518538	-1611 -1564	202317	1090.7	201675	1091.7
STS 41-G	\ <u>-</u> /	175411	6236	25088	2465	4970	219326	4949	0	0	657	17592	23465	146029	399433	242791	226344	3001523	1662451	1296571	4495592	2194	202829	1083.7	202266	1084.8
	(6)							11986				5772		197289						1296300		3375				
STS 51-A	103	174036	6311	25107	2446	4970	218016	22764 15052	0	2381	187	38003 7717	45306	168793 212528	444739	263352	247014	3248537	1662369	1299428 1299700	4522111	281 1003	207983	1081.4	207506	1082.6
STS 51-C								13032				1111		212320						1233700				1091.8	197700	1096.8
	(3)																					-1457				
STS 51-D	103	174756	6272	21464	2446	4970	214855	22576 5092	0	0	1079	28747 7265	35794	191369 218699	480513	250679	239298	3487835	1661830	1297460 1296665	4504439	1243 1957	198167	1092.7	198014	1094.3
STS 51-B	$\sim$	174968	5397	22900	2446	4970	215847	105	0	0	302	30748	31377	191474	511910	247254	230944	3718779	1661509	1296246	4501978	2536	213795	1084.1	213499	1085.4
	(7)							30341				1727		249342						1296969		3609				
STS 51-G	103	174862	6272	18600	2446	4970	212316	22832 14866	2217	0	560	38258 6299	44477	214306 264768	556387	256823	243779	3962558	1661726	1297968 1298704	4518845	160 -1664	204321	1082.1	204169	1083.7
STS-51-F	099	175260	5397	25064	2446	4970	218303	0	0	0	1755	33012	34400	214306	590787	252733	237931	4200489	1661338	1300211	4514313	NOT AVAILABLE	216894	1079.8	216735	1081.3
	(8)							31257				1492		297780						1300031		AVAILABLE				

### **SPACE SHUTTLE FLIGHT WEIGHT SUMMARY**

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

Page 2

			C	RBITE	R							CARGO				ORE	BITER TO	OTALS				PERF	ORB	ITER	ORB	ITER
			NON					FLI	GHT P	AYLOAD	WEIG	HTS	FLIGH	ACCUM	ULATED				ET	SRB	SHUTTL	MARG	Α			T
FLIGHT	TAI NO.	W/O	PRO CON	OMS	RCS	PROP	ORB TOTAL	PRI	DPL	RETR	MID-	CHAR	CARG	PYLD	CARGO	WT @	WT @	ACCUM WT @	TOTAL @	TOTAL LEFT	TOTAL @	FINAL	МАСН	3 EOM	LANI	DING
FLIGHT	OV-	CONS.	@ COIN	PROP			@	DPLY/	AND	KEIK	-טווטי	ABLE	CARG	DPLY/	CARGO	SRB	ORBIT	ORBIT	SRB	&	SRB	&				
			SRB		FWD	AFT	SRB	NON-	RET	ONLY	DEC	PYLD/	ТОТА	NON-	TOTAL	IGN	INSERT	INSERT	IGN	RIGHT	IGN	RECO	WT	X CG	WT	X CG
	122		IGN	2 1 2 1 2	2 1 1 2	1070	IGN	DPLY				STS	12222	DPLY	22.1		212172		1001000		177717	170			1000	10010
STS 51-I	103 (6)	174785	6272	24646	2446	4970	218285	30289 8221	0	0	374	38884 5223	43988	244595 306375	634775	262303	249479	4449968	1661662	1297697 1298536	4520198	176 -1145	196856	1092.4	196674	1094.2
STS 51-J	104							0===				0220													190765	1101.2
STS 61-A	( <u>1</u> )	175531	5207	18300	2446	4970	211810	150	0	0	2164	30519	31911	244745	666686	243751	227797	4677765	1665455	1298021	4505113	6222	214325	1002.0	214171	1085.2
313 01-A	(9)	175551	5591	10300	2440	4970	211010	27330	U		2104	1587	31911	335869	000080	243731	221191	4077703	1005455	1297886	4505115	6219	214325	1003.0	214171	1065.2
STS 61-B	104	175615	6272	20000	1882	4970	213905		0	0	1337	42788	47509	272210	714195	261444	250836	4928601	1661470	1296606 1296018	4515538	874	205880	1084.4	205732	1085.9
STS 61-C	102	185529	5692	22700	2096	4970	223153	13986 12351	0	0	437	5236 28625	32733	351192 284561	746928	255916	238764	5167365	1665325	1295611	4512534	2332 10754	210325	1083.6	210161	1085.1
	(7)							15837				5547		367466						1295702		11127				
STS 51-L	099 (10)	175760	5397	21500	2446	4970	215239	37636 10167	0	0	830	48633 4171	52655			267929			1665170	1297828 1297848	4528770	NOT AVAILABLE	199585 PROJECTED	1089.7 PROJECTED	199438 PROJECTED	1091.3 PROJECTED
STS-26	103 (7)	176680	5409	14000	1914	4970	208139	37514 5928	0	0	1159	44601 3073	46448	322075 374553	793376	254617	243158	5410523	1664857	1301509 1301424	4522407	1546 624	194347	1096.6	194184	1098.3
STS-27	104 (3)																					2905 -286			190956	1095.1
STS-29	-	177365	5409	13984	1914	4973	208811	37640 6727	0	0	949	45316 3303	47394	359715 382229	840770	256235	244949	5655472	1664872	1300254 1300916	4522277	3772 2995	194940	1093.7	194790	1095.3
STS-30	-	177163	5415	18916	1906	4977	213543	40118	0	0	165	45823	17783	399833	888553	261356	245051	5900523	1664743	1300247	4527426	4709	192558	1097.4	192460	1099.1
STS-28	(4) 102							5540				3140		387934						1300880		2650 409			200214	1089.4
313-20	(8)																					158			200214	1009.4
STS-34	104 (5)	177407	5479	14007	1926	4987	208972	38323 6696	0	0	886	45905 3871	48613	438156 395516	937166	257615	246268	6146791	1664981	1300812 1300165	4523573	2103 -132	196112	1093.1	195954	1094.7
STS-33	103 (9)																					1157 653			194282	1094.8
STS-32	102	184982	7165	25187	2224	4951	229575	15316 1962	0	21398	1039	18317 8141	26458	453472 398517	963624	256063	244557	6391348	1664843	1299175 1299406	4510498	1956 992	228523	1078.2	228335	1079.6
STS-36	104 (6)																					881 930			187200	1096.4
STS-31	-	177516	5556	25045	2219	4966	220468	23095 960	0	0	652	25517 3126	28643	476567 400129	992267	249141	231665	6623013	1665069	1300241 1300214	4514665	2861 1352	189309	1087.9	189118	1089.7
STS-41	103	177599	5406	14509	1861	4961	209502	38604 6732	0	0	837	46173 3796	49969	515171 407698	1042236	259501	248128	6871141	1664877	1301372 1301388	4527138	1270 -152	196982	1089.4	196869	1091.2
STS-38	104							0.02				0.00		10.000						1001000		863 474			191091	1098.6

### **SPACE SHUTTLE FLIGHT WEIGHT SUMMARY**

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

			С	RBITE	R							CARGO	)			ORE	SITER TO	OTALS				PERF	ORB	ITER	ORB	ITER
	TAI	W/O	NON PRO	OMS	RCS	PROP	ORB	FLIC	GHT PA	YLOAI	D WEIG	HTS	FLIGH	ACCUM	ULATED	WT	WT	ACCUM	ET TOTAL	SRB TOTAL	SHUTTL TOTAL	MARG FINAL	A MACH	-	A' LANE	
FLIGHT	NO. OV-	CONS.	CON @ SRB IGN	PROP	FWD	AFT	TOTAL @ SRB IGN	PRI DPLY/ NON- DPLY	DPL AND RET	RET ONL	MID-	CHAR ABLE PYLD/ STS	CARG TOTA	PYLD DPLY/ NON- DPLY	CARGO TOTAL	@ SRB IGN	@ ORBIT INSERT	WT @ ORBIT INSERT	@ SRB IGN	LEFT & RIGHT	@ SRB IGN	TDDP & RECO	wT	x cg	wT	x cg
STS-35	102 (10)	184580	7156	19339	2232	4971	223444	0 25968	0	0	1792	27760 5277	33037	515171 435458	1075273	256511	243474	7114615	1664775	1300088 1300140	4521514	4131 3812	225531	1079.1	225329	1080.5
STS-37	(/	177763	5379	20053	1835	4971	215167	34442	0	0	743	36800	40561	549613	1115834	255758	240809	7355424	1664803	1300130	4519945	1116	190266	1087.4	190098	1089.2
STS-39	103	179611	6257	22553	2451	4974	221012	1615 827	4046	0	494	3761 21413	26294	437816 550440	1142128	247336	236623	7592047	1664494	1299254 1299733	4513048	525 1054	211673	1080.3	211512	1082.0
STS-40	(12) 102	185755	7111	13265	1919	4968	218184	16046 0	3955 0	0	1877	4881 28114	33707	454356 550440	1175835	251921	241175	7833222	1664845	1301485 1301303	4519792	2768 3137	226737	1079.6	226535	1080.9
STS-43	(11) 104	177623	6245	14126	1860	1072	209992	26237 37575	0	0	991	5593 46712	49325	482470 588015	1225160	259347	247964	8081186	1664898	1301723 1299653	4523118	4212 2656	106353	1087.4	196088	1089.7
	(9)							8146				2613		491607						1299220		2593				
STS-48	(13)	178149	5466	22643	2061	4970	218455	14388 2066	0	0	690	17144 4425	21569	602403 494363	1246729	240054	224141	8305327	1665078	1298959 1298580	4502671	510 -562	192925	1096.0	192780	1097.8
STS-44	104 (10)	177916	6245	16390	1893	4976	212586	37588 5809	0	0	1240	44637 2598	47235	639991 501415	1293964	259851	247087	8552414	1664283	1298356 1300086	4522576	565 1025	195047	1090.8	194818	1092.5
STS-42	103 (14)	178203	6341	14469	1908	4974	211062	0 26453	0	0	2210	28663 3701	32364	639991 530075	1326328	243456	231497	8783911	1664527	1300167 1299324	4507474	2511 2716	218159	1080.6	218089	1082.2
STS-45	$\sim$	177732	6337	16894	2180	4970	213279	0 15538	0	0	2145	17683 2658	20341	639991 547758	1346669	233650	222086	9005997	1664861	1298457 1298957	4496035	11017 10427	205672	1085.4	205588	1087.2
STS-49	105	180161	6197	19916	2448	4971	218859	23346	0	0	697	32809	37444	663337	1384113	256333	246008	9252005	1664838	1299195	4519154	3351	201400	1084.4	201235	1086.2
STS-50	102	186622	9760	16830	1903	4967	225218	8766 0	0	0	2179	4635 24305	32447	557221 663337	1416560	257695	245902	9497907	1664945	1298788 1298413	4520103	3206 2940	225865	1077.7	225615	1079.1
STS-46		178089	6380	24887	2451	4968	221941	22126 9901	1486	0	1104	8142 28585	34060	581526 673238	1450620	256031	241797	9739704	1664720	1299050 1297746	4516789	3276 2825	209851	1078.2	209532	1079.6
STS-47	(12) 105	179161	6286	14559	1917	4979	212058	16094 0	1396 0	0	1845	5475 28092	32480	598724 673238	1483100	244568	232661	9972365	1664720	1298292 1298225	4506804	1942 1348	220325	1083.7	220195	1085.3
STS-52	(2) 102	186650	7127	17398	2163	4974	223478	26247 5577	0	0	2080	4388 20132	26862	626816 678815	1509962	250370	239178	10211543	1664613	1299291 1299187	4514565	2887 10788	216043	1082.6	215935	1084.3
STS-53	(13) 103	179035			1912		215551	12475 20789	0	0	1030	6730 26118	28316	641371 699604	1538278		230731	10442274	1664985	1300395 1299174	4506587	9801 1368		1089.5	193851	1091.3
	(15)							4299	Ů			2198		646700						1298531		2844				
STS-54	105 (3)	178558		14278	1925		210802	37497 7991	0	0	1052	46540 2499	49039	737101 655743	1587317	259871	248338	10690612	1664458	1299819 1299151	4523299	2659 3421		1091.6		
STS-56	103 (16)	179811	6287	17526	2456	4967	216223	0 12568	2840 2798	0	1031	16439 4561	21003	737101 669342	1608317	237253	225597	10916209	1664388	1299765 1300514	4501920	9521 10714	208052	1084.6	207946	1086.3
STS-55	102	186929	7345	15687	1928	4967	222022	0 24599	0	0	2282	26881 6535	33416	737101 696223	1641733	255468	244156	11160365	1664456	1298515 1300561	4519000	6248 7559	227484	1078.4	227209	1079.7
STS-57	105	179410	6412	25147	2450	4969	223554	132 18244	0	9424	1254	19630 9489	29119	737233 715721	1670852	252703	239319	11399684	1664332	1300548 1300983	4518566	2030 2162	224752	1081.1	224468	1082.5

#### Revision T PCN-5 June 2010

### SPACE SHUTTLE FLIGHT WEIGHT SUMMARY

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

			C	RBITE	R							CARGO	)			ORE	SITER TO	OTALS				PERF	ORB	ITER	ORB	ITER
			NON					FLIC	GHT PA	YLOAI	WEIG	HTS	FLIGH	ACCUM	ULATED				ET	SRB	SHUTTL	MARG	A	т	А	Т
	TAI	W/O	PRO	OMS	RCS I	PROP	ORB						_			WT	WT	ACCUM	TOTAL	TOTAL	TOTAL	FINAL	MACH	3 ЕОМ	LANI	DING
LIGHT	NO.		CON				TOTAL	PRI	DPL	RET	MID-	CHAR	CARG	PYLD	CARGO	@	@	WT @	@	LEFT	@	TDDP				
	OV-	CONS.	@	PROP			@	DPLY/	AND			ABLE		DPLY/		SRB	ORBIT	ORBIT	SRB	&	SRB	&				
			SRB		FWD	AFT	SRB	NON-	RET	ONL	DEC	PYLD/	TOTA	NON-	TOTAL	IGN	INSERT	INSERT	IGN	RIGHT	IGN	RECO	WT	X CG	WT	X C
			IGN				IGN	DPLY				STS		DPLY												
TS-51		179422	6003	16743	2451	4978	214763	26889	7321	0	1122	42637	46685	764122	1717537	261487	250023	11649708	1664649	1298328	4523125	1358	207043	1084.8	206932	108
TC	(17)	107000	0700	1.4500	1045	4075	224002	7305		_	1070	4048	22011	724148	1740540	250102	244000	11004500	1004007	1298670	4517100	1273	220401	1070.0	220200	100
TS-58	102	187669	9789	14520	1945	4975	224062	0 21754	0	0	1373	23127 8884	32011	764122 747275	1749548	256103	244860	11894568	1664337	1298196 1298502	4517138	767 1114	229481	1078.8	229369	108
ΓS-61		181308	7000	24989	2451	4971	225885	2308	0	2148	665	17401	24363	766430	1773911	250279	236670	12131238	1664521	1298559	4511794	927	212947	1078.9	212836	108
	(5)			000	0_	.0		14428				6962		762368						1298436	.022.0.	554				
TS-60	103	179635	6510	18045	2450	4972	216778	171	0	0	1110	22296	28957	766601	1802868	245765	233290	12364528	1664515	1298776	4508839	110	216663	1079.6	216595	108
	(18)							21015				6661		784493						1298783		306				╙
ΓS-62	-	187779	9733	16797	2091	4968	226533	0	* 0	0	1280	19792	30016	766601	1832884	256579	245457	12609985	1664370	1299668	4519801	871	228360	1082.6	228250	108
S-59	(16) 105	180488	7220	13287	1924	4076	213061	18512 0	0	0	1445	10224 27447	33758	804285 766601	1866642	246849	237048	12847033	1664202	1299184 1300061	4511411	1795 2856	221981	1070.6	221865	10
3-59	(6)	100400	1220	13201	1924	4970	213001	26002		U	1445	6311	33736	831732	1000042	240049	237046	12047033	1004202	1300299	4511411	1731	221901	1079.0	221005	10
S-65	102	188398	9567	16385	1898	4975	226389	0	0	0	1761	24282	32880	766601	1899522	259296	247778	13094811	1664460	1299585	4523441	2169	229368	1078.6	229261	10
	(17)							22521		,		8598		856014						1300097		3531				
S-64	103	180122	6286	16789	2451	4969	215783	0	2842	0	1363	20417	25621	766601	1925143	241439	230743	13325554	1664420	1298946	4503921	6409	212294	1082.3	212180	10
	(19)	100500	7005	40004	1010	1070	04.04.04	16212	2800		1010	5204	0.4050	873589	4050005	0.47.40.4	007740	1050000	1001000	1299121	4540040	9639	004704	1070 7	004070	10
S-68	105	180520	7225	13321	1913	4976	213121	0 25997	0	0	1643	27640 6612	34252	766601 901229	1959395	247404	237742	13563296	1664393	1299294 1299523	4510613	1721 2071	221784	1078.7	221673	10
S-66	\·/	180096	7163	20801	2448	4974	220648	0	7154	0	1080	18135	23560	766601	1982955	244238	232278	13795574	1664386	1299860	4508715	3284	211562	1084.4	211411	10
5 00	(13)	100030	1100	20001	2440	4374	220040	9901	7011		1000	5426	25500	912210	1302333	244250	202210	10/300/4	1004300	1300231	4500715	3158	211302	1004.4	211711	٦
S-63	103	179828	6285	23979	2454	4980	222692	23	2651	0	1128	19051	24903	766624	2007858	247630	235671	14031245	1664161	1299714	4511630	1830	212775	1079.5	212693	10
	(20)							15249	2617			5852		928587						1300130		3476				L
S-67		180588	10610	24154	2447	4972	227937	0	0	0	1764	20067	28528	766624	2036386	256495	243809	14275054	1664446	1299857	4520187	4099	217646	1083.5	217437	10
S-71	(8) 104	180545	7200	21056	2452	4072	222481	18303	0	476	690	8461 17941	26577	948654 766624	2062963	249089	238682	14513736	1664561	1299389 1299083	4511586	6754 1040	216527	1070.7	216352	10
3-11	(14)	100343	7390	21930	2432	4912	222401	17251		470	090	8636	20377	966595	2002903	249009	230002	14313730	1004301	1298854	4311360	1398	210327	1079.7	210352	1 10
S-70	103	179039	5537	15110	1921	4982	211755	37774	0	0	1086	44445	46799	804398	2109762	258584	247141	14760877	1664631	<del></del>	4521772	3789	194267	1097.2	194190	10
	(21)							5585				2354		973266						1299339		5299				
S-69	105	180072	7149	24993	2452	4973	224805	0	7306	0	1301	25346	31549	804398	2141311	256385	243328	15004205	1664169	1299385	4519114	5409	219395	1080.7	219298	10
-0.70	(9)	100174	10704	10050	1000	4070	202502	16739	7258		2000	6203	00705	991306	0475046	057004	0.4674.0	15050000	1004100	1299176	4504504	7966	000000	1000.7	000.470	10
S-73	102	188174	10734	12653	1883	4972	223592	0 23302	0	0	2008	25310 8395	33705	804398 1016616	2175016	257321	246718	15250923	1664190	1299554 1300510	4521581	1906 4902	230603	1080.7	230479	10
S-74		179624	7175	25155	2453	4976	224549	10015	0	690	914	14064	23687	814413	2198703	248266	237141	15488064	1664354	1299872	4512395	1823	202767	1078.7	202718	10
	(15)				00	,		3135			-	9623		1020665		52.55		20.55554	-55,004	1299903		3689				٦
S-72	105	181188	7149	25038	2452	4970	225963	0	2643	10459	898	14087	21018	814413	2219721	247011	238498	15726562	1664138	1302278	4514647	11447	218496	1081.7	218345	10
	(10)							10546				6931		1032109						1301220		13346				L
ΓS-75	102	188372	9386	19109	2452	4970	229455	1494	0	0	1369	23353	32006	815907	2251727	261491	250226	15976788	1663825	1300542	4526493	1594	226443	1079.4	226287	10
	(19)							20490				8653		1053968				D ON STC		1300635		638				<u> Ц</u>

<sup>\*</sup> NOTE: DEPLOYED, NON-DEPLOYED, AND DEPLOYED/RETRIEVED REFLECT ACTUALS, E.G., WSF WAS NOT DEPLOYED AND RETRIEVED ON STS-60; TSS WAS LEFT IN SPACE ON STS-75.

#### Revision T PCN-5 June 2010

### SPACE SHUTTLE FLIGHT WEIGHT SUMMARY

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

TAI NO. OV-  STS-76 104 (16)  STS-77 105 (11)  STS-78 102 (20)  STS-79 104 (17)  STS-80 102 (21)  STS-81 104 (18)  STS-82 103	O. V- CO	W/O CONS. L80112 L80204	NON- PROP CONS @ SRB IGN 7216	PROP	FWD		ORB TOTAL @ SRB	PRI DPLY/ NON-	DPLY	YLOAD RET	WEIG		FLIGH	ACCUM	ULATED				ET	SRB	SHUTTL	MARG	A1		Α.	Т
STS-76 104 (16) STS-77 105 (11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	O. V- CO	CONS. 180112 180204	CONS @ SRB IGN 7216	PROP	FWD		TOTAL @	DPLY/		RET	MID-		1 -		1											
STS-76 104 (16) STS-77 105 (11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	04 166) 151 102 160) 160 100) 160	L80112 L80204	@ SRB IGN 7216			AFT	@	DPLY/		RET	MID-					WT	WT	ACCUM	TOTAL	TOTAL	TOTAL	FINAL	MACH 3	3 EOM	LANL	DING
STS-76 104 (16) STS-77 105 (11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	04 166)	L80112 L80204	<b>SRB IGN</b> 7216			AFT	_		AND		1.110	CHAR	CARG	PYLD	CARGO	@	@	WT @	@	LEFT	@	TDDP				
(16) STS-77 105 (11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	6)   11   12   12   13   14   14   15   15   15   15   15   15	L80204	<b>IGN</b> 7216	21664		AFT	SRB	NON				ABLE		DPLY/		SRB	ORBIT	ORBIT	SRB	&	SRB	&				
(16) STS-77 105 (11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	6)   11   12   12   13   14   14   15   15   15   15   15   15	L80204	7216	21664	2451				RETR	ONL	DEC	PYLD/	TOTA	NON-	TOTAL	IGN	INSERT	INSERT	IGN	RIGHT	IGN	RECO	WT	X CG	WT	X CG
(16) STS-77 105 (11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	6)   11   12   12   13   14   14   15   15   15   15   15   15	L80204		21664	2/151		IGN	DPLY				STS		DPLY												
STS-77 105 (11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	)5 12 1) 2 12 0) 4 14		7235		2401	4976	221585	2814	0	736	760	14152	24605	818721	2276332	246222	238531	16215319	1664159	1299899	4509631	3140	211913	1082.8	211805	1084.
(11) STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	1)   02   18 0)   04   18		1235	10400	2452	4070	210510	10578	1007	0	000	10453	25205	1065306	2011527	25 4752	242010	10450107	1004470	1299353	4510160	3563	222200	1000 5	222276	1000
STS-78 102 (20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	)2   1 0)   04   1	L88422		19483	2453	4976	219518	1104 23586	1837 1820	0	866	27393 7812	35205	819825 1089758	2311537	254753	243818	16459137	1664470	1300764 1299175	4519162	5381 8528	222399	1080.5	222276	1082.
(20) STS-79 104 (17) STS-80 102 (21) STS-81 104 (18) STS-82 103	0)		10876	13227	1940	4979	224611	0	0	0	2066	23666	31854	819825	2343391	256495	245723	16704860	1664859	1297868	4517477	3683	229134	1081.9	228986	1083.
(17) STS-80 102 (21) STS-81 104 (18) STS-82 103								21598				8188	0200.	1113422			00	20.0.000	200.000	1298255	.02	4245			======	-000.
STS-80 102 (21) STS-81 104 (18) STS-82 103	7)	L80241	7286	21473	2450	4971	221598	3170	0	2126	718	19039	27812	822995	2371203	249440	241776	16946636	1664353	1297828	4510469	462	215990	1081.3	215904	1083.
(21) STS-81 104 (18) STS-82 103								15151				8773		1129291						1298848		716	igsquare		<u> </u>	
STS-81 104 (18) STS-82 103		L87805	9760	20528	2451	4975	230676	0	12524	0	1109	21208	31111	822995	2402314	261817	248721	17195357	1663927	1299137	4524735	487	227815	1079.1	227670	1080
(18) STS-82 103		L80533	7284	21574	2452	4070	221988	7575 4019	12427 0	2842	810	9903 19321	28149	1137975 827014	2430463	250167	242178	17437535	1663879	1299854 1298753	4511011	1103 1286	215403	1081.4	215337	1083.
STS-82 103		100333	1204	21314	2432	4970	221900	14492		2042	010	8828	20149	1153277	2430403	230107	242170	11431333	1003079	1298212	4311011	2118	213403	1001.4	213337	1003.
(00)	_	L82897	6572	25010	2448	4971	227065	6941	0	6638	512	17374	24891	833955	2455354	251986	239583	17677118	1663879	1299604	4513855	3503	213949	1077.8	213869	1079.
(22)	2)							9921				7517		1163710						1298386		4235				
STS-83 102	_	L87924	10876	15000	1912	4970	225849	0	0	0	2020	25556	34373	833955	2489727	259963	248526	17925644	1663889	1299392	4522925	4820	235510	1078.5	235421	1080
(22)	_	70005	71.00	21674	2455	4070	221007	23536		2576	1100	8817	20407	1189266	2510224	240024	241027	10107471	1000070	1299392	4500000	3741	216160	1001.0	21.0021	1000
STS-84 104 (19)		L79665	7103	21074	2455	4973	221097	3902 14605	0	2576	1136	19643 8854	28497	837857 1205007	2518224	249624	241827	18167471	1663879	1298206 1298123	4509832	938 868	216169	1081.0	216021	1082
STS-94 102	-/	L87901	10876	15058	1918	4968	225890	0	0	0	2032	25568	34359	837857	2552583	260279	248956	18416427	1664630	1297078	4519333	2845	230818	1078.4	230773	1080
(23)	3)							23536				8791		1230575						1297346		4193				
STS-85 103		L81354	7072	17089	2450	4978	218082	0	7726	0	1590	24982	31959	837857	2584542	250101	238142	18654569	1664460	1298435	4512125	1446	221335	1082.0	221264	1083
(23)		100477	7000	01.000	0.454	4075	000007	15666	7587	2050	600	6977	20720	1247831	001.4070	051705	0.44.770	10000010	1001101	1299129	4540004	3065	015007	1001.0	015000	1000
STS-86 104 (20)		L80477	7283	21682	2451	4975	222037	6058 14379	0	2859	602	21039 8689	29728	843915 1262812	2614270	251795	241773	18896342	1664491	1297660 1298078	4512024	1756 81	215387	1081.3	215303	1083.
STS-87 102	-/	L88297	10459	16179	2188	4978	227270	0	2998	0	1452	21946	34394	843915	2648665	261664	250693	19147035	1664353	1297733	4521900	4384	232930	1081.0	232849	1082.
(24)								17496	2998			12448		1281760					200.000	1298120	.022000	6115				
STS-89 105	)5 1	L82187	7059	20679	2450	4972	222513	4596	0	3508	868	22163	28040	848511	2676705	250583	239584	19386619	1664543	1298227	4511879	2309	217475	1086.5	217422	1088.
(12)								16699			22.12	5877		1299327						1298526		3544				1.221
SYS-90   102 (25)		L87562	10884	15763	1841	4972	226191	0 23865	0	0	2340	26205 9844	36049	848511 1325532	2712754	262270	247955	19634574	1663992	1298901 1298520	4523683	3162 1999	233031	1080.3	232979	1081.
STS-91 103	_	L82624	7273	21882	2450	4976	224374	2419	0	2964	891	25625	35549	850933	2748303	259973	249580	19884154	1658766	1298618	4514649	631	226968	1079.5	226872	1081.
(24)		102024	1210	21002	2-00	7070	224074	22315		2504	001	9944	00045	1348738	2140000	200010	243000	1300-15-	1000700	1297292	4014040	403	220000	1075.0	220012	1001.
STS-95 103	3 1	L82647	7085	25032	2294	4980	227207	125	2973	0	1314	28520	38618	851055	2786921	265855	247947	20132101	1658996	1297332	4520191	1587	228455	1076.8	228388	1079.
(25)	-/							24108	2945			10098		1374160						1298008		2740	igsquare	ļ!	<u>                                     </u>	ļ
STS-88 105	)5   1	L82065	6997	24612	2451	4971	226265	26791	0	335	1122	30986	37731	877846	2824652	264026	251336	20383437	1658691	1297827	4518489	2365	201538	1084.3	201492	1086.
(13) STS-96 103	$\sim$			25007	0.4==	L		3073				6745		1378355	2858460					1297945		1043	ullet			1081.
STS-96   103 (26)	-/	L83197			2450	1077	227974	4228	0 1	213	1034	22707	33808	882074		261812	245256	20628693	1658803	1297048	4514231	4435	222366	1080.2	222299	

<sup>\*</sup> NOTE: STS-91 WAS FIRST FLIGHT OF SLWT, 59212 LBS. STS-95 WAS SECOND FLIGHT OF SLWT, 59942 LBS. STS-88 WAS THIRD FLIGHT OF SLWT, 59137 LBS. STS-89 ET WEIGHED 66353 LBS.

### SPACE SHUTTLE FLIGHT WEIGHT SUMMARY

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

Page 6

			O	RBITE	R							CARGO				ORE	SITER TO	TALS				PERF	ORBI	TER	ORB	ITER
			NON-					FLI	GHT PA	YLOAD	WEIG	HTS	FLIGH	ACCUM	ULATED				ET	SRB	SHUTTL	MARG	A <sup>-</sup>	т	A	π
	TAI	W/O	PROP	OMS	RCS	PROP	ORB									WT	WT	ACCUM	TOTAL	TOTAL	TOTAL	FINAL	MACH	3 EOM	LANI	DING
FLIGHT	NO.		CONS				TOTAL	PRI	DPLY	RET	MID-	CHAR	CARG	PYLD	CARGO	@	@	WT @	@	LEFT	@	TDDP				
	OV-	CONS.	@	PROP			@	DPLY/	AND			ABLE		DPLY/		SRB	ORBIT	ORBIT	SRB	&	SRB	&				W
			SRB IGN		FWD	AFT	SRB IGN	NON- DPLY	RETR	ONL	DEC	PYLD/ STS	TOTA	NON- DPLY	TOTAL	IGN	INSERT	INSERT	IGN	RIGHT	IGN	RECO	WT	X CG	WT	X CG
STS-93	102	185743	4820	14814	2473	4976	217975	43080	0	0	1538	49789	52382	925154	2910842	270387	258911	20887604	1658826	1297760	452972	2081	202872	1097.5	202796	1099.4
STS-103	(26) 103	183199	7065	24000	2451	4070	227853	5171 5423	0	5351	1334	2593 13208	20276	1404092 930577	2931118	248159	236285	21123889	1658784	1297999 1299709	4506419	-3981 13576	212288	1080.6	212217	1082.4
513-103	(27)	103199	7005	24990	2431	4979	227655	6451	U	5551	1334	7068	20270	1411877	2931110	240159	230203	21123009	1030704	1299767	4500419	13388	212200	1000.0	212211	1002.4
STS-99	105 (14)	182260	6989	19605	2308	4968	221299	260 26987	0	0	1822	29069 6341	35410	930837 1440686	2966528	256739	242322	21366211	1664331	1299767 1299817	4520450	1085 395	225092	1078.5	225030	1080.2
STS-101	<u> </u>	183166	7235	23891	2453	4980	226894	3371	0	1391	1262	24733	35604	934208	3002132	262528	252056	21618267	1658873	1299223	4519455	1480	226277	1081.2	226212	1082.9
STS-106	(21) 104	183426	7235	22706	2449	4070	227032	20159 5399	0	948	1172	10871 23967	34991	1462107 939607	3037123	262053	253389	21871656	1658741	1298831 1299561	4519178	988 1940	222835	1080.1	222774	1081.7
713-100	(22)	103420	1233	23700	2443	4970	227032	17935	U	340	1172	11024	34991	1481214	3037123	202033	233309	21071030	1030741	1298823	4319170	317	222033	1000.1	222114	1001.7
STS-92	103 (28)	183363	7235	24629	2447	4968	227808	21998 4678	0	293	1333	28009 7241	35250	961605 1487225	3072373	263088	253459	22125115	1658781	1299531 1299149	4520549	1532 2330	205188	1080.0	205129	1081.8
STS-97	-	181992	6989	22156	2452	4971	223736	36376	0	227	1021	37496	42804	997981	3115177	266570	253646	22378761	1658695	1299246	4524795	1920	197829	1085.9	197781	1087.7
STS-98	(15) 104	182605	7055	22904	2227	4978	224935	719 32270	0	872	987	5308 33286	39162	1488965 1030251	3154339	264127	251033	22629794	1658647	1300085 1298270	4519380	2032 2138	197909	1083.1	197854	1082.0
	(23)							583	Ŭ			5876		1490535						1298137		1538				
STS-102	103	182881	7055	24940	2452	4975	227469	9649 3517	0	1086	472	28739 8559	37328	1039900 1494524	3191667	264797	253436	22883230	1658484	1299774 1298555	4521809	2847 3031	218094	1083.2	218031	1084.9
STS-100		182943	7301	24075	2451	4972	226908	6346	0	1608	781	29472	38330	1046246	3229997	265268	253063	23136293	1658593	1298945	4522246	2670	220623	1083.8	220556	1085.5
STS-104	(16) 104	182862	7301	25033	2452	4975	227787	4282 19782	0	626	582	8858 26424	35135	1499587 1066028	3265132	262952	254358	23390651	1658552	1299241 1298897	4520159	2296 2884	209142	1083.8	209097	1085.6
TO 405	(24)	100001		00.400	1000	1071	005040	6060		2000	475	8711	07407	1506229	2000000	222477	050005	00044540	1050005	1299559	4540450	2990	000000	1001.0	22222	1005.0
STS-105	103 (30)	182831	7055	23428	1886	4974	225340	9657 4654	0	3802	475	29305 7802	37107	1075685 1511358	3298239	262477	253897	23644548	1658085	1298852 1298417	4518170	705 631	222682	1081.0	222620	1085.6
STS-108		182106	7058	25057	2452	4972	226711	6454	0	4156	690	31393	38177	1082139	3336416	264918	252854	23897402	1657831	1298263	4519872	2381	220623	1083.8	220556	1085.5
STS-109	(17) 102	188444	6969	25066	2451	4975	233071	8635 8256	0	6409	1216	6784 20144	27564	1520683 1090395	3363980	260665	250970	24148372	1658065	1298521 1298219	4515646	1182 3309	222447	1082.9	222366	1084.6
TC 110	(27)	104100	7000	25072	2451	4075	220054	10672		2007	757	7420	25040	1532571	2200020	20.4702	252400	24401050	1050000	1298358	4520004	4170	201512	1005.0	201.462	1007.0
STS-110	104 (25)	184160	7060	25072	2451	4975	228854	30600	0	2607	757	28379 7470	35849	1120995 1533328	3399829	264763	253486	24401858	1658030	1298947 1298885	4520964	1256 2670	201513	1085.3	201463	1087.2
STS-111	105 (18)	183220	7060	25059	2454	4976	227935	9512 906	0	6342	288	29712 6370	36082	1130507 1534522	3435911	264047	253522	24655380	1657969	1297561 1298161	4518077	2484 1870	220234	1083.6	220279	1085.3
STS-112	/	183924	7060	25043	2179	4869	228341	29543	0	1839	381	29502	37441	1160050	3473352	265812	254269	2490949	1658013	1298072	4521314	2744	202688	1087.1	202621	1088.9
STS-113	(26) 105	183037	7060	25064	2254	4970	227551	0 29672	0	2250	288	7939 30217	38393	1534904 1189722	3511745	265974	250282	25159931	1658011	1299078 1298806	4521249	3860 1736	200993	1087.6	200939	1089.5
) 1 O-110	(19)	100001	7000	23004	2234	4370	221331	46		2230	200	8176	30393	1535238	3311743	200314	230202	20109901	1030011	1298119	7321249	2486	200993	1007.0	200939	1009.5
STS-107	102 (28)	189487	10160	17619	2180	4976	229588	0 23515	0	0	801	24316 11147	35463	1189722 1559554	3547208	265081	250270	25410201	1663352	1298648 1298614	4526034	1335 1348	234495	1078.5 *	234167	1077.9

<sup>\*</sup> WT & CG ARE AT EI AND EI+15 MINUTES.

#### Revision T PCN-5 June 2010

### SPACE SHUTTLE FLIGHT WEIGHT SUMMARY

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

Page 7

**ORBITER CARGO ORBITER TOTALS** PERF **ORBITER ORBITER** NON FLIGHT PAYLOAD WEIGHTS FLIGH **ACCUMULATED** ET SRB SHUTTI MARG AT AT W/O PROP **TOTAL** TAI OMS **RCS PROP** ORB WT WT **ACCUM TOTAL** TOTAL FINAL **MACH 3 EOM** LANDING **FLIGHT** CONS TOTAL PRI **DPL** RETR MID-CHAR **CARG PYLD CARGO TDDP** @ @ WT @ @ LEFT @ CONS @ **PROP** @ DPLY AND **ABLE** DPLY/ SRB ORBIT ORBIT SRB & SRB & FWD AFT **SRB** SRB NON-RET ONLY DEC PYLD/ **TOTA** NON-**TOTAL** IGN **INSER** INSERT IGN RIGHT IGN **RECO** WT X CG WT X CG **IGN** IGN DPLY STS **DPLY** 1086.6 STS-114 1088.2 (31)STS-121 24922 2174 1084.6 1086.3 (32)N/A (Senso Fail) **|** 6986 24926 2449 4970 228734 41848 | 1275383 199711 1086.0 STS-115 1087.0 4977 229555 STS-116 185153 7189 24959 2134 1077.5 1079.2 STS-117 4974 227846 1084.6 1086.8 STS-118 185133 7189 24899 2030 4975 229369 221740 1078.1 1079.8 STS-120 185405 7108 4971 227275 1078.3 1083.0 (34)STS-122 4979 226743 1078.2 1080.4 185393 7108 4981 227316 STS-123 208916 1079.7 1081.8 STS-124 185476 6868 22771 1923 4971 227152 1088.0 1089.3 STS-126 4971 227513 1087.2 1089.0 STS-119 185710 6808 4973 | 227558 201795 1082.8 1084.7 1078.3 STS-125 4982 231548 1080.1 STS-127 4973 227700 1089.8 1091.7 STS-128 185683 6586 4970 227078 1088.4 1090.2 STS-129 **|** 22762 2205 1083.8 1084.6 STS-130 4974 226683 1082.8 1084.8 (24)4976 227212 STS-131 1089.0 1090.7 (38)

### **SPACE SHUTTLE FLIGHT WEIGHT SUMMARY**

(SOURCES: SODB, VOL II Thru STS-57 & DOL TDDP for STS-51 and Beyond)

			C	RBITE	R							CARGO	)			ORE	SITER TO	TALS				PERF	ORB	ITER	ORBI	TER
	TAI	W/O	NON PRO	OMS	RCS	PROP	ORB	FLIC	SHT PA	YLOAI	D WEIG	HTS	FLIGH	ACCUM	ULATED	WT	WT	ACCUM	ET TOTAL	SRB TOTAL	SHUTTL TOTAL	MARG FINAL	A MACH		A <sup>.</sup> LAND	
FLIGHT		CONS.	CON @ SRB IGN	PROP	FWD		TOTAL @ SRB IGN	NON- DPLY	DPL AND RET	ONL	.,	CHAR ABLE PYLD/ STS	TOTA	DPLY/ NON- DPLY	CARGO TOTAL	@ SRB IGN	@ ORBIT INSERT	WT @ ORBIT INSERT	@ SRB IGN	LEFT & RIGHT	@ SRB IGN	TDDP & RECO	WT	x cg	wt	x cg
STS-132	104 (32)	185064	7042	22762	2166	4974	227151	26619 0	0	7564	121	26740 9223	35963	1698664 1628051	4286408	263144	???	???	1657088	1299411 1299029	4519813	5074 <b>???</b>	210434	1081.0	210370	1082.9
STS-134																										1
STS-133																										
																										<u> </u>
																										i
																										1

Revision T February 2007 Page 131 - STS-97/4A

FLT	ORBITER	CREW (5)	LAUNCH SITE, LIFTOFF TIME,		SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 132 - STS-97/4A

			OI.	ACL SIIC	,,,,,,,	14110		110 00		1/1111	Page 132 - STS-97/4A
STS-97/ISS 4A  SEQ FLT #101  KSC-101  PAD 39B- 44  MLP- 1  SIXTH SHUTTLE FLIGHT TO ISS	Endeavou r OMS	P598/R206/V132/M17 9  PLT:     Michael J. Bloomfield (Flt 2 - STS-86  P599/R227/V165/M19 8  M/S 1/EV1:     Joseph R. Tanner (Flt 3 - STS-66, STS-82)  P600/R185/V136/M16 2  M/S 2:     Marc Garneau (Canada) (Flt 3 - STS-41-G, STS-77) P601/R47/V128/M44  M/S 3/EV2:     Carlos I. Noriega (Flt 2 - STS-84)  P602/R221/V166/M19 3  SS EVA #55 EMU/TETHERED	KSC 39B 336:03:06:01 Z 10:06:01 PM EST (P) 10:06:01 PM EST (A) Thursday 30 11/30/00 (13)  LAUNCH WINDOW: 4M01S USING PLT (IN-PLANE TIME)  EOM PLS: KSC TAL: ZZA TAL WX: MRN, BEN  SELECTED: RTLS: KSC 33 N/N AOA: KSC 33 N/N PLS: EDW 4 N/N  TDEL: 0.11 -0.048/- 0.01  MAX Q NAV: 758 753  SRB STG:	KSC 15 (KSC 53) 346:23:03:23Z 6:03:23 PM EST  Monday 19 12/11/00 (12)  DEORBIT BURN: 346:21:57:31Z  XRANGE: 20 NM  ORBIT DIR: AR 8  AIM PT: CLOSE IN  MLGTD: 2360 FT 346:23:03:23Z VEL: 196 KGS 199 KEAS HDOT: -3.5 FPS TD NORM 195: 2783 FT  NLGTD: 5839 FT 346:23:03:35Z VEL: 138 KGS 144 KEAS HDOT: -6.5 FPS DRAG CHUTE DEPLOY: 189 KEAS 346:23:03:27Z BRK INIT: 88 KGS	104/104/ 109% PREDICTE D: 100/104.5/ 104.5/72/ 104.5 ACTUAL: 100/104.5/ 104.5/72/ 104.5 1 = 2054 (2) 2 = 2043 (5) 3 = 2049 (4) ALL BLOCK	BI-103  RSRM 72  ET-105  SLWT 10  ET IMPAC T 1:26:3 2 MET LAT: 1.54°S LONG:	51.6	DIRECT INSERTION POST OMS- 2: 175.1 X 106.2 NM TI BURN: 1:14:26:43 MET ORBIT: 199.6 X 204 NM MC-4: 1:15:50:55 Z ORBIT: 205.5 X 201.3 NM	OI- 27 (6)	CARGO: 42804 LBS PAYLOAD CHARGEABLE: 37486 LBS DEPLOYED: 36213 LBS NON- DEPLOYED: 719 LBS MIDDECK: 1021 LBS SHUTTLE ACCUMULATED WEIGHTS: DEPLOYED: 997818 LBS NON- DEPLOYED: 1488965 LBS CARGO TOTAL: 3115177 LBS PERFORMANCE MARGINS (LBS): FPR: 3274 FUEL BIAS: 818 FINAL TDDP: 1920 RECON: 2032 PAYLOADS: PLB: ISS-44A	KSC W/D: OPF 203, VAB 5, PAD 26 = 234 days total.  LAUNCH POSTPONEMENTS: - Baselined launch date of 4/8/99 on 11/6/97 - Postponed launch to 8/5/99, 2/3/00, 3/23/00, 7/20/00, 12/2/00, and then 11/30/00 EST (12/1/00 GMT date). The primary cause for postponements was Service Module late delivery to ISS.  LAUNCH SCRUBS: None  LAUNCH WINDOW: - Total launch window was 7M45S. Window opened at 336:03:02:17Z and closed at 336:03:10:02Z. Selected Preferred Launch Time (PLT) of 336:03:06;01Z (In-plane time) resulting in a launch window of 4M01S.  LAUNCH DELAYS: None - Launched on time at 336:03:06:01 GMT on December 1, 2000 (at 10:06:01 PM EST on Thursday, November 30, 2000) Note: During the count, a loose Firex line bracket/clamp was discovered on OAA, which was rolled back to allow access and removal using a 180 foot condor crane. No impact to launch.  TAL WX: - Zaragoza (prime and selected) was forecast and observed NO GO due to low ceiling, and Ben Guerir (2-engine TAL call) was forecast and observed GO.  PERFORMANCE ENHANCEMENTS: - Standard Set plus: (1) PE Operational High Q WIN/DEC, (2) OMS assist is 4000 lbs, (3) 52 NM MECO, (4) No roll to heads up, and (5) Del Psi
THE R	T CARREAU MODILLE	2 M/S 2: Marc Garneau (Canada) (Flt 3 - STS-41-G, STS-77) P601/R47/V128/M44 M/S 3/EV2: Carlos I. Noriega (Flt 2 - STS-84) P602/R221/V166/M19 3 SS EVA #55 EMU/TETHERED EVA #48 SCHEDULED EVA #49 DURATION 7:33:23 SS EVA #56 TETHERED #49 DULED EVA #50 ATION 6:37:19 VA #57 TETHERED #50 EDULED EVA #51	N/N TAL: ZZA 30 SF/N AOA: KSC 33 N/N PLS: EDW 4 N/N  TDEL: 0.11 -0.048/- 0.01  MAX Q NAV: 758 753  SRB STG: 2:03.5 2:03.0  PERE: NOMINAL 2 ENG TAL (ZZA): 2:43 2:40  NEG RETURN: 3:51 3:54  PTA (U/S 265): 4:54 4:54  PTM (U/S 265): 5:54 5:53  SE TAL (ZZA) 5:55 5:55  SE PTM 6:55 6:58  MFCO CMD:	VEL: 196 KGS 199 KEAS HDOT: -3.5 FPS TD NORM 195: 2783 FT NLGTD: 5839 FT 346:23:03:35Z VEL: 138 KGS 144 KEAS HDOT: -6.5 FPS DRAG CHUTE DEPLOY: 189 KEAS 346:23:03:27Z BRK INIT: 88 KGS DRAG CHUTE JETTISON: 70 KGS 346:23:03:53Z BRK DECEL FPS/S: AVE 4.6 PK 6.7 WHEELS STOP: 346:23:04:20Z 10340 FT ROLLOUT: 7980 FT 57 SEC WINDS: 6H 2L OFFICIAL	ALL BLOCK	127.4°		205.5 X		DEPLOYED: 997818 LBS NON- DEPLOYED: 1488965 LBS CARGO TOTAL: 3115177 LBS  PERFORMANCE MARGINS (ILBS): FPR: 3274 FUEL BIAS: 818 FINAL TDDP: 1920 RECON: 2032 PAYLOADS: PLB: ISS-4A PV module P6 ICBC3D RMS, ODS  MIDDECK: HEDS tech demo EMU H/W, EVA Tools  5 CRYO TK SETS 5 GN2 Tanks RMS USED FOR P6 TRUSS AND	- Launched on time at 336:03:06:01 GMT on December 1, 2000 (at 10:06:01 PM EST on Thursday, November 30, 2000).  - Note: During the count, a loose Firex line bracket/clamp was discovered on OAA, which was rolled back to allow access and removal using a 180 foot condor crane. No impact to launch.  TAL WX:  - Zaragoza (prime and selected) was forecast and observed GO, Moron was forecast and observed NO GO due to low ceiling, and Ben Guerir (2-engine TAL call) was forecast and observed GO.  PERFORMANCE ENHANCEMENTS:  - Standard Set plus: (1) PE Operational High Q WIN/DEC, (2) OMS assist is 4000 lbs, (3) 52 NM
	l	Continuea									

### Revision T February 2007 Page 133 - STS-97/4A

	OF AGE OF OF THE INICOTORIO COMMANT									Page 134 - 515-97/4A	
FLT	ORBITER	CREW (5)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE		SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION,	THROTTL E PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)
				WINDS							
STS-97/ISS 4A  Continued		Continued  MCC WHITE FCR (31)  FLIGHT DIRECTORS: Asc - N. W. Hale Ent - L. E. Cain LD/O1 - W. D. Reeves O2 - P. L. Engelauf PLNG - K. B. Beck  ISS LD/O2 - J. M. Hanley ISS O1 - J. M. Curry ISS PLNG - P. S. Hill MOD - J. W. Bantle	Continued  VI: 25930 25928  OMS-2: 43:10.643:14.6 121 FPS119 FPS	DURATION, WINDS Continued  DENS ALT: 1068 FT  FLT DURATION: 10:19:57:22						5	Continued  EVENTS: (Continued) - EVA 1 Start at 338:18:34:46Z, 2:15:29:45 MET and End at 2:23:02:06 MET, duration 7:33:23. 2B Solar Array wing deployed, but had tensioning problem RMS used to deploy P6 Truss to Z1 Truss. P6 Truss 4B SAW deployed EVA 2 Start at 340:17:20:52Z, 4:14:14:51 MET and End 4:20:52:10 MET, duration 6:37:19 - EVA 3 Start at 342:16:12:13Z, 6:13:06:12 MET and End 6:18:16:01 MET, duration 5:09:49. EVA crew successfully tensioned SAW 2B Undocked at 344:19:13:00Z (8:16:06:59 MET) - Total Transfers from orbiter to ISS 1457 lbs, includes 773 lbs hardware and 7 CWC's with 684 lbs H2O. Transfers from ISS to orbiter 227 lbs ISS Visitor time 6:23:01:13 (docking to undocking) Delivered and mated P6 Truss to Z1. Deployed and activated 2B and 4B Solar Array wings. Deployed and activated PMV radiator, EETCS aft radiator. Relocated S-band Antenna Support assembly. ISS EPS reconfigured to power U.S. and Russian Segments. FPP assembled and tested.  RENDEZVOUS #50: - Rendezvous and dock with ISS at PMA2 Node 1 Nadir Port.  SIGNIFICANT ANOMALIES: - Waste water quantity sensor dropouts - Crew could not remove Cabin Temp Controller Actuator Pip Pin - APCU 1 converters shutdown and APCU 2 tripped off During EVA 1, EV2 reported equipment hook inadvertently opened EV1's WVS EMU TV not received - EV2 reported during helmet light battery charging, battery overheated (bad battery) IPS workstation crashed, delaying execute
											package - CPS application on IPS crashed - Sequential Still Video processing anomaly - ICBC3D Camera stopped filming - Erratic RCS jet L5D oxidizer injector temp transducer - F5R Fuel Injector temp sensor failure - OCA/Audio malfunctions

Revision T February 2007 Page 133 - STS-98/5A

FLT	ORBITER	CREW (5)	LAUNCH SITE, LIFTOFF TIME,		SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FS	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/	HP	PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 233 - STS-98/5A

		_		,,,,,,						Page 233 - STS-98/5A
STS-98/ OV-104 (Flight	CDR: Kenneth D. Cockrell	KSC 39A 38:23:11:16Z		104/104/ 109%	BI-105		DIRECT INSERTION	OI- 28	<u>CARGO</u> : 39162 LBS	KSC W/D: OPF 70, VAB 30 (2), PAD 28 (2) = 128 days total (Rollback to inspect SRB cables).
SEQ Atlantis KSC-102 OMS PODS: PAD: 39A-58 MLP-2 FRC4-23  SEVENTH SHUTTLE FLIGHT TO ISS	Kenneth D. Cockrell (Flt 4 - STS 56, STS-69, STS-80) P603/R159/V121/M14 0 PLT: Mark L. Polansky P604/R262/M228 M/S 1/EV2: Robert L. Curbeam (Flt 2 - STS-85) P605/R225/V167/M19	6:11:16 PM EST 6:13:02 PM EST Wednesday 11 2/7/01 (8) LAUNCH WINDOW: 4M42S USING PLT (IN-PLANE TIME) EOM PLS: KSC TAL: ZZA	28 51:20:33:06Z 12:33:06 PM PST Tuesday 17 2/20/01 (6) DEORBIT BURN: 51:19:27:20Z XRANGE: 381	109%  PREDICTE D: 100/104.5/ 104.5/72/ 104.5  ACTUAL: 100/104.5/ 104.5/72/ 104.5  1 = 2052 (3) 2 = 2044 (5) 3 = 2047	SLWT- 11	0 (7)	POST OMS- 2: 175.1 X 110.3 NM	(1)	PAYLOAD CHARGEABLE: 33286 LBS DEPLOYED: 32270 LBS NON- DEPLOYED: 583 LBS MIDDECK: 983 LBS	days total (Rollback to inspect SRB cables).  LAUNCH POSTPONEMENTS: - Baseline launch date of 5/20/99 on 11/20/97 - Postponed to 10/28/99, 2/3/00, 3/2/00, 4/20/00, 8/29/00, and 1/18/01 - Postponed launch date to NET 2/6/01 when decision made to rolll back to VAB and inspect/x-ray SRB cables (Replaced damaged cables) Set 2/7/01 launch date at FRR.  LAUNCH SCRUBS: None  LAUNCH WINDOW: - The total launch window was 9M02S, which opened at 38:23:06:56Z and closed at 38:23:15:58Z. The decision was made to use the Preferred Launch Time (PLT) of 38:23:11:16Z (In-plane time) with a 4M42S
DESTINY  WESTINY  WESTINY  WESTINA  WES	M/S 2: Marsha S. Ivins (Flt 5 - STS-32, STS-46, STS-62, STS-81) P606/R108/V77/F12  M/S 3/EV1: Thomas D. Jones (Flt 4 - STS-59, STS-68, STS-80) P607/R177/V111/M15  SS EVA #58 EMU/TETHERED EVA #51 SCHEDULED EVA #52 DURATION 7:33:58  SS EVA #59 EMU/TETHERED EVA #52 SCHEDULED EVA #53 DURATION 6:50  VA #60 /TETHERED #53 EDULED EVA #54 ATION 5:25  Continued	SRB STG: 2:05.6 2:06 PERF: NOMINAL 2 ENG TAL (BEN): 2:34 2:37 NEG RETURN: 3:53 3:55 PTA (U/S ): 4:48 4:46	IN  MLGTD: 1994 FT 51:20:33:06Z VEL: 199 KGS 209 KEAS HDOT: -2.5 FPS TD NORM 195: 3540 FT  NLGTD: 5635 FT 51:20:33:18Z VEL: 133 KGS 144 KEAS HDOT: -5.9 FPS DRAG CHUTE DEPLOY: 206 KEAS 51:20:33:08Z BRK INIT: 58 KGS DRAG CHUTE JETTISON: 64 KGS 51:20:33:36Z BRK DECEL FPS2: AVE 4.7 PK 6.7 WHEELS STOP: 51:20:34:02Z 9964 FT ROLLOUT: 7970 FT 56 SEC WINDS: 20H 1L OFFICIAL	M 3 EOM: WEIGHT: 197909 LBS X CG: 1080.06 LANDING: WEIGHT: 197854 LBS X CG: 1081.98	LAT: 1.73°S LONG: 127.9° W		DEORBIT: APOGEE 210.8 NM PERIGEE 196.2 NM ENTRY VELOCITY: 25893 ENTRY RANGE: 4350 NM		WEIGHTS: DEPLOYED: 1030088 LBS NON- DEPLOYED: 1490535 LBS CARGO TOTAL: 3154339 LBS  PERFORMANCE MARGINS (LBS): FPR: 3274 FUEL BIAS: 818 FINAL TDDP: 2138 RECON: 1538  PAYLOADS: PLB: ISS-5A (DESTINY) U.S. LABORATORY RMS, ODS, SPDU  MIDDECK: SIMPLEX BMRRM (LON) 5 CRYO TK SETS 6 GH2 TANKS RMS 59	launch window.  LAUNCH DELAYS: - During T-9 hold, a step function was seen on APU 1 Turbine Speed (OA1 card 6). This proved to be a ground-processing problem; however, coming out of T-9 minute hold was 1m46s late, resulting in a launch delay of 1m46s. Launch occurred at 38:23:13:02Z, 6:13:02 PM EST on Wednesday, February 7, 2001.  TAL WX: - Zaragoza (prime and selected) and Ben Guerir (2-engine TAL call) were forecast and observed GO. Moron was forecast and observed NO GO for ceiling and showers within 20 nm.  PERFORMANCE ENHANCEMENTS: - Standard Set Plus: (1) PE Operational High O WIN/IAN, (2) OMS assist is 4000 lbs, (3) 52 NM MECO, (4) Del Psi  FLIGHT DURATION CHANGES: - Total extension 2 days plus two orbits and changed landing site to EDW EDW was not called up for NEOM. Closed PLBD's, but waved-off landing at KSC on NEOM orbits 170 (Tig-24 mins) and 171 (Tig-36 mins) due to observed and forecast crosswind violations. Activated EDW for EOM+1. Closed PLBD's for EOM+1 but waved-off landing at KSC on orbit 186 for crosswind violations and orbit 187 due to observed and forecast crosswind violations and precipitation. Waved-off landing at EDW on orbits 188 and 189 due to forecast ceiling, crosswind, and precipitation violations. EOM+2. Waved-off landing at KSC on orbits 201 and 202 due to forecast of low ceiling and precipitation. Landed at EDW runway 22 on orbit 203 at 12:33:06 PST on Tuesday, February 20, 2001.  EVENTS: - OMS assist at 2:16 MET, duration 102.2 seconds - MC-4 at 40:15:41:20Z, 1:16:28:18 MET Docked with ISS PMA3 Node 1 Nadir Port at 40:16:50:49Z, 01:17:37:47 MET - Collision avoidance maneuver for ISS at 41:11:48:02Z, 02:12:35:00 MET Delta V +2.5 ft/sec, 186.5 by 199.4 nm  Continued

Revision T February 2007 Page 134 - STS-98/5A

FLT	ORBITER	CREW (5)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

CTC OO/	Continued	Continued	Continued	 	1	Continued
STS-98/	Continued	Continued	Continued			Continued
ISS 5A						L
	MCC WHITE FCR (32)	MECO CMD:	DENS ALT:			EVENTS (Continued):
		8:25.1 8:24.7	<u>DENS ALT</u> : 2334 FT			EVENTS (Continued): - RMS grappled PMA2 on Node 1 at 41:14:12Z, 2:14:59 MET. PMA2 installed on Z1 Truss at 41:17:00Z, 2:17:47 MET.
Continued	FLIGHT DIRECTORS:					41:17:00Z, 2:17:47 MET.
	A/E - L. E. Cain	<u>VI</u> :	FLT DURATION:			- U.S. Laboratory grappled in PLB at 41:17:22Z,
	LD/O1 - R. E. Castle O2 - K. B. Beck	25928 25928	12:21:20:04			Node at 41:10:007 2:10:47 MFT
	PLNG/O3 - B. P.	<u>OMS-2</u> :	S/T·			- U.S. Laboratory grappled in PLB at 41:17:22Z, 2:18:00 MET. U.S. Lab (Destiny) was attached to Node at 41:19:00Z, 2:19:47 MET EVA 1 Start at 41:15:51Z, 2:16:36 MET. EVA
	Austin	43:46 43:45	894:03:38:33			duration 7H33M56S.
		127.1 FPS 127.1				1- First 155 Repoost maneuver Started at 42:17:137 3:18:00 MFT
	ISS LD/O2 - A. F.	FPS	OV-102:			duration 7H33M56S First ISS Reboost maneuver Started at 42:17:13Z, 3:18:00 MET Second Reboost maneuver Started at 42:18:18Z, 3:19:05 MET. Altitude increase of 3.6 nm, orbit 203.0 by 188.9 EVA 2 Start at 43:15:58Z, 4:16:45 MET, duration 6H50M
	Algate		185:11:10:35			42:18:18Z, 3:19:05 MET. Altitude increase of
	ISŠ 01 - M. A. Kirasich ISS 03 - M. J. Ferring		DISTANCE:			I- FVA 2 Start at 43:15:587 4:16:45 MFT
	MOD - J. W. Bantle		5,369,576 sm			duration 6H50M.
	i i ob j. Wi banae					- Third Reboost maneuver Started at 44:15:53:02Z, 5:16:40:00 MET lasted 4 hours Fourth Reboost Started at 44:20:06:02Z, 5:20:53:00 MET. 5 nm altitude increase, orbit 206.5 by 193.7 nm - EVA 3 Start at 45:14:30Z, 6:15:16:58 MET, duration 5H25M
						- Fourth Reboost Started at 44:20:06:02Z.
						5:20:53:00 MET. 5 nm altitude increase, orbit
						200.5 DV 193.7 NM  - FVA 3 Start at 45:14:307 6:15:16:58 MFT
						duration 5H25M.
						- Fifth Reboost at 45:23:08Z, 6:23:54:58 MET,
						- Sixth Reboost at 46:15:23Z. Delta V of 4.4 fps.
						orbit 209.4 by 195.5 nm.
						- Fifth Reboost at 45:23:08Z, 6:23:54:58 MET, 1.4 nm altitude increase, orbit 209 by 195 nm Sixth Reboost at 46:15:23Z, Delta V of 4.4 fps, orbit 209.4 by 195.5 nm Seventh Reboost at 46:16:56Z, duration 3h41m, Delta V 11.9 fps, orbit 212.5 by 199.2
						- Hatch closed at 47:13:22Z, 8:14:08:58 MET. - Undocked at 47:14:06Z, 8:14:53 MET.
						- Belocated PMA2 from Node 1 to fwd CBM.
						- Relocated PMA2 from Node 1 to fwd CBM. Delivered and installed U.S. Lab on Node 1 fwd
						CBM and connected umbilicals, activated U.S.
						CBM and connected umbilicals, activated U.S. Lab core systems. Activated and C/O CMG's, then handed over attitude control to U.S. GN&C
						system. - ISS Visitor Time is 6:21:15:11.
1						
						TRANSFERS: - To ISS: Dry cargo IVA 3036 lbs, U.S. Lab 29866 lbs, external EVA 368 lbs = total 33270 lbs. (Included H2O transfer to ISS: 10 CWC's = 993
						[- 10 ISS: Dry cargo IVA 3036 Ibs, U.S. Lab 29866]
						(Included H2O transfer to ISS: 10 CWC's = 993
						lbs) - Transfers from ISS to shuttle 872 lbs.
						- Halisters Holli 133 to situttie 672 lbs.
						RENDEZVOUS #51: - Rendezvous and dock with ISS at PMA3, Node
						1 Nadir Port.
						SIGNIFICANT ANOMALIES: - CDR and PLT HUD runway misalignment. PLT saw about 600 foot offset to the right of the
						Isaw about 600 foot offset to the right of the
						runway, CDR was about half of this offset PCA vent cover bolts did not fit 5/16 -n socket. PCA vent bolts were difficult to start with power
						- PCA vent cover bolts did not fit 5/16 -n socket.
				ı		tool.
				l		- EV2 EMU boot pressure point during EVA #1
				ı		and EVA #2.  - Broken connector bail linkage, one of rivets on
				ı		- Broken connector bail linkage, one of rivets on connector bail broke.
				l		- Sticky mini-workstations end effectors,
				ı		I- SASA P4 connector O-ring loose.
				l		- Sticky mini-workstations end effectors, occasionally stuck open SASA P4 connector O-ring loose Bad video for proshare video conferencing STS-98 Vent Command error for Reboost 5.
				ı		- STS-98 Vent Command error for Reboost 5. - Ku-band radar Alpha gimbal angle error.
			ı			- Nu-vanu rauar Aipha yiinbaranyle entir.

Revision T February 2007 Page 135 - STS-102/5A.1

FLT	ORBITER	CREW (10) 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 235 - STS-102/5A.1

			<b>3P</b>	ACE SHU		IAI12	210	M2 20	IVI IV	IAKT	Page 235 - STS-102/5A.1
STS- 102/	OV-103 (Flight	James D. Wetherbee	67:11:42:09Z	54)	104/104/ 109%	BI-106	51.6 0 (8)	DIRECT INSERTION	0l- 28	<u>CARGO</u> : 37328 LBS	<u>KSC W/D</u> : OPF 84, VAB 8, PAD 24 = 113 days total.
	Discovery	52, STS-63,	6:42:09 AM EST (P) 6:42:09 AM EST (A) Thursday 31 3/8/01 (7)	2:31:41 AM EST Wednesday 12 3/21/01 (7)	PREDICTE D: 100/104.5/ 104.5/72/ 104.5	RSRM 78 ET-107 SLWT-		POST OMS- 2: 126/86.2 NM	(2)	PAYLOAD CHARGEABLE: 28739 LBS DEPLOYED:	LAUNCH POSTPONEMENTS:  - Baselined launch date of 3/16/00 on 1/28/99.  - Postponed launch to 4/13/00, 6/29/00, 10/19/00, 2/15/01, then 3/8/01. (Postponements caused by replacement of 9 damaged RCS thrusters, STS-98 launch
DAD	OMS PODS: LPO1-32 RPO3-30 FRC3-29	PLT:     James M. Kelly     P609/R263/M229  M/S 1 UP/EV3:     Andrew S. W. Thomas     (Flt 3 - STS-77, Up to     Mir on STS-89,     Down STS-91)  P610/R213/V149/M18 6  M/S 2/EV4:     Paul Richards     P611/R264/M230  M/S 3 UP/EV1/EXP2 FIt Eng 1:     James S. Voss     (Flt 5 - STS-44, STS-53, STS-69,     STS-101)  P612/R136/V85/M121  M/S 4 UP/EV2/EXP2	TIME)  EOM PLS: KSC TAL: ZZA TAL WX: MRN, BEN  SELECTED: RTLS: KSC 33 CI/N TAL: BEN 36 AOA: KSC 33 CI/N PLS: EDW 22 N/N	DEORBIT BURN: 80:06:26:06Z  XRANGE: 373 NM  ORBIT DIR: AR 9  AIM PT: NOMINAL  MLGTD: 2839 FT 80:07:31:41Z VEL:199 KGS 203 KEAS HDOT: -1.0 FPS TD NORM 205: 2529 FT  NLGTD: 6190 FT 80:07:31:52Z VEL:165 KGS 159 KEAS HDOT: -6.3 FPS DRAG CHUTE DEPLOY: 153 KEAS	1 = 2048 (3) 2 = 2053 (3) 3 = 2045 (4) ALL BLOCK	ET RPT: 283 K ET IMPAC T 1:12:2 4 MET				NON- DEPLOYED: 3517 LBS  MIDDECK: 472 LBS  SHUTTLE ACCUMULATED WEIGHTS: DEPLOYED: 1039900 LBS NON- DEPLOYED: 1494524 LBS CARGO TOTAL: 3191667 LBS  PERFORMANCE MARGINS (LBS): FPR: 3274 LBS FUEL BIAS: 818 LBS FINAL TDDP:	postponements, and SRB x-rays/inspections and replacement of damaged cables.  LAUNCH SCRUBS: None  LAUNCH WINDOW: - Launch window opened at 67:11:37:10Z and closed at 67:11:47:08Z for a total window of 9M58S Selected the Preferred Launch Time (In-plane time) of 67:11:42:09Z, 6:42:09 AM EST, giving a launch window of 4M59S. Note: Sunrise was 2 minutes before launch. This was a daylight launch.  LAUNCH DELAYS: None - Launch occurred on time at 67:11:42:09Z, 6:42:09 AM EST on Thursday, March 8, 2001.  TAL WX: - Zaragoza (prime) was forecast NO GO for crosswinds (observed GO at launch and TAL landing times), Moron was NO GO for ceiling and showers within 20 nm. Ben Guerir (2-engine TAL call) was GO and selected.  PERFORMANCE ENHANCEMENTS: - Standard Set Plus: (1) PE OPS High Q WIN/MAR, (2) OMS assist is 3717 lbs, (3) 52 nm MECO, (4) Del Psi
RES.	SS SEHKO WENTER	Fit Eng 2: Susan Helms (Fit 5 - STS-54, STS-64, STS-78, STS-101)  P613/R158/V108/F19  M/S 5 UP/EXP2 CDR: Yury Usachev (Russia) (Fit 2 - STS-101)  P614/R256/V168/M22 3  M/S 3 DN/EXP1 Fit Eng: Sergei Krikalev (Russia) (Soyuz UP, STS-102 DN) (Fit 3 - STS-60, STS-88)  P615/R177/V154/M15 4  M/S 4 DN/EXP1 CDR: William M. Shepard (Fit 4 - STS-27, STS-	DROOP: 4:43 PTM (U/S 152): 6:02 6:01 MECO CMD: 8:21.9 8:23.1 VI:	80:07:31:55Z BRK INIT: 98	M 3 EOM: WEIGHT: 218094 LBS X CG: 1083.19 LANDING: WEIGHT: 218031 LBS X CG: 1084.92			DEORBIT: APOGEE: 206.5 NM PERIGEE: 206 NM ENTRY VELOCITY: 25899 FPS ENTRY RANGE: 4391 NM		PAYLOADS: PLB: ISS-5A.1 MPLM PMA3 Logistics GAS (2) WSVFM ICC RMS, ODS MIDDECK: NONE  5 CRYO TK SETS 6 GMS TANKS	FLIGHT DURATION CHANGES: - Total flight duration extensions 1 day plus 1 orbit Extended 1 day for MPLM stowage exceeding planned time and 1 orbit for showers and low clouds at KSC. Plan was to land at KSC on orbit 201; however, KSC was forecast NO GO for the next 3 days. Waved-off the planned landing at KSC for orbit 201 due to weather forecast NO GO for showers and low clouds. Plan was to land at KSC on orbit 202; if not, then land at EDW on orbit 203. Minutes before Tig, the weather forecast was observed GO and forecast GO to land at KSC on orbit 202. (Observed crosswinds at landing time were 16 knots, a 4-knot violation.) Low ceiling at 4200 feet became scattered minutes before landing.  SHUTTLE NIGHT LANDING #17: - Landed at KSC runway 15 on orbit 202 at 80:07:31:41Z, 2:31:41 AM EST Wednesday, March 21, 2001. Flight duration 12:19:49:32. Landed at KSC Orbit 101.  Continued

Revision T February 2007 Page 335 - STS-102/5A.1

Revision T February 2007 Page 136 - STS-102/5A.1

FLT	ORBITER	CREW (10) 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	SSME-TL NOM- ABORT EMERG	SRB RSRM		DRBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		0.	ACL SITU	 	 ,,, ,, , ,	Page 136 - STS-102/5A.1
STS- 102/	Continued	Continued	Continued			Continued
IO2/ ISS 5A.1 Continued	M/S 5 DN/EXP1 Soyuz PLT: Yuri Gidzenko (Russia) (Soyuz Up, STS-102 DN) P617/R265/M231 SS EVA #61	38:35 38:37	DENS ALT: 264 FT FLT DURATION: 12:19:49:32 S/T: 906:23:28:05 OV-103: 230:01:27:50			FIRSTS/LASTS: - First shuttle flight transporting an Expedition crew - Expedition 2 up, Expedition 1 down. Expedition 1 Crew launched on Flight 2R, Russian Soyuz rocket from Baikonur Cosmodrome, Kazakhstan on October 31, 2000 at 2:53 AM EST (305:07:53Z). Soyuz docked with ISS on 11/2/2000 at 4:21 AM EST (307:09:21Z). Expedition 1 Crew: CDR - William Shepherd, Soyuz pilot - Yuri Gidzenko, Flight Engineer - Sergei Krikalev.
гидзенко крика. SHEPHERD	EMU/TETHERED EVA #54 SCHEDULED EVA #55 DURATION 8:56 SS EVA #62 EMU/TETHERED EVA #55 SCHEDULED EVA #56 DURATION 8:21		<u>DISTANCE</u> : 5,357,432 sm			EVENTS: - TI maneuver at 69:03:12:39Z, 1:15:30:30 MET, orbit 199.2 by 205.3. MC-4 at 69:04:33:21Z, 1:16:51:12 MET, orbit 199.1 by 206.1 nm ISS capture at 69:06:38:26Z, 1:18:56:17 MET; Docked at PMA2 Lab Forward Port at 69:06:58:23Z; hatch opened at - EVA 1 Start at 2:17:29 MET and End at 3:02:25 MET, duration 8:56 PMA3 grappled, unberthed, and installed on Node 1 Port ACBM at 70:13:50Z MPLM grapple at 71:03:36Z, 3:15:54 MET, and installed on Node 1 Nadir ACBM at 71:06:08Z, 3:18:46 MET EVA 2 Start at 4:17:45 MET and End 5:00:06 MET, duration 6:21 Collision avoidance maneuver/ISS Reboost #1 at 73:12:12:09Z, 6:02:30:00 MET, duration
SHEPHERD  WOSE	MCC WHITE FCR (33)					47M22S, orbit 200.1 by 210.8 nm, Delta V 11.8 fps ISS Reboost #2 at 75:11:32:23Z, 7:23:50:14 MET, 7.2 fps, orbit 203 by 212 nm ISS Reboost #3 at 76:09:17:45Z, 8:22:33:52 MET, 7.4 fps, orbit 204.5 by 213.7 nm MPLM grappled at 9:20:22 MET, reberthed in orbiter, and ungrappled at 10:00:05 MET - ODS hatch was closed at 78:02:48Z, 10:15:06 MET Undocked at 78:04:31:53Z, 10:16:50 MET Transfers: Shuttle to ISS: 9649 lbs cargo plus 980 lbs water in 10 CWC's. ISS to Shuttle: 1647 lbs cargo Crew rotation (Expedition 1 to Expedition 2). Relocated PMA3 from Node 1 Nadir. Transferred RSP's, RSR's, HRF, ISPR, etc. to ISS. Krikalev flew two long-duration missions to Mir ISS Visitor Time is 8:21:33:30
	FLIGHT DIRECTORS: A/E - N. W. Hale LD/O1 - J. P. Shannon O2 - P. S. Hill PLNG/O3 - P. F. Dye MOD - J. W. Bantle  STATION: LD/O1 - R. E. LaBrode O2 - S. P. Davis PLNG/O3 - R. E. Castle					RENDEZVOUS #52:  - Rendezvous and dock with ISS at PMA2 Lab Forward Port.  SIGNIFICANT ANOMALIES: - Flash evaporator left topping Evaporator Duct Heater String A failure - WCS Fan Sep Rotary Switch 2 position failure - Freon® loop flow degradation - EV1 burning sensation in eyes during Airlock depress - PMA3 J603 loose O-ring EVA - Unable to remove PMA3 P608 connector cap - TCS failure during rendezvous termination operation - OCAC fan failure (running slow at all speed settings) - Right OMS Vapor Isolation Valve #2 anomaly - C&W limits set volts pushbutton rotary switch

Revision T February 2007 Page 136 - STS-102/5A.1

Revision T February 2007 Page 137 - STS-100/6A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 237 - STS-100/6A

			<b>U</b> .	ACL SIIC	,		0.0	110 00		.,	Page 237 - STS-100/6A
STS- 100/	OV-105 (Flight	CDR: Kent V. Rominger	109:18:40:41:9	EDW 22, CONC EDW 48, CONC			0	DIRECT INSERTION	0l- 28	<u>CARGO</u> : 38330 LBS	<u>KSC W/D</u> : OPF 82, VAB 5, PAD 23 = 110 days total.
SEQ FLT # 104 KSC-104 PAD: 39A-59 ISS-6A MLP-1 NINTH SHUTTLE FLIGHT TO ISS	(Flight 16) Endeavor OMS PODS: LPO4-23 RPO1-30 FRC5-16		KSC PAD 39A 109:18:40:41:9 9Z 2:40:42 PM EDT (P) 2:40:42 PM EDT (A) Thursday 32 4/19/01 (14)  LAUNCH WINDOW: 4M49S BASED ON IN-PLANE TIME (PLT) EOM PLS: KSC TAL: ZZA TAL WX: MRN, BEN  SELECTED: RTLS: KSC 33/N/N TAL: MRN 20/N/N AOA: KSC 33/N/N TDEL: 0.10-0.018/0.02  MAX Q NAV: 725 728  SRB STG: 2:03.7 2:04 PERF: NOMINAL 2 ENG TAL (MRN): 2:33 2:33  NEG RETURN: 3:54 3:55	EDW 22, CONC EDW 48, CONC 29 121:16:10:43Z 9:10:43 AM PDT Tuesday 18 5/1/01 (10) DEORBIT BURN: 121:15:02:47Z XRANGE: 527 NM ORBIT DIR: AL	104/104/ 109%  PREDICTE D: 100/104.5/ 104.5/72/ 104.5  ACTUAL: 100/104.5/ 104.5/72/ 104.5  1 = 2054 (3) 2 = 2043 (6) 3 = 2049 (5)  ALL BLOCK IIA ENGINES  M 3 EOM: WEIGHT: 220693 LBS X CG:	BI-107  RSRM 79  ET-108  SLWT- 13  ET BRKUP: 283 K  ET IMPAC T 1:26:3	51.6 0 (9)	DEORBIT: APOGEE 219 NM PERIGEE 204 NM ENTRY VELOCITY:	Ol-	CARGO: 38330 LBS  PAYLOAD CHARGEABLE: 29472 LBS  DEPLOYED: 6346 LBS  NON- DEPLOYED: 4282 LBS  MIDDECK: 781 LBS  SHUTTLE ACCUMULATED WEIGHTS: DEPLOYED: 1046246 LBS NON- DEPLOYED: 1046246 LBS NON- DEPLOYED: 1499587 LBS CARGO TOTAL: 3229997 LBS  PERFORMANCE MARGINS (LBS): FPR: 3274 FUEL BIAS: 818 FINAL TDDP: 2670 RECON: 2296  PAYLOADS: PLB: ISS-6A ICBC3D MPLM SLP-06A RMS, ODS  MIDDECK: DTO EMU H/W	KSC W/D: OPF 82, VAB 5, PAD 23 = 110 days total.  LAUNCH POSTPONEMENTS: - Baselined launch date of 12/2/99 - Postponed launch to 4/20/00, then 7/13/00, 7/27/00, 11/30/00 Postponed launch to 4/19/01 on 2/24/00.  LAUNCH SCRUBS: None  LAUNCH WINDOW: - Launch window opened at 109:18:36:12Z and closed at 109:45:31Z, giving a total window of 9M29S. The Preferred Launch Time (PLT) was 109:18:40:42 (In-plane time) 2:40:42 PM EDT, giving a launch window of 4M49S.  LAUNCH DELAYS: None - Launch occurred on time at 109:18:40:42Z, 2:40:42 PM EDT on Thursday, April 19, 2001.  TAL WX: - Zaragoza (prime) was NO GO for head wind violations until approximately L-3 minutes when head winds dropped to 25 knots. Moron (selected early) was GO and decision made to stay with a solid Moron. Ben Guerir was NO GO for forecast and observed showers/virga.  PERFORMANCE ENHANCEMENTS: - Standard Set Plus: (1) PE Operational High Q TRN/APR, (2) OMS assist is 4000 lbs, (3) 52 nm MECO, (4) Del Psi  FLIGHT DURATION CHANGES: - Total extensions 1 day plus 2 orbits. Planned landing had been on orbit 170 Extended 1 docked day due to ISS C&C MDM (computer) problems resulting in a planned landing on orbit 185. Did not close PLBD's and waved-off landing at KSC on orbits 185 and 186 due to forecast of showers, crosswinds, and low ceiling weather violations. Similar weather violations were forecast for KSC for the next 2 days. EDW had been called up for EOM because KSC WX violations were forecast to continue through the majority of the week. Decision was
	A-STS-100  ROBOTICS SCIENCE OGISTICS	5: i V. Lonchokov ssia)	2 ENG TAL (MRN): 2:33 2:33 NEG RETURN: 3:54 3:55 PTA (U/S 243): 4:47 4:46 PTM (U/S 243): 5:56 5:50 SE TAL (ZZA): 6:04 6:03 SE PTM (U/S 701): 6:53 6:53	KGS 121:16:11:16Z BRK_DECEL FPS <sup>2</sup> : AVE 6.5 PK 10.6 WHEELS STOP: 121:16:11:34Z 10123 FT ROLLOUT: 7964 FT 51 SEC WINDS:	WEIGHT: 220693 LBS			APOGEE 219 NM PERIGEE 204 NM ENTRY		ICBC3D MPLM SLP-06A RMS, ODS MIDDECK: DTO EMU H/W EVA Tools 5 CRYO TK SETS 7 GN2 TANKS	landing on orbit 185. Did not close PLBD's and waved-off landing at KSC on orbits 185 and 186 due to forecast of showers, crosswinds, and low ceiling weather violations. Similar weather violations were forecast for KSC for the next 2 days. EDW had been called up for EOM because KSC WX violations were forecast to continue

Revision T February 2007 Page 337 - STS-100/6A

Revision T February 2007 Page 138 - STS-100/6A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORE		FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC I	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

0.00	Combinus	Continued	Cantinuad		_		Continued
STS- 100/	Continued	Continued	Continued				Continued
T00/							EVENTS:
ISS 6A	CC EVA #63	V/I.	DENC ALT:				EVENIS:
	SS EVA #63	<u>VI</u> : 25930 25920	<u>DENS ALT</u> : 3925 FT				- MC-4 (RCS) at 1:18:00:36 MET, orbit 199.1 by
Continued		25930 25920	392311				206.1 nm
I	EVA #56	OMC 3	FLT DURATION:				- Docked at ISS PMA2 Lab Forward Port at
	SCHEDULED EVA #57	<u>UNS-Z</u> :	11:21:30:01				111:14:10:42Z
	DURATION 7:09:51	43:40 43:42	S/T:				- EVA 1 Start at 2:17:04:41 MET, duration
	CC EVA #64		FLT DURATION: 11:21:30:01 S/T: 918:20:58:06				7:09:51
	SS EVA #64						- RMS grappled the Spacelab Pallet, unberthed
	EMU/TETHERED		<u>OV-105:</u> 167:03:14:03				from orbiter, and installed on Lab Cradle
	EVA #57 SCHEDULED EVA #58		167:03:14:03				Assembly at 2:16:07:18 MET
	DURATION 7:39:23		DICTANCE.				- ISS hatch opening and crew ingress into ISS at
	DUKATION 7:59:25		<u>DISTANCE</u> : 4,910,188 sm				approximately 3:14:40 MET. - MPLM in PLB at 3:19:45 MET grappled and
			4,910,100 3111				positioned over Node 1 Nadir CBM and installed
							at 3:21:04 MET.
	MCC WHITE FCR (34)						- First ISS Reboost maneuver Started at
	MCC WITTE TER (54)						4:01:09:54 MET, duration 59M36S, Delta V 7.41
	FLIGHT DIRECTORS:						fps, orbit 205.5 by 212.2, raised orbit 2.1 nm.
	A/E - L. E. Cain						- EVA 2 Start at 4:17:53:12 MET, duration
	LD/O 1 - P. L.						7h39M22S
	Engelauf						- Second ISS Reboost maneuver Started at
	O 2 - K. B. Beck						17:16:40:00 MFT (RCS), ended at 1 hour. Delta V
	PLNG/O3 - B. P.						was 15.9 fps, orbit 210 by 206.
	Austin						- RMS berthed MPLM in PLB and powered down
	MOD - J. M. Heflin						at 8:02:43 MET. SSRMS to RMS handoff of SLP
	'						berthed at 9:02:02 MET.
	<u>STATION</u> :						- Delivered and installed SSRMS and connected
	LD/O 1 - J. M. Curry						cables to U.S. Lab. UHF antenna on U.S. Lab,
	O 2 - M. J. Ferring						removed starboard ECOMM antenna. Delivered
	PLNG/O 3- R. E.						and installed express racks with payloads.
	Castle						Replaced failed CMC MDM #1.
							- Undocked at 119:17:34:04Z (Extended flight 1
							docked day due to ISS C&C MDM and Node MDM
							problems).
							- Transferred 6346 lbs cargo to ISS, and 1608
							lbs from ISS to Shuttle. Transferred 1380 lbs
							water in 14 CWC's.
							- ISS Visitor time is 8:03:23:22.
							DENDET VOUG #53
							RENDEZVOUS #53:
							- Rendezvous and dock with ISS at PMA2 Lab
							Forward Port
							SIGNIFICANT ANOMALIES:
							- FES Feedline B Mid 2 Htr 1 failed off
							- RMS End Effector Capture Switch sticky
							- WSB 3 anomalous temperature response wher
							operating on WSB 3B controller
							- Humidity Separator B water carryover
				l			- RCS Jet R5D low chamber pressure
				l			- EV1 eye irritation during EVA 1 and EVA 2
				l			(Disposable in-suit drink bag leaked)
				l			- ISS Early Comm Antenna connector fell apart
				l			- Video Signal Converter failed to release from
				l			SLP during EVA 2
							- SIGI data check bad status indications
				l			- SRB - Unburned propellant (3 percent) in RH
							Forward Booster Separation Motor (BSM).
				l			Conclusion is water intrusion.
				l			- LOMS POD inboard Y-web dithering/erratic
				l			System A Heater
				l			- In video of launch, the lower left hand OMS Poo
				l			TPS appeared to be flexing during SSME startup
				l			Similar but smaller motion has been seen on the
				l			pods in the past.
							podo in the pasti

Revision T February 2007 Page 138 - STS-100/6A

Revision T February 2007 Page 139 - STS-104/7A

FLT	ORBITER	CREW (5)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTL E PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 239 - STS-104/7A

			<b>3</b> 1	ACE SHU	,,,,,,,	14110		143 30	IAIIA		Page 239 - STS-104/7A
STS- 104/	OV-104 (Flight	<u>CDR</u> : Steven W. Lindsey	KSC 39B 193:09:03:59Z	KSC 15 (KSC 55)	104/104/ 109%	BI-108	51.6 0	DIRECT INSERTION	Ol- 28	<u>CARGO</u> : 35135 LBS	<u>KSC W/D</u> : OPF 82, VAB 11, PAD 21 = 114 days total.
ISS 7A	24)	(Flt 3 - STS-87, STS-	5:03:59 AM EDT	206:03:38:55Z		RSRM	(10)		(4)		
	Atlantis	95)	(P) 5:03:59 AM EDT	11:38:55 PM EDT	PREDICTE	80		POST OMS-		<u>PAYLOAD</u> <u>CHARGEABLE</u> :	LAUNCH POSTPONEMENTS: - Baselined launch date of 8/24/00 on 7/29/99
SEQ FLT #105		P625/R229/V131/M20	(A)		100/104.5/	ET-109		127 X 85		26424 LBS	- Postponed launch date to 2/8/01 on 11/10/99 - Postponed launch date to 5/15/01 on 2/24/01
	<u>OMS</u>	0	Thursday 33 7/12/01 (7)	Tuesday 19 7/24/01 (10)	104.5/72/ 104.5	SLWT		NM		DEPLOYED:	- Postponed launch date to 3/13/01 on 2/24/01 - Postponed launch date to 7/12/01
KSC-105	PODS:	PLT:		, ,		14				19792 LBS	LAUNCH SCRUBS: NONE
<u>PAD</u> 39B-46	LPO3-28 RPO4-24	Charles O. Hobaugh P626/R268/M234	<u>LAUNCH</u> <u>WINDOW</u> :	DEORBIT BURN: 206:02:31:35Z	<u>ACTUAL</u> : 100/104.5/ 104.5/72/	ET				NON-	LAUNCH WINDOW:
	FRC4-24		7M57S USING PLT (IN-PLANE	XRANGE: 391	104.5/72/ 104.5	<u>RPT</u> : 283 K				DEPLOYED: 6060 LBS	- Launch window opened at 193:08:59:00Z and
MLP-2		M/S 1/EV1: Michael L. Gernhardt	TIME)	XRANGE: 391 NM							closed at 193:09:11:56Z in two panes with a 10 second cutout between panes, resulting in a
TENTH		(Flt 4 - STS-69, STS 83, STS-94)		ORBIT DIR: AL	1 = 2056 (1)	ET IMPACT				MIDDECK: 582 LBS	second cutout between panes, resulting in a total window of 12M56S. The Preferred Launch Time was 193:09:03:59Z (Pane 1 In-Plane Time)
SHUTTLE FLIGHT TO			EOM PLS: KSC	AIM PT:	2 = 2051	1:14:17					resulting in a launch window of 7M57S.
ISS		P627/R198/V138/M17	<u>TAL</u> : ZZA TAL WX: MRN	NOMINAL	(2) 3 = 2047	MET				SHUTTLE ACCUMULATED	LAUNCH DELAYS: NONE
		5	SELECTED:	<u>MLGTD</u> : 2183	(6)	<u>LAT</u> : 36.32				<u>WEIGHTS</u> : <u>DEPLOYED</u> :	- Launch occurred On-Time at 193:09:03:59Z (5:03:59 AM EDT) on Thursday, July 12, 2001.
		M/S 2: Janet L. Kavandi	RTLS: KSC 33	F1 206:03:38:55Z	ENG 1 & 3	°S				1066028 LBS	
		(Flt 3 - STS-91, STS-	N/N <u>TAL</u> : ZZA 30	VEL: 198 KGS 199 KEAS	BLOCK IIA	<u>LONG</u> : 158.55				<u>NON-</u> <u>DEPLOYED</u> :	TAL WX: - Zaragoza (Prime and Selected) forecast and
		99)	N/SF	HDOT: -1.4 FPS	ENG 2	°W				1506229 LBS	- Zaragoza (Prime and Selected) forecast and observed GO, Moron (2-Eng TAL Call) was forecast and observed GO. Ben Guerir was not
	]	P628/R243/V158/F32	<u>AOA</u> : KSC 15 N/N	TD NORM 195:	BLOCK II					CARGO TOTAL: 3265132 LBS	available due to security concerns (BEN was forecast and observed GO).
	Ho	M/S 3/EV2:	<u>PLS</u> : EDW 22 N/N	2499 FT							
MUSE	- Sallo	James F. Reilly (Flt 2 - STS-89)	<b>'</b>	NLGTD: 5442 FT						MARGINS	PERFORMANCE ENHANCEMENTS: - Standard Set Plus: PE Operational High Q
( 1 to 1 t		`	TDEL: 0.010.012/0.05	206:03:39:06Z VEL: 148 KGS						( <u>LBS)</u> : FPR: 3274	SUM/JUL, 52 nm MECO, and Del Psi
		P629/R234/V172/M20	MAX Q NAV:	148 KEAS HDOT: -5.7 FPS						FUEL BIAS: 818	SHUTTLE NIGHT LAUNCH #26
			732 732	DRAG CHUTE						FINAL TDDP:	SHUTTLE NIGHT LANDING #18
	The second second	SS EVA #65	SRB STG:	DEPLOY: 191						2884 RECON: 2990	- Landed on orbit 201 on KSC runway 15 at 206:03:38:55Z, 11:38:55 PM EDT on 7/24/2001.
KAV	ANDI	EMU/TETHERED EVA #58	2:02.1 2:02	KEAS 206:03:38:58Z							FLIGHT DURATION CHANGES:
		SCHEDULED EVA #59	PERF: NOMINAL							<u>PAYLOADS</u> : PLB:	- Total extension 2 days. One day for ISS Ops
		DURATION 5:59		BRK INIT: 56 KGS						ISS-7A ISS Airlock	and one day for weather at KSC Extended Flight 1 day due to delays in completing ISS activities primarily caused by airlock leaks.
		SS EVA #66	<u>2 ENG TAL</u> (MRN):	DRAG CHUTE	M 3 EOM:					Spacehab	completing ISS activities primarily caused by lairlock leaks.
7	(A)	EMU/TETHERED EVA #59	2:23 2:26	<u>JETTISON</u> : 57 KGS	WEIGHT:			<u>DEORBIT</u> :		Double Pallet (O2 and N2	- Closed PLBD's and fluid loaded crew for
S A		SCHEDULED EVA #60 DURATION 6:29:20		206:03:39:39Z	209142			APOGEE:		TKS)	11:19:32:47 MET. At Tig -10 mins, waved-off
8			3:54 3:57	BRK DECEL (FPS):	LBS			211.0 NM <u>PERIGEE</u> :		ICBC3D RMS, ODS	when small cluster of showers formed SW of SLF with forecast to be within 30 nm at landing. At
		SS EVA #67 DOCKED EVA 1 FROM	PTA (U/S 159):	AVE 1.6 PK 5.1	X CG:			207.5 NM		MIDDECK	Tig -11 mins, waved-off landing on orbit 187 at
AIRI	OCK	QUEST A/L #1	4.55	WHEELS STOP: 206:03:40:06Z	1083.81			<u>VELOCITY</u> :		MIDDECK: ICBC SPT	alrlock leaks.  - Closed PLBD's and fluid loaded crew for planned landing on orbit 186 at KSC at 11:19:32:47 MET. At Tig -10 mins, waved-off when small cluster of showers formed SW of SLF with forecast to be within 30 nm at landing. At Tig -11 mins, waved-off landing on orbit 187 at KSC with observed precipitation and low ceiling within 30 nm and forecast precipitation within 30 nm at landing time
	l	EMU/TETHERED EVA #60	<u>SE OPS 3</u> : 5:20 NC	13041 FT	LANDING:			25905 FPS		EQUIP, EMU H/W, EVA	30 nm at landing time. - Second Extension Day. Called up EDW for
		SCHEDULED EVA #61 DURATION 4:01:30		ROLLOUT:				<u>ENTRY</u>		TOOLS	- Second Extension Day. Called up EDW for EOM+1. Landed on first KSC opportunity on orbit 201 on runway KSC 15 at 206:03:38:55Z,
		DURATION 4.01.30	PTM (U/S 159): 6:02 6:02	10858 FT 68 SEC	WEIGHT: 209097			RANGE: 4405 NM		E CDVO TV	[12:18:34:56 ME1, 11:38:55 PM ED1 (Tuesday,
		MCC WHITE FCR (35)		<u>WINDS</u> : 4H 1L	LBS					SETS	July 24, 2001 EDT).
		` ′	<u>SE TAL (ZZA)</u> : 6:03 6:06	IOEEICIAI ·	X CG:					7 GH2 TKS RMS 62	FIRSTS/LASTS: - First flight of SSME with alternate Pratt &
		<u>FLIGHT DIRECTORS</u> : A/E/O 2 - N. W. Hale		13005P07	1085.59					RMS used to	- First flight of SSME with alternate Pratt & Whitney HPFTP (S/N 2051) Block II engine - First operational use of SSRMS since delivery
		LD/O 1 - P. S.Hill PLNG/O3 - J. P.	<u>SE PTM (U/S</u> 755):	SS: 5H 2L PK: 6H 3L						view A/L	on STS-100/6A. Used to grapple Airlock and I
		Shannon	6:49 6:52	Continued						Installation, OSVS, and EVA	install on Node 1 Starboard Port.
		ISS LD/O 2 - M. A.	Continued	Continueu						Support	Continued
		Kirsich									
ı	I	ISS O 1 - S. P. Davis	I	I	I			1	l	I	l l

Revision T February 2007 Page 339 - STS-104/7A

Revision T February 2007 Page 140 - STS-104/7A

FLT	ORBITER	CREW (5)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	_	RBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

	 12		-	 110 00111	 Page 140 - 515-104/7A
STS- 104/	Continued	Continued			Continued
ISS 7A	MECO CMD:	DENS ALT:			FIRSTS/LASTS (Continued):
Continued	8:23.8 8:26	1346 FT			- First use of exercise pre-breathe of pure oxygen to purge nitrogen from EVA crew for
	VI·	FLT DURATION:			EVA 3 (12 minute pre-breathe).
	25824 25823	12:18:34:56			EVA 3 (12 minute pre-breathe) First use of ISS Joint Airlock for EVA (by Shuttle Crew on EVA 3).
	<u>OMS-2</u> :	<u>S/T</u> : 931:15:33:02			EVENTS:
1	38:29 38:33 96.7 FPS 96.6	931:15:33:02			- Docked at ISS PMA2 Lab Fwd Port. ISS contact at 1:18:04:02 MET, 195:03:08:01Z; Docking
	FPS 96.6	<u>OV-104:</u> 198:05:45:31			lat 1:18:04:02 MET, 195:03:08:01Z; Docking complete at 1:18:19:16 MET, 195:03:23:15Z. l- ISS Hatch open (first) 1:20:24 MET,
		DISTANCE:			1195.05.287
1		5,309,429 sm			- Airlock grapple. - EVA 1 started at 2:18:07 MET, 196:03:12Z; ended at 3:00:06 MET, 196:09:11Z, duration
1					15H59M.
					- ISS Reboost 1 maneuver started at 196:01:18:06Z, 3:16:14:07 MET, Delta V=6.8 ft/sec, altitude increase 2.3 nm, altitude 206 by
					201 nm. - EVA 2 started at 199:03:05Z; ended at
					199:09:34Z, duration 6H29M20S. - ISS Reboost 2 maneuver started at 199:09:59:12Z, 6:00:55:13 MET, delta V=6.9
					ft/sec, altitude increase 2.0 nm, altitude 207.8 by 203.7 nm ISS Reboost 3 maneuver started at
					200:07:35:04Z, 6:22:31:05 MET, delta V=14.9 ft/sec, altitude increase 4.3 nm, altitude 211.1
					by 208.6 nm. - EVA 3 started by 202:08:35Z, and ended at 202:08:37Z, duration 4H01M30S. EVA from
					HOIDE AIRIOCK
					- Delivered and installed ISS Joint Airlock on Node 1 Stbd port using SSRMS. Delivered and installed four HPGT's (two O2 and two H2) on Airlock. End of ISS Phase 2.
					- ISS Hatch close (Final) at 9:17:51 MET, 203:02:55Z.
					- Undocked at 9:19:50:00 MET, 203:04:53:59 Z. - Transfers: Shuttle to ISS: 19782 lbs cargo
					(includes Airlock, 13299 lbs) plus 897 lbm water in 9 CWC's. ISS to Shuttle: 626 lbs. - ISS Visitor Time is 8:01:45:58.
					RENDEZVOUS #54: - Rendezvous and dock with PMA2 Lab Forward
					Port
					SIGNIFICANT ANOMALIES: - Water Loop 1 floodlight coldplate low
					temperature - FES Feedline A heater failure - EMU 3 battery electrolyte leakage
					- EV1 right foot discomfort - Airlock Handhold 0535 installation failure - Non-tending retractable tether
					- Non-tending fed actable teniel - Proshare video conferencing anomaly - Failed hand held microphone.
					- Sequential Still Video (SSV) not operating - Ku-Band failed to detect and track Ku forward
					signal. - ODS C/L Camera misalignment
					- Left Vent doors 8 and 9 Open 2 sticky microswitch.

Revision T February 2007 Page 141 - STS-105/7A.1

FLT	ORBITER	CREW (7 UP/7 DOWN)	LAUNCH SITE, LIFTOFF TIME,		SSME-TL NOM- ABORT EMERG	SRB RSRM	(	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 142 - STS-105/7A.1

			O.	ACE SHU	, , ,	14110	0.0	110 00		1/717 1	Page 142 - STS-105/7A.1
STS- 105/	OV-103 (Flight 30	CDR: Scott J. Horowitz		KSC 15 (KSC 56)	104/104/ 109%		0	DIRECT INSERTION	Ol- 28	<u>CARGO</u> : 33107 LBS	KSC W/D: OPF 79, VAB 8, PAD 31 = 118 days total.
ISS 7A.1	(Discover y)		5:10:14 PM EDT (P) 5:10:14 PM EDT	2:22:59 PM EDT	PREDICTE D:	81	(11)	POST OMS- 2:	(5)	<u>PAYLOAD</u> <u>CHARGEABLE</u> :	LAUNCH POSTPONEMENTS:  - Baselined launch date of 6/21/01 on 6/22/00  - Postponed launch date to 7/12/01
SEQ FLT #106	<u>OMS</u> <u>PODS</u> :	P630/R210/V135/M18 3	(A) Friday 23 8/10/01 (7)	Wednesday 13 8/22/01 (6)	100/104.5/ 104.5/72/ 104.5	SLWT		125.9 X 84.8 NM		29305 LBS <u>DEPLOYED</u> :	- Postponed launch date to 7/12/01 - Postponed launch date to NET 8/5/01 on 6/7/01 - Postponed launch date to NET 8/9/01 on 7/11/01
KSC-106 PAD	LPO1-33 RPO3-31 FRC3-30	<u>PLT</u> : Frederick W. Sturckow	<u>LAUNCH</u> <u>WINDOW</u> :	DEORBIT BURN: 234:17:15:23Z	<u>ACTUAL</u> : 100/104.5/ 104.5/72/	15 <u>ET</u>				9657 LBS <u>NON-</u>	LAUNCH SCRUBS: - Scrubbed the 8/9/01 launch attempt. The launch window was in two planes; however, at the L-2 day MMT, it was decided not to use Plane 2 for the first launch attempt on Thursday
39A-60		(Flt 2 - STS-88)	9M58S ISS WINDOW OPEN	XRANGE: 793 NM	104.5/72/ 104.5	<u>RPT</u> : 283K				<u>DEPLOYED</u> : 4654 LBS	the L-2 day MMT, it was decided not to use Plane 2 for the first launch attempt on Thursday, August 9, 2001 Window opened at
MLP-3 ELEVENTH		P631/R247/V173/M21 5	<u>EOM PLS</u> : KSC <u>TAL</u> : ZZA <u>TAL WX</u> : MRN,	<u>ORBIT DIR</u> : AR 10 <u>AIM PT</u> :	1 = 2052 (4) 2 = 2044	ET IMPAC				MIDDECK: 475 LBS	2 for the first launch attempt on Thursday, August 9, 2001. Window opened at 221:21:32:47Z and closed at 221:21:42:46Z or 9M59S total window. With a Preferred Launch Time (PLT) of 221:21:37:46Z, the launch window was 5M00S. Launch attempt was scrubbed at L- 25 minutes due to thunderstorms within 20mm
SHUTTLE FLIGHT TO ISS		M/S 1/EV2: Patrick G. Forrester P632/R269/M235	BEN SELECTED:	NOMINAL MLGTD: 1508	(6) 3 = 2045 (6)	1:14:2 1 MET				SHUTTLE ACCUMULATED WEIGHTS:	was 5M00S. Launch attempt was scrubbed at L- 25 minutes due to thunderstorms within 20nm, lightening strikes at 12 nm, and detached anvils over the Pad and SLF. All three TAL sites were
		M/S 2/EV1: Daniel T. Barry	RTLS: KSC 15	234:18:22:59Z VEL: 210 KGS 202 KEAS		<u>LAT</u> : 36.7°S				DEPLOYED: 1075685 LBS	August 10.
		(Flt 3 - STS-72, STS- 96	N/N AOA: KSC 15 N/N	HDOT: -3.2 FPS TD NORM 195:	BLOCK IIA SSME'S	LONG: 157.75°				DEPLOYED: 1511356 LBS CARGO TOTAL:	LAUNCH WINDOW: - Launch window opened at 222:21:10:14Z and closed at 222:21:20:12Z, giving a total launch window of 9M58S. The PLT (Preferred Launch Time) of 222:21:15:13Z (In Plane Time) was selected, which gave a planned window of 4M59S. During the late count, thunderstorms were moving toward the launch site from the Southwest and forecast to be within 30 nm of the Pad and SLF at launch time. At L-27 minutes, the Ops Manager made the decision to increase the probability of launching by moving the Launch Time to the opening of the launch window (222:21:10:14Z), giving the ultimate launch window of 9M58S. Weather was observed GO at RTLS landing time for PLT and
		P633/R209/V155/M18 2	<u>PLS</u> : EDW 22 N/N	2256 FT <u>NLGTD</u> : 4971		W				3298239 LBS	Time) of 222:21:15:13Z (In Plane Time) was selected, which gave a planned window of 4M59S. During the late count, thunderstorms
12 * S	TURCK	M/S 3 UP/EXP 3 CDR: Frank L. Culbertson, Jr.	<u>TDEL</u> : 0.05 -0.148/- 0.11	234:18:23:10Z VEL: 157 KGS 149 KEAS						MARGINS (LBS): FPR: 3065	were moving toward the launch site from the Southwest and forecast to be within 30 nm of the Pad and SLF at launch time. At L-27
S. S		(Flt 3 - STS-38, STS- 51)	MAX Q NAV: 723 715	HDOT: -6.9 FPS  DRAG CHUTE DEPLOY: KEAS						FUEL BIAS: 937 FINAL TDDP:	increase the probability of launching by moving the Launch Time to the opening of the launch window (222:21:10:147), giving the ultimate
* + + +	N S S S S S S S S S S S S S S S S S S S	P634/R116/V95/M105 M/S 4 UP/EXP 3 SPLT:	SRB STG: 2:02.2 2:07	<u>DEPLOY</u> : KEAS 234:18:23:01Z <u>BRK INIT</u> : 78	M 3 EOM:					705 RECON: 631	launch window of 9M58S. Weather was observed GO at RTLS landing time for PLT and Window Open Time.
TIENDROS CULE	5 TOPM	Vladimir N. Dezhurov (Russia)	PERF: NOMINAL	KGS DRAG CHUTE	WEIGHT: 220682			<u>DEORBIT</u> : APOGEE 218.8 NM		PAYLOADS: PLB: ISS-7A.1	LAUNCH DELAYS: NONE - Launch occurred On-Time at 222:21:10:14Z, Friday, August 10, 2001 at 5:10:14 PM EDT.
USS VCA	HEB HELD	(Flt 2 - STS-71) P635/R195/V174/M17	<u>2 ENG TAL</u> ( <u>BEN)</u> : 2:27 2:21	<u>JETTISON</u> : 56 KGS 234:18:23:43Z	LBS X CG:			PERIGEE 199.2 NM			
		JP/EXP 3 Flt	NEG RETURN:	BRK DECEL FPS <sup>2</sup> : AVE 3.8 PK 4.9	1083.96			ENTRY VELOCITY: 25909 FPS		RMS, ODS	TAL WX: - All three TAL sites were forecast and observed GO (Zaragoza (prime), Moron, and Ben Guerir). Moron was selected because it had the best weather (ZZA had potential for winds and rain).
		Tyurin ia)	PTA (U/S 163): 4:35 4:36	WHEELS STOP: 234:18:24:05Z	<u>LANDING</u> : WEIGHT:			ENTRY RANGE:		None 5 CRYO TK	PERFORMANCE ENHANCEMENTS: - Standard Set plus PE Operational High Q SUM/AUG, 52 nm MECO, and Del Psi.
	++	R270/M236 )N/EXP 2 Flt	SE OPS <sup>3</sup> : 5:25	11544 FT <u>ROLLOUT</u> : 10036 FT	222620 LBS			4286 NM		SETS 6 GN2 Tanks RMS 63	FLIGHT DURATION CHANGES: - Total changes-one orbit weather extension. NEOM was to land at KSC on orbit 186 at approximately 12:46 PM EDT. EDW was not called up. At Tig-25 minutes, waved-off landing
	SS-7A1		PTM (U/S 163):	66 SEC	X CG: 1085.62					RMS used to	approximately 12:46 PM EDT. EDW was not called up. At Tig-25 minutes, waved-off landing due to observed and forecast thunderstorms
		53, STS-69, STS-101, STS-102 UP)		Continued						Node 1 and berth in PLB, to	reported there was not-a-cloud-in-the-sky over Florida except for the rain cell that persisted at 1 or 2 miles south of the SLF, which caused the wave-off. Landed at KSC 15 on orbit 187 at 234:18:22:59Z, 2:2:59 PM EDT, on Wednesday,
		P637/R136/V85/M121	Continued							P6 truss, and EVA Support	wave-off. Landed at KSC 15 on orbit 187 at 234:18:22:59Z, 2:2:59 PM EDT, on Wednesday, August 22, 2001.
											FIRSTS/LASTS: - First Shuttle round trip with Expedition rotation crews (Expedition 3 crew up, Expedition 2 crew down).
	l										Continued

Revision T February 2007 Page 143 - STS-105/7A.1

Revision T February 2007 Page 144 - STS-105/7A.1

FLT	ORBITER	CREW (7 UP/7 DOWN)	LAUNCH SITE, LIFTOFF TIME,		SSME-TL NOM- ABORT EMERG	SRB RSRM	_	RBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		<b>O</b> -	ACL SIIC		 	 Page 145 - STS-105/7A.1
STS- 105/	Continued	Continued	Continued			Continued
ISS 7A.1	M/S 4 DN/EXP 2 Flt	SE TAL (ZZA):	WINDS:			EVENTS: - ISS capture was at 1:21:31:27 MET,
/A.1	Eng 2:	6:04 5:59	<u>WINDS</u> : 3T 6L <u>OFFICIAL</u> :			224:18:41:41Z.  - ISS hard dock at PMA2 Lab Forward Port at
Continued	Susan J. Helms (Flt 5 - STS-54, STS-	MECO CMD:	04007P11 SS: 6L 3T PK: 10L 4T			1:21:53:39Z, 224:19:03:53Z. - First ISS hatch opening at 1:23:30 MET,
	64, STS-78, STS-101,	8:24.4 8:27	PK: 10L 4T			I224:20:41:147
	STS-102 UP)	OMS-2:	DENS ALT: 1816 FT			- RMS grapple of the MPLM at 2:15:41:46 MET, 225:12:52:00Z.
	P638/R158/V108/F19	38:34 96.4 96.2				
	M/S 5 DN/EXP 2 CDR:		<u>FLT DURATION</u> : 11:21:12:45			- MPLM Installed on Node 1 at 2:18:35:37 ME1, 225:15:45:51Z IELK time and Command Handover Time (ISS transfer from Exp 2 crew to Exp 3 crew and Cmd from Usachev to Culbertson) at 225:19:15Z Exp 2 habitant time (Usachev=156:08:35, Voss=154:14:17, Helms=152:10:34). OV-105 crew ISS Visitor Time=7:19:47:44.
	Yuri V. Usachev (Flt 2 - STS-101)					from Usachev to Culbertson) at 225:19:15Z.
	(Russia)		<u>S/T</u> : 943:12:45:47			Voss=154:14:17, Helms=152:10:34). OV-105
	(STS-102 UP)		<u>OV-103</u> : 241:22:40:35			- FVA 1 Start time 228:13:58:147, 5:16:48:00.
	P639/R256/V168/M22	2				duration 6H16M. - EAS installed on P6 Truss and Pip Pin in at
	3		<u>DISTANCE</u> : 4,912,390 sm			1228:15:40:02Z, 5:18:29:47 ME1.
	SS EVA #68		4,312,330 3111			- First Reboost maneuver started at 226:17:56:26Z, 3:20:48:12 MET, delta V 6.0
	EMU/TETHERED					ft/sec, altitude increase 1.7 nm, orbit 218 by 208 nm.
	EVA #61 SCHEDULED EVA #62					- Second Reboost maneuver started at 229:12:12:27Z, 6:15:02:13 MET, delta V 6.4 ft/sec, altitude increase 1.8 nm, orbit 218.8 by 209.5 nm.
	DURATION 6:16					ft/sec, altitude increase 1.8 nm, orbit 218.8 by
	SS EVA #69					- EVA 2 started at 230:14:322, 7:16:32 MET, and ended at 230:20:017, duration 5M205
	EMU/TETHERED EVA #62					- Simple Sat deployed from Gas Can at
	SCHEDULED EVA #63 DURATION 5:29	8				- SimpleSat deployed from Gas Can at 232:18:29:14Z, 9:21:19:00 MET Total transferred to ISS 10651 lbs; 9657 lbs cargo (MPLM 6314, ICC 1549, MD 1794, H2O 10 CWC's with 993.8 lbs). Total transferred from ISS 2003 lbs (MPLM 5564 ICC 0 MPLM 1238). Not
	DOTATION 5.25					Cargo (MPLM 6314, ICC 1549, MD 1794, H2O 10 CWC's with 993.8 lbs). Total transferred from
	MCC WHITE FCR (36)					ISS 3802 lbs (MPLM 2564, ICC 0, MD 1238). Net transfer from Shuttle to ISS=6849 lbs
	FLIGHT DIRECTORS:					ISS 3802 lbs (MPLM 2564, ICC 0, MD 1238). Net transfer from Shuttle to ISS=6849 lbs.  - Crew rotation, Exp 3 up and Exp 2 down. Delivered and installed EAS on P6 Truss and attached cables. Clamped MISSE to ISS Airlock handrails. Installed 11 handrails on U.S. Lab.
	A/E/ O1 - J. P.					attached cables. Clamped MISSE to ISS Airlock
	Shannon LD/O1 - P. F. Dye					Inandrails. Installed 11 handrails on U.S. Lab. - Undocked at 232:14:51:37Z.
	O 2 - K. B. Beck PLNG/O3 - B. P.		■ INTERNATIONAL SPA	CE STATION		- Undocked at 232:14:51:37Z ISS Visitor Time is 7:19:47:44. Exp 2 Crew ISS Flight Time 167:06:40:50 (New U.S. record). Exp 2 Crew ISS Habitant Times: Usachev 156:08:35:00 (ISS record), Voss 154:14:17:00, Helms 152:10:34:00 (Times based on Exp 2 to Exp 2 ISI V transfortimes)
	Austin		+ + +	2001		Exp 2 Crew ISS Habitant Times: Usachev
(MKC)ISS	ISS LD/O1 - M. J.					Helms 152:10:34:00 (Times based on Exp 2 to
	Ferring ISS O2 - R. E. La					EXP 3 IEEK transfer times).
	Brode			DC-I		RENDEZVOUS #55: - Rendezvous and dock with ISS - PMA 2 Lab
	ISS P/O3 - J. M. Curry MOD - N. W. Hale		стыковочный	OTCEK		Forward Port
VCAVEB		I				SIGNIFICANT ANOMALIES: - Loss of AC2 phase A during MPM stow
HELMS	Surge Co	PERIO				- Zero-G connector lose O-rings
		<b>1</b>				- Zero-G connector loose O-rings - Safety tether hook lock guard inadvertently released on EV2's safety tether - GPS ADL-CC-15 anomaly (MAGR tracking
						IGITTICUITY)
	дежу	60g				I- Ku-Band Power Output low
						- OPS Recorder 1 degraded tracks - Nose Wheel Steering switch anomaly - Left OMS Crossfeed low point drain line heater
						failure
						- TCS power supply undervoltage annunciations

Revision T February 2007 Page 143 - STS-108/UF-1

FLT	ORBITER	CREW 7 UP/7DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 243 - STS-108/UF-1

000	01/105	CDD	IVCC 20D	IVCC 1F /VCC	104/104/	DI 110	F1 C	IDIDECT		ICARCO	INSC M/D: ODE 143 VAD 6 DAD 34 - 193 days
STS- 108/	OV-105 (Flight	<u>CDR</u> : Dominic L. Gorie	KSC 39B 339:22:19:28Z	KSC 15 (KSC 57)	104/104/ 109%	BI-110	51.6 0	DIRECT INSERTION	OI- 28	<u>CARGO</u> : 38177 LBS	<u>KSC W/D</u> : OPF 142, VAB 6, PAD 34 = 182 days
108/	17)	(Flt 3 - STS-91, STS-	5:19:28 PM EST	37 <i> </i>    351·17·55·127	10970	RSRM	(12)	INSERTION	(6)	30177 LD3	
ĪSS UF-	1 ' '	99)	(P)	12:55:12 AM	PREDICTE	82	(12)	POST OMS-	(0)	PAYLOAD	LAUNCH POSTPONEMENTS: - Baselined launch date of 10/4/01 on 9/21/00 - Postponed launch date to NET 11/11/01
+	Endeavor	"	5:19:28 PM EST		D:	"-		2:		CHARGEABLE:	I- Postponed launch date to NFT 11/1/01
CEO		P640/R242/V157/M21			100/104.5/	ET-111		124.2 X		31393 LBS	- Postponed launch date to 11/29/01
SEQ FLT #107	OMS	11	Wédnesday 12	Monday 20	104.5/72/			121.6 NM			l .
LLI #107	PODS:		12/5/01 (6)	12/17/Ó1 (13)	104.5	SLWT				<u>DEPLOYED</u> :	LAUNCH SCRUBS: - Scrubbed Thursday 11/29/01 EDT (11/30/01
KSC-107	LPO4-24	<u>PLT</u> : Mark E. Kelly P641/R271/M237				16				6454 LBS	GMT) Launch at ET Tanking MMT at L-9.5 Hours
	RPO1-31	Mark E. Kelly	LAUNCH	<u>DEORBIT BURN</u> : 351:16:48:13Z	ACTUAL:					NON	GMT) Launch at ET Tanking MMT at L-9.5 Hours due to an ISS problem. Progress 6 had Soft Docked with SM Aft Port; however, did not
PAD:	FRC5-17	P041/R2/1/M23/	WINDOW: 7M34S USING	351:10:48:132	100/104.5/					NON-	Docked with SM Aft Port; however, did not
39B-47		<u>M/S 1</u> :	PLT (IN-PLANE	XRANGE: 26 NM	93/72/ 104.5					8635 I BS	Idocking interface IIS ISS Mamt wanted to
l		Linda M. Godwin	TIME)	NM	1104.5	FT				0033 653	work problem and it was decided to go into a
MLP-1		(Flt 4 - STS-37, STS-	,	ORBIT DIR: AR	1 = 2049	<u>im</u> pac				MIDDECK:	24-hour scrub turnaround, then 48-hr scrub
TWELFTH		59, STS-76)	EOM PLS: KSC	111 - AIX	(6)	T				690 LBS	management wanted to scrub to work problem
SHUTTLE		D6 42 /D122 A /105 /E12	TAL: ZZA	AIM DT	2 = 2043	$\bar{1}$ :14:2					Then IP Russia announced at ISS MMT on
FLIGHT TO		P642/R122/V105/F13	TAL WX: MRN,	AIM PT: NOMINAL	(7)	0 MET				SHUTTLE	11/30/01 that they planned an EVA on 12/3/01
ISS		<u>M/S 2</u> :	BEN		3 = 2050					ACCUMULATED	to clear debris in docking mechanism. SSP MMT
		Daniel M. Tani	SELECTED:	<u>MLGTD</u> : 3024	(2)	LAT:				WEIGHTS:	review of results of EVA IP Russia EVA crew
		P643/R272/M238	RTLS: KSC		ENGINE	<u>LAT.</u> 36.3°S				1082139 LBS	removed damaged seal from previous Progress
		M/C 2 LID/EVD 4 FIF	33/N/N	351:17:55:12Z VEL: 198 KGS	2050 IS	30.3 3				1002133 283	enabling Progress 6 to Hard Dock. ISS Technical
		M/S 3 UP/EXP 4 Flt	TAL: ZZA	I 201 KFAS	BLOCK II	LONG:				NON-	Docked with SM Aft Port; however, did not achieve Hard Dock. Suspect debris within the docking interface. U.S. ISS Mgmt wanted to work problem and it was decided to go into a 24-hour scrub turnaround, then 48-hr scrub turnaround. Initially IP Russia was GO. U.S. ISS management wanted to scrub to work problem. Then IP Russia announced at ISS MMT on 11/30/01 that they planned an EVA on 12/3/01 to clear debris in docking mechanism. SSP MMT on 11/30/01 set launch for 12/4/01 to allow review of results of EVA. IP Russia EVA crew removed damaged seal from previous Progress enabling Progress 6 to Hard Dock. ISS Technical Scrub (new category of scrub).
		Eng: Carl E. Walz	30/N/N	HDOT: -1.6 FPS	ENGINE.	158.3				DEPLOYED:	- Scrubbed Tuesday 12/4/01 launch due to RTLS
		I (FIt 4 - STS-51, STS-	<u>AOA</u> : NOR	TD NORM 205:	IOTHER	°W				1520683 LBS	and Range weather (light precipitation and low
		65, STS-79)	17/N/SF	2734 FT	TWO						from the Northeast bringing dynamic weather
		L	PLS: EDW		BLOCK IIA					CARGO TOTAL:	conditions particularly in last hour before
		P644/R170/V106/M14	ZZ/IN/IN	<u>NLGTD</u> : 6901	ENGINES.					3336416 LBS	launch. RTLS runway selection alternated
		l <sup>8</sup>	TDEL:							PERFORMANCE	- Scrubbed Tuesday 12/4/01 launch due to RTLS and Range weather (light precipitation and low ceiling). Low clouds moved into launch area from the Northeast bringing dynamic weather conditions particularly in last hour before launch. RTLS runway selection alternated between 33 and 15. Light rain was reported only by the STA as it was not visible on radar or by SLF Observer. Counted down to T-5 minutes and held while evaluating the observed and forecast weather. Scrubbed at 338:22:44:43Z (Preferred Launch Time was 22:45:08Z) while holding at T-5 minutes based on STA observations of precipitation and cloud cover and a late update SMG forecast of broken clouds over SLF runway. RTLS and Range WX Scrub. Went into a 24 hour scrub turnaround. All three TAL sites were GO.
		M/S 4 UP/EXP 4 Flt	0.03 -0.1568	351:17:55:24Z VEL: 143 KGS						MARGINS	by SLF Observer Counted down to T-5 minutes
			0.2300	146 KEAS						(LBS):	and held while evaluating the observed and
		Eng: Daniel W. Bursch	MAX Q NAV:	HDOT: -6.3 FPS						FPR: 3065	forecast weather. Scrubbed at 338:22:44:43Z
		(FIT 4 - 515-51, 515-	714 708	DRAG CHUTE						FUEL BIAS:	(Preferred Launch Time was 22:45:082) While
		68, STS-77)	CDD CTC	DEPLOY: 191						937	observations of precipitation and cloud cover
1		P645/R169/V109/M14	<u>SRB STG</u> : 2:05 2:04	KEAS						FINAL TDDP: 2881	and a late update SMG forecast of broken
E TE	C. E.		2:05 2:04	351:17:55:16Z						RECON: 1182	Clouds over SLF runway. RTLS and Range WX
6	+	ľ	PERF: NOMINAL	BRK INIT: 92						RECON. 1102	All three TAL sites were GO.
₹ ₩ +	+ + 11 8	M/S 5 UP/EXP 4 CDR:	TERT. NOTHING	BRK INIT: 92 KGS						PAYLOADS:	LAUNGU WINDOW
Z 1 (1)		Yuri I. Onufrienko	2 ENG TAL							PI B:	II AUNU H WINI JUW'
10000		(Russia) P646/R273/M239	<u>(MRN)</u> :	DRAG CHUTE						ISS UF-1	- Window opened at 339:22:15:35Z and closed at 339:22:27:02Z giving a total window of 11:37
Q UIF		1 040/11275/11259	2:19 2:26	<u>JETTISON</u> : 57 KGS						(MPLM, LMC)	in two panes with a 19-second gap between panes. Preferred Launch Time (PLT) in-plane time for pane 1 was 339:22:19:28Z giving a window of 7M34S.
OLG PHEND	BULGE	M/S 3 DN/EXP 3 CDR:	NEC DETUDN.	351:17:56:18Z	M 2 FOM.					MACH-1, SEM	panes. Preferred Launch Time (PLT) in-plane
WISON I	WALLOB	Frank L. Culbertson,	<u>NEG RETURN:</u> 3:48 3:53	DDK DECEI	<u>M 3 EOM</u> :					(1), GAS (5), RMS, ODS,	window of 7M34S
Res n. Commercial		Jr. (Flt 3 - STS-38, STS-	7.40 3.33	BRK DECEL FPS <sup>2</sup> :	WEIGHT:			DEORBIT:		Crew Transfer	
		51, STS-105	PTA (U/S 154):	AVE 4.2 PK 6.9	220623			204 X 191			LAUNCH DELAYS: None - Launch occurred On-Time at
To			4:51 4:58		LBS			NM		MIDDECK:	339:22:19:27.951Z, 5:19:28 PM EST. on
CREW	ROTATION		l	<u>WHEELS STOP:</u> 351:17:56:18Z	l			l		ADF	339:22:19:27.951Z, 5:19:28 PM EST, on Wednesday, 12/5/01.
G UF-		<b>∑</b> ′/R116/V95/M105	SE TAL (ZZA	11965 FT	X CG:			VELOCITY:		CBTM	
<b>  1 1</b>   1   1   1   1   1   1   1   1		4 DAVEYD 3 CDIT	104):		1083.79			25888 FPS		SIMPLEX	TAL WX: - All three TAL sites (ZZA, MRN, and BEN) were
4 A		1 DN/EXP 3 SPLT: dimir N.	6:03 6:06	ROLLOUT: 8941 FT	1			ENTRY		ISS UF-1	GO. Zaragoza was prime but it was a low energy day there, so Moron was selected.
	VIII.	urov	PTM (U/S 154):	66 SEC	LANDING:			RANGE:		5 CRYO TK	lenergy day there, so Moron was selected.
		ssia)	6:20 6:20		<u></u>			4416 NM		SETS	- MRN was 2-Eng TAL Call
5	107Y 157V	ssia) 2 - STS-71, STS-		WINDS:	WEIGHT:					6 GN <sub>2</sub> TANKS	PERFORMANCE ENHANCEMENTS:
CARGO	TRANSF		SE PTM (U/S	6H, 2L OFFICIAL:	220556						PERFORMANCE ENHANCEMENTS: - Standard Set plus PE Operational High Q, OMS Assist is 4000 lbs, 52 nm MECO, and Del Psi.
		D6 40 /D1 OF A /1 7 4 /B41 7	<u>736)</u> :	14006P13	LBS					RMS 64	
		P648/R195/V174/M17	6:52 6:57	ISS: 6H. 2I	ly cc.					DMC used for	FLIGHT DURATION CHANGES:
		ľ	MECO CMD:	PK: 13H, 2L	X CG: 1085.49					RMS used for ISS MPLM	- Extended flight one docked day to allow time for additional ISS tasks. Initially planned (before extension) to land at KSC on orbit 170. After one day extension, planned landing at KSC on orbit 186. Endeavour landed at KSC on Runway 15 on orbit 186 at 351:17:55:11Z, 122:55:11 PM
		ĺ	8:23.8 8:25.7	1	1 1003.49				I	deploy and	extension) to land at KSC on orbit 170. After
			15.25.0 0.25.7	Continued	1					retrieve and	one day extension, planned landing at KSC on
			1		1					EVA support	101011 100. Ellueavour lailueu at KSC 011 Kunway   115 on orbit 186 at 351·17·55·117 122·55·11 PM
1			Cambinus	1	1					''	EST on Monday, December 17, 2002.
1	1	I	Continued	ı	1		ı	I	ı	I	ı ' ' ' I

Revision T February 2007 Page 343 - STS-108/UF-1

Revision T February 2007 Page 144 - STS-108/UF-1

FLT	ORBITER	CREW 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/F	IP	PAYLOADS / EXPERIME NTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		0.	ACE SHU	 	 	Page 144 - STS-108/UF-1
STS- 108/	Continued	Continued	Continued			Continued
Continued	M/S 5 DN/EXP 3 Flt Eng: Mikail Tyurin (Russia) (STS-105 UP) P649/R270/M236	164 FPS164 FPS	DENS ALT: 1607 FT FLT DURATION: 11:19:35:44 S/T: 955:08:21:31			FLIGHT DURATION CHANGES: - SMG Weather forecast for KSC on Tig orbit 185/Landing orbit 186 was forecast NO GO due to ceiling (3000 broken and 6500 broken). However, STA was reporting an observed GO and several positive factors provided the FD confidence to give a GO for landing on orbit 186. A Flight Rule waiver was approved post flight.
	SS EVA #70 EMU/TETHERED EVA #63 SCHEDULED EVA #64 DURATION 4:11		OV-105 178:22:49:47 DISTANCE:			FIRSTS/LASTS: - First flight of Block II SSME (S/N 2050) in position 3.  EVENTS: - MC4 maneuver at 341:16:52Z, 01:18:32 MET, orbit 195.8 by 209.7 nm
	MCC WHITE FCR (37)  FLIGHT DIRECTORS: A/E - L. E. Cain Shuttle LD/O 1 - N. W. Hale Shuttle O 2 - P. S. Hill Shuttle Plng - C. A. Koerner  ISS LD/O 1 - S. P.		4,817,649 sm			- ODS captured ISS at 341:20:03:25Z, 1:21:43:58 MET  - MPLM grappled by RMS at 342:16:14Z, 2:17:54 MET, unberthed at 342:17:00Z, 2:18:40 MET and installed on NODE, RMS ungrappled MPLM at 342:18:09:20Z, 2:19:49 MET.  - Reboost #1 Start at 343:15:11:40Z, 3:16:52:12 MET, Delta V = 6.3 FPS, altitude increase 1.9 nm, resulting orbit 210.6 by 199.0 nm.  - EVA 1 Start at 344:19:34Z, 4:21:14 MET, duration of 4 hours 11 minutes. Installed MLI blankets on Beta Gimbal Assembly on solar arrays 4B and 2B. Removed SASA blanket and pre-positioned Circuit
	Davis ISS O 2 - R. E. Castle ISS MIG - J. A. Dugh J. M. Heflin					- ODS captured ISS at 341:20:03:25Z, 1:21:43:58 MET - MPLM grappled by RMS at 342:16:14Z, 2:17:54 MET, unberthed at 342:17:00Z, 2:18:40 MET and installed on NODE, RMS ungrappled MPLM at 342:18:09:20Z, 2:19:49 MET Reboost #1 Start at 343:15:11:40Z, 3:16:52:12 MET, Delta V = 6.3 FPS, altitude increase 1.9 nm, resulting orbit 210.6 by 199.0 nm EVA 1 Start at 344:19:34Z, 4:21:14 MET, duration of 4 hours 11 minutes. Installed MLI blankets on Beta Gimbal Assembly on solar arrays 4B and 2B. Removed SASA blanket and pre-positioned Circuit Interrupt Devices (CID's) Reboost #2 Start at 345:16:19:40Z, 5:18:00:12 MET, Delta V = 6.5 FPS, altitude increase 1.8 nm, resulting orbit 211.3 by 201.2 nm Reboost #3 Start at 346:15:22:32Z, 6:17:03:04 MET, Delta V = 14.1 FPS, altitude increase of 4.0 nm, resulting orbit 213.4 by 206.9 nm Reboost #4 was performed for collision avoidance. Started at 349:14:55:40Z, 9:16:36:13 MET, Delta V = 2.1 FPS, altitude increase of 0.6 nm, resulting orbit 213.8 by 206.3 nm Undocking: 349:17:28:35Z, 9:19:08 MET - ISS Separation burn at 349:17:28:35Z, 9:19:09:08 MET
OHVOR	TEH XO					MEI - Total water transferred to ISS was 299 lbm (210.3 lbm in 3 CWC's plus 88.7 lbm in 4 PWR's) Total transfers from Shuttle to ISS was 6244 lbs (from MPLM 5249 lbs and Middeck 995 lbs), total transfer from ISS was 4156 lbs (in MPLM 3007 lbs and to Middeck 1149 lbs) Endeavour/ISS Visitor Time is 7:21:25:11 Expedition 4 Crew Up, Expedition 3 Crew Down Expedition 3 Crew ISS Habitant Time - 117:02:57:00 Expedition 3 Crew Flight Time - 128:20:44:58 - Culbertson Total Flight Time - 143:14:50:31 - Official transfer time from Expedition 3 to Expedition 4 crew was 342:22:12:00Z.
						RENDEZVOUS #56:  - Rendezvous and dock with ISS to PMA2 Lab Fwd Port. Expedition 4 Crew Up, Expedition 3 Crew Down.  SIGNIFICANT ANOMALIES:  - GSE Gaseous Hydrogen (GH2) Vent Arm did not latch-back and the GUCP rebounded beyond FSS. GH2 Vent Arm contacted side of support structure (Constraint to next flight)  - RCS Thruster R4U Failed-Off and was auto deselected  - RCS Thruster F3F Failed-Off and was auto deselected  - Loud white noise was heard on A/G 2 after SSOR 1 was tied to Orbiter Audio Bus  - IMU 2 Platform fail and redundant rate BITE

Revision T February 2007 Page 144 - STS-108/UF-1

Revision T February 2007 Page 145 - STS-109

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

			<b>O</b> .	ACE SIIC	,		0.0	110 00		.,	Page 245 - STS-109
STS- 109	OV-102 (Flight	<u>CDR</u> : Scott D. Altman	KSC 39A 60:11:22:01:99	KSC 33 (KSC 58)	104/104/ 109%		5	DIRECT INSERTION	OI 28	<u>CARGO</u> : 27564 LBS	<u>KSC W/D</u> : OPF 253, VAB 8, PAD 32 = 293 days total.
KSC-108	(Flight 27) Columbia OMS PODS:	Scott D. Altman (Flt 3 - STS-90, STS- 106)  P650/R237/V161/M20 7  PLT:     Duane Carey     P651/R274/M240  M/S 1/EV1:     John Grunsfeld     (Flt 4 - STS-67, STS- 81, STS-103)  P652/R191/V133/M16 7  M/S 2:     Nancy Currie     (Flt 4 - STS-57, STS- 81, STS-103)  P653/R165/V120/F21  M/S 3/EV2:     Richard Linnehan     (Flt 3 - STS-78, STS- 90  P654/R214/V150/M18 7  M/S 4/EV3:     James Newman     (Flt 4 - STS-51, STS- 69, STS-88)  P655/R168/V122/M14 6  M/S 5/EV4:     Michael Massimino     P656/R275/M241  SS EVA #71 EMU/TETHERED	KSC 39A 60:11:22:01:99 Z 6:22:02 AM EST (P) 6:22:02 AM EST (A) Friday 24 3/1/02 (8)  LAUNCH WINDOW: HST Planar/Phase Window 61M51S  EOM PLS: KSC TAL: BEN TAL WX: NONE SELECTED: RTLS: KSC 15/CI/N TAL: BEN 36/N/N AOA: EDW 22/N/N PLS: EDW 04/CI/N  TDEL: -0.03 -0.26/- 0.023  MAX O NAV: 693 ??? 754  SRB STG: 2:06 2:07 PERF: NOMINAL 2 ENG TAL (BEN): 2:17 2:16  NEG RETURN: 3:55 3:59 PTA (U/S 530):	KSC 33 (KSC 58) 71:09:31:53Z 4:31:53 AM EST Tuesday 20 3/12/02 (9)  DEORBIT BURN: 71:08:22:39Z  XRANGE: 268 NM ORBIT DIR: DL 48  AIM PT: NOMINAL MLGTD: 3433 FT 71:09:31:53Z VEL: 196 KGS 186 KEAS HDOT: -2.7 FPS TD NORM 195: 2993 FT NLGTD: 6286 FT 71:09:32:01Z VEL: 156 KGS HDOT: -5.6 FPS DRAG CHUTE DEPLOY: 181 KEAS 71:09:31:55Z BRK INIT: 66 KGS DRAG CHUTE DEPLOY: 181 KEAS 71:09:31:55Z BRK INIT: 66 KGS DRAG CHUTE DEPLOY: 181 KEAS 71:09:31:55Z BRK INIT: 66 KGS DRAG CHUTE DEPLOY: 181 KEAS 71:09:31:55Z BRK INIT: 66 KGS DRAG CHUTE DEPLOY: 181 KEAS 71:09:31:55Z BRK INIT: 67 KEAS 71:09:31:55Z BRK INIT: 68 KGS DRAG CHUTE DEPLOY: 181 KEAS 71:09:31:55Z BRK INIT: 66 KGS DRAG CHUTE DEPLOY: 181 KEAS 71:09:31:55Z BRK INIT: 66 KGS DRAG CHUTE STOP: 71:09:33:05Z	104/104/ 109%  PREDICTE D: 100/104.5/ 104.5/72/ 104.5  ACTUAL: 100/104.5/ 101/72/ 104.5  1 = 2056 (2) 2 = 2053 (4) 3 = 2047 (7)  ALL SSME'S BLOCK IIA  M 3 EOM: WEIGHT: 222447 LBS X CG: 1082.87	BI-111 RSRM 83 ET-112 SLWT- 17	28.4	DIRECT INSERTION POST OMS- 2: 310.5 x 105.0 NM	OI 28 (7)	CARGO: 27564 LBS  PAYLOAD CHARGEABLE: 20144 LBS  DEPLOYED: 8256 LBS  NON- DEPLOYED: 10672 LBS  MIDDECK: 1216 LBS  SHUTTLE ACCUMULATED WEIGHTS: DEPLOYED: 1090395 LBS NON- DEPLOYED: 13363980 LBS  PERFORMANCE MARGINS (LBS): FPR: 3065 FUEL BIAS: 937 FINAL TDDP: 3309 RECON: 4170 PAYLOADS: PLB: HST Service Mission 3B RMS  MIDDECK: NONE  5 CRYO TK SETS	KSC W/D: OPF 253, VAB 8, PAD 32 = 293 days total.  LAUNCH POSTPONEMENTS: - Baselined launch date of 11/1/01 on 9/21/00 - Postponed launch date to NET 11/19/01 on 5/4/01 - Postponed launch date to 2/14/02 on 10/4/01 - Postponed launch date to 2/14/02 on 10/4/01 - On 12/21/01, postponed launch date to NET 2/21/02 to allow manifest of new RWA (new HST problem) and train EVA crew On 1/10/02, postponed launch date to 2/28/02, had to prepare and ship another RWA to KSC. First RWA was faulty.  LAUNCH SCRUBS: - 2/28/02 Launch was scrubbed at approximately L-16 hours due to forecast of cold weather at pad at LCC limits. Forecast was for 38 deg, 73 percent humidity, winds 7 to 10 knots. This forecast is one degree above the minimum temperature, and MMT decided to scrub and reschedule launch for 3/1/02. ObservationS at launch time were 28 deg, RH 71 percent, winds 7 to 10 knots. Wx scrub #36.  LAUNCH WINDOW: - Window was in 2 panes: Pane 1 opened at 60:11:27:33Z and closed at 60:11:27:23Z (5M21S window), pane 2 opened at 60:11:27:33Z and closed at 60:11:23:53Z (56M20S window), and combined panes 1 & 2 yielded a window of 61M51S with a cutout from 11:23:20 to 11:24:20.  LAUNCH DELAYS: NONE - Launched On-Time at 60:11:22:02Z, 6:22:02 AM EST, on March 1, 2002.  TAL WX: - Ben Guerir was the only TAL site available. Ben Guerir was forecast and observed GO.  SHUTTLE NIGHT LAUNCH #27  RENDEZVOUS #57: Rendezvous and berth HST, performed service operations, and released HST.
ABRAN	HEIM	EMU/TETHERED EVA #64 SCHEDULED EVA #65 DURATION 7:01 SS EVA #72 EMU/TETHERED EVA #65 SCHEDULED EVA #66 DURATION 7:16	3:50 3:55 PTM (U/S 500): 5:06 5:08 SE TAL (BYD): 5:50 5:50	13552 FT ROLLOUT: 10119 FT 72 SEC WINDS:T5, R2 OFFICIAL:	LANDING: WEIGHT: 222366 LBS X CG: 1084.57			ENTRY RANGE: 4274 NM		5 GN2 TANKS  RMS 65  RMS USED FOR: HST GRAPPLE, BERTH, SERVICE, AND RELEASE.	PERFORMANCE ENHANCEMENTS: - Standard Set Plus PE Operational High Q, WIN/FEB  SHUTTLE NIGHT LANDING #19  KSC NIGHT LANDING #14  FLIGHT DURATION CHANGES: NONE - Planned landing at KSC on orbit 166. Landed at KSC Runway 33 on orbit 166, MLGTD at 71:09:31:53Z on Tuesday, March 12, 2002.
		Continued	Continued								Continued

Revision T February 2007 Page 146 - STS-109

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

CTC	Continued	Continued	Continued			IContinued
STS-  109	Continued	Continueu	Continued			Continued
Continued	SS EVA #73 EMU/TETHERED EVA #66 SCHEDULED EVA #67 DURATION 6:48  SS EVA #74 EMU/TETHERED EVA #67 SCHEDULED EVA #68 DURATION 7:30  SS EVA #75 EMU/TETHERED EVA #68 SCHEDULED EVA #69 DURATION 7:20  MCC WHITE FCR (38)  FLIGHT DIRECTORS: LD/O 1 - B. P. Austin O 2 - A. J. Ceccacci PLNG - J. M. Hanley A/E - J. P. Shannon MOD - N. W. Hale	OMS-2: 44:00 43:57 134 FPS134 FPS 1:27 1:27	DENS ALT: 326 FT FLT DURATION: 10:22:09:51 S/T: 966:06:31:22 OV-102: 284:19:19:08 DISTANCE: 3,941,705 sm			EVENTS: - OMS-2 Start at 60:16:43:49Z, 13.8 duration, Delta V 10.3 ft/sec, resultant orbit 105.0 by 310.5 nm NH maneuver (OMS-4) at 62:04:07:30Z, 207 seconds duration, Delta V 326.6 ft/sec, resultant orbit 302.2 by 309.2 nm. MC-4 at 62:08:23:29Z, resultant orbit 303.4 by 314.9 nm HST capture by RMS at 62:09:31:21Z, and HST berth on FSS in PLB at 62:10:31:Z. 1:22:09:19 MET EVA 1 Start at 63:06:37Z, 2:19:15 MET, End at 63:13:38Z, duration 7H01M. Replaced old SA with -V2 Solar Array 3 and diode box EVA 2 Start at 64:06:41Z, 3:19:19 MET, End at 64:13:57Z, duration 7H16M. Replaced old SA with +V2 Solar Array 3 and diode box. Preplaced Reaction Wheel Assembly. Installed NOBL in Bay 6 and two doorstop extensions (one on -V2 side and one on +V2 side.) - EVA 3 Start 2 hrs late at 65:08:28Z, 04:21:06 MET (EMU 1 got water in suit), hence had to resize EMU 3 for use by EV1. EVA duration 6H48M. Powered down HST and replaced PCU (Power Control Unit) EVA 4 Start at 66:09:00Z, 5:21:38 MET, duration 7H30M. Replaced FOC (Faint Object Camera) with new ACS (Advanced Camera for Surveys), installed Electronics Support Module and PCU clean up tasks EVA 5 Start at 67:08:46Z, 6:21:24 MET. Installed NICMOS Camera and cryogenic cooler, duration 7:20 HST Reboost started at 67:17:18:04Z, 7:05:56:02 MET, Delta V 11.8 fps, altitude increase 3.6 nm, orbit of 314.7 by 310.6 nm HST unberthed from Orbiter at 68:08:34Z, 7:21:12 MET and released at 68:10:04Z, 7:22:42 MET Orbit Adjust maneuver at 70:10:07:32Z, 48.3 seconds, Delta V 11.6 fps, orbit 259 by 312.5 nm Last flight of Block IIA Engines.  SIGNIFICANT ANOMALIES: - Freon® Loop 1 Aft Coldplate Flow Blockage - Loss of EV1 Suit data during EVA - Starboard Slidewire Slider Anomaly - Inner Airlock "A" Hatch locking device difficult to actuate - APU 3 Drain Line Pressure Decay - MPS LH2 4-Inch Recirculation Disconnect Slow to Close - Forward THC -X Contact Lost During One Burn - FES Accumulator/Hi-Load Feedline B Heater System 2 Failure - Primary RCS Thruster R3R Fail

Revision T February 2007 Page 147 - STS-110/8A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,		SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 247 - STS-110/8A

				AOL OIL							Page 247 - \$15-110/8A
STS- 110/	OV-104 (Flight 25)	<u>CDR</u> :   Michael J. Bloomfield   (Flt 3 - STS-86, STS-	KSC 39B 98:20:44:19Z 4:39:31 PM EDT	KSC 33 (KSC 59) 109:16:26:58Z	104/104/ 109%		0	DIRECT INSERTION	Ol- 29 (1)	<u>CARGO</u> : 35849 LBS	KSC W/D: OPF 132, VAB 6, PAD 28 = 166 days total.
SEQ FLT #109 KSC-109 PAD 39B-48 MLP-3 THIRTEEN TH SHUTTLE FLIGHT TO ISS		Michael J. Bloomfield (Flt 3 - STS-86, STS-97) P657/R227/V165/M19 8 PLT: Stephen N. Frick P658/R276/M242 MS1/EV2: Rex J. Walheim P659/R277/M243 M/S 2: Ellen Ochoa (Flt 4 - STS-56, STS-66, STS-66, STS-96) P660/R180/V113/F20 M/S 3/EV4: Lee M. E. Morin P661/R278/M244 M/S 4/EV3: Jerry L. Ross (Flt 7 - STS 61-B, STS-27, STS-55, STS-74 STS-88) P662/R89/V38/M80 MS5/EV1: Steven L. Smith (Flt 4 - STS-68, STS-82, STS-103) P663/R184/V137/M16	98:20:44:19Z 4:39:31 PM EDT (P) 4:44:19 PM EDT (A) Monday 12 4/8/02 (15)  LAUNCH WINDOW: 4M59S PLT (In- Plane Time) with ISS EOM PLS: KSC TAL: ZZA TAL WX: MRN, BEN  SELECTED: RTLS: KSC 15/CI/N TAL: ZZA 30/CI/N AOA: KSC 15/CI/N PLS: EDW 22/N/N  TDEL: 0.02 -0.58/-0.2  MAX Q NAV: 737 742  SRB STG: 1:59:58  PERF: NOMINAL 2 ENG TAL (BEN): 2:29 2:37  NEG RETURN: 3:53 4:02  PTA (U/S 160): 4:46 5:02  PTM (U/S 160): 6:02 6:20  SE TAL (ZZA) 104: 6:00 6:02  SE PTM (U/S 675):	KSC 33 (KSC 59) 109:16:26:58Z 2:26:58 PM EDT Friday 12 4/19/02 (11)  DEORBIT BURN: 109:15:18:59Z XRANGE: 73 NM ORBIT DIR: AL 30  AIM PT: NOMINAL  MLGTD: 3058 FT 109:16:26:58Z VEL: 197 KGS 193 KEAS HDOT: -2.2 FPS TD NORM 195: 3070 FT NLGTD: 6353 FT 109:16:27:08Z VEL: 146 KGS 137 KEAS HDOT: -5.9 FPS DRAG CHUTE DEPLOY: 186 KEAS 109:16:27:00Z BRK INIT: 75 KGS  DRAG CHUTE DEPLOY: 186 KEAS 109:16:27:00Z BRK INIT: 75 KGS DRAG CHUTE JETTISON: 54 KGS 109:16:27:42Z BRK_DECEL FPS2: AVE 4.4 PK 5.5 WHEELS STOP: 109:16:28:08Z 12677 FT ROLLOUT: 9619 FT 70 SEC WINDS: 0T, 8R OFFICIAL:	104/104/ 109%  PREDICTE D: 100/100/1 00/ 67/104  ACTUAL: 100/100/1 00/ 72/104  1 = 2048 (4) 2 = 2051 (3) 3 = 2045 (6)	BI-112 RSRM 85 ET-114 SLWT- 18 ET IMPAC T 1:14:1 9 MET LAT: 35.8°S	51.6	DIRECT	Ol- 29 (1)	CARGO: 35849 LBS  PAYLOAD CHARGEABLE: 28379 LBS  DEPLOYED: 30600 LBS  NON- DEPLOYED: 0 LBS  MIDDECK: 757 LBS  SHUTTLE ACCUMULATED WEIGHTS: DEPLOYED: 1122264 LBS NON- DEPLOYED: 1133328 LBS CARGO TOTAL: 3399829 LBS  PERFORMANCE MARGINS (LBS): FPR: 3065 FUEL BIAS: 937 FINAL TDDP: 1256 RECON: 2670 PAYLOADS: PLB: ISS 8A S0 Truss and ITS RMS, ODS  MIDDECK: ISS 8A Simplex RAMBO 5 CRYO TK SETS 6 GN2 TANKS RMS 66	KSC W/D: OPF 132, VAB 6, PAD 28 = 166 days total.  LAUNCH POSTPONEMENTS: -Baselined launch date to 1/17/02 on 11/15/00Posponed launch date to 2/28/02 on 5/4/01 and Postponed launch date to 3/21/02 on 1/10/02 due to ground processing delays requiring OMS Pod removal.  LAUNCH SCRUBS: - Scrubbed 4/4/02 Launch at approximately L-8 hours, during ET Fill operations, due to a Hydrogen leak in the MLP 3 Hydrogen Vent Line which is fed by Orbiter Hi-Point Bleed line. The leak was found to be from a 1/8 in wide crack in a weld location in the 16-inch double walled aluminum line. Weld is more than 20 years old. Decision was made to repair using a clam-shell technique. New launch date was set for Monday, 4/8/02. Line was repaired using a two-piece clam-shell that was welded to the 16-inch outer line.  LAUNCH WINDOW: - The Launch Window opened at 98:20:34:32Z and closed at 98:20:44:30Z for a total window of 9M58S. Using a Preferred Launch Time (In-Plane Time) of 98:20:39:31Z, the Launch Window was 4M59S.  LAUNCH DELAYS: - Day-of-Launch Delay was 4M48S. LPS system detected consecutive sync errors in all three Stand-by PCM FEP'S (Ol, GPC, PLD). The count was held at T-5 Min for 4M485 to execute Front End Processor resynchronization procedure which was successfully completed. Came out of the T-5 Min hold, and picked up the count at 98:20:34:39:19 Z (4:39:19 PM EDT) with 5M11S remaining to Launch Window closure. Launch occurred at 98:20:44:19Z, 4:44:19 PM EDT, on Monday, April 8, 2002. Only 11 seconds remained in the Launch Window at Liftoff.  TAL WX: - Zaragoza (Prime and Selected) was Forecast and Observed GO. Moron was Forecast and Observed GO. Moron was Forecast and Observed Hold GO for Showers within 20 nm.  PERFORMANCE ENHANCEMENTS: - Standard Set plus: (1) PE Operational High O TRN/APR, (2). OMS Assist, (3) 52 NM MECO, (4) Del Psi  RENDEZVOUS #58: - Rendezvous and Dock with ISS to PMA 2 Lab Fwt Standard Set plus: (1) PE Operational Figh Control of FSW Ol-29 First flight with all three Block II SSME's First fligh
			Continued	Continued							- MC-4 Maneuver at 100:15:04:09, 1:18:19:50, Delta V 2 fps, resultant altitude 204.0 by 211.3 nm. - ISS Capture at 01/19:20:09 MET, 100:16:04:28Z. - ISS Hard Dock at 1/19:34:46 MET,

Revision T February 2007 Page 347 - STS-110/8A

Revision T February 2007 Page 148 - STS-110/8A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

CTC		Continued	Continued		 	Continued
STS- 110/		Continued	Continued			Continued
ISS 8A Continued	SS EVA 76 DOCKED QUEST EVA 2 EMU/TETHERED EVA 69 DURATION 7:48	25821 25822 OMS-2: 06 EPS 06 EPS	<u>DENS ALT:</u> 1260 FT <u>FLT DURATION</u> : 10:19:42:39			EVENTS (Continued): - EVA 1 Start at 2:17:52 MET, 101:14:36Z, duration 7H48M. Installed Port & Stbd Fwd Struts to S0 truss and Port & Stbd avionics trays, deployed aft Umbilical tray, and installed TUS-1 cable.
	SS EVA 77 DOCKED QUEST EVA 3 EMU/TETHERED EVA 70	38:38 38:45	<u>S/T:</u> 977:02:14:01 <u>OV-104:</u> 209:01:28:10			Level 2 Start at 4:17:25 MET, 103:14:09Z, duration 7H30M. Installed Aft Port & Stbd Struts, installed TUS-2 cables, installed A/L handrail, Mated MT/MBS feed through cable. Reboost 1 at 5:01:59 MET, 103:22:44Z, Delta V 3.2 fps, alt. increase 0.95 nm, orbit 212 x 205 nm.
	DURATION 7:30 SS EVA 78 DOCKED QUEST EVA		<u>DISTANCE</u> : 4,525,299 sm			- EVA 3 Start at 5:17:04 MET, 104:13:48Z, duration 6H27M. Installed J300/400 panels, released capture claw, installed CID's 7 & 8, removed MT Laurich restraints. Removed MT
	4 EMU/TETHERED EVA 71 DURATION 6:27					nm EVA 3 Start at 5:17:04 MET, 104:13:48Z, duration 6H27M. Installed J300/400 panels, released capture claw, installed CID's 7 & 8, removed MT Launch restraints. Removed MT RPCM Thermal cover Reboost 2 at 6:01:00 MET, 104:21:44Z, Delta V 3.4 fps, alt. increase 1.0 nm, orbit 212 x 206 nm EVA 4 Start at 7:17:45:17 MET, 106:14:29:36Z, duration 6H37M. Installed Node & U.S. Lab EVA lights, released LCA guides, S0 handrails, MT energy absorbers, and deployed A/L spur & EV-
	SS EVA 79 DOCKED QUEST EVA 5 EMU/TETHERED EVA					lights, released LCA guides, S0 handrails, MT energy absorbers, and deployed A/L spur & EV-CPDS Reboost 3 at 8:14:35:01 MET, 107:11:19:20Z, Delta V 12.8 fps, alt. increase orbit to 213.8
	72 DURATION 6:37					by206.3 nm. - Cargo transferred to ISS = 28944 lbs (S0 ITS 26716, middeck 2228); ISS to Atlantis middeck 2607 lbs.
	MCC WHITE FCR (39)  FLIGHT DIRECTORS: FIt & ISS Ld/O2 - R. E. Castle ISS O 1 - A. F. Algate ISS PLNG - N. D. Knight STS LD/O 1 - J. M. Hanley O 2 - P. F. Dye O 3/PLNG - J. S. Stich A/E - L. E. Cain MOD - J. M. Heflin					- Transfers to ISS: O <sub>2</sub> 146 lb, N <sub>2</sub> 45 lb, and water 1465 lb (1397 lb in 14 CWC's +68 lbs in three PWR's) - Total transfers to ISS = 30600 lbs, net transfer 27993 lbs (30600 minus 2607) - Hatch close between ISS and Atlantis at 107:16:04Z, 11:04 AM CDT, Wednesday, 4/17/02 - Undocked at 107:18:31Z, 8:21:47 MET, 1:31 AM CDT, 4/17/02 - ISS Visitor Time is 7:02:12:30 Jerry Ross total EVA time is U.S. record of 58H18m.
						FLIGHT DURATION CHANGES: NONE - Planned Landing at KSC on orbit 171. MLGTD on orbit 171 at KSC runway 33 at 109:16:26:58Z, 4:26:58 PM EDT, 10:19:42:39 MET.
						SIGNIFICANT ANOMALIES: - Pre-Launch Scrub of 4/4/02 Launch due to Hydrogen Leak in MLP-3 16-inch Hydrogen Vent Line Sync errors on LPS RF TLM FEP reload required at L-5M11S (Launched occurred with 11 seconds in window.) - MED'S IDP-2 MSU BITE and FCW Buffer Overflow Error - Primary RCS Thruster L1A Failed Off and was auto-deselected (Chamber P Max 20 psia) - Low Chamber Pressure on Primary RCS Thruster F1D (Pc = 63-65 psia) - Low Chamber Pressure on Primary RCS Thruster F3L (Pc = 63-65 psia) - Lack of Digital Video from PD100 Camcoder to DTV MUX
						- ICOM Problem with BPSMU -ODS Upper Hatch Delta Pressure Gauge Bias - Loss of Biomed Data during EVA 2

Revision T February 2007 Page 148 - STS-110/8A

Revision T February 2007 Page 149 - STS-111/UF-2

FLT	ORBITER	CREW 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	SITE/	SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 150 - STS-111/UF-2

			JF.	ACE SHU	,,,,,,,	IVIIO	SIU	143 30	IAIIA		Page 150 - STS-111/UF-2
STS- 111/	OV-105 (Flight	CDR: Kenneth D. Cockrell	156:21:22:49Z	EDW 22, CONC EDW 49, CONC	104/104/ 109%		0	DIRECT INSERTION	Ol- 29 (2)	CARGO: 36082 LBS	KSC W/D: OPF 92, VAB 7, PAD 33 = 132 days total.
ISS UF-	Endeavou	(Flt 5 - STS-56, STS- 69, STS-80, STS-98)	(P)	30 170:17:57:42Z 10:57:42 AM PDT	PREDICTE D: 100/104.5/	84	(14)	<u>POST OMS-</u> 2: 126.7 X	(2)	PAYLOAD CHARGEABLE: 29712 LBS	LAUNCH POSTPONEMENTS: - Launch was scheduled for 5/2/02 Postponed launch to 5/31/02 to the end of a
SEQ FLT #110	OMS PODS:	P664/R159/V121/M1 40	Wednesday 13		104.5/72/ 104.5	SLWT-		84.8 NM		DEPLOYED: 9512 LBS	- Postponed launch to 5/31/02 to the end of a Beta Cutout and allow time to train EVA crew to R&R SSRMS failed Wrist Roll Joint. - Advanced launch to 5/30/02 after analysis
KSC-110 <u>PAD</u> 39A-62	LPO4-25 RPO1-32 FRC5-18		WINDOW:	DEORBIT BURN: 170:16:50:26Z	<u>ACTUAL</u> : 100/104.5/ 98/72/104.	ET				<u>NON-</u> DEPLOYED:	indicated adequate power generation using an ISS Pitch attitude bias.  LAUNCH SCRUBS:
MLP-1		M/S 1/EV2:	Plane Time) ISS Planar/Phase	XRANGE: 603 NM	5 1 = 2050	<u>IMPAC</u> T 1:13:4				906 LBS MIDDECK:	- Scrubbed Thursday 5/30/02 Launch at L-
14TH SHUTTLE		Philippe Perrin (France - CNES) P666/R280/M246	EOM PLS: KSC TAL: ZZA TAL WX: MRN,	ORBIT DIR: AL 31 AIM PT:	(3) 2 = 2044 (7)	7 MET				288 LBS	24M53S due to opaque anvils within 30 nm circle while holding at T-9 minutes. PLT was 7:44:26 PM EDT with a window of 4M9S. Lightning was present throughout a wide area in Florida with occasional strike within 30 nm circle and thunderstorms were forecast.
FLIGHT TO ISS		M/S 2/EV1: _Franklin R. Chang-	BEN SELECTED:	NÖMINAL MLGTD: 3058	3 = 2054 (4)	<u>LAT</u> : 37.3°S				ACCUMULATE	70 percent chance NO GO for launch due to
		Diaz   (Flt 7 - STS 61-C,  STS-34,   STS-46,  STS-60, STS-75,	RTLS: KSC 33/N/SFD TAL: MRN	F1 170:17:57:42Z VEL: 197 KGS 193 KEAS HDOT: -2.2 FPS	ALL BLOCK II SSME's	<u>LONG</u> : 160.1° W				DEPLOYED: 1130507 LBS NON-	continuing anvil clouds, lightning, and thunderstorms through Monday, June 3. An upper Low is bringing in moist air from the tropics. Decision was made to hold a tanking
		STS-91) P667/R89/V46/M81	<u>AOA</u> : KSC 15/CI/N	TD NORM 195:						DEPLOYED: 1534522 LBS CARGO	lupper Low is bringing in moist air from the tropics. Decision was made to hold a tanking MMT on Friday, May 31, where it was decided not to tank. Forecast included thunderstorms, anvil clouds, and chance of hail. During the count, the L OME GN2 Regulator leaked and increased the accumulator pressure. Regulator locked up after a test. Went into a 24-hour Scrub turnaround. RTLS and Range Weather Scrub.  A Tanking MMT was held on Friday, 5/31/02 and a decision was made not to tank due to inclement observed and forecast weather. There was a tanking weather violation with observed lightning within 5 nm. Launch forecast was for
		M/S 3 UP/EXP 5 Flt Eng: Peggy A. Whitson	<u>PLS</u> : EDW 22/N/N	3070 FT NLGTD: 6353 FT						TOTAL: 3435911 LBS	accumulator pressure. Regulator locked up after a test. Went into a 24-hour Scrub turnaround. RTLS and Range Weather Scrub.
		P668/R281/F35	0.12-0.058/-0.20	137 KEAS						PERFORMANC E MARGINS (LBS):	- A Tanking MMT was held on Friday, 5/31/02 and a decision was made not to tank due to inclement observed and forecast weather. There
		Valery C. Korzun (Russia) P669/R282/M247	748 722	HDOT: -5.9 FPS DRAG CHUTE DEPLOY: 186						937	attached anvil clouds, thunderstorms, lightning,
	Look	M/S 5 UP/EXP 5 Flt Eng:	2:04 2:05	KEAS 170:17:57:45Z						FINAL TDDP: 2484 RECON: 1870	and precipitation. Tanking, RTLS, and Range Weather Scrub A tentative decision was made to try for a Monday, 6/3 Jaunch but keep an eye on the
(g-2	MBS	Sergei Y. Treschev (Russia) P670/R283/M248	2 ENG TAL	BRK INIT: 75 KGS DRAG CHUTE						PAYLOADS:	Medifier Scrub.  A tentative decision was made to try for a Monday, 6/3 launch but keep an eye on the weather and hold a special MMT at 6:30 PM CDT (Later changed to 1:00 PM CDT) to decide whether to hold a tanking MMT on Saturday, 6/1.  At the 1:00 PM CDT MMT, it was decided to top-off the crypts and release the CN2 (and at the
	CHAMICO	M/S 3 DN/EXP 4 Flt	(MRN): 2:24 2:29	<u>JETTISON</u> : 54 KGS 170:17:58:23Z	<u>M 3 EOM</u> :			D.F.O.D.I.T.		PDGF, SMOP,	same time to run another GN2 regulator test)
TOPSYH WHIT		Eng Carl Walz (Flt 4 - STS-51, STS-		BRK DECEL FPS <sup>2</sup> .	WEIGHT: 220334			<u>DEORBIT</u> : HA 210.5 HP 187.1		RMS, ODS)	with a target of a Monday evening launch. This would allow three launch opportunities based on Range schedule on Monday, Tuesday, and
	UTILIZATI	STS-108 Up)	4:49 4:45	ÄVE 4.4 PK 5.5 WHEELS STOP: 170:17:58:46Z	LBS X CG:			ENTRY VELOCITY:		MIDDECK: ISS UF-2 RAMBO	Wednesday. Tentative plans were made for a tanking MMT on Monday. On Friday, the GN2 was reloaded and the regulator failed the leak test. At a Saturday morning management meeting, it was decided to replace the L OME
			109):	12677 FT ROLLOUT:	1083.62			25902 FPS ENTRY		ISETS	meeting, it was decided to replace the L OME GN2 Regulator, and with success oriented schedule, it would lead to a launch date of NET
CHEW ROTE	11. 11	iel Bursch	6.11 6.06	9619 FT 64 SEC <u>WINDS</u> : 3T, 4R	LANDING: WEIGHT:			RANGE: 4360 NM		O GIVZ TANKS	Tuesday 6/4/02. On Sunday morning, management decided to re-target the launch date to Wednesday, 6/5 due to delays in completing GSE work. Wednesday launch was
ATI	ON + RESULT	4 - STS-51, STS-68, STS-77, STS-108 Up)	SE TAL (ZZA 104):	OFFICIAL: 35005p08 ISS: H3.R4	220279 LBS					RMS USED FOR ISS MPLM	confirmed later. Technical Scrub.
		P672/R169/V109/M1 47	6:03 6:06 <u>VI</u> : 25821 25815	PK: H5, R6 DENS ALT:	X CG: 1085.30					DEPLOY AND RETRIEVE AND	LAUNCH WINDOW: - The June 4, 2002 launch window opened at 156:21:18:19Z and closed at 156:21:27:28Z laiving a total window of 9M09S. Using a
			73051 53 <u>013</u>	1260 FT Continued						EVA SUPPUKT	Preferred Launch Time of 156:21:22:49Z (5:22:49 PM EDT), the window was 4M39S.
I		l	Continued							I	LAUNCH DELAYS: NONE

Revision T February 2007 Page 151 - STS-111/UF-2

Revision T February 2007 Page 152 - STS-111/UF-2

FLT	ORBITER	CREW 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		<u> </u>	AOL OIL	 <b>-</b>	 	Page 153 - STS-111/UF-2
STS- 111/	Continued	Continued	Continued			Continued
Continued	M/S 5 DN/EXP 4 CDR Yury I. Onufrienko (Russia) (Flt 1 - STS-108 Up) P673/R273/R239	OMS-2: 38:42 38:45	FLT DURATION: 13:20:34:53 5 5 5 7T: 990:22:48:54			TAL WX: - Zaragoza (Prime) was forecast and observed NO GO for precipitation. Ben Guerir was forecast and observed NO GO for Head Winds of 27 Knots. Moron (Selected) was forecast and observed GO.
	SS EVA 80 DOCKED QUEST EVA 6 EMU/TETHERED EVA 73 SCHEDULED EVA 74 DURATION 7:14		OV-105: 192:19:24:40 DISTANCE: 5,781,115 sm			PERFORMANCE ENHANCEMENTS: - Standard Set plus: (1) PE Operational High Q TRN/MAY, (2). OMS Assist, (3) 52 NM MECO, (4) Del Psi  FLIGHT DURATION CHANGES: - Total Extensions: 2 Days Plus 2 Revs.
	SS EVA 81 DOCKED QUEST EVA 7 EMU/TETHERED EVA 74 SCHEDULED EVA 75 DURATION 5:00					FLIGHT DURATION CHANGES: -Total Extensions: 2 Days Plus 2 Revs. Planned landing at KSC on Orbit 186 at 12:59 PM EDT on June 17, 2002. Did not call up EDW. Closed PLBD's but did not fluid load crew. Waved off Orbit 186 due to forecast ceiling, precipation, crosswinds, and thunderstorms and observed precipitation, thunderstorms within 20 nm, ceiling 2600 broken and visibility violations. Waved off landing at KSC on Orbit 187 with similar forecast and observed at landing time. Extended one day. Brought up EDW for EOM+1. Waved off landing at KSC on Orbit 201 due to forecast ceiling, precipitation, and thunderstorms. Observed ceiling, precipitation, thunderstorms, and visibility violations. Waved off Orbit 202 due to similar forecasts and observations. Extended the
	SS EVA 82 DOCKED QUEST EVA 8 EMU/TETHERED EVA 75 SCHEDULED EVA 76 DURATION 7:17					Isecond day
OHYOPKEHRO	MCC WHITE FCR (40)  FLIGHT DIRECTORS: ISS Ld/O1-R. E. LaBrode ISS O 2 - J. M. Curry ISS PLNG - B. C. Lunney STS LD/O 1 - P. S. Hil STS O 2 - A. J. Ceccacci STS O 3/PLNG - K. B. Beck A/E - J. P. Shannon MOD - R. E. Castle	1				- EOM+2 was "pick the landing site" day. EOM-2 PLBD's were closed for Planned landing at KSC on Orbit 216 at 170:14:52Z. Crew not in suits and no fluid load. Waved off landing at KSC on Orbit 216 at approximately Tig -40 minutes due to forecast and observed thunderstorms, attached anvil clouds, and low ceiling within 30 nm. Waved off landing at KSC on Orbit 217 at approximately Tig -20 minutes due to thunderstorms, attached anvils, and low clouds. (Two orbits wave-off) Decision made to land at EDW 22 on Orbit 218. MLGTD at 170:17:57:42Z, 10:57:42 AM PDT (MET 13:20:34:57) on Wednesday, June 19, 2002 NLGTD at 170:17:57:53Z Total Flight Duration Extensions: Two Days plus two orbits.
WILL TOP3YN	Rajing					FIRSTS: - First use of orbiter oxygen for EVA pre-breathe for astronauts in ISS Joint Airlock.  EVENTS: - MC4 Maneuver Start at 158:15:16:16Z, 1:127:53:27 MET, 1.2 ft/sec, altitude 203.3 by 211.9 nm ISS Capture at 158:16:24Z, 1:19:01 MET ISS Hard-Docked at 158:17:26:32Z, 1:20:03:43 MET Official Transfer Time (IELK time) from Expedition 4 Crew to Expedition 5 Crew = 158:22:55Z, 5:55 PM CDT, June 7, 2001 Expedition 4 ISS Habitant Time is 181:00:43 MPLM installed on Node 1 by RMS at
						159:14:28Z, 2:17:05 MET - EVA 1 Start at 160:15:26Z, 3:18:03 MET and End 160:22:40Z, 04:01:17 MET, duration 7:14.

Revision T February 2007 Page 154 - STS-111/UF-2

Revision T February 2007 Page 155 - STS-111/UF-2

FLT	ORBITER	CREW 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

CTC	1				Continued
?!?7					Continued
ICC IIE					
ISS UF-					EVENTS (Continued):
-					- Reboost Maneuver 1 Start at 161:20:53:24Z,
Continued					4:23:30:35 MET, Delta V 3.0 fps, 0.8 nm altitude
					increase, altitude 212 by 205 nm.
					- EVA 2 Start at 162:15:19Z, 5:17:58 MET and End 162:20:19Z, 5:22:58 MET, duration 5:00,
					final installation of MBS to MT (Connected video
					and data cables), attached bag with contingency
					extension cable to MBS.
					- Reboost Maneuver 2 Start at 163:12:08:02Z.
					6:15:45:13 MET, Delta V 3.0 fps, altitude
					increase .81 nm, Orbit 212.8 by 206.2 nm - EVA 3 Start at 164:15:16Z, 7:17:53 MET,
					- EVA 3 Start at 164:15:16Z, /:1/:53 ME1,
					duration 7:17. R&R SSRMS Wrist Roll Joint (WRJ).
1				l	- Reboost Maneuver 3 Start at 165:11:51:26Z, 6:14:28:37 MET, Delta V 12.5 fps, altitude
					increase 3.6 nm, orbit 214.4 by 211.1 nm.
					- Transfers from shuttle to ISS = 9512 lbs (from
					MPLM = 8062 lbs and from middeck = 1450 lbs).
					Transfers from ISS to Shuttle = 6342 lbs (to
					MPLM = 4668 lbs and to middeck = 1675 lbs).
					Consumables transfer: Total water = 884.9 lbm
					(8 CWC's with 798.9 and 4 PWR's with 86.0 lbm). Total shuttle O2 transferred = 34 lbm for the 3
					EVA prebreathes in JAL, N2 tank transfer of 18.9
					lbm.
					- Undocked at 166:14:31Z, 9:17:08 MET
					- STS-111/ISS Visitor Time is 7:31:04:28 (Docking
					to Undocking)
					- Expedition 4 ISS Habitant Time is 181:00:43:00
					(IELK S/L Xfer to IELK S/L Xfer), Expedition 4 broke U.S. Flight Time record,;flight time is
					195:19:38:14 (STS-108 L/O to STS-111 MLGTD).
					- Carl Walz record total flight time is
					230:13:02:44. Dan Bursch Total Flight Time is
					226:22:14:48.
					- Sep Burn 166:16:14:27Z, 6:18:51:38 MET.
					- Orbit Adjust Maneuver at 166:17:57:48Z,
					9:20:34:59 MET, Delta V 45.6 fps, orbit was 186.1 by 211.9 nm.
					100.1 by 211.9 lilli.
					RENDEZVOUS # 59: Rendezvous and Dock with
					ISS (Dock to PMA2 Lab Fwd Port)
					SIGNIFICANT ANOMALIES:
					- Right Main Engine High Pressure Fuel Pump
					Speed Sensor Failure
					- Flash Evaporator Controller Primary B failure - WIF Adapter Hitch Pin Anomaly
				l	- EV2 Boot Fit Problems during EVA 1
1				l	- EVA Communications Anomaly on STS-111 EVA
1					3
					- AVIU-Camcorder Failed
1				l	- BPSMU XMIT/ICOM Dey causes Video to Flicker
				l	- LL QUAD Reflected Power Spikes - Loss of BIOMED Data on EVA 1
	I .				I- FA22 OI DIOMED DATA OU EAN T

Revision T February 2007 Page 152 - STS-112/9A

FLT	ORBITER	CREW (6)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	_	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 252 - STS-112/9A

155 9 A					ACL SIII							Page 252 - STS-112/9A
155 9A   Atlantic   150   15	STS- 112/	OV-104 (Flight 26)	Jeffrey S. Ashby	280:19:45:51Z	60)			0	DIRECT INSERTION	29		
SEC   11   11   10   10   10   10   10   1	ISS 9A	•	(Flt 3 - STS-93, STS-	3:45:51 PM EDT (P)	291:15:43:41Z 11:43:41 AM			(15)		(3)		
Monday 13   72/10-15	SEQ #111		P674/R251/V169/M21	3:45:51 PM EDT	EDT	100/104.5/1	ET-115		<u>2</u> : 126.4 x			- Launch was postponed from June after Post- STS-110 visual inspections of OV-104 Inconel
Page 3   Pamela A Metroy   P			8	Monday 13	Friday 13 10/18/02 (9)	72/104.5			85.0 NM		DEPLOYED:	12" MPS LH2 Flowliners revealed three cracks to
FRC4 26   FRC4		LPO3-30		, ,	, ,	ACTUAL: 100/104.5/9					29543 LBS	in other Orbiter LH2 Flowliners:
MEP-3    MS_INCT_1   ISTH   ISTH   Dowld A Wolf (Fit 3-575-8, Up to fit 1)   Dowld A wolf (Fit 3-575-8, Up to fit			(Flt 2 - STS-92)	WINDOW:	BURN:	7/	FT				NON- DEPLOYED:	- OV-105 - one crack (SSME 1) and one crack
MILES SHUTTLE FLIGHT TO ISS  MS 1.EV1: David A Well Fife 3 - STS-38, Use In Cluding Fife 3 - S			P675/R261/V175/F34	PLT	XRANGE: 21		<b>IMPAC</b>				0 LBS	- MPTA - one crack (SSME 1)
SHUTTLE FIGHT TO ISS  (iff. 3 - STS-36, D. up to EDM FLS: KSC   12   14   15   16   16   16   16   16   16   16					NM	2 = 2051(4)					MIDDECK:	flowliners are CRES.
TO ISS  TO STS-86, Dn on STS-8	SHUTTLE		(Flt 3 - STS-58, Up to	EOM PLS: KSC	<u>ORBIT DIR</u> : AR 12		1					consideration of other repair techniques, the
S15-39    SELECTED   For For RIT3/N147/N15   SELECTED   STATE   STAT	FLIGHT TO ISS		on STS-86, Dn on		AIM PT: NOMINAI						ACCUMULATED	and polishing of Flowliner holes.
10 / 10 / 10 / 10 / 10 / 10 / 10 / 10			·	DTLC. VCC	_		141: 36.97°				<u>DEPLOYED</u> :	Platform Crawler-Transporter (CT-2) jacking
Sandra H. Magnus   PROTINE 24 PT   PROTISE			P676/R173/V147/M15	33/N/N	FT 291:15:43:41Z		5				INON-	lundamaged spare and new bearings CT-2
Sandra H. Magnus   P677/R28/47/8   P678/R28/7/8   P15. EUW   P678/R28/7/8   P678/R28/7   P678/R28/7   P678/R2			M/S 2:	30/N/SFD	VEL: 186 KGS 187 KEAS		<u>159.3</u> °				1534904 LBS	- These postponements resulted in rescheduling
M.S. 3.EV.2: Piers J. Sellers Per 78/R285/M249 M.S. 4: Prodor N. Yurchikhin (Russia) Po 79/R286/M250 M.S. 4: Prodor N. Yurchikhin (Russia) ProdyR286/M250 M.S. 4: MAS GNES MAS GNE			Sandra H. Magnus	33/N/N			VV				3473352 LBS	112 launch date was set to October 2, 2002.
First   Sellers   First   Sellers   First   Sellers   First   First   Sellers   First   Firs											PERFORMANCE	LAUNCH SCRUBS:
MS 4: Fyodor N. Yurchikhin (Rusia)			Piers J. Sellers		FT						(LBS):	L-27 hours at an MMT due to the threat to
Fyodor N. Yurchikhin   Max O NAV:   KEAS   Migssia   P679/R286/M250   P679/R286/M250   SRB STG:   SR STG:   2:04   2:02   SRB STG:   2:04   SRB STG:   2:04   SRB STB:   2:0			M/S /	0.490	VEL: 161 KGS						FUEL BIAS: 937	Mexico. Launch delayed for at least 24 hours.
P679/R286/M250   P679			Fyodor N. Yurchikhin	MAX Q NAV:	KEAS						2744	land ISS Programs decided there was less risk to <b>I</b>
SE EVA 83   DOCKED QUEST EVA 9   PERE: NOMINAL 2 ENG TAL (MRN): 2   29   21:15:43:51 Z BK INIT: 86   KGS   29   20   20   20   20   20   20   20	SHET ST	S-112 MELS		/26 /25							RECON: 3860	the MCC by implementing an orderly powerdown of the MCC with a launch in the
Semily   S		VOp	SS EVA 83	3ND 31U.	DEPLOY: 157						<u>PAYLOADS</u> : PLB:	Sunday/Monday timeframe. Weather Scrub.
SCHEDULED EVA 77   DRAG CHUTE   Handle   SCHEDULED EVA 75   CHEDULED EVA 75   CHEDULED EVA 75   N 6:04   Sis 4 3:54   Si				PERF: NOMINAL	291:15:43:51Z						(ITS S1 TRUSS)	HSG Moscow.
SCHEDULED EVA 77   DURATION 7:01   CHEND!   CHAPTER		94		2 ENG TAL	<u>BRK INIT</u> : 86 KGS	<u>M 3 EOM</u> :						decision was made not to launch earlier than
SS EVA 84 DOCKED QUEST EVA  HERED EVA  LED EVA 78 DO CHOLLED EVA 78 OUEST EVA  RECO CMD: 8:21.5 8:24.5  QUEST EVA  RECO CMD: 8:21.5 8:24.5  VI: 202088 LBS  202088 LBS 2091:15:44:18Z BRK, DECEL PSZ: PTA (U/S 182): 6:14 6:10 1087.08  PTA (U/S 182): 1087.08  PTA (U/S 182): 1087.08  PTA (U/S 182): 1088.94  PTA (U/S 182): 1087.08  PTA (U	UA GAIUS		SCHEDULED EVA 77	(MRN): 2:33 2:30	IETTICON.							begin Restoration of the MCC late Wednesday or
HERED EVA HA 220.0 NM HP 146.0 NM HOC Will be resumed Thursday night. Launch scheduled for Monday, October 7. LAUNCH WINDOW: - Launch window opened at 280:19:50:50Z for a total launch window of 9m59s. HERED EVA HERED	ЮР	пихин э		NEG RETURN:	51 KGS							early Thursday.  - MCC powerup/restoration began early
HERED EVA LED EVA 78 DN 6:04  LED EVA 78 DN 6:04  SETAL (ZZA): 6:04 6:08  HERED EVA 78 DURATION 6:36  HERED EVA 78 BOLLOUT: 25917 FPS  HAMBO) Scheduled for Monday, October 7.  LANDING: WEIGHT: 202621 LBS WEIGHT: 202621 LBS WEIGHT: 202621 LBS  WEIGHT: 202621 LBS  WEIGHT: 202621 LBS  WEIGHT: 202621 LBS  NM YELOCITY: 25917 FPS RMS USED FOR TV SUPPORT DURATION 6:36  UNDS: 11H, 5R KTS OFFICIAL: 01011P17 AVE: 8H 11R PK: 13H 11R PK:			DOCKED QUEST EVA	3:54 3:54	BRK_DECEL						ISS 9A (SHIMMER,	MCC will be resumed Thursday night. Launch
LED EVA 78		EATES	HERED EVA	<u>PTA (U/S 182)</u> : 4:57 4:55							RAMBO)	scheduled for Monday, Octobér 7.
1377 FT   Welght:   202621 LBS   35   QUEST EVA   SE TAL (ZZA):   6:04   6:08     6:04   6:08     6:04   6:08     6:04   6:08     6:04   6:08       6:04   6:08       6:04   6:08	159	C L			WHEELS STOP:						SETS	
SETAL (ZZA): 6:04 6:08   SETAL (ZZA): 6:04 6	+ 51	112		0:14 0:10	11377 FT	WEIGHT: 202621 LBS					6 GN2 TANKS RMS 69	closed at 280:19:50:50Z for a total launch window of 9m59s. In-plane time was
THERED EVA 78 SCHEDULED EVA 79 DURATION 6:36 WINDS: 11H, 5R KTS OFFICIAL: 01011P17 AVE: 8H 11R PK: 13H 11R OMS-2: 38:40 38:42 96.1 FPS 95.9 PM. 25 SEC WINDS: 1088.94 PM. 25 SEC WINDS: 11H, 5R KTS OFFICIAL: 01011P17 AVE: 8H 11R PK: 13H	STS	+ 155 91	QUEST EVA	6.04 6.08	ROLLOUT: 8305 FT							280:19:45:51Z for a launch window of 4m59s.
SCHEDULED EVA 79 DURATION 6:36  8:21.5 8:24.5 VIIN SR KTS OFFICIAL: 01011P17 AVE: 8H 11R PK: 13H 11R P		I		MECO CMD.	52 SEC				RANGE:		FOR TV SUPPORT	LAUNCH DELAYS: NONE - Launch occurred On-Time at 280:19:45:517
VI: 25822 25815 O1011P17 AVE: 8H 11R PK: 13H 11R OMS-2: 38:40 38:42 96.1 FPS 95.9			SCHEDULED EVA 79	8:21.5 8:24.5							DURING S1	
PK: 13H 11R  OMS-2: 38:40 38:42 96.1 FPS 95.9  PK: 13H 11R  DENS ALT: 1019 FT  Eng TÅL Call) were forecast and observed GO. Moron earlier forecast was NO GO for showers and anvils. Ben Guerir was not available.			DURATION 6:36	<u>VI</u> :	01011P17						(SSRMS	
38:40 38:42 DENS ALL: and anvils. Ben Guerir was not available.												Eng TAL Call) were forecast and observed GO.
				38.40 38.42	DENS ALT: 1019 FT							
			l									Continued

Revision T February 2007 Page 352 - STS-112/9A

Revision T February 2007 Page 153 - STS-112/9A

FLT	ORBITER	CREW (6)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/H	Р	PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

CTC.	Continued	Continued	T	Continued
STS- 112/	MCC WHITE FCR (41)	S/T:		
ISS 9A	FLIGHT DIRECTORS:	<u>S/T:</u> 1001:18:46:44		PERFORMANCE ENHANCEMENTS: - Standard Set plus: (1) PE Operational High Q TRN/OCT, (2) OMS Assist, (3) 52 NM MECO,
Continued	ISS Ld/O1 - A. F. Algate	<u>OV-104:</u> 219:21:26:00		(4) Del Psi
	ISS O 2 - M. A. Kirasich	DISTANCE:		FLIGHT DURATION CHANGES: NONE - Planned landing at KSC on Orbit 171. MLGTD at
	ISS PLNG - A. P.	4,513,015 sm		KSC Runway 33 on Orbit 171 at 291:15:43:41Z, 11:43:41 AM EDT, 10:19:57:50 MET. NLGTD at
	Hasbrook STS LD/O 1 - P. L.			291:15:43:48Z, 11:43:48 AM EDT. STS-112 was the 75th planned landing at KSC, but the 60th
	Engelauf STS O 2 - C. A.			actual landing at KSC, and the 36th landing on
	Koerner STS O 3/PLNG - J. M.			Runway 33.
	Curry A/E - J. P. Shannon			FIRSTS/LASTS: - First use of ET Shuttle Observation Camera
	MOD - R. E. Castle			during ascent.
				<u>EVENTS:</u> - MC4 Start at 282:14:18:46Z, 3.2 fps, orbit
				200.4 by 213.6 nm. - ISS Capture at MET 1:19:30:19, 282:15:16:10Z.
				- Harddock to PMA2 Lab Fwd Port complete at 1:19:44:06 MET, 282:15:29:57Z.
				- PMA/APAS Hatch Open at 282:16:40Z, 1:20:55:09 MET. ODS Hatch open at
				282:16:50Z, 1:21:05:09 MET. - EVA 1 (JAL) Start at 283:15:21Z, 2:19:35 MET
				End at 283:22:22Z, 3:02:36 MET, duration 7h01m (Attached S1 to S0 Truss using SSRMS.
				Released CETA cart launch locks. Connected Zenith side power umbilicals and deployed S-
				Band Antenna. Installed S1 nadir ETVĆG).
				- First Reboost maneuver start at 285:10:52:48Z, 4:15:06:57 MET, delta V of 11.9 fps, altitude
1750an 187				increase of 3.4 nm, orbit 216 by 204 nm. - EVA 2 (JAL) Start at 285:14:30Z, 4:18:44 MET,
ISS				End 285:20:34Z, 05:00:48 MET, duration 6h04m. (Installed Z1/P6, Z1/Lab and RBVM SPD's
				Connected ATA Umbilicals. Installed Lab ETVCG. ZCG Activation).
				- Second Reboost maneuver (c3) start at 287:11:20:50Z, 6:15:34:59Z MET, delta V = 6.9
W N S N S N S N S N S N S N S N S N S N				fps, altitude increase 1.96 nm, orbit 219.4 by 203.3 nm.
WE CALL				- EVA 3 (JAL) Start at 287:14:11:25Z, 6:18:25:34 MET, End 287:20:47Z, 07:01:01 MET, EVA
TOP3YH				duration 6h36m. (IUA on MT R&R. S1 to S0 fluid (ammonia) jumper connections, removal of port
				and starboard keel pins, last of TRRJ SPD's, TRRJ bolts).
				- Total cargo transfers from Orbiter to ISS = 29120 lbm (S1 Segment = 27676 lbm), Total
				cargo transfers from ISS to Orbiter = 1351 lbm
				Consumables Transfer: H2O Total = 1658.1 lbm (16 CWC's with 1603.7 lbm and 3 PWR's with
				54.4 lbm). Total N2 (Tank) = 68.2 lbm. Total O2 = 60 lbm (Pre-Breathe: EVA 1 = 10
				lbm, EVA 2 = 10 lbm, EVA 3 = 10 lbm, Tank Transfer= 28 lbm).
				- Undocking at 289:13:13:25Z, 8:17:27:34 MET. - Total ISS Visitor Time = 6:21:33:28.
				Continued
	<u> </u>			

		CREW (6)	LAUNCH SITE,	LANDING SITE/	SSME-TL NOM-	SRB		ORBIT		PAYLOAD	MISSION HIGHLIGHTS
FLT NO.	ORBITER		LIFTOFF TIME, LANDING	RUNWAY, CROSSRANGE LANDING	ABORT EMERG THROTTL	RSRM	INC	HA/HP	FSW	WEIGHTS, PAYLOADS/	(LAUNCH SCRUBS/DELAYS,  TAL WEATHER, ASCENT I-LOADS,
		TITLE, NAMES & EVA'S	SITES, ABORT TIMES	TIMES FLT DURATION,	E PROFILE ENG. S.N.	ET				EXPERIMENT S	FIRSTS, SIGNIFICANT ANOMALIES, ETC.)
STS-				WINDS							Continued
STS- 112/ ISS 9A Continued											EVENTS (Continued): - Post-undocking initial separation maneuver began at 289:13:13Z. ISS flyaround terminated at 289:14:30Z, 8:18:44 MET Final Separation at 289:15:00Z, 8:19:14 MET, delta V= 5.5 fps, resulting Orbit = 200.8 nm by 219.9 nm Orbit Adjust Maneuver at 290:20:26:51Z, 10:00:41:00 MET, delta V = 93.9 fps, Orbit 146.6 nm by 219.9 nm - Note: At 291:08:35Z, using Progress engines, raised the ISS 6.9 miles.  RENDEZVOUS # 60: - Rendezvous and Dock with ISS (Dock to PMA2 Lab Fwd Port)  SIGNIFICANT ANOMALIES: - Piece of debris impacted ETA ring near IEA box on LH SRB at 33 seconds Insulating foam was lost on ET-115 left bipod ramp (approx 4" X 5" X12") exposing bipod housing SLA closeout Primary Thruster L4D failed off due to low chamber pressure (IFA STS-112-V-01) Panel F7 SM Alert Light Brightness - Supply Water Crossover Valve Circuit Breaker did not indicate Open - System A Pyros for SRB Holddown Posts and ET Vent Arm Systems did not fire at T-0 (IFA STS-112-K-01) EVA Glove Wrist Tether Point Torn - RPOP PGSC (STS-5) Network Problem - Emergency Egress Net Daisy Wheel Knob broke - PCS 1 O2 Supply Pressure Indication failed OSH - MADS recorder "stuck" at beginning of tape (tape came off reel) - Forward RCS Primary Thruster F3F Failed On Heater - ICOM A from Shuttle to Station not operating - Handheld Mic failed

Revision T February 2007 Page 155 - STS-113/11A

FLT	ORBITER	CREW 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

			<b>S</b> F	ACE SH				143 3U	IVIIV	IAKI	Page 255 - STS-113/11A
STS-	OV-105	CDR:	KSC 39A	KSC 33 (KSC	104/104/	BI-114	51.	DIRECT	OI-	<u>CARGO</u> :	KSC W/D: OPF 79, VAB 9, PAD 35 = 123 days
STS- 113/	(Flight 19)	James D. Wetherbee	328:00:49:47Z	61)	109%	DCDM	60	INSERTION	29	38393 LBS	total.
ISS 11A	Atlantis	(Flt 6 - STS-32, STS- 52,	7:49:47 PM EST (P)	2:37:13 PM EST	PREDICTED:	RSRM 86	(16)	POST OMS-	(4)	PAYLOAD	LAUNCH POSTPONEMENTS:
11A	Additios	STS-63, STS-86,	7:49:47 PM EST	2.57.151141251	100/104.5/1			2.		CHARGEABLE:	- Launch was postponed from July after Post-STS-
SEO		STS-102)	(A)	Saturday 21	04.5/	ET-116		169.9 x		30217 LBS	- Launch was postponed from July after Post-STS- 110 visual inspections of OV-104 Inconel 12" MPS LH2 Flowliners revealed three cracks to
SEQ FLT #112	OMS_		Saturday 5	12/7/02 (14)	72/104.5	CLVAT		125.7 NM		DEDLOVED	MPS LH2 Flowliners revealed three cracks to
	PODS: LPO4-26	P680/R108/V80/M198	(14)	<u>DEORBIT</u>	<u>ACTUAL</u> :	SLWT- 21				DEPLOYED: 29672 LBS	Jother orbiter LH2 Flowliners:
KSC-112	RPO1-33	PLT:	(17)	BURN:	100/104.5/9					23072 LB3	- OV-103 - three cracks (SSME 1)
PAD 39A-	FRC5-19	Paul S. Lockhart	<u>LAUNCH</u>	341:18:31:33Z	9/	l				NON-	MPS LH2 Flowliners revealed three cracks to SSME 2. Subsequent inspections found cracks in other orbiter LH2 Flowliners:  - OV-103 - three cracks (SSME 1)  - OV-105 - one crack (SSME 1) and one crack (SSME 2)  - MPTA - one crack (SSME 1)  - OV-102 three cracks (SSME 2). OV-102 flowliners are CRES.
63		(Flt 2 - STS-111)	<u>WINDOW</u> : 7M08S IN 2	XRANGE: 2.1	72/104.5	<u>E I</u> IMPACT				DEPLOYED: 46 LBS	- MPTA - one crack (SSME 1)
		P681/R279/V176/M24	PANES	XRANGE: 2.1 NM	1 = 2050(4)	IMPACI				40 LB3	- OV-102 three cracks (SSME 2). OV-102
MLP-2				ORRIT DIR: AI	1 = 2050 (4) 2 = 2044 (8)	1:14:10					After analyses, tests, etc., including
IVILE-2			PLANAR/PHASE	<u>ORBIT DIR</u> : AL 32	3 = 2045 (7)	MET				288 LBS	consideration of other repair techniques, the
16TH		M/S 1/EV1:		VIW DT.		LAT:				SHUTTLE	After analyses, tests, etc., including consideration of other repair techniques, the decision was made to use weld-repair technique and polishing of Flowliner holes.  - As a result, STS-113 and STS-112 moved ahead of STS-107. STS-113 launch date was set
SHUTTLE		Michael E. Lopez- Alegria	EOM PLS: KSC	AIM PT: NOMINAL		36.54°S				ACCUMULATE	- As a result, STS-113 and STS-112 moved
FLIGHT TO ISS		(Flt 3 - STS-73, STS-	TAL: ZZA	MLGTD: 2846						D	ahead of STS-107. STS-113 launch date was set
1.0.55		92)	TAL WX: MRN	IFT		<u>LONG</u> : 158.67°				WEIGHTS: DEPLOYED:	Ito November 6, 2002 EST.  Lat FRR STS-113 Launch was nostnoned 1
			SELECTED:	341:19:37:13Z VEL: 194 KGS 197 KEAS HDOT: -2.8 FPS		W				1189722 LBS	to November 6, 2002 EST At FRR, STS-113 Launch was postponed 1 day to November 7, 2002 EST at 11:56 PM
A SE	TABI	P682/R202/V163/M17	RTLS: KSC	197 KEAS						NON-	(311:04:56Z).
1	LOCKHA	5	33/N/N <u>TAL</u> : ZZA	HDOT: -2.8 FPS						DEPLOYED:	LAUNCH SCRUBS:
WETHERBEL	LOPEZ-ALL	M/S 2/EV2:	30/N/SF	TD NORM 195:						1559554 LBS CARGO TOTAL:	LAUNCH SCRUBS: - Scrubbed Monday, November 7 Launch at
HERRING		John B. Herrington P683/R287/M251	AOA: KSC	3009 FT						3547208 LBS	IPCS 2 between FCLSS Supply Valve and 576
		P003/K207/M231	33/N/N	NLGTD: 5814						DED 50 D. 4 4 14 6	Bulkhead. Leak was first noticed when Haz Gas
CHI CHI	7	M/S 3 UP/EXP 6 CDR:	<u>PLS</u> : EDW 22/N/N	FT						<u>PERFORMANC</u> E MARGINS	Detection System indicated an O2 concentration
Topo		Kenneth D.		341:19:37:23Z VEL: 163 KGS						(LBS):	Troubleshooting procedures isolated the leak to
OWERSOX BY		Bowersox (Flt 5 - STS-50, STS-	TDEL:	I 159						FPR: 3065	PCS 2 outside the cabin between ECLSS O2
		61,	0.04 -0.278/- 0.24	KEAS HDOT: -5.8 FPS						FUEL BIAS:	Supply valve and Crew Module 576 bulknead.
		STS-73, STS-82)								937 FINAL TDDP:	Inspection/troubleshooting found a blowing leak
		DC04/D146A/07/M120	MAX Q NAV:	DRAG CHUTE DEPLOY: 155 KEAS						1736	in PCS 2 O2 flex hose near the 576 bulkhead.
JON P	TRUSS	P684/R146/V97/M130	763 765	KEAS						RECON: 2486	Interplaced PCS 2 O2 and N2 flex hoses. During Interplaced PCS 2 O2 line under
OTATIO	THE STREET	M/S 4 UP/EXP 6 Flt	SRB STG:	341:19:37:25Z						PAYLOADS:	PLB liner, an Access Platform came in contact
	Y Z	Eng 1:	2:04.8 2:04	<u>BRK INIT</u> : 65						PLB:	with the RMS damaging the TPS, Kevlar
eg .	Z	Nikolai Budarin	PERF: NOMINAL		<u>M 3 EOM</u> :					PLB: ISS 11A	composite boom. Tests and analyses proved it
		(Russia) P685/R288/M252		DRAG CHUTE JETTISON: 57 KGS	WEIGHT:					(ITS P1 TRUSS) CETA CART B	is OK to fly-as-is. On November 20, set launch
	TS-113	FU03/N200/M232	2 ENG TAL (BEN):	I <u>ETTISON</u> : 57	200993 LBS					SRMS, ODS	Idate to 11/22/02. Technical Scrub.
-		M/S 5 UP/EXP 6 Flt	2:33 2:35	341:19:38:00Z							8:15:30 PM EST at L-8 minutes due to unstable
		Eng 2:		BRK DECEL	X CG: 1087.63			DEORBIT:		MIDDECK: ISS 11A	weather at ZZA and MRN. Early forecasts were
		Donald R. Pettit P686/R289/M253	<u>NEG RETURN</u> : 3:52 3:55	BRK_DECEL FPS <sup>2</sup> : AVE 3.9 PK 5.1	1067.03			APOGEE: 214 NM		133 11A	occasional overcast 1500 feet and showers at
								PERIGEE:			MRN. At L-1 hour, Moron weather had
		M/S 3 DN/EXP 5 Flt	PTA (U/S 183):	WHEELS STOP: 341:19:38:28Z 13420 FT	LANDING:			212 NM		5 CRYO TK	LAUNCH SCRUBS: - Scrubbed Monday, November 7 Launch at approximately L-3 hours due to an O2 leak in PCS 2 between ECLSS Supply Valve and 576 Bulkhead. Leak was first noticed when Haz Gas Detection System indicated an O2 concentration of approximately 150 ppm in the Mid-Body. Troubleshooting procedures isolated the leak to PCS 2 outside the cabin between ECLSS O2 Supply valve and Crew Module 576 bulkhead. Launch date set to NET Monday, November 18. Inspection/troubleshooting found a blowing leak in PCS 2 O2 flex hose near the 576 bulkhead. Replaced PCS 2 O2 and N2 flex hoses. During preparation to get access to PCS 2 O2 line under PLB liner, an Access Platform came in contact with the RMS damaging the TPS, Kevlar honeycomb with minor delamination to composite boom. Tests and analyses proved it is OK to fly-as-is. On November 20, set launch date to 11/22/02. Technical Scrub Scrubbed 11/22/02 launch planned for 8:15:30 PM EST at L-8 minutes due to unstable weather at ZZA and MRN. Early forecasts were showers within 20 nm at Zaragoza and occasional overcast 1500 feet and showers at MRN. At L-1 hour, Moron weather had improved and FD updated TAL to Moron. However, both TAL sites were forecast and observed NO GO at the L-8 minute scrub time and at TAL landing times. TAL Weather Scrub. Ben Guerir was not available as a TAL site; however, Ben Guerir was observed NO GO for
		Eng 2:	5:01 5:01	341:19:38:28Z  13420 FT	WEIGHT:			VELOCITY:		SETS 6 GN2 TANKS	observed NO GO at the L-8 minute scrub time
		Sergei Y. Treschev (Russia)	PTM (U/S 183): 6:05 6:10		200939 LBS			25907 FPS		RMS 70	land at TAL landing times. TAL Weather Scrub. Ben Guerir was not available as a TAL site;
		(STS-111 Up)	6:05 6:10	ROLLOUT: 10574 FT							however, Ben Guerir was observed NO GO for
		P687/R283/M248	SE TAL (ZZA):	75 SEC	X CG: 1089.52			ENTRY RANGE:		RMS USED TO UNBERTH	ceiling and showers.
	l	M/S 4 DN/EXP 5 CDR:	6:00 6:01	WINDS:	1009.32			4351 NM		P1 ITS AND	LAUNCH WINDOW:
1	l	Valery C. Korzun	SE PTM (U/S	H3 R7 KTS						HAND-OFF	- ISS first Planar window opened at
	l	(Russia)	646):	OFFICIAL: 0308P13						TO SSRMS	328:00:44:48Z and closed at 328:0054:46Z with PLT at 328:00:49:47Z (7:49:47 PM EST) for a
1	l	(STS-111 Up)	646): 6:53 6:59	H4 R7						FOR MATE TO S0 TRUSS.	I7M08S launch window Second Planar window I
1	l	P688/R282/M247	MECO CMD:	DENS ALT: 580							opened at 328:00:47:56Z and closed at
	l	M/S 5 DN/EXP 5 Flt	8:22.4 8:22.9	FT SOU							328:00:57:55Z.
1	l	Eng 1:									LAUNCH DELAYS: NONE
1	l	Peggy A. Whitson (STS-111 Up)	<u>VI</u> : 25821 25823	FLT DURATION: 13:18:47:26							- Launch occurred On-Time at 328:00:49:47Z, 7:49:47 PM EST on Saturday, November 23,
1	I	P689/R281/F35	1 <sub>52051</sub> 52052	1	l	I	I	l l		I	12002.
		•									

Revision T February 2007 Page 355 - STS-113/11A

Revision T February 2007 Page 156 - STS-113/11A

FLT	ORBITER	CREW 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		SP	ACE SHU	JIILE	MISSIO	NS SUM	IMARY	Page 156 - STS-113/11A
STS- 113/	Continued	Continued	Continued					Continued
ISS 11A	SS EVA 86 DOCKED QUEST EVA 12 EMU/TETHERED EVA	OMS-2: 38.12 37:49.2 250 FPS256 FPS 2:42 5:31	<u>S/T:</u> 1015:13:34:10 <u>OV-105:</u> 206:14:12:06					PERFORMANCE ENHANCEMENTS: - Standard Set plus: (1) PE Operational High Q (WIN/DEC), (2) OMS Assist, (3) 52 NM MECO, (4) Del Psi
Continued	79 SCHEDULED EVA 80 DURATION 6:45	3.51	DISTANCE: 5,735,600 sm					FIRSTS/LASTS: - First flight with 3 Days Extension due to weather wave-offs Record Minimum Crossrange of 2.1 nautical
	SS EVA 87 DOCKED QUEST EVA							miles.
	EMU/TETHERED EVA 80							RENDEZVOUS #61: - Rendezvous and Dock with ISS (PMA2 Lab Fwd Port).
	SCHEDULED EVA 81 DURATION 6:10							FLIGHT DURATION CHANGES: Extended flight 3 days total.
(SS	SS EVA 88 DOCKED QUEST EVA 14							- EÓM - Planned landing at KSC on orbit 170 (Tig
	EMU/TETHERED EVA 81							Wednesday, December 4, 2002. Waved-off landing on orbit 170 (Tig orbit 169) at Tig-21 minutes due to NO GO forecast for ceiling (broken 6000 feet). Weather reported that at
	SCHEDULED EVA 82 DURATION 7:00							landing time ceiling was 8000 feet and showers at 30 nm (GO Observation).  - Wayed-off landing on orbit 171 (Tig orbit 170)
TO THE PROPERTY OF THE PROPERT	MCC WHITE FCR (42)							(broken 6000 feet). Weather reported that at landing time ceiling was 8000 feet and showers at 30 nm (GO Observation).  - Waved-off landing on orbit 171 (Tig orbit 170) at Tig -24 minutes due to NO GO Forecast of ceiling 6500 feet. (One day extension) waveoff 1 day. Landing observations verified NO GO (BKN 6500 feet).  - EOM+1 - Waved-off landing at KSC on orbit 185 (Tig orbit 184) at 339:19:54Z, 2:54 PM EST on Thursday, December 5, 2002 at approximately Tig-3H15M due to observed 18 knot crosswinds, moisture within 30 nm and broken 7000 feet.  -Waved-off landing at KSC on orbit 186 (Tig orbit 185) a few minutes later for crosswind, moisture, and ceiling violations. (Second day Extension) waveoff 2 days.  - EOM+2 - Waved-off landing at KSC on orbit 200 at 340:18:57Z, 1:57 PM EST on Friday, December 6, 2002 at Tig-3H03M due to NO GO forecast and observed drizzle at SLF and overcast 900 ft.  - Decided to proceed with DeOrbit Prep for orbit 201 landing but not fluid load. Closed the PLBD's and gave GO for OPS 3 transition. Weather violations continued. Waved-off landing at Tig-1H12M due to continued NO GO observed and forecast drizzleffog, visibility 3 miles and overcast 600 feet. (Third Day Extension)
торзун	FLIGHT DIRECTORS: ISS LD/O1 - A. F. Algate							6500 feet) E0+1 - Waved-off landing at KSC on orbit 185
1	ISŠ O 2 - M. A. Kirasich							Thursday, December 5, 2002 at approximately Tig-3H15M due to observed 18 knot crosswinds,
	ISS PLNG - A. P. Hasbrook STS LD/O 1 - P. L.							-Waved-off landing at KSC on orbit 186 (Tig orbit 185) a few minutes later for crosswind, moisture,
<b>E 2</b>	Engelauf STS O 2 - C. A. Koerner							(Second day Extension) waveoff 2 days. - <u>EOM+2</u> - Waved-off landing at KSC on orbit 200
HWA	STS O 3/PLNG - J. M. Curry A/E - J. P. Shannon							6, 2002 at Tig-3H03M due to NO GO forecast and observed drizzle at SLF and overcast 900 ft.
BOWE DE OX	MOD - R. E. Castle							201 landing but not fluid load. Closed the PLBD's and gave GO for OPS 3 transition. Weather
OWERSON								violations continued. Waved-off landing at Tig- 1H12M due to continued NO GO observed and forecast drizzle/fog, visibility 3 miles and
								overcast 600 feet. (Third Day Extension) waveoff 3 daysFOM+3 - Landed at KSC Runway 33 on orbit 216
								forecast drizzle/fog, visibility 3 miles and overcast 600 feet. (Third Day Extension) waveoff 3 days.  -EOM+3 - Landed at KSC Runway 33 on orbit 216 at 341:19:37:13Z, 2:37:13 PM EST, Saturday, December 7, 2002 (MET 13:18:47:26). Total extensions 3 Days (Record for three days extensions 40 to weather Landed on EOM+4)
								extension due to weather, landed on EOM+4). STS-57 was extended 3 days; however, the first day extension was for science and the last 2
								days were weather extensions. Record minimum crossrange of 2.1 miles.
								SHUTTLE NIGHT LAUNCH #28:
								EVENTS: - NC1 maneuver at 328:03:42:05Z (02:52:28 MET) resultant altitude of 170.2 by 186.7 nm MC4 maneuver at 329:20:27Z (01:19:37 MET) resultant altitude 203.3 by 215.5 nm.
								MET) resultant altitude 203.3 by 215.5 nm. - ISS Capture (PMA 2 Lab Fwd Port) at 329:21:20:27Z (01:21:08:53 MET)

Revision T February 2007 Page 156 - STS-113/11A

Revision T February 2007 Page 157 - STS-113/11A

FLT	ORBITER	CREW 7 UP/7 DOWN	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES FLT	THROTTL E PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continued.  Lik S NJ T paysfer (Official transfer of ISS from SET (1985) 1981.  Continued (1985) 1982 (2001) 1981 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982 (2001) 1982 [1986] 1982											
Expendion 7, Crew 16, Expendion 6, Crew 1 st. States uppert of 91 175 18 330 15-19-512 (Gr. 14-30 MET) and postmored 11, preserved to 15 10 MET) and postmored 10, preserved to 15 MET, and postmored 11, preserved to 15 MET, and preserved to 15 MET, and postmored 10, preserved to 15 MET, and pres	STS-									Cc	ontinued
Eggedition 7. Gew 19. Eggedition 6. Crew) at 2. Authority of P1 In 18. at 381.5.19.5.12. Continued	113/									I- II	ELK S/L Transfer (Official transfer of ISS from
Continued	<u> ISS</u>								1 1	<b>I</b> Ex	(pedition 5 Crew to Expedition 6 Crew) at
Continued  (IOC.14-20 MET) and positioned 10, every continued in the continued of the conti	11A								1 1	33	30:02:28Z (02:01:39:13 MET)
orbites fort Wing for handoff to SSMS, only for video support of LVA activities. 3 only for video support of LVA activities. 3 on must at 15 on the SSMS stage for must be 15 on the SSMS stage for mu	C +:								1 1	1/0	2.14.20 MET) and positioned D1 ever
three EVA's used Pri-Brasthe Protocol While exercising on Shuttle Epometre located in progress of the EVA's had a problem. However, the EVA's had a 13,117,10,472 (0.16.16.11 MET). However, the EVA's had a 13,117,10,472 (0.16.16.11 MET). However, the EVA's had a 13,130,647 (0.42.37) MET) on the EVA's had a 13,140,647 (0.16.16.11.12 MET). However, the EVA's had a 14,140,647 (0.16.16.11.12	Continued								1 1	or	biter Port Wing for handoff to SSRMS.
three EVA's used Pri-Brasthe Protocol While exercising on Shuttle Epometre located in progress of the EVA's had a problem. However, the EVA's had a 13,117,10,472 (0.16.16.11 MET). However, the EVA's had a 13,117,10,472 (0.16.16.11 MET). However, the EVA's had a 13,130,647 (0.42.37) MET) on the EVA's had a 13,140,647 (0.16.16.11.12 MET). However, the EVA's had a 14,140,647 (0.16.16.11.12									1 1	(Ţ	hereafter SRMS camera was used only for
three EVA's used Pre-Breather Protocol while exercising on Shuttle Ergometer Located in Progneter as the C.EVA's had a problem. Holder conjections between P1 and Shuttle P1 and Shuttle P1 and									1 1	VIC	SSRMS used to mate P1 ITS to S0 truss at
three EVA's used Pre-Breather Protocol while exercising on Shuttle Ergometer Located in Progneter as the C.EVA's had a problem. Holder conjections between P1 and Shuttle P1 and Shuttle P1 and									1 1	33	30:18:50:14Z (02:18:00:27 MET)
three EVA's used Price Breather Protocol (while exercising on Shuttle Ergometer focated in Progress of the CAVAS had a problem. Made conjections petween P1 and SO GET AVE									1 1	-E	EVA 1 Start at 330:19:48Z (02:18:57 MET),
three EVA's used fine Ereathe Protocol while ended eck. Crew had to use Shuttle ended ended in the Ereath Shuttle ended ended in the Shuttle ended e										IEV No	vember 26 2002 duration 6H45M All
exercising on Shuttle Ergometer located in Ergometers she CEVAS had a problem. Made connections between P1 and S0 CETA CAT, DLA, and TAN, Stinger, installed bode 1 GETA CAT, DLA, and TAN, Stinger, installed bode 1 GETA CAT, DLA, and TAN, Stinger, installed bode 1 GETA CAT, DLA, and TAN, Stinger, installed bode 1 GETA CAT, DLA, and TAN, Stinger, installed bode 1 GETA CAT, DLA, and TAN, Stinger, installed bode 1 GETA CAT, DLA, and TAN, Stinger, and SE, 2001, 174.6 MET). EVA 2E not 3,300.472 (042-37,7 MET) on November 28, 2002, duration 6 High Meta CAT, and the control of										<b>I</b> th	ree EVA's used Pre-Breathe Protocol while
Ergometer as the CEVAS had a problem. Made connections between the stants on CETA Cart. DLA, and TARJ Stinger, installed Node 1  Report 1 at 331-171-1472 (20-16-21 MET) delta V + 2.4 fts, attitude increase 2.4 mm, attitude 1 by 20, 31, 32 (20-17-46 MET). EVA 2 End st 333:00-472 (04-23-47 MET) on November 23, 2002, duration eH10M. Between the Stant Stan										ex	cercising on Shuttle Ergometer located in
Made connections between PL and Son CETA Cart, DLA, and TAN Singer, installed Mode I WEA									1 1	Imi Fr	cometer as the CEVAS had a problem
With the control of t									1 1	Ma	ade connections between P1 and S0
With the control of t										Tr	usses. Released launch restraints on CETA
- Reboost 1 at 331:17:10:472 (03:16:21 MET) office by 215										L c	FTA
EVA 1 - Start 33-36(3-37-20) (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration from £1 to \$1.00 (Auration from £2 to \$										]-,F	Reboost 1 at 331:17:10:47Z (03:16:21 MET)
EVA 1 - Start 33-36(3-37-20) (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration fill Ministalled fluid jumpers between £1 & 50.00 (Auration from £1 to \$1.00 (Auration from £2 to \$										de	elta V + 2.4 fps, altitude incrèase 2.4 nm,
insearch III of the State of th										lait	INCLUDE 210 DY 207 HITT FVA 2 Start at 332·18·367 (04·17·46 MFT)
insearch III of the State of th										ĮεΫ	/A 2 End at 333:00:47Z (04:23:57 MET) on
insearch III of the State of th										No	ovember 28, 2002, duration 6H10M.
Removed & stowed Radiator beam launch										ling	stalled fluid lumpers between P1 & S0.
Removed & stowed Radiator beam launch										Ŵ	VS TX Assy on P1. Relocated CETA Cart
locks									1 1	fro	om P1 to S1. Released P1/P3 line clamps.
Reboost 2 at 333:16-50-592 (05-16-01-12     METI, delta V = 2.36 pts, altitude increase     O										llo	rks I
SPD'S Reconfigured felectrical harnesses, route power through Main Bus switching units.  - Reboost 3 at 335:16:36:47Z (07:15:49 MET), delta V = 8.6 fps. altitude increase 2.4 nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 115,6 gb y										- F	Reboost 2 at 333:16:50:59Z (05:16:01:12
SPD'S Reconfigured felectrical harnesses, route power through Main Bus switching units.  - Reboost 3 at 335:16:36:47Z (07:15:49 MET), delta V = 8.6 fps. altitude increase 2.4 nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 115,6 gb y										ME	ET), delta V = 2.56 fps, altitude increase
SPD'S Reconfigured felectrical harnesses, route power through Main Bus switching units.  - Reboost 3 at 335:16:36:47Z (07:15:49 MET), delta V = 8.6 fps. altitude increase 2.4 nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 115,6 gb y										U.  - F	/ nm, altitude 216 by 209 nm. -VA 3 Start at 334:10:247 (06:18:34 MFT)
SPD'S Reconfigured felectrical harnesses, route power through Main Bus switching units.  - Reboost 3 at 335:16:36:47Z (07:15:49 MET), delta V = 8.6 fps. altitude increase 2.4 nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 115,6 gb y										an	nd End at 335:02:24Z (07:01:34 MET) on
SPD'S Reconfigured felectrical harnesses, route power through Main Bus switching units.  - Reboost 3 at 335:16:36:47Z (07:15:49 MET), delta V = 8.6 fps. altitude increase 2.4 nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 114. nm etc. nm; final orbit 215,6 gb yz 115,6 gb y										No	ovember 30, 2002, duration 7H00M.
route power through Main Bus switching units.  Reboost 3 at 335.136.47Z (07:15:49 MET) data V 3 6 fps, altitude increase 2.4 mET) data V 3 6 fps, altitude increase 2.4 mET) data V 3 6 fps, altitude increase 2.4 mET) data V 3 6 fps, altitude increase 2.4 mET) data V 3 6 fps, altitude increase 2.4 mET) data V 3 6 fps, altitude increase 2.4 mET) data V 3 6 fps, altitude increase 2.4 mET) data V 3 6 fps, altitude v 4 fps, altitude v									1 1	IIII	Stalled Z1/P0/Lab. Lab na. alid P1 Rbvivi
Reboost 3 at 335:16:36:47Z (07:15:49 MET), delta V = 86 fps, altitude increase 2.4 nm, final orbit 216.6 by 211.4 nm										ro	ute power through Main Bus switching
MET), delta V = 8.6 fps, altitude increase 2.4 nm, final orbit 21,6 fb y 21,14 nm, rinal r										un	nits.
nm, final orbit 216,6 by 211,4 fm Farewell 356:17:18 (768:16:28 MET) - ODS Upper Hatch closed at 336:17:47,472 (08:16:38 MET). Lafp Fwd Hatch (all hatches closed) closed at 326:18:15:472 (08:17:26 MET) - Goking complete at 336:20:04:50Z - (18:19:15:03 MET) - Transfers: Shuttle to ISS 2160 lbs plus P1 - Transfers: Shuttle to ISS 2160 lbs plus P1 - Transfers: Shuttle to ISS 2160 lbs plus P1 - Transfers: Shuttle 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - CWC's and 18 lbs in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR). 32 lbs in 7 - METS identified to ISS in one PWR - METS identified to ISS in on										IME	FT) delta $V = 8.6$ fns. altitude increase $2.4$
- OUS upper Hatch closed at 33:0:14/14/2 (08:16:58 MET), Lab Fwd Hatch (all hatches closed) closed at 326:18:15:47Z (08:17:26 MET)  - Undocking complete at 336:20:04:50Z (08:19:15:03 MET) - Undocking complete at 336:20:04:50Z (08:19:15:03 MET) - Transfers: Shuttle to ISS 2160 lbs plus P1 ITS of 27514 lbs, 690 lbs H2O (672 lbs in 7 CWC's and 18 lbs in one PWR), 32 lbs in 7 CWC's and 18 lbs in one PWR), 32 lbs 02 used during prebreather for 3 EVA's, Plus 6 LIOH cans. Transfer ISS to Shuttle 2250 lbs MEPSI deploy at approx. 336:22:25Z (08:21:36 MET)  SIGNIFICANT ANOMALIES: - O2 concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary GNz flex hoses (IFA STS-113-V-01) Right OMS. Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02) S-Band Power Amplifier 2 power output low (IFA STS-113-V-04) Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										nn	n, final orbit 216.6 by 211.4 nm.
(08:16:58 MET), Lab Fwd Hatch (all hatches closed) closed at 326:18:15:72 (08:17:26 MET)  - Undocking complete at 336:20:04:50Z  (08:19:15:03 MET)  - Transfers: Shuttle to ISS 2160 lbs plus P1  ITS of 27514 lbs, 690 lbs H20 (672 lbs in 7  CWC's and 18 lbs in one PWR), 32 lbs 02 used during prebreathe for 3 EVA's, Plus 6 LIOH cas, Transfer ISS to Shuttle 2250 lbs.  - MEPSI deploy at approx. 336:22:25Z  (08:21:36 MET)  SIGNIFICANT ANOMALES:  - Oz concentration in Mid Body above expected baseline. Replaced secondary O2 line and continued to indicator indicator indicator indicator indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04).  - Hardware C&W pushbutton failures  - APU 2 GG Bed Heater Cycles Abnormal										- <u> -</u>  -	arewell 336:17:182 (08:16:28 MET)
closed at 326:18:15:47Z (08:17:26 MET)  - Undocking complete at 336:20:04:50Z (08:19:15:03 MET) - Undocking complete at 336:20:04:50Z (08:19:15:03 MET) - Transfers: Shuttle to ISS 2160 lbs plus P1 ITS of 27:514 lbs, 690 lbs P10 G72 lbs in 7 CWC's and 18 lbs in one PWR), 32 lbs O2 used during parefers FSV is Shuttle 2250 lbs.   - MEPSI deploy at approx. 336:22:25Z (08:21:36 MET)  SIGNIFICANT ANOMALIES: - OZ concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary GNZ line and SNZ line an											
Curion   C										ičlo	osed) closed at 326:18:15:47Z (08:17:26
(08:19:15:03 MET) (Tansfers: Shuttle to ISS 2160 lbs plus P1 (17 ansfers: Shuttle to ISS 2160 lbs plus P1 (17 of 27514 lbs, 690 lbs H20 (672 lbs in 7 (20 sand 18 bs in one PWR), 32 lbs O2 used during prebreathe for 3 EVA's. Plus 6 LiOH can prebreathe for 5 EVA's. Plus 6 LiOH can prebreathe for 5 EVA's. Plus 6 LiOH can prebreathe for 5 EVA's. Plus 6 LiOH can prebreathe for 6 EVA's. Plus 6 LiOH can prebreathe for 6 EVA's bushout for 6 EVA's bus											
during prebleatile for 3 beVAS 2750 lbs.  - MEPSI deploy at approx. 336:22:25Z (08:21:36 MET)  SIGNIFICANT ANOMALIES: - O2 concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary Moz flex hoses (IFA STS-113-V-01) Right OMS Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02) S-Band Power S-Band Power S-Band Power Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										I(O	8·19·15·13 MFT)
during prebleatile for 3 beVAS 2750 lbs.  - MEPSI deploy at approx. 336:22:25Z (08:21:36 MET)  SIGNIFICANT ANOMALIES: - O2 concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary Moz flex hoses (IFA STS-113-V-01) Right OMS Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02) S-Band Power S-Band Power S-Band Power Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										<u>[-`</u> ]	Transfers: Shuttle to ISS 2160 lbs plus P1
during prebleatile for 3 beVAS 2750 lbs.  - MEPSI deploy at approx. 336:22:25Z (08:21:36 MET)  SIGNIFICANT ANOMALIES: - O2 concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary Moz flex hoses (IFA STS-113-V-01) Right OMS Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02) S-Band Power S-Band Power S-Band Power Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal											5 UI 27514 IDS, 69U IDS HZU (672 IDS IN / NC's and 18 lbs in one PWR) 32 lbs O2 used
Cans. I ransfer ISS to Shuttle 2250 lbs MEPSI deploy at a approx. 336:22:25Z (08:21:36 MET)  SIGNIFICANT ANOMALIES: - O2 concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary GN2 flex hoses (IFA STS-113-V-01) Right OMS Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at stand continuous to indicate 96 MS Assist Burn (IFA STS-113-V-02) S-B-113-V-02) S-B-113-V-02) S-B-113-V-04) Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										au	iring prepreatine for 3 EVA'S. Plus o LIOH
(08:21:36 MET)  SIGNIFICANT ANOMALIES: - O2 concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary GN2 flex hoses (IFA STS-113-V-01) Right OMS Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02) S-Band Power Amplifier 2 power output low (IFA STS-113-V-04) Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										Ica	ins. Transfer ISS to Shuttle 2250 lbs.
SIGNIFICANT ANOMALIES: - O2 concentration in Mid Body above expected baseline. Replaced secondary O2 line and secondary GN2 flex hoses (IFA ST5-113-V-01) Right OMS Engine Bi-Propellant Valve 2 position indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02) S-Band Power Amplifier 2 power output low (IFA STS-113-V-04) Hardway Band Power Amplifier 2 power output low (IFA STS-113-V-04) Hardway Band Band Band Band Band Band Band Band										[- N	viersi deploy at approx. 336:22:252 8:21:36 MFT)
- O2 concentration in Mid Body above expected baseline. In Mid Body above expected baseline. Replaced secondary O2 line and secondary GN2 flex hoses (IFA STS-113-V-01).  - Right OMS Engine Bi-Propellant Valve 2 position indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04).  - Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										•	·
expected baseline. Replaced secondary O2 line and secondary GN2 flex hoses (IFA STS-113-V-01).  - Right OMS Engine Bi-Propellant Valve 2 position indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04).  - Hardware C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal											
113-V-01).  - Right OMS Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04) Hardrand C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										l- C	spected baseline. Replaced secondary 02
113-V-01).  - Right OMS Engine Bi-Propellant Valve 2 position indicator indicated 96 percent Open at start of OMS Assist Burn and continued to indicate 96 percent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04) Hardrand C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										Į <u>j</u> iĝ	e and secondary GN2 flex hoses (IFA STS-
Indicate 90 opercent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04).  - Hard C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										111	[3-V-01]
Indicate 90 opercent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04).  - Hard C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										]- []	sition indicator indicated 96 percent Open
Indicate 90 opercent Open after burn (IFA STS-113-V-02).  - S-Band Power Amplifier 2 power output low (IFA STS-113-V-04).  - Hard C&W pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										ļat	start of OMS Assist Burn and continued to
- Hardware Caw pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										ling	gicate 96 percent Open after burn (IFA
- Hardware Caw pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										[- <u>5</u>	6-Band Power Amplifier 2 power output low
- Hardware Caw pushbutton failures - APU 2 GG Bed Heater Cycles Abnormal										Į(IĒ	A STS-113-V-04).
										I- F	fardware C&W pushbullon failures 1
	1 !	ı	<b> </b>	l	I	ı	ı	I	1 1		

Revision T February 2007 Page 157 - STS-113/11A

Revision T February 2007 Page 158 - STS-107

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 258 - STS-107

			<b>5</b> P	ACE SHU	JIILE	MI 22	IU	N2 20	IVI IV	IAKY	Page 258 - STS-107
STS- 107	OV-102 (Flight 28)	<u>CDR</u> : Rick D. Husband	KSC 39A 16:15:39:00Z		104/104/ 109%	BI-116	39. 0	DIRECT INSERTION	Ol- 29	<u>CARGO</u> : 35463 LBS	KSC W/D: OPF 79, VAB 9, PAD 35 = 123 days total.
SEO	Columbia	(Flt 2 - STS-96)	10:39:00 AM EST (P)		PREDICTED:	RSRM 88	(8)	POST OMS-	(5)		LAUNCH POSTPONEMENTS:  - Baselined launch date of 1/11/01 on 11/10/99.  - Postponed launch date to 2/22/01 on 3/3/00.  - Postponed launch date to 4/15/01, then 6/14/01, others(?), then to 9/2/03, moved after STS-112 and STS-113 (Priority flights to HST and ISS flights that had been postponed due to flow-liner cracks)
FLT #113	IOMS	P690/R248/V177/M21 6	10:39:00 AM EST (A)		100/104.5/7 2/	ET-93		<u>2</u> : 156 x 147		<u>CHARGEABLE</u> : 24316 LBS	- Postponed launch date to 2/22/01 on 3/3/00. - Postponed launch date to 4/15/01, then
KSC-113	PODS: LPO5-17 RPO5-16	PLT:	Thursday 34 1/16/03 (10)	DEORBIT DUBNI	72/104.5	LWT-86		NM		<u>DEPLOYED</u> : 0 LBS	STS-112 and STS-113 (Priority flights to HST and USS flights that had been postpoped due to flow-
PAD 39A- 40	FRC2-28	William C. McCool P691/R290/M254	<u>LAUNCH</u> WINDOW:	BURN: 32:13:15:18Z Sunday,	ACTUAL: 100/104.5/7	ET				NON-	liner cracks.) - Postponed launch date to 1/16/03.
MLP-1	EDO FLT 15	<u>M/S 1</u> : David M. Brown	2H30M CTOB	February 1, 2003	72/104.5	<u>IMPACT</u>				DEPLOYED: 23515 LBS	LAUNCH SCRUBS: None
	S/H RDM 1	P692/R291/M255 M/S 2:	<u>EOM PLS</u> : KSC <u>TAL</u> : MRN <u>TAL WX</u> : ZZA	PLANNED LANDING:	1 = 2055 (1) 2 = 2053 (5) 3 = 2049 (7)	1:24:35 MET				MIDDECK: 801 LBS	LAUNCH WINDOW: - Launch Window was 2H30M (Crew Time On Back).
		Kalpana Chawla (Flt 2 - STS-87)	SELECTED: RTLS: KSC 15	On KSC 33 at 9:15:50 AM EST		<u>LAT</u> : 2.28°N				SHUTTLE ACCUMULATE	LAUNCH DELAYS: NONE  - KSC weather was excellent, perhaps the best launch weather experienced in Shuttle Program.  - Launch occurred On-Time at 16:15:39:00Z, 10:39:00 AM EST, on Thursday, January 16,
		P693/R230/V178/F30	CI/N TAL: MRN 20	<u>ORBIT</u>		<u>LONG</u> : 139.42°				<u>D</u> WEIGHTS:	- Launch occurred On-Time at 16:15:39:00Z, 10:39:00 AM EST, on Thursday, January 16,
		M/S 3 (PAYLOAD CDR):	N/N AOA: EDW 04	DIRECTION: DL 49		W				DEPLOYED: 1189722 LBS	2003.
		Michael P. Anderson (Flt 2 - STS-89)	CI/N PLS: EDW 04 N/N							<u>NON-</u> <u>DEPLOYED</u> : 1559554 LBS CARGO TOTAL:	TAL WX: - Moron was prime and selected. Both Moron and Zaragoza were forecast and observed GO. Ben Guerir was not available.
		P694/R235/V179/M20 5	TDEL: 0.11 0.032/0.070							3547208 LBS	PERFORMANCE ENHANCEMENTS: - Standard Set plus: PE Operational High Q (WIN/JAN) and OMS Assist.
		<u>M/S 4:</u> Laurel Blair Salton Clark	MAX Q NAV: 756 749								
		P695/R292/F37	<u>SRB STG</u> : 2:05.4 2:07							FUEL BIAS: 1112 FINAL TDDP:	FIRSTS/LASTS: - First flight of Space Shuttle in CY 2003 First flight of Spacehab RDM (Research Double Module) with more than 80 Experiments. Science: Biological, Physiological & Countermeasures, Physical Sciences, Earth and Space Science, Space & Technology Development First EDO Pallet Flight since STS-90 (April 17, 1998)
		amon EL) R293/M256	PERF: NOMINAL							RECON:	Space Science, Space & Technology   Development.  - First FDO Pallet Flight since STS-90 (April 17
Thy CHAIN	MDERSC	11293/11230	2 ENG TAL (MRN): 2:39 2:50							<u>PLB</u> :	- First flight of Israeli Astronaut - Ilan Ramon
THE CITY	Parke		NEG RETURN: 3:50 3:52							RDM FREESTAR OARE	FLIGHT DURATION CHANGES: - Planned landing at KSC on orbit 256 (TIG orbit 255) on Saturday, February 1, 2003. Deorbit
HUSBAND	Wicco Wicco	OL.	PTA (U/S 242): 5:15 5:14		<u>El</u> : WEIGHT:					(MORE THAN 80 EXPERIMENTS)	FLIGHT DURATION CHANGES: - Planned landing at KSC on orbit 256 (TIG orbit 255) on Saturday, February 1, 2003. Deorbit maneuver was initiated at 32:13:15:18Z, 8:15:18 AM EST on Saturday, February 1, 2003 (TIG orbit 255, landing orbit 256). Planned landing time was 32:14:15:50Z, 9:15:50 AM EST Orbiter weight and Xcg at entry interface was 234,495 lbm, Xcg was 1078.53 Orbiter weight and Xcg at entry interface plus 15 minutes 234,167 lbm, Xcg was 1077.87 Flight controllers reported increased temperatures on some sensors and some failed sensors in left wing area. Off-nominal indications started at approximately 32:13:52:17Z. Çolumbia contact loss (Loss-of-
-	TS 107		<u>SE OPS 3</u> : 5:25	51.7.5115.4.716.11	234495 LBS					MIDDECK:	Was 32:14:15:302, 9:15:30 AM E51. - Orbiter weight and Xcg at entry interface was 234,495 lbm, Xcg was 1078.53.
		1	PTM (U/S 242):	FLT DURATION: 15:22:20:32 Lost contact	X CG: 1078.53			<u>DEORBIT</u> : Ha 151.6		FREESTAR - MIDDECK H/W RAMBO	- Orbiter weight and xcg at entry interface plus 15 minutes 234,167 lbm, Xcg was 1077.87. - Flight controllers reported increased
			5:54 6:05	with Columbia at 8:59:32 AM	EI + 15 MIN:			NM Hp 135.0		S/H SUPPORT EQUIPMENT	temperatures on some sensors and some failed sensors in left wing area. Off-nominal lindications started at approximately
			<u>SE TAL (ZZA)</u> : 5:56 6:05	EST	WEIGHT:			NM			32:13:52:17Z. Columbia contact loss (Loss-of- Signal) occurred at 32:13:59:32Z, 8:59:32 AM
		MCC WHITE FCR (43)	<u>SE PTM (U/S</u> 459):	<u>S/T</u> : 1031:11:54:42	234167 LBS			<u>VELOCITY</u> : 25762 FPS		9 CRYO TK SETS	Signal) occurred at 32:13:59:32Z, 8:59:32 AM EST (15:22:20:32 MET), 16 minutes prior to planned landing time. Communications and tracking were lost at an altitude of approximately 203,000 feet while Columbia was
		FLIGHT DIRECTORS: LD/O 2 - K. B. Beck	7:00 7:05	OV-102:	X CG: 1077.87			<u>ENTRY</u> RANGE:		(EDO PALLET) 5 GN2 TANKS	approximately 203,000 feet while Columbia was traveling at approximately 12,500 miles per hour at Mach 18.
		O 1 - J. S. Stich O 3 - B. P. Austin	MECO CMD: 8:20.9 8:23	300:17:39:40 DISTANCE:				4439 NM		NO RMS	lat Mach 18.  - Columbia and 7 astronauts were lost over Texas.
		O 4 - J. M. Hanley A/E - L. E. Cain MOD - P. L. Engelauf	<u>VI</u> : 25863 25860	6,649,757 sm							RED SHIFT: Rick Husband, Kalpana Chawla, Laurel Clark, Ilan Ramon.
1			OMS-2: 41.18 41:24								BLUE SHIFT: William McCool, David Brown, Michael Anderson (PL CDR)

#### Revision T February 2007 Page 358 - STS-107

Revision T February 2007 Page 159 - STS-107

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		<b>O.</b> <i>i</i>	 	 INO SUIVIIVI	AR 1 Page 159 - 515-107
STS- 107					Continued
Continue d					<u>STS-107 EVENTS:</u> Orbital Altitude was 150 nm.
					STS-107 FLIGHT OBJECTIVES/EXPERIMENTS: - Flight was a dedicated and successful science/research mission Primary payload is SPACEHAB Research Double Module (SHRDM) with International, NASA and SPACEHAB commercial payloads including Life Sciences, Materials, and Microgravity Science Research Experiments Fast Reacting Experiments Enabling Science, Technology, Applications and Research (FREESTAR) is a complex Secondary Payload which is a cross bay carrier with following payloads: MEIDEX (Mediterranean Israeli Dust Experiment), Solar Constant-3 (SOLCON-3), Shuttle Ozone Limb Sounding Experiment-2 (SOLSE-2), Critical Viscosity of Xenon-2 (CVX-2), Low Power Transceiver (LPT), and Space Experiment Module-14 (SEM-14)
					- Ram Burn Observation (RAMBO)  SIGNIFICANT ANOMALIES: - ET Foam loss during ascent at approximately 81 seconds (likely from Bi-pod area) (IFA). Redesign constraint to flight RSRM Nozzle Flex Boot Separation (IFA). Constraint to flight O2 Tank 7 Heater failed off in Manual Mode (IFA) STS-107-V-02)
					<ul> <li>Suspected Fuel Cell Monitoring System Data Cable problem. FCMS is suspect after same problem with backup cable.</li> <li>SM I/O Errors on IP Bus</li> <li>DSR 20 Error Message 32 (Loss of tape recording and playback)</li> <li>70 mm Hasselblad Intermittent Motor Drive (Binds or jams)</li> <li>2nd 70 mm Hasselblad Motor Jam</li> <li>STGT site outage</li> </ul>
					<ul> <li>Payload No I-CÓM B Transmission in Spacehab (Not being heard in Spacehab)</li> <li>Spacehab water loop Degradation (Flow rates decreasing)</li> <li>Payload Ku Channel 2 Data Dropouts (Ku-Band and S-Band)</li> <li>AC2 Phase B "Sluggish" Current Signature on</li> </ul>
					Orbiter (IFA STS-107-V-01) - Forward DAP Auto A Contact Deselected by RM - Spacehab Rotary Separator flooding short - Loss of Columbia and crew during Entry - IFA STS-107-V-03
					CAIB REPORT: Accident Analysis indicated that the physical cause of the loss of Columbia and its crew was a breach in the Thermal Protection System on the leading edge of the left wing. The breach was initiated by a piece of insulating foam that separated from the left bipod ramp area of the External Tank and struck the wing in the vicinity of the lower half of Reinforced Carbon-Carbon panel 8 at 81.9 seconds after launch. During reentry, this breach in the Thermal Protection System allowed superheated air to penetrate the

Revision T February 2007 Page 159 - STS-107

Revision T February 2007 Page 160 - STS-114/LF-1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME.	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 161 - STS-114/LF-1

			<b>SF</b>	ACE SH	UIILE	IVIIO		149 90	IVIIV	IARI	Page 161 - STS-114/LF-1
STS-	OV-103	CDR:	KSC 39B 207:14:39:00Z	EDW 22, CONC	104/104/109	BI-125	51. 60 (17)	DIRECT	OI-	<u>CARGO</u> : 38652 LBS	<u>KSC/WD</u> : OPF 994, VAB 25, PAD 85 = 1104 days
1114/	(Flight 31)	I (FIt 4 - STS-63 STS-	I10·14·39 AM	EDW 22, CONC EDW 50, CONC 31	%	IRSRM- 192	60 (17)	DIRECT INSERTION	30  (1)	38652 LBS	total
LF-1	Discovery	84, STS-93)	EDT (P) 10:39:00 AM	221:12:11:23Z	IPREDICTED:	1	(17)	POST-OMS-	(1)	PAYLOAD	LAUNCH POSTPONEMENTS:
SEQ FLT #114	OMS	P697/R188/V139/F24	EDT (A)	221:12:11:23Z 5:11:23 AM PDT	100/104.5/1 04.5/72/104.	ET-121		<u>∠</u> 123.6 NM		<u>CHARGEABLE</u> :	-Baselined OV-104 Atlantis as ULF-1 Crew Rotation flight with launch date of 1/16/03 on
FLI #114	PODS:	. 007,11200,1200,12	Tuesday 14	Tuesday 21 8/9/05 (7)	5	SLWT-		X 85.0 NM		29807 LBS	12/6/01 - Postponed launch date to NET 3/1/03 on
KSC-114	LPO1-34 RPO3-32	<u>PLT</u> : James M. Kelly	7/26/05 (8)	8/9/05 (7)	ACTUAL: 100/104.5/1	22				<u>DEPLOYED</u> : 26413 LBS	9/16/02. Postponement caused by Engine Flowliner cracks.
PAD 39B-	FRC3-31	James M. Kelly (Flt 2 - STS-102)	<u>LAUNCH</u> <u>WINDOW:</u>	DEORBIT DUBNI	100/104.5/1 04.5/72/104.	ET IMPACT				26413 LBS	Flowliner cracks. - Subsequent postponements after STS-107
50		P698/R263/V180/M22	4M15S (In- Plane Time)	<u>BURN</u> : 221:11:06:18Z	5	1:				NON- DEPLOYED:	- Subsequent postponements after STS-107 Accident to NET 7/12/03, NET 10/1/03, NET
MLP-3		9	with ISS		1 = 2057(1)	1:14:10 MET				3231 LBS	- Postponed launch date to NET 3/6/05 on
17TH		M/S 1/EV-1:		NM	1 = 2057 (1) 2 = 2054 (5) 3 = 2056 (3)					MIDDECK:	3/22/04. Changed flight to ISS Logistics Flight
SHUTTL		Soichi Noguchi	<u>EOM/PLS</u> : KSC <u>TAL</u> : ZZA	ORBIT DIR: AL	ALL BLOCK II	<u>LAT</u> :				MIDDECK: 163 LBS	orbiters to Discovery OV-103.
FLIGHT		(Japan JAXA) P699/R294/M257	TAL WX: MRN, FMI	ORBIT DIR: AL 33	ALL BLOCK II ENGINES	36.56ºS				SHUTTI F	I-Tanking Test 1 on 4/24/05 experienced two lintermittent LH2 ECO anomalies. (ECO sensors
TO ISS		<u>M/S 2/EV-2</u> :		AIM PT: NOM	LINGINES	<u>LONG</u> : 158.7ºE				SHUTTLE ACCUMULATE	Accident to NET 1/21/03, NET 10/1/03, NET 12/18/03, NET 3/11/04, NET 9/12/04.  Postponed launch date to NET 3/6/05 on 3/22/04. Changed flight to ISS Logistics Flight LF-1, canceled crew rotation, and changed orbiters to Discovery OV-103.  -Tanking Test 1 on 4/24/05 experienced two intermittent LH2 ECO anomalies. (ECO sensors #3 & #4 failed WET). Replaced MPS Point Sensor Box (PSB) and all Sensor #3 & #4 wiring to LH2 monoball. Subsequent to completion of this work, the Tanking Test #2 LH2 Sensor performance was nominal.
ISS LOGISTIC		Stephen K. Robinson		MLGTD: 1311		158./ºE				D WEIGHTS: DEPLOYED:	to LH2 monoball. Subsequent to completion of
S FLIGHT		(Flt <sup>'</sup> 3 - STS-85, STS- 95)	33/N/N	IFT						DEPLOYED: 1216135 LBS	this work, the Tanking Test #2 LH2 Sensor
1		D700/D222A/1F2/M10	30/N/SFD	221:12:11:23Z VEL: 226 KGS						NON-	- Postponed Jaunch date to NFT 5/12/05 5/15/05
		P700/R222/V152/M19 6	33/N/N	ZZZ KEAS						<u>DEPLOYED:</u> 1562948 LBS	5/22/05, 7/13/05. - Rolled back from pad 39B to VAB on 5/26/05 to
		<u>M/S 3</u> :	PLS: EDW 22/N/SFD	HDOT: -5.5 FPS						CARCO	5/22/05, //13/05. Rolled back from pad 39B to VAB on 5/26/05 to swap stacks with STS-121, due to a late all-flights requirement for a heater on the ET LOX Feedline upper bellows, to prevent formation of critical ascent ice debris in that area. Installation of the bellows heater was started on ET-121 (STS-114 was ET-120) in the VAB before the STS-114 stack was rolled-back. Removed and replaced an out-of-spec H2 diffuser
N GUCHL ROBINS		l Andrew S.W.		TD NORM 205:						<u>CARGO</u> TOTAL:	Feedline upper bellows, to prevent formation of
		Thomas (Flt 4 - STS-77, Up to	<u>TDEL</u> : 0.02 -0.178	2761 FT						3585860 LBS	critical ascent ice debris in that area. Installation of the hellows heater was started on FT-121
		Mir on 515-89, Down		DRAG CHUTE						PERFORMAN	(STS-114 was ET-120) in the VAB before the STS-
		on STS-91, STS-102)	MAX Q NAV: 775 709	DEPLOY: 192 KEAS						CE MARGINS (LBS):	replaced an out-of-spec H2 diffuser Replaced MPS PSB after a power card failure.
S. Co	CATTLES.			221:12:11:31.9						(LBS): FPR: 3098 FUEL BIAS:	- Replaced MPS PSB after a power card failure. - Rolled out to Pad 39B on 06/15/05 and set
		P701/R213/V149/M18 6	SKB STG:	<sup>2</sup>						1269	launch date of 07/13/05 on 05/22/05.
LF 1		M/S 4:	DEDE.	<u>NLGTD</u> : 6573						FINAL TDDP: RECON:	LAUNCH SCRUBS: - Scrubbed 07/13/05 launch attempt at
		Wendy B. Lawrence	<u>PERF:</u> NOMINAL:	221:12:11:38Z VEL: 163 KGS						DANG CARG	- Scrubbed 07/13/05 launch attempt at 194:17:307 (L-2:14:51 to Window Opening)
The state of the s	6	(Flt 4 - STS-67, STS- 86, STS-91)	2 ENG TAL	VEL: 163 KGS 156						<u>PAYLOADS</u> : PLB:	when LH2 ECO Sensor #2 failed WET (failed to
`	ĺ		<u>(ZZA)</u> :	KEAS						PLB: ISS LF-1 MPLM	Iviolated OMRSD and LCC MPS-22 requirements
		P702/R192/V146/F25	2:43 2:44	HDOT: -6.4 FPS						RAFFAELLO,	- Scrubbed 07/13/05 launch attempt at 194:17:30Z (L-2:14:51 to Window Opening) when LH2 ECO Sensor #2 failed WET (failed to transition to DRY with Sim Commands). This violated OMRSD and LCC MPS-22 requirements for four functional LH2 sensors. Extensive tests were conducted that identified a degraded PSB ground and some evidence of EMI as potential causes of the false WET problem. At MMT on 07/20/05, decided to set launch for 07/26/05 (without a special tanking test), allowing
KPNK	лё <sub>в</sub> .	M/S 5:	<u>NEG RETURN:</u> 3:52 3:57	BRK INIT: 90 KGS						ESP2, LMC, RMS, ODS	ground and some evidence of EMI as potential
	<b>₹11</b> 3	Charles Camarda P703/R295/M258			M 2 FOM					RMS, ODS, OBSS	causes of the false WET problem. At MMT on 107/20/05, decided to set launch for 07/26/05
	一/:/:		<u>PTA (U/S 182)</u> : 5:10 5:14		<u>M 3 EOM</u> :					MIDDECK: ISS LF-1	(without a special tanking test), allowing
		SS EVA 89		<u>JETTISON</u> : 53 KGS 221:12:12:08Z	WEIGHT: 225792 LBS			<u>DEORBIT</u> : Ha 191.0			(without a special tanking test), allowing sufficient time to clean up the ground and emi. Decision was made to perform ECO Sensor #2
	ji.	DOCKED QUEST EVA 15	<u>SE TAL (ZZA</u> <u>104)</u> :					NM		E CDVO TK	and #4 pin swap that provides additional troubleshoot results. (Note: ECO sensors operated normally on 7/26/05; further analyses and tests have significantly reduced the concerns about PSB grounding and EMI as causes of the STS-114 anomalies, but this
		EMU/TETHERED EVA 82	6:09 6:14	BRK DECEL FPS <sup>2</sup> :	X CG: 1086.58			Hp 168.0 NM		5 CRYO TK SETS	operated normally on 7/26/05; further analyses
		SCHEDULED EVA 83	PTM (U/S 614): 6:10 6:14	ΔVF 5 1 PK 6 6	<u>LANDING</u> :			ENTRY		6 GN2 TANKS	concerns about PSB grounding and EMI as
		DURATION 6:50		WHEELS STOD.				VELOCITY:			
		SS EVA 90	<u>SE PRESS 104:</u> 6:57 7:02	221:12:12:31Z 12657 FT	WEIGHT: 225727 LBS			25858 FPS			- Weather: All three TAL sites were forecast and
		DOCKED QUEST EVA 16			X CG:			<u>ENTRY</u> <u>RANGE</u> :		RMS USED FOR	- Weather: All three TAL sites were forecast and observed GO. RTLS and AOA1 landing site KSC was forecast NO GO for precipitation and thunderstorms within 20 NM and observed NO
		EMU/TETHERED EVA	MECO CMD: 8:24.2 8:24.9	ROLLOUT: 11346 FT	1088.21			4416 NM		TPS SURVEYS	thunderstorms within 20 NM and observed NO GO for thunderstorms within 20 NM (Anvil).
		83 SCHEDULED EVA 84	\/I:	68 SEC						AND TWO GAP	07/13/05 Launch Attempt was a combined
		DURATION 7:14	<u>vi:</u> 2581925819.6	NO BLACKOUT						REMOVALS	Technical/Weather Scrub.
		SS EVA 91	OMS-2:	DURING ENTRY							LAUNCH WINDOW: Window opened at 207:14:34:33Z and closed at
			OMS-2: 37:40 38:00 100.7 FPS 99								207:14:43:52Z for a total window of 9M19S. The
		17 EMU/TETHERED EVA	FPS 99	Continued	l						Preferred Launch Time (In-Plane Time) was 207:14:39:00Z resulting in a Launch Window of
		-,									•

Revision T February 2007 Page 162 - STS-114/LF-1

Revision T February 2007 Page 161 - STS-114/LF-1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		SPACE SHUTTI	LE MISSIONS SUMMART	Page 162 - STS-114/LF-1
STS-	Continued	Continued		Continued
STS- 114/ LF-1	MCC WHITE FCR (44)	DENS ALT: 3799 FT		TAL WX: Zaragoza (Primary and Selected) was forecast and observed GO. Moron was forecast and
Continue d	FLIGHT DIRECTORS: SHUTTLE: A/E - LeRoy Cain LD/O 1 - Paul Hill	FLT DURATION: 13:21:32:23		observed GO. Moron was forecast and observed NO GO for Crosswind. FMI (Istres) was forecast GO but observed NO GO for Tailwind violation.
	O 2 - Anthony Ceccacci	<u>S/T:</u> 1045:09:27:05		PERFORMANCE ENHANCEMENTS: Standard Set plus: (1) PE Operational High Q SUM/JUL,
	O 3/Plng - Catherine Koerner	OV-103: 255:20:12:58		(2) OMS Assist, (3) 52 NM MECO, (4) Del Psi
	Team 4 - Kelly Beck WX - Steven Stich MOD - Phil Engelauf	<u>DISTANCE</u> : 5,746,939 sm		FLIGHT DURATION CHANGES: - On Flight Day 4, decision made to extend flight 1 day to give more time to transfer activities to and from ISS. EOM Day: Deorbit Tig on Orbit 201
	ISS: LD/O 2 - Mark Ferring O 1 - Bryan Lunney O3/Plng - Joel Montalbano			and from ISS. EOM Day: Deorbit Tig on Orbit 201 was at 220:07:43Z and landing time at KSC on Orbit 202 at 12/18:07 MET 220:08:46Z (4:46 AM EDT). EDW was not called up for support on EOM day.
	Team 4 - Richard LaBrode			- Early weather forecast was GO except for a chance of showers. Gave crew a GO for PLBD closure at 220:05:15Z. Light rain was observed at SLF for a few minutes. At 220:06:15Z gave crew a GO for fluid loading. Last forecast changed to NO GO at 220:0643Z with observed broken low clouds at 1000 feet in SLF area. At 220:07:16Z, due to low clouds, decision was made to wave off first opportunity at KSC. KSC was observed GO at landing time. Flight extension 1 day plus one orbit. KSC opportunity 2 Deorbit Tig on Orbit 202 was at 220:09:19Z and landing time at KSC was 220:10:22Z (5:42 AM CDT). Last forecast at 220:08:46Z was GO. However, due to unstable conditions in low clouds, FD made decision to wave off landing at KSC on second opportunity. KSC was observed NO GO due to precipitation in SLF area. Flight extension now 2 days.
				- EOM + 1 Day: All three EOM landing sites KSC, EDW, and NOR were called up on pick-em day with Discovery landing at one of the three sites. First opportunity for a KSC landing was on Orbit 218 at 221:09:08Z with Tig at 220:08:05Z on Orbit 217. Gave a GO for PLBD closing at 221:05:05Z but did not give a GO for crew fluid loading. Weather was NO GO with showers, thunderstorms, and confirmed electrified cloud within 30 NM. Showers and thunderstorms were forecast within 30 NM at landing time. At 221:06:55Z, waved off landing at KSC on Orbit 218. Flight extensions 2 days + one orbit.
				- Changed Landing site to EDW. Targeted landing at KSC on Orbit 219 at 221:10:43Z. Gave crew a GO to fluid load at 221:08:40Z. At 221:08:43Z, weather forecaster reported two cells developing rapidly northeast of field moving NE with lightning in a northeast cell. At 221:08:57Z, Crew reported APU prestart complete. Current observations at SLF had showers within 30 NM with electrified cirrus (anvil) within 30 NM with forecast of thunderstorms within 30 NM moving NE. At 221:09:00, Flight Director advised crew to stop fluid loading. Waved off landing at KSC on Orbit 219, the last opportunity on FD 13. Decision made to change landing sites to EDW concrete runway 22 on Orbit 220. Flight extensions 2 days + two orbits.

Revision T February 2007 Page 163 - STS-114/LF-1

Revision T February 2007 Page 164 - STS-114/LF-1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		<b>O</b> 1 <i>i</i>	ACE SHU	, , , <u>, , , , , , , , , , , , , , , , </u>	 <b>O</b> I	10 0011	,,,,,,	<b>11 1 1</b>	Page 165 - STS-114/LF-1
STS-									Continued
STS- 114/ LF-1									FIRSTS/LASTS: - First flight in Return-To-Flight after Columbia
Continue									STS-107.  - First launch in 922 days after STS-107 launch First flight with Istres, France as a TAL site First flight with ET bipod redesign to eliminate large insulating foam ramps as a debris source and replace them with electric heaters First use of the 50-foot-long robotic arm extension known as Orbiter Boom Sensor System (OBSS) equipped with Laser Imager and cameras to inspect Wing Leading Edges RCC and the Shuttle Bottom tiles for damage First use of upgraded Ground Camera Ascent Imagery System, two WB-57 aircraft based video, and ship and ground based radar First use of WLE instrumentation behind RCC panels to gather and downlink acceleration and temperature data during ascent phase First use of orbiter back-flip pirouette to allow ISS based photography of orbiter bottom TPS First EVA crew to make repairs on shuttle bottom. Removed gap fillers protruding approximately 1 inch from black tiles in two areas of orbiter bottom black tiles, each extended approximately 1 inch. Gap fillers were removed during EVA 3 First flight with ET design change to use heater in bipod ramp area to prevent ice/frost buildup (ir lieu of insulating foam in that area) Mandated day-time launch for STS-114 and STS-121 to provide proper lighting for video and film cameras observation of ET debris shedding during ascent First flight with ET LOX Feedline upper bellows heater to prevent formation of critical ascent ice
									debris in that area.  EVENTS: - ET Separation at 207:14:47:00Z, 8:46 GET - MC-1 maneuver at 01:17:37:53, delta V 0.44 ft/sec Orbit 199.7 by 213.1 NM - FD2 SRMS/OBSS survey of Wing Leading Edges and nose cap - FD2 SRMS survey of orbiter upper surfaces - ISS capture at 209:11:17:20Z (01:20:38:20 MET) - Hard Dock: 209:11:31:53Z (01:20:52:53 MET) - Open Lab Fwd Hatch at 209:12:35:00Z (01:21:12 MET) - Open APAS Hatch at 209:12:35:00Z (01:21:56:00 MET) - Open ODS Hatch at 209:12:14:00Z (01:22:14 MET) ISS ingress - FD4 OBSS survey of heat-protection tiles. MPLM docked to Node 1. MPLM and Middeck transfers begin EVA 1 start at 211:09:45:50Z, 3:19:06:50 MET, duration 6H50M, on 07/30/05. Crew members performed EWA & NOAX TPS sample repair DTO 848 in PLB. Crew used OBSS to scan predamaged RCC samples on DTO pallet EVA 2 start at 213:08:43:00, 5:18:04:00 MET, duration 7H14M, on 08/01/05. EVA crew removed, replaced, and performed checkout of ISS CMG 1. Crew started CMG 1 EVA 3 start at 215:08:48:00Z, 7:18:09:00 MET, duration 6H01M, on 08/03/05. Installed External Stowage Platform (ESP-2) on ISS airlock. Removed gap filler material (two) protruding from orbiter bottom tiles.

Revision T February 2007 Page 166 - STS-114/LF-1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES	THROTTLE PROFILE ENG. S.N.	AND ET	INC	НА/НР		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)
STS- 114/ LF-1 Continue d											Continued  EVENTS (Continued): - Orbiter undocked from ISS at 218:07:23:45Z (10:16:44:45 MET) - Total Consumables transferred to ISS 1855.2 lbm (18 CWC's & 5 PWR's), N2 = 29 lbm tank-to-tank; Stack-to-stack 02 = 60.85 lbm (27.6 lbm atmo & 33.3 metabolic), N2 to ISS cabin transfer = -7.7 lbm Total MPLM transfers to ISS 3695 lbs (2095 Cargo and 1600 HRF). 6600 lbs transferred to MPLM/Discovery for return to earth - ISS Visitor Time was 8D19H51M52S (Hard dock to Undock) - Sep 1 Burn at 218:08:36:26Z Ha 193.5 Hp 189.3, Sep Burn 2 at 218:09:04:26Z Ha 194.1 Hp 168.1 NM - Orbit Adjust Burn at 221:11:06:18Z H  RENDEZVOUS # 62: Rendezvous and dock with ISS.  SPACE SHUTTLE NIGHT LANDING: # 20 total and sixth night landing at EDW.  SIGNIFICANT ANOMALIES: - LH2 ECO sensor #2 stayed wet when commanded dry caused launch scrub ET TPS damages and TPS foam losses during ascent constraint to next flight: - LH2 PAL ramp, Ice/Frost ramp, Acreage, Intertank flange foam losses +Y thrust struf flange and -Y Bipod spindle closeout foam losses TPS Blanket damage near window 1 - TPS Gap Filler Protuberances (removed during EVA 3) - Nose Landing Gear TPS tile damage - APU 2 momentary loss of Press & Temp Indications - ODS Capture Latch manual release talkback showed "Open" prior to hooks drive - Airlock Aft "B" Hatch Closure difficulties - Airlock Depress Off-Nominal - TCS repeated loss of Track - VRCS thruster R5R Low Pc. Heater may have failed on MPS/SSME low pressure helium decay rate exceeded - WSB GN2 Regulator outlet pressure low - High O2 concentration in aft compartment during ascent - Loss of several Orbiter tile putty repairs during ascent - Loss of several Orbiter tile putty repairs during ascent - Lose of roward ET attach point NSI pyro bolt ejection after nominal NSI firing

Revision T February 2007 Page 164 - STS-121/ULF1.1

FLT	ORBITER	CREW (7 up, 6 down)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 165 - STS-121/ULF1.1

				ACE SH				140 00	IAIIA		Page 165 - STS-121/ULF1.1
STS-	OV-103	CDR:	KSC 39B	KSC 15 (KSC	104/104/109	BI-126	51. 60	DIRECT	OI- 30	CARGO:	KSC W/D: OPF 264, VAB 7, PAD $41 = 312$ days
121/  ULF1.1	OV-103 (Flight 32) Discovery	Steven W. Lindsey (Flt 4 - STS-87, STS-	KSC 39B 185:18:37:55 Z 2:37:55 PM EDT (P) 2:37:55 PM EDT	62) 198:13:14:42 Z	%	RSRM 93	60 (18)	INSERTION	30 (2)	37736 LBS	total.
		95, STS-104)	(P) 2·37·55 PM FDT	9:14:42 AM  FDT	PREDICTED: 100/104.5/	93		POST OMS-		PAYLOAD CHARGE ARLE	LAUNCH POSTPONEMENTS:
SEQ FLT# 115	PODS:	P704/R229/V131/M20	(A) Tuesday 15	Monday 21 7/17/06 (11)	104.5/67 104.5	ET-119		123.6 NM BY		<u>CHARGEABLE</u> : 29280 LBS	- Baselined OV-103 launch date of 11/15/04 on 10/26/03
KSC 115	LPO1-27 RPO3-34	ľ	7/4/06 (9)	' ' ' ' '		SLWT		85.0 NM		DEPLOYED:	- Postponed launch date to NET 5/5/05 on 3/26/04. Slip due to Columbia accident
PAD 39B-	FRC3-32	PLT: Mark E. Kelly	LAUNCH	<u>DEORBIT</u> <u>BURN</u> :	<u>ACTUAL</u> : 100/104.5/	23				23696 LBS	- Postponed launch date to NET 7/10/05 on
51		(FIt 2 (STS-108))	<u>WINDOW</u> : 3M43S (In-	198:12:06.55 Z	104.5/67 104.5					NON-	10/29/04. Slip due to Columbia accident - Postponed launch date to NET 7/12/05 on
MLP-1		P705/R271/V181/M23	nlane time with	XRANGE: 258		ET IMPACT				DEPLOYED: 5426 LBS	2/17/05 to provide on acceptable launch lighting conditions
18th Shuttle		7		NM  ORBIT DIR: AL	$\frac{1}{2} = \frac{2073}{2051} (5)$	MET				MIDDECK:	- Postponed launch date to NET 9/9/05 on 5/23/05 to reflect
Flight to		EV2/M/S 1 (PAYLOAD CDR)	HAL: MKN	1.34		1:14:32				158 LBS	latest planning decisions
ISS		CDR): Michael E. Fossum P706/R296/M259	<u>TAL WX</u> : ZZA, FMI	IAIM PT:	All Block II Engines	<u>LAT</u> : 35.845				SHUTTLE	- Postponed launch date to <b>TBD</b> on 11/15/05 - Postponed launch date to 5/10/06 on 3/16/06
ISS			SELECTED:	NOMINAL		35.845 S				ACCUMULATE	- Postponed launch date to 7/1/06
Logistics Flight 2		M/S 2: Lisa M. Nowak	SELECTED: RTLS: KSC	MLGTD: 3273		LONG:				WEIGHTS:	LAUNCH SCRUBS:
		P707/R297/F38	33/N/N TAL: MRN	198:13:14:42 Z		157.76				DEPLOYED:	- Scrubbed Saturday 7/1/2006 launch attempt at 182:19:46Z (at
/	L	M/S 3: Stephanie D. Wilson	20/CI/N <u>AOA</u> : KSC	198:13:14:42 Z VEL: 198 KGS 199 KEAS		VV				1239831 LBS	L- 0h2m41s) while holding count at L-9 min. The window opened at 182:19:43:41 and closed at
SEE . 515-12	tell	P708/R298/F39	PLS: EDW	HDOT: -1.8 FPS						NON-	19:53:41Z. The Preferred Launch Time was
× III	·	<u>EV1/M/S 4</u> :	22/N/N	<u>TD NORM 205</u> : 2662 FT						DEPLOYED: 1568532 LBS	183:19:26:11Z. Last forecast for KSC RTLS was forecast and observed NO-GO for thunderstorm
MO . T	. IESON	Piers J. Sellers (Flt 2 (STS-112))	TDEL: 0.09 .172	DRAG CHUTE							attached anvils within 20 NM. KSC AOA1 and NOR AOA2 were forecast and observed NO-GO
P. P.	LES	P709/R285/V182/M24		DEPLOY: 189 KEAS							for thunderstorms within 20 NM. KSC PLS3 was
REITE	Still	9	684 660	198:13:14:45 Z						PERFORMANC	forecast GO but observed crosswind of 19 knots. Primary TAL Moron and alternates Zaragoza and
		M/S 5 UP, stay as ISS	SRB STG:	NLGTD: 6646						E MARGINS (LBS):	Istres (France) were forecast and observed GO. Weather scrub for KSC RTLS, AOA1 and PLS3.
11 F 1.1	I .	EXP 14 FE: Thomas Reiter	2.03 2.02	IFT				DEORBIT:		FPR: 3519	- Scrubbed Sunday 7/2/2006 launch attempt at
ULI		P710/R299/M260 (ESA - Germany)	<u>PERF:</u> NOMINAL	198:13:14:53Z VEL: 149 KGS 145 KEAS	<u>M 3 EOM</u> :			HA 190.7 NM		FUEL BIAS: 825	183: 17:14Z (at L-2h12m). The window opened at 183:19:21:09Z and closed at 183:19:31:09Z.
		,,,		HDOT: -5.8	WEIGHT:			HP 176.7		IRFCON:	Tine preferred launch time was 183:19:26:092.
		SS EVA 92	<u>2 ENG TAL</u> : 2:49 2:52	FPS	226063 LBS			NM		DAYLOADC:	At the time of the scrub, there remained 7m41s to window closure. KSC RTLS was forecast NO-
UTILIZAT	ION APON	DOCKED QUEST EVA 18	NEG RETURN:	BRK INIT: 100 KGS	X CG: 1084.58			ENTRY		IPLB:	GO thunderstorm anvils within 20 NM and
OGISTI	l	EMU/TETHERED EVA	3:58 4.02	DRAG CHUTE	LANDING:			VELOCITY: 25862 FPS		ISS ULF1.1 ICC	chance of broken 3000 ft and observed thunderstorms within 20 NM. KSC AOA1 was
		SCHEDULED EVA 86	<u>PTA (U/S 160):</u> 5:48 5:42	<u>IETTISON</u> : 54 KGS	WEIGHT:			ENTRY_		MPLM LMC	forecast NO-GO for thunderstorm anvils within 30 NM and chance of broken 3000 ft and
	l	DURATION 7:31		198:13:15:18 Z	225972 LBS			RANGE: 4494 NM		RMS, ODS,	observed thunderstorms. NOR AOA2 was
	PEDITION	SS EVA 93 DOCKED QUEST EVA	<u>SE TAL (FMI</u> <u>104)</u> : 606 6:17	BRK,DECEL_	X CG:			4494 NIVI		OBSS	forecast NO-GO for chance of thunderstorms within 30 NM and observed GO Primary TAL site
		19		FPS <sup>2</sup> : AVE 5.6 PK 6.7	1086.32					MIDDECK:	Moron and alternate Istres (FMI) were forecast and observed GO. Zaragoza was forecast slight
E E		EMU/TETHERED EVA 86	PTM (U/S 160): 6:34 6:45	WHEELSTOP:						ISS ULF1.1,	chance of thunderstorms within 20 NM but
	O HIGH	SCHEDULED EVA 87 DURATION 6:47		198:13:15:56 Z 12238 FT						RAMBO, MAUI	observed GO. All three TAL sites were observed GO. Weather Scrub - KSC RTLS, AOA.
REITE		SS EVA 94	7:04 7:12								Management made the decision to go for a 48- hour turnaround so the fuel cell cryos could be
			MECO CMD:	ROLLOUT: 8965 FT						E CDVO TV	topped off for a possible 1-day extension, power
		20 EMU/TETHERED EVA	8:29.8 8:30.1	74 SEC						SETS	permitting. KSC RTLS/AOA/Launch weather scrub.
		87 UNSCHEDULED EVA 7								6 GN2 TANKS RMS 72	LAUNCH WINDOW:
		DURATION 7:11									The July 4th launch window opened at 185:18:32:55Z and closed at 185:18:42:56Z
											giving a total window of 10 minutes plus 1
											second. The Preferred Launch Time (In-Plane Time) was 185:18:37:55Z.
I	ı	I	I	I	ı	ı	•		I	ı	- Performance close time was 185:18:41:38Z,

Revision T February 2007 Page 166 - STS-121/ULF1.1

Revision T February 2007 Page 165 - STS-121/ULF1.1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 166 - STS-121/ULF1.1

CTC I	Continued	Continued	Continued		İ	Continued	Continued
STS- 121/		Continuea	Continued			Continued	Continued
ULF1.1	MCC WHITE FCR (45) FLIGHT DIRECTORS:	<u>VI</u> : 25819 25821	WINDS: 21008 P10 AVE: 5H, 7R			RMS USED FOR OBSS/LDRI	LAUNCH DELAYS: - None. Launch occurred on time at 185:18:37:55Z (2:37:55 PM EDT) on Tuesday,
Continue d	A/E - Steve Stich LD/O 1 - Anthony Ceccacci O 2 - Norman Knight PLNG - Paul Dye	HaHp: 123.6 x 31.1 OMS-2: 38:00 38:00	PEAK: 6H, 8R <u>DENS ALT</u> : 1691 FT			OBSS/LDRI ACTIVITIES	July 4, 2006. SLF crosswinds were forecast at 16 knots but STA evaluation raised RTLS crosswind limit to 17 knots. All three TAL sites were forecast GO but Zaragoza was observed NO-GO
	MOD - Phil Engelauf ISS:	98.1 FPS 98.6	FLT DURATION: 12:18:36:47				for showers within 25 NM.  TAL WEATHER:
	LD/O 2 - R.E. LaBrode O 1 - A.P. Hasbrook O 3/PLNG - P. F. Dye		<u>OV-103</u> : 263:14:49:45				- MRN (Primary TAL), Istres, and Zaragoza were all three forecast GO. Zaragoza was observed NO-GO for showers within 25 nm.
	ADO EVA's		<u>S/T</u> : 1058:04:03:42 <u>DISTANCE</u> :				PERFORMANCE ENHANCEMENTS: - Standard Set plus (1) PE Low Q SUM/JUL, (2) OMS Assist, (3) 52 NM MECO, (4) Del Psi
			sm				ELIGHT DURATION CHANGES/LANDING: - Total flight extension is 1 day On FD4, MMT made decision to extend flight 1 day (from 12+1+2 to 13+2) to permit additional EVA to accomplish RCC/tile repair materials DTO's. The plan was to land at one of the two EOM opportunities at KSC: (1) Deorbit 202 with landing on orbit 2023 (2) Deorbit 203 with landing on orbit 204. EDW was not called up. If unable to land at KSC on EOM, EDW would be called up for a "pickem?" KSC or EDW. TD 6-hr weather forecast for Deorbit 202 chance of showers within 30 nm. The weather forecast update at 1155Z removed showers within 30 nm and detached anvils were removed from the forecast changing the forecast to GO for deorbit. (Deorbit 203 forecast showers within 30 nm) - Deorbit burn was at 198:12:06:55Z with KSC runway 33 as the preferred runway. At EI-15, an unexpected rain shower moved toward the SLF that was expected close to HAC for runway 33 by touchdown. Re-designated from runway 33 to runway 15 at M15 (185,000 feet) to avoid the weather buildup south of the SLF. MLG touchdown was at 198:13:14:42Z (9:14:42 AM EDT) on Monday July 17, 2006 for a flight duration of 12:18:36:47. NLG touchdown was at 198:13:14:53Z. There were no further flight duration changes. Total 1 day extension for
							operations.  RENDEZVOUS # 63: Rendezvous and dock with ISS
							FIRSTS/LASTS/NEW: - First flight of an ET without the Protuberance Air Load ramps as a safety improvement to reduce potential for debris First test of 50-ft robotic arm boom extension as a work platform First flight with hardened tiles on NLG doors First use of SRMS/OBSS/Laser Dynamic Range Imager (LDRI) to scan Orbiter WLE and Nose Cap (RCC) DTO 848 RCC crack repair tasks using caulk guns to dispense the NOAX (non-oxide adhesive experimental) material.
							- First flight of Orbiter MLG with four new larger, smoother tires that can withstand higher loads lat landing.

Revision T February 2007 Page 167 - STS-121/ULF1.1

Revision T February 2007 Page 168 - STS-121/ULF1.1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		<b>-</b>				-
STS-					Continued	Continued
ttf1.1					RMS USED FOR	EVENTS: _ ET_Separation at 185:18:46:46Z, 000:00:08:51
ÖĹF1.1 Continue d					RMS USED FOR OBSS/LDRI ACTIVITIES	-ET Separation at 185:18:46:46Z, 000:00:00:8:51 MET OMS-2 ignition at 185:19:15:55Z, 98.7 fps, resultant orbit 124.4 by 85.1 nm Tl ignition 187:12:04:46Z, 16.8 seconds, resulting orbit 190.1 by 177.9 nm SRMS/OBSS/Laser Dynamic Range Imager (LDRI) scanned both WLE and nose cap, no anomalous conditions identified ISS captured at 187:14:51:45Z (1:20:13:49 MET) Hard dock at 187:15:10:28Z (1:20:32:33 MET) ISS Hatch Open at 187:16:29Z (1:21:51 MET). Welcomed by Expedition 13 two-person crew (Vinogradov and Williams) IELK Seat Liner transfer at 187:19:13Z (002:00:35:05 MET which is Reiter's Shuttle time). This is the official transfer of Thomas Reiter from Space Shuttle STS-121 crew to ISS Expedition 13 crew. ISS crew increased to three persons for first time since May 2003 Leonardo MPLM grappled and installed on Unity Module EVA 1 Start at approximately 3/18:38 MET (189:13:15:55Z) July 8. Duration 7h 31m. Blade blocker inserted into Zenith IUA of MS, OBSS/SRMS Characterization. Rerouted TUS cable. EVA from ISS Quest A/L EVA 2 Start at approximately 5/17:36 met (191:12:13:55Z) July 10. Duration 6h 47m. Nadir IUA R&R, Pump Module (w/FGB) transferred from ICC to ESP-2, R&R TUS. Piers' SAFER became detached, Mike re-locked it. EVA 3 start 193:11:20:30Z (7:16:42:35 MET), July 12. Duration 7h 11m. Completed 5 samples of NOAX DTO & IR imaging. Grapple Bar transferred to ISS STS-121 crew farewell to ISS crew (Commander Pavel Vinogradov, Flight Engineers Jeffrey Williams & Thomas Reiter) APAS Hatch Close at 10/13:36 MET, ODS Hatch close 10/13:38 MET (196:08:15:55Z) Total consumables transferred from Orbiter to ISS: Water 1545.8 lbm (1454.9 lbm in 15 CWC's and 90.9 lbm in 4 PWR's); N2 74.2 lbm transferred to Joint Air Lock tanks. No oxygen transferred from ISS to Orbiter total 6450.92 lbs (4389.14 plus unplanned 241.52 lbs to MPLM and 1820.26 lbs to Middeck) No communications blackout during entry.  SIGNIFICANT ANOMALIES: - L5L thruster heater fail off (first launch attempt) - ET LH2 5
						attempts) - FES Full up PRI B Shutdown - Protruding Gap Fillers - Personal frygiene hose leak - TPS Blanket Damage - 85-ft safety tether #24 retraction issue
						- Scratch reported on crewlock external hatch sealing surface - SAFER 5000 (EV1) unlatched during EVA. Relocked by EV2 - APU 1 Fuel Tank Leak - APU 3 GG/FU Pump Heaters cycling in

Revision T February 2007 Page 170 - STS-121/ULF1.1

Revision T February 2007 Page 167 - STS-115/12A

FLT	ORBITER	CREW (6)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Revision T February 2007 Page 168 - STS-115/12A

			<b>3</b> P	ACE SHU	JIILE			NO 20	IVIIV	IAKT	Page 168 - STS-115/12A
STS- 115/	OV-104	CDR:	KSC 39B 252:15:14:55 Z	KSC 33 (KSC	104/104/109	BI-127	51.	DIRECT INSERTION		CARGO:	KSC W/D: OPF 264, VAB 7. PAD 41 = 312 days
115/	(Flight 27) Atlantis	Brent W. Jett (Flt 4 - STS-72, STS-	252:15:14:55 Z 11:14:55 AM	1264:10:21:23 /	%	RSRM	51. 60 (19)	INSERTION	30 (3)	41848 LBS	total.
ISS 12A		81, STS-97)	11:14:55 AM EDT (P) 11:14:55 AM	264:10:21:23 Z 6:21:23 AM	PREDICTED: 100/104.5/	RSRM 94	(13)	POST OMS-		PAYLOAD	<u>LAUNCH POSTPONEMENTS</u> : - Baselined OV-104 launch date of 4/10/03 on
	OMS PODS:	P711/R206/V132/M17	EDT (A)	EDT Thursday 10 9/21/06 (11)	104.5/72	ET-118		<u>∠:</u> 154.0 NM X		CHARGEABLE: 35758 LBS	3/7/02
SEQ FLT# 116	LPO4-	9	Saturday 11 9/9/06 (11)	9/21/06 (11)	104.5	SLWT		123.8 NM			- Postponed launch date to 5/23/03 on 10/8/02; delays due to engine crack repairs
	RPO FRC4-27	PLT: Christopher J.		<u>DEORBIT</u>	ACTUAL: 100/104.5/	24				DEPLOYED: 36682 LBS	- Postponed launch date to NET 8/21/03 on
KSC 116	1.1.0127	Christopher J.	<u>LAUNCH</u> <u>WINDOW</u> :	BURN: 264:09:14.23 Z	100/104.5/ 104.5/72						3/13/03 - Postponed launch date to NET 10/30/03 on
PAD 39B-		Ferguson P712/R300/M261	4M41S (PLT in- plane)	XRANGE: 225	104.5	ET				<u>NON-</u> DEPLOYED:	4/17/03
52		MS1/EV1:	' '	NM	1 = 2044 (9) 2 = 2048 (6)	<u>IMPACT</u>				0 LBS	- Postponed launch date to NET 1/22/04 on 5/28/03
MLP-2		Joseph R. Tanner (Flt 4 - STS-66, STS-	EOM PLS: KSC TAL: MRN TAL WX: ZZA, FMI	ORBIT DIR: AL	2 = 2048 (6) 3 = 2047 (9)	МЕТ				MIDDECK:	- Postponed launch date to NET 7/24/04 on
19TH		82, STS-97)	TAL WX: ZZA,	35	All 3 Block II	1:13:36				206 LBS	7/29/03 - Postponed launch date to NET 2/10/05 on
SHUTTLE		P713/R185/V136/M16		AIM PT:	Engines	<u>LAT</u> : 37.58S				SHUTTLE	10/3/03
FLIGHT TO ISS		2	<u>SELECTED:</u> RTLS: KSC	NOMINAL		37.585				ACCUMULATE	- Postponed launch date to NET 8/28/05 on 3/22/04
		MS2/EV2:	33/N/N	<u>MLGTD</u> : 3131		LONG:				WEIGHTS:	- Postponed launch date to NET 12/8/05 on
		MS2/EV2: Daniel C. Burbank (Flt 2 - STS-106)	TAL: MRN 20/N/N AOA: KSC	264:10:21:23 Z VEL: 191 KGS		160.16 W				DEDLOVED:	10/29/04 - Postponed launch date to NET 2/16/06 on
BURBANK	STEFAN	<b>l</b> `		VEL: 191 KGS 189 KEAS						DEPLOYED: 1276513 LBS	5/23/04
	Te E	P714/R258/V184/M22	PLS: EDW	HDOT: -1.5 FPS						NON	- Postponed launch date to NET 7/1/06 on 10/31/05
Nosne	PIPER	5	22/N/N	TD NORM 195:						<u>NON-</u> <u>DEPLOYED</u> :	Changed launch date to TBD on 11/15/05
RERG		MS3/EV3: Heidimarie M.	<u>TDEL</u> : 0.10 .062	TD NORM 195: 2639 FT						1568738 LBS	Changed launch date to NET 8/28/06 on 3/16/06 Advanced launch to 8/27/06 on 8/3/06 (actual
E P		Stefanyshyn-Piper		DRAG CHUTE						CARGO TOTAL:	launch date was 9/9/06)
		P715/Ř301/F40	MAX Q NAV:	DEPLOY: 181 KEAS						3665444 LBS	LAUNCH SCRUBS:
115	12A	MS4/EV4: Steven G. MacLean		264:10:21:26 Z						PERFORMANC	- Scrubbed Sunday, 8/27/06 launch scheduled for 4:30 PM EDT at approximately L-26 hours to
		(Flt 2 - STS-52)	<u>SRB STG</u> : 2:05 2.08	<u>NLGTD</u> : 5775						E MARGINS (LBS):	allow all Shuttle elements time to evaluate the
		P716/R156/V185/M13		<b>I</b> FT				DEORBIT:		FPR: 2886	lightning strike on Pad 39B on 8/26. Technical scrub. Launch rescheduled to NET 8/28/06 at
* 188-12		<b>I</b> 8	<u>PERF:</u> NOMINAL	264:13:21:32Z VEL: 158 KGS	М 3 ЕОМ:			HA 190 NM		FUEL BIAS:	4:04 PM EDT. The Saturday, 10:00 PM EDT MMT
A TONING	* 2	(CSA-Canada)		156 KEAS	WEIGHT:			HP 179 NM		FINAL TDDP:	decision was to spend another day analyzing the probability of damage to the SRB pics. The
9/		CC E) (A OE	<u>2 ENG TAL</u> (MRN):	FPS -0.4	199711 LBS					RECON:	llaunch countdown was to continue for a NFT
*		SS EVA 95 DOCKED QUEST EVA	2.42	<u>BRK INIT</u> : 107	X CG:			<u>ENTRY</u> <u>VELOCITY</u> :		PAYLOADS:	Tuesday 8/29 launch Scrubbed Tuesday, 8/29/06 launch at
	3	21	NEG RETURN:	KGS	1084.99			25867 FPS		<u>. LD</u> .	lapproximately 1-37 hours based on a KSC.
* SIS-11	5 <b>*</b>	EMU/TETHERED EVA 88		DRAG CHUTE	LANDING:			<u>ENTRY</u>		(P3/P4)	forecast of 50 knots, gusts to 65 with a potential of reaching the Pad maximum of 70 knots due to
		SCHEDULED EVA 88	<u>PTA (U/S 155)</u> : 5:16 5:26	IETTISON:	WEIGHT:			<u>RANGE</u> : 4378 NM		Segment	ITropical Storm Ernesto. Decision made at 3:45
_	l	DURATION 6:26	5:16 5:26	264:10:21:53 Z	199642 LBS			4370 1414			AM EDT on 8/29/06 morning to roll back to the VAB with option to stop and reverse the rollback
	PEDITION	SS EVA 96	<u>SE TAL (FMI</u> 104):	BRK,DECEL_	X CG:					MIDDECK: RAMBO, MAUI,	if the forecast improved. Rollback to VAB started at 10:04 AM EDT. The 11 AM forecast was in fact improved. KSC would sustain winds of less than 45 knots with gusts to 60 knots that is within the pad limit of 70 knots mph. The STS-
	<b>733</b>	DOCKED QUEST EVA 22	6.00	FPS <sup>2</sup> : AVE 5.8 PK 8.5	1086 98					RMS, ODS,	started at 10:04 AM EDT. The 11 AM forecast was in fact improved. KSC would sustain winds
	8	EMU/TETHERED EVA	PTM (II/S 575).							OBSS	of less than 45 knots with gusts to 60 knots that
		89 SCHEDULED EVA 89	PTM (U/S 575): 6:19 6:24	WHEELSTOP: 264:10:22:15 Z							is within the pad limit of 70 knots mph. The STS- 115 stack was midway between Pad B and the
	SHE	DURATION 7:11	<u>SE PRESS 104</u> :	10670 FT							VAB at 2:45 PM EDT when the decision was
	Ī	SS EVA 97	7.00	ROLLOUT:						5 CRYO TK	made to stop the Rollback and return the stack to Pad B. The launch date is under assessment.
		DOCKED QUEST EVA	MECO CMD:	ROLLOUT: 7539 FT 52 SEC						SETS	Weather Scrub. Rescheduled launch to 11:29
		EMU/TETHERED EVA	8:23.7 8:24.8	32 SEC						RMS 73	AM EDT on 9/6/06. - Scrubbed Wednesday, 9/6/06 launch at
		90									approximately L-8.5 hours due to a fuel cell 1
		SCHEDULED EVA 90 DURATION 6:42									coolant pump phase A short. (Pump operated on two phases.) 24-hour scrub turnaround with
											MMT at 1 PM 9/6 to decide launch date. The
											MMT decision was to press for a launch attempt on Friday, 9/8. Plan was to keep Phase A cb
		Continued			l						open during ascent. Technical scrub.
		Co.idiiaca									- Scrubbed Friday, 9/8/06 launch attempt at

Revision T February 2007 Page 169 - STS-115/12A

Revision T February 2007 Page 170 - STS-115/12A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	TIMES	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

CTC	IC	ontinued	G 1' 1	C 1' 1			G 1' 1	Continued
STS- 115/			Continued	Continued			Continued	
ISS ' 12A	FL	ICC WHITE FCR (46) LIGHT DIRECTORS:	<u>VI</u> : 25819 25818	<u>WINDS</u> : 2H, 3R			RMS USED FOR OBSS/LDRI SURVEYS	LAUNCH WINDOW: - The 9/9/06 launch window opened at 252:15:10:39Z and closed at 252:15:19:36Z for
Continue d	A,	HUTTLE: /E - Steve Stich D/O 1 - Paul Dye 0 2 - Cathy Koerner	<u>OMS-2</u> : 37:21 37:20.7 FPS FPS	OFFICIAL: 2H, 3R 0303P04			AND UNBERTH	a total launch window of 9 minutes 0 seconds. The Preferred Launch Time (In-Plane time) was 252:15:14:55Z giving a launch window of
	LU M	0 3/PLNG - Bryan unney IOD -		<u>DENS ALT</u> : 696 FT			P3/P4	4m41s. <u>LAUNCH DELAYS:</u> - None. Launch occurred on time at
	is Li M	5S: D/O 2 - John IcCullough 0 1 - Kelly Beck		<u>FLT DURATION</u> : 11:19:06:28				252:15:14:55Z (11:14:55 AM EDT) on Saturday, September 9, 2006.
	10	) 1 - Kelly Beck ) 3/PLNG - Kwatsi libaruho		<u>S/T</u> : 1069:23:10:20				TAL WEATHER: - Zaragoza and Moron were forecast NO-GO for thunderstorms within 20. FMI was forecast with
				OV-104: 231:16:32:28				a 1-knot tailwind violation (average tailwind forecast to be 11 knots and peak tailwind forecast to be 16 knots). Zaragoza was
				<u>S/T</u> : 1058:04:03:42 <u>DISTANCE</u> :				observed NO-GO for thunderstorms and attached anvil. MRN and FMI were both observed GO at TAL landing time. Moron was
				Sm				selected as Prime TAL site.  PERFORMANCE ENHANCEMENTS:
								Standard set plus (1) PE Operational High Q SUM/AUG, (2) OMS Assist, (3) 52 NM MECO, (4) Del Psi, (5) Non-standard consumables reduction.
								FLIGHT DURATION CHANGES/LANDING: - EOM landing was planned for 263:13:04Z on 9/20/06 at KSC. However, during INCO survey of the orbiter after FCS checkout, an unidentified piece of debris was observed in Camera A. Tuesday 9/19/06 MMT decided to investigate the significance of the debris. The MMT extended the flight 1 day to allow time to perform RMS and OBSS surveys. The RMS and OBSS surveys of
								the PLB, both WLE and flight control surfaces using the RMS elbow camera, did not identify the debris. Atlantis was cleared for landing on EOM +1 day. Deorbit burn occurred at 264:09:14:23Z (11/17:59:28 MET) Orbit 185. Main Landing Gear touchdown on KSC Runway 33 was at 264:10:21:23Z (6:21:23 AM EDT) on Thursday,
								9/20/06 for a flight duration of 11/19:06:28. Nose Landing Gear touchdown was at 264:10:21:32Z. Landing winds were forecast 03003P05 and observed 0303P04 (2H, 3R). Total flight duration extensions of 1 day (technical extension).
								RENDEZVOUS # 64: Rendezvous and dock with ISS
								SPACE SHUTTLE NIGHT LANDING: 21 (landed on runway KSC 33)
								FIRSTS/LASTS/NEW:  - Used Airlock Campout Prebreathe Protocol for the first time. Crew spent sleep period isolated in the JAL (Quest Airlock) at reduced pressure of 10.2 psia.
								Continued

Revision T February 2007 Page 172 - STS-115/12A

Revision T February 2007 Page 173 - STS-115/12A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

	0.7.0_ 0.10.	ILL MISSICIAS	Page 1/4 - STS-115/12A
ŞŢŞ-			Continued
STS- 115/ ISS 12A Continue d			EVENTS: - Max Q at 252:15:15:45Z (00m50s) - OMS Assist ignition was 252:15:17:08Z with burn duration of 2m52s - OMS-2 ignition was at 252:15:52:16Z (37:21 MET), burn duration 2m25s - TI at 254:08:08Z - SRMS/OBSS/LDRI survey of nosecap, port, and
			starboard wing RCC on FD2 - ISS Docking capture at 254:10:48:27Z, 1:19:33:32 MET - Docking complete at 254:11:01:01Z, 1:19:46:06 MET - ISS Hatch Open at 1d21h19m; ISS crew welcoming - EVA 1 Crew began campout in ISS Airlock at
			10.2 psia in prep for EVA 1 EVA 1 Start at 255:09:19Z (3/18:01 MET) on 9/12/06, conducted from the ISS JAL (Quest Airlock). The astronauts used a new prebreathe protocol first tested during the handover of Expedition 12. EV1/Joe Tanner and EV2/Heidimarie Piper spent the night isolated in the JAL (Quest Airlock) with a reduced pressure of 10.2 psi while the ISS remains at 14.7 psi.
			This prebreathe protocol is called Prebreathe Campout Protocol (PBCOP). The Integrated Truss Segment (ITS) P3/P4 was attached to the Port 1 (P1) segment using the SSRMS. EVA crew connected power cables, released SABB and BGA restraints to prepare SARJ for operations. During removal of launch lock cover, a bolt/spring and a washer were accidentally
			released and lost. The EVA duration was 6:26 EVA 2 Start at 256:09:18Z (4/17.51 MET) on 9/13/06,. EV3/Dan Burbank and EV4/Steven MacLean slept in the JAL for Spacewalk Prebreathe Campout Protocol. They completed preparations for the activation of SARJ for operations. EVA 2 duration was 7:11 EVA 3 Start at EV1/Tanner and EV2/Piper used PBCOP protocol. They
			completed P3 and P4 tasks, R&R SASA on Z1 truss, and installed heat shield on Ku-band antenna group interface tube. The EVA duration was 6:42.  - Hatch closed at 7/19:27 MET after saying goodbyes to Expedition 13 crew.  - Atlantis undocking completed at 260:12:49:50Z, 7/19:27 MET  - Total cargo transferred from Atlantis to the ISS
			was 36678 lbs (included 35552 lbs for P4/P5, but excluding water) - Total cargo transferred from ISS to Atlantis was 993 lbs - Total consumables transferred from Atlantis to ISS was 1110.5 lbm of water (11 CWC's with 1043.8 lbm and four PWR's with 66.1 lbm). Total oxygen transferred to ISS was 103 lbm.
			Continued

			<b>U.</b>	ACE SIIC	, <b>_</b> _					.,	Page 1/5 - STS-115/12A
FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	DURATION,	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)
CTC				WINDS							Continued
STS- 115/ ISS 12A Continue d											SIGNIFICANT ANOMALIES: - Fuel Cell 1 Coolant Pump AC1 Phase A short caused launch scrub. (See Launch Scrubs.) - ARD response to erroneous telemetry (ARD NOGO) - Elevon Positioning Procedure callout errors - ASA 3 Speedbrake driver channel # erratic - Starboard PLBD aft (B) closed indication ON should be OFF - F4D Tyvek cover late release - TPS tile and blanket anomalies (cleared for Entry) - FES shutdown during Ascent - Water supply dump line heater A abnormal temperature cycling - Hydraulic System 3 TVC Pitch Actuator indication - Water supply dump valve leak - Sequential Stills Video failure - APU 2 X-axis accelerometer data erratic - S-band lower right antenna communication problems - FES topping left duct sensor erratic/OSL - MADS BITE indication on FDM 2 MUX D - Nosecap expansion seal RCC damage - Engine 2 LO2 inlet pressure transducer reading low - R4R heater failed on - Aft sample bottles L1 and R2 leaking - Starboard radiator MMOD strike

Revision T, PCN-2 August 2009 Page 171 - STS-116/12A.1

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

				ACE SHU							Page 171 - STS-116/12A.1
STS-	OV-103	CDR: Mark L. Polansky	KSC 39B 344:01:47:35Z 8:47:35 PM EST	KSC 15 (KSC 64)	104/104/109	BI-128	51.	DIRECT INSERTION	OI- 30	<u>CARGO</u> : 35690 LBS	BRIEF MISSION SUMMARY: STS-116/12A.1 (19th
116/	(Flight 33) DISCOVER	(Flt 2 - STS-98)	8:47:35 PM EST	356:22:31:58Z 5:31:58 PM EST	/6	RSRM 95	(20)		(4)	32090 LB2	ISS mission) continued ISS construction with the delivery and installation of Integrated Truss
ISS 12A.1	Υ		(P) 8:47:35 PM EST	5:31:58 PM EST	PREDICTED: 100/104 5/	95		POST OMS-		PAYLOAD	Segment P5 and began the process of
	<u>OMS</u>	8	(A)	Friday 14 12/22/06(15)	100/104.5/ 104.5/72	ET-123		134 <u>.</u> 7x122.		CHARGEABLE: 22502 LBS	reconfiguration and redistribution of the power generated by the pair of U.S. solar arrays. P6
SEQ FLT# 117	DODC.	PI T·	Saturday (6) 12/09/06 (8)	12/22/06(15)	104.5	SLWT		7NM			truss was relocated to its final assembly position
FL1# 11/	LPO1-36 RPO3-34	PLT: William A. Oefelein		<u>DEORBIT</u>	ACTUAL:	SLWT 25				<u>DEPLOYED</u> : 5748 LBS	after 6 years atop the Unity Module.
KSC-117	FRC3-33	P718/R302/M262	LAUNCH WINDOW:	BURN: 356.21:30:53Z	100/104.5/ 104.5/74						KSC W/D: OPF 105, VAB 8, PAD 28 = 141 days
PAD 39B-		MS1:	5 Minutes	XRANGE: 813	104.5	ЕТ				<u>NON-</u> DEPLOYED:	total
53		Nicholas J. M. Patrick (Flt 2 - STS-105)		NM	1 = 2050 (5) 2 = 2054 (6)	IMPACT				16572 LBS	LAUNCH POSTPONEMENTS:
MLP-1		P719/R303/V186/M26	EOM PLS: KSC	ORBIT DIR: AR	2 = 2054 (6)  3 = 2058 (1)	MFT				MIDDECK:	- Baselined OV-104 launch date of 06/05/2003
		3	TAL WX: MRN, FMI	13		1:14:00				182 LBS	on 05/05/2002 - Postponed launch date to 07/24/2003 on
20TH SHUTTLE		MS2/EV1:	FMI	<u>AIM PT</u> : CLOSE	ALL THREE	ι ΔΤ·				SHUTTLE	10/08/2002; delays due to engine flowliner
FLIGHT		Robert L. Curbeam,	SELECTED:	IN . CLOSE	BLOCK II	<u>LAT</u> : 36.83S				ACCUMULATE	crack repairs - Postponed launch date to NET 12/18/2003 on
TO ISS		رر (Flt 3 - STS-85, STS-	RTLS: KSC 33 N/N	MLGTD: 1825		LONG:				<u>D</u> <u>WEIGHTS</u> :	- Postponed launch date to NET 12/18/2003 on 03/13/2003. Slip due to Columbia accident.
		98)	TÁL: MRN 20 N/N	FT 356:22:31:58Z		<u>LONG</u> : 159.1W					- Postponed launch date to NET 03/01/2004 on 04/17/2003. Slip due to Columbia accident.
		P720/R225/V167/M19	<u>AOA</u> : NOR 17	VEL: 196 KGS						<u>DEPLOYED</u> : 1281231 LBS	- Postponed launch date to NET 05/13/2004 on
THE STATE OF THE S		5	N/N PLS: FDW 22 CL	208 KEAS						1201231 LB3	05/28/2003. Slip due to Columbia accident. - Postponed launch date to NET 09/13/2004 on
+ 116	12A.1	MS3/EV2:	PLS: EDW 22 CI	FPS 2.5						<u>NON-</u> DEPLOYED:	07/29/2003. Slip due to Columbia accident.
SBEAL	The Report of th	Christer Fuglesang P721/R304/M264	<u>TDEL</u> : 0:00 0.232	TD NORM 205:						1585492 LBS	- Postponed launch date to NET 04/14/2005 on 10/03/2003 Slip due to Columbia accident
<u> </u>		MS4:		2015 FT						CARGO TOTAL:	10/03/2003. Slip due to Columbia accident. - Delete flight from FDRD on 03/22/2004
		Joan E.	MAX Q NAV: 760 764	DRAG CHUTE						3701134 LBS	- Re-baselined STS-116 launch date to NET 02/09/2006 on 12/09/2004
ANG	HIGGIN	Higginbotham P722/R305/F41		DEPLOY: 191 KEAS						DEDECODMANC	- Postponed launch date to NET 04/23/2006 on
			<u>SRB STG</u> : 2:04.162:04.64	356:22:32:04Z						PERFORMANC E MARGINS	05/23/2005. Slip reflected latest planning decisions.
		MS5 Up/EV3/EXP14: Sunita L. Williams	PERF:	NLGTD: 5594						(LBS):	- Postponed launch date to NET 10/01/2006 on
	TRUS	P723/R306/F42	NOMINAL	IFT T						FPR: 2886 FUEL BIAS:	10/31/2005. Slip reflected latest planning decisions.
		MS5 Down/EXP14:	2 ENG TAL	356:22:32:11Z VEL: 140 KGS 152 KEAS	M 3 EOM:					921	- Postponed launch date to NET 11/16/2006 on
		Thomas Reiter (M/S5 Up on STS-	(MRN): 2:31 2:28	152 KEAS	WEIGHT: 226476 LBS					FINAL TDDP: 3768	03/16/2006. Slip reflected latest planning decisions.
		121)	2.20	HDOT: -7.0 FPS				DEORBIT:		RECON: 4559	- Postponed launch date to NET 12/14/2006 on
	la l	P724/R299/M260	<u>NEG RETURN</u> : 3:55 3:52	BRK INIT: 79	X CG: 1077.4 in			HA 184.5 NM		PAYLOADS:	04/04/2006. Slip reflected latest planning decisions.
CR REC	ONFIGURAL	SS EVA 98		KGS				HP 168.1		PI B:	- Advanced launch date to NET 12/07/2006 on
		DOCKED QUEST EVA 18	PTA (U/S 160): 4:55 4:56	DRAG CHUTE	<u>LANDING</u> :			NM		ISS 12A.1 - ITS SPACEHAB SM	09/28/2006.
		EMU/TETHERED EVA	SE TAL (FMI):	<u>JETTISON:</u> 52 KGS	WEIGHT: 224041 LBS			ENTRY		ICC (W/STP-H2	LAUNCH SCRUBS: - Scrubbed Thursday 12/7/06 EST launch
	35	91 SCHEDULED EVA 91	6:07 6:03	356:22:32:36Z				VELOCITY:		PAYLOAD)	- Scrubbed Thursday 12/7/06 EST launch (12/8/06 GMT day 242) while holding at T-5
	+	DURATION 6:36	PTM (U/S 160):	BRK-DECFI	X CG: 1079.6 in			25837 FPS		·	minutes. The window opened at
7/17		SS EVA 99	6:07 6:02	BRK DECEL FPS <sup>2</sup> : AVE 5.3 PK 6.1	1075.0			ENTRY RANGE:		MIDDECK: ISS 12A.1	342:02:30:48Z and closed at 342:02:40:48Z with a Preferred Launch Time of
		DOCKED OFFER DAY	<u>SE PRESS 104</u> : 6:54 6:56					<u>RANGE</u> : 4263 NM		RAMBO	342:02:35:48Z. TAL1 (ZZA) was forecast and
		19 EMU/TETHERED EVA	6:54 6:56	WHEELSTOP:						MAUAI	observed GO at TAL landing time and was selected as Prime TAL site. TAL2 (MRN) was
	KD	92 SCHEDULED EVA 92	MECO CMD: 8:22.5 8:23.8	356:22:32:51Z 9980 FT							forecast NO-GO thunderstorms WI 20 NM and
		DURATION 5:00	8:22.5 8:23.8	ROLLOUT:							BKN30 and observed NO-GO BKN. TAL3 (FMI) was forecast and observed NO-GO
		SS EVA 100	<u>VI</u> : 25819.0	8155 FT							BKN30/BKN35. Launch Director counted down
		DOCKED QUEST EVA	25819.0 25819.0	53 SEC							and held at 5 minutes until window closed.  Scrubbed launch due to Range Safety violation
		EMU/TETHERED EVA								Continued	of clouds below 6000 feet, thicker than 500
		93 SCHEDULED EVA 93	OMS-2: 37:07.4 37:10								feet (verified at 5500 feet). MMT opted for a 48-hour turnaround and top off cryos and
		DURATION 7:31	187.2 FPS188.5 FPS								weather forecast was NO-GO. Launch date set
		SS EVA 101	5	Cti							for 12/09/06 EST (12/10/06 GMT). Weather Scrub
		DOCKED QUEST EVA	I	Continued	l	l					Scrub

Revision T, PCN-2 August 2009 Page 171 - STS-116/12A.1

Revision T, PCN-2 August 2009 Page 172 - STS-116/12A.1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continued

Continued... MCC WHITE FCR (47)

FLIGHT DIRECTORS:
SHUTTLE:
A - J. S. Stich
E - N. D. Knight
LD/O 1 - A. J. Ceccacci
O 2 - M. R. Abbott
O 3/PLNG - R. E.
LaBrode
Team 4 - R. S. Jones
MOD - P. L. Engelauf ISS: LD/O 2 - J. M. Curry O 1 - J. D. Hassmann O 3 - J. R. Montalbano TEAM 4/PLNG - D. J.

Weigel

CAPCOMS: SHUTTLE: A/E - K. T. Ham - C. J. Ferguson (Wx) LD/O1 - K. A. Ford O2 - K. M. McArthur O3/PLNG - S. W. Lucid Team 4 PLNG - N/A ISS: LD/O2 - S. K. Robinson 01 - T. W. Virts O3/PLNG - H. D. Getzelman Team 4 PLNG - N/A

Continued... WINDS: 14H/2R Kts OFFICIAL: 159/14 14/2R Kts

FLT DURATION: 12:20:44:23

<u>S/T</u>: 1082:19:54:33

<u>OV-103</u>: 276:11:34:05

DISTANCE: 5.330.398 sm

SHUTTLE DISTANCE: 438,715,036

Continued...

5 CRYO TK SETS 6 N2 TANKS RMS 74

RMS USED FOR RMS/OBSS SURVEYS AND GRAPPLE/ UNBERTH P5, HANDOFF TO SSRMS

S116-e-05983 - Curbeam (left) and Fuglesang conduct EVA1 tasks for installation of P5 Truss. New Zealand and

Carlo Canada and area du alea lea elemented

Continued...

LAUNCH WINDOW:

-Total launch window was 10 minutes with window open at 344:01:42:35Z and close at 344:01:52:35Z. Preferred Launch Time was 344:01:47:35Z (In-Plane Time) for a launch window of 5m00s. NOTE: In October, the selfimposed post-Columbia daylight launch constraint was relaxed, thus clearing STS-116 for a night launch.

LAUNCH DELAYS:

None. Launch occurred on time at 344:01:47:35Z, 8:47:35 PM EST on Saturday. 12/09/06.

TAL WEATHER:

- All three TAL sites were forecast and observed GO. MRN was selected as Prime TAL site. MRN had best TD energy, ZZA had low TD energy, and FMI had balloon problems.

PERFORMANCE ENHANCEMENTS:

- Include the standard set plus: (1) PE Operational High Q WIN/DEC, (2) OMS Assist, (3) 52 nm MECO, and (4) Del Psi

FLIGHT DURATION CHANGES/LANDING: - Early planning had STS-116 as an 11+1+2 flight that was changed a few weeks before the flight to 12+0+2 as consumables proved adequate. Pre-flight EOM TIG was 11/17:47
MET with landing at 11/18:49 MET. Difficulties
with P5 retraction resulted in an FD8 MMT decision to add an unscheduled EVA 4 to inspect P5 for feasibility of retraction by EVA crew. This resulted in a loss of a weather wave-off day and a 13+1 flight. Undocking would be delayed 1 day and FD10 would be used for a late inspection.

NIGHT LAUNCH #29:

RENDEZVOUS #65: Rendezvous and dock with

FIRSTS/LASTS/NEW:


- First flight of Advanced Health Monitoring System (AHMS). Flew on right engine in monitor mode.
- First use of Ouest for four EVA's and four
- Campout Prebreathes on a Shuttle flight First flight with four EVA's by one astronaut -Curbeam
- First on-orbit retraction of an ISS solar array
- First ISS crew rotation through Shuttle since STS-113/11A in November 2002
- First entry of a Shuttle on the day of landing opportunity that was both the first and "pick em" days of opportunity for weather

Continued...




FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	RUNWAY,	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continued



S116-E-05789 - A kink occurred in the port-side P6 solar array during the first attempt to retract

S116-E-06854 - FD10: EVA 4 Crew uses specially-prepared, tape insulated tools to guide the P6



Continued...

#### EVENTS:

- OMS Assist ignition at 344:01:49:50Z (duration 1m38s)
- SRMS OBSS/LDRI survey of nosecap, port and starboard wing RCC (WLE's) completed. TI maneuver at 345:19:28:22Z (1:17:40:47 MET). Resultant altitude 176.7 by 192.4 nm R-Bar pitch maneuver started at
- 345:21:04:46Z and was completed 7m33s later. Photos of Discovery's tile surfaces by ISS
- Docking capture occurred at 345:22:11:05Z (1:20:23:30 MET).
- Hard dock occurred at 345:22:26:33Z (1:20:38:58 MET).
- ISS hatch open 345:23:54Z (1:22:06 MET), ISS Crew Welcomina
- IELK seat liner transfer at 346:01:00:00Z (1:23:12 MET). At that time. Thomas Reiter became a member (MS5) of STS-116 and Sunita Williams joined the ISS Expedition 14 as Flight Engineer 2.
- EVA 1: EV1 and EV2 completed nominal tasks including P5 truss installed to P4 truss and mated P4-P4 umbilicals. 5/8-in socket lost from Pistol Grip Tool. EVA 1 duration 6h36m
- FD5: P6 4B SAW retraction required a series of partial deploy/retract sessions into 19 bays out for P4 SARI to be free to rotate. P6 4B SAW now 16.5 bays out
- Solar flares raised radiation level. Crew slept in areas with better shielding. EVA 2: EV1 and EV2 Ch 2/3 reconfig and
- transfer to permanent power. CETA cart relocate. EVA 2 duration 5h00m
  FD7: Several IVA tests "wiggling" SAW, then extension/retraction were unsuccessful, 17.5 bavs out
- EVA 3: EV1 and EV3 Ch 1/4 reconfig and transfer to permanent power. T/S P6 SAW. In an attempt to free the wires and grommets, oscillations and retractions were attempted. An additional 6 bays retracted, leaving additional 11 bays out. During EVA, a digital camera floated away. EVA 3 duration 7h31m. FD8: ISS and Space Shuttle Programs reached
- a joint decision to extend STS-116/12A.1 to 13+1 days to perform an unscheduled EVA to troubleshoot and complete P6 SAW retraction. Undocking now on FD11
- EVA 4: Curbeam and Fuglesang, unscheduled EVA 4 start at 352:19:00:00Z (8:17:12:25 MET). EVA crew successfully retracted P6 the last 36 feet by repeated actions of pulling on guide wires, shaking, and retract commands. Array was successfully retracted and folded into box. EVA duration 6h38m
- Total cargo transferred to ISS from Discovery was 4877 lbs (middeck 1305 lbs and logistics single module 3572 lbs).

Continued...

Revision T, PCN-2 August 2009 Page 174 - STS-116/12A.1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)



Continue d...



S116e07113 - ISS Configuration, FD11 view from denarting Shuttle

#### Continued...

**EVENTS** (Continued):

Total cargo transferred to Discovery from ISS was 4911 lbs (to middeck 1345 lbs and to

logistics module 3566 lbs).
-Total consumables transferred to ISS: Oxygen tank transfer 69 lbm and total nitrogen tank transfer 47.2 lbm; total water transferred to ISS was 261.6 lbm (201.9 lbm in two CWC's and 59.7 lbm in three PWR's).

Undocked at 353:22:09:35Z

A fly-around (1/2 lap) was initiated at 353:22:35:13Z.

Sep 1 and Sep 2 maneuvers resulted in orbit 171.1 by 192.5 nm

Micrometeoroid Orbital Debris late inspection was completed.

MEPSI payload was deployed at 355:00:19:35Z (10:22:32:00 MET).

RAFT payload was deployed at 355:01:56:46Z (11:00:09:11 MET).

ANDE was deployed at 355:18:23Z (11:16:35

No communications blackout during Entry.

#### SIGNIFICANT ANOMALIES:

Orbiter:

- Loss of RMS End Effector Auto Release Capability

Fuel Cell O2 Flowmeter Failed
FES Primary B Failed To Come Out Of Standby
Port Mid Payload Bay Floodlight Failed
A6U Aft Event Thumbwheel Failure

- TPS Tile And Blanket Anomalies - ML94B Bogen Bracket Shoe Debonded - Kodak DCS 760 Digital Camera Lost During EVA 3

Waste Water Dump Degraded Flow

-Z Star Tracker Pressure BITE Fail Indication GPS Receiver Failed To Change Satellites

MADS Signal Dropout

WLE IDS Sensor Unit Inadvertent Shutdown

SRB Separation Debris Impact On Orbiter Not A Safety Issue

T-0 Umbilical 1/4-Inch Frangible Bolt Missing Delaminated/Missing BTA on Aft BSM Housing

RSRM: No IFA's

SSME: No IFA's ET: No IFA's

MOD:

Erroneous Procedure Callout on OBSS LCS Cue

MCC Automation System (MAS) File Server Failure

Integration:

Ice Balls Noted Hanging From The North GOX

Vent Arm Duct Exit Flange Debris Release from SRB LH BSM Area Traveled Fwd And Impacted Orbiter

Delaminated/missing BTA on Aft BSM Housing with Sooting

Revision T, PCN-2 August 2009 Page 175 - STS-117/13A

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/I	HP	PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

											Page 175 - 515-117/13A
STS- 117/	OV-104	CDR: Frederick W.	KSC 39A 159:23:38:04Z 7:38:04 PM EDT (P) 7:38:04 PM EDT	EDW 22, CONC EDW 51, CONC	104/104/109	BI-129	51. 6	DIRECT INSERTION	OI- 30 (5)	<u>CARGO</u> : 42641 LBS	BRIEF MISSION SUMMARY: STS-117/13A (21st
117/	(Flight 28) ATLANTIS	Sturckow	7:38:04 PM EDT	32	70	RSRM	(21)	INSERTION	(5)	42041 LBS	ISS mission) continued the construction of the International Space Station with the delivery and
ISS	7 (12) (11)	(Flt 3 - STS-88, STS-	(P)	173:19:49:37Z	PREDICTED:	96	(/	POST OMS-		PAYLOAD	installation of the second starboard truss
13A	OMS_	105)	7:38:04 PM EDT	12:49:37 PM PDT	100/104.5/ 104.5/72	ET-124		<u>2</u> : 123.7x84.7		CHARGEABLE:	seament (S3/S4), the deployment of the third set
SEQ	PODS:	P725/R247/V173/M21	Friday (25)	Friday (14)	104.5/72	C1-124		NM		36593 LBS	of solar arrays, and the retraction of the P6
FLT# 118	LPO4-28	P725/R247/V173/M21 5	6/8/07 (11)	Friday (14) 06/22/07 (7)	104.5	SLWT		141-1		DEDLOVED.	starboard solar array wing, and one radiator.
121# 110	RPO1-35				ACTUAL:	26				DEPLOYED: 36393 LBS	The truss also contained a Solar Alpha Rotary Joint (SARJ) which rotates 360 degrees for S4 &
KSC-118	FRC4-28	PLT/R2/M1:	<u>LAUNCH</u> <u>WINDOW</u> :	DEORBIT_ BURN:	100/104.5/ 104.5/72					30333 203	S6 solar arrays tracking of the sun. In addition,
DAD 204		Lee J. Archambault P726/R307/M265	3M 18S (PLT IN-	173:18:43:47Z	104.5					NON-	performed unscheduled EVA repair to Port OMS
PAD 39A- 41		1720/1307/14203	PI ΔNF) `			<u>ET_</u>				<u>DEPLOYED</u> :	Pod thermal blanket for damage incurred during
41		MS 1/EV 3/R1:	EOM DI C. VCC	XRANGE: 772	1 = 2059(1)	<u>IMPACT</u>				0 LBS	ascent.
MLP-2		Patrick G. Forrester (Flt 2 - STS-105)	<u>EOM PLS</u> : KSC TAL: FMI	XRANGE: 772	$\begin{vmatrix} 2 & -2032 & 3 \\ 3 & -2057 & 2 \end{vmatrix}$	MFT				MIDDECK:	KSC W/D: OPF 125, VAB 8, PAD 17, Rollback to
			IAL WX: ZZA	ORBII DIR: AL	2007 (2)	1:14:15				200 LBS	VAB, then VAB 72, PAD 25 = 247 Total Work
21ST SHUTTLE		P727/R269/V186/M23	(MRN: N/A RWY	36							Days
FLIGHT		5	REPAIRS)	AIM PT:		<u>LAT</u> : 36.38S				SHUTTLE ACCUMULATE	LAUNCH POCTPONEMENTS.
TO ISS		MS 2/FV4/M2·	SELECTED: RTLS: KSC 15	NOMINAL						ACCUMULATE	LAUNCH POSTPONEMENTS: - Baselined OV-104 launch date of 09/05/2003
		MS 2/EV4/M2: Steven R. Swanson	RTLS: KSC 15	MICTO 1443		LONG: 158.48				<u>WEIGHTS</u> :	l on 07/18/2002.
	<b>a</b>	P728/R308/M266	CI/N TAL: FMI 33	MLGTD: 1443		158.48 W				DEPLOYED:	- Postponed to 10/02/03 on 10/08/02 due to
		MS 3/FV2/R1:	IN/SFD	173:19:49:37Z		**				1317624 LBS	SSME flowliner crack repairs Postponed to NET 01/22/04 on 03/13/03 due to
STUR	MBAULT	John D. Olivas	<u>AOA</u> : KSC 15	VEL: 219 KGS						NON-	Columbia accident Postponed to NET 03/30/04 on 04/17/03 due to
/ <del>//</del>	+ **	P729/R309/M267	N/N <u>1ST DAY PLS</u> :	205 KEAS HDOT: -4.0 FPS						DEPLOYED:	- Postponed to NET 03/30/04 on 04/17/03 due to
FORR	ESTER	MS 4/FV/1:	EDW 22 N/N	110014.0173						1585692 LBS	Columbia accident. - Postponed to NET 07/29/04 on 05/28/03 due to
OLI RE	IVAS	James F Reilly II		TD NORM 195:							Columbia accident.
		(Flt 3 - STS-89, STS-	TDEL: 0:000(P)	2380 FT						CARGO TOTAL: 3743775 LBS	I- Postponed to NFT 12/15/04 on 07/29/03 due to L
ANDE	RSON	104)	0.000(F) 0.112(A)	DRAG CHUTE						3743773 663	Columbia accident. - Deleted flight from FDRD on 10/03/03.
		P730/R234/V172/M20		DEPLOY:						PERFORMANC	- Re-baselined STS-117 to NET 05/18/06 on
		4	MAX Q NAV:	196 KEAS 173:19:49:40Z						<u>E MARGINS</u>	03/17/05.
		MS 5 UP/EXP 15/16	720.08(P) 719.70(A)	173:19:49:402						(LBS): FPR: 2651	- Postponed to NET 07/13/06 on 05/28/05. Slip reflected latest manifest constraints.
		FLT ENG:		NLGTD: 5379						FUEL BIAS:	
		Clayton C. Anderson	SRB STG:	FT	M 2 FOM					1063	reflected latest manifest constraints.
	<b>***</b>	P731/R310/M268	2:03 (P)2:03 (A)	VEL: 158 KGS	<u>M 3 EUM</u> :					FINAL TDDP:	- Postponed to NET 02/22/07 on 04/04/06. Slip
		MS 5 DN/EXP 14/15	<u>PERF</u> : NOMINAL	140 KEAS	WEIGHT:					1306	- Postponed to NET 12/7/00 oil 11/10/05. Slip reflected latest manifest constraints.  - Postponed to NET 02/22/07 on 04/04/06. Slip reflected latest manifest constraints.  - Postponed to NET 03/16/07 on 11/02/06. Slip due to ET delivery/processing schedule.  - Launch date "under review" due to ET hail
		IFLT ENG:	NOMINAL	HDOT: -6.2	199418 LBS			DEODDIT		RECON: 1431	due to ET delivery/processing schedule.
POPUMEUM AND	ANI ERSON VOTOB	UP ON STS-116,	2 ENG TAL	FPS	X CG:			DEORBIT: HA 192.8		PAYLOADS:	- Launch date "under review" due to ET hail
	DAM'S III	STAY ISS Sunita L. Williams	(ZZA):	BRK INIT: 88	1084.62 IN			NM		PI B:	damage during 02/26/07 storm at the PAD. (ET sustained over 4,000 dings.)
		P732/R306/F42	2:48 (P)2:54 (A)	KGS				HP 178.8		ISS 13A	- Postponed to 06/08/07 on 04/16/07 due to
		CC EVA 100	NEG RETURN:	DRAG CHUTE	<u>LANDING</u> :			NM		MIDDECK: ISS 13A	rollback for ET repairs.
		SS EVA 102	3:47 3:55	<u>JETTISON</u> :	WEIGHT:					RAMBO	LAUNCH SCRUBS: None
		DOCKED QUEST EVA 25		55 KGS	199305 LBS			ENTRY_		MAUAI	
		EMU/TETHERED EVA	<u>PTA (U/S 162)</u> : 5:19 5:20	173:19:50:18Z	X CG:			VELOCÎTY: 25868 FPS		E CDVO TV	LAUNCH WINDOW:
ISS +	13A +	95 SCHEDULED EVA 95		BRK_DFCFI	1086.76 IN					5 CRYO TK SETS	-Total launch window was 6 minutes 29 seconds with window open at 159:23:34:53Z and close at 159:23:41:22Z. Preferred Launch Time was
		DURATION 6:16	<u>SE TAL (ZZA</u> 104):	FPS <sup>2</sup> : AVE 4.0 PK 6.0				ENTRY		5 GN2 TANKS	at 159:23:41:22Z. Preferred Launch Time was
			104): 6:04 6:08	AVE 4.0 PK 6.0				RANGE: 4226 NM			159:23:38:04Z (In-Plane Time) for a launch window of 3m18s.
		ISS EVA 103		WHEELS STOP:				4220 INIVI		RMS 75	window of 3m18s.
Pigg STS	4	DOCKED QUEST EVA	PTM (U/S 180):	173:19:50:51Z						ODS, OBSS	LAUNCH DELAYS:
- 515		26 EMU/TETHERED EVA	6:19 6:23	11422 FT						RMS USED FOR	- None. Launch occurred on time at
		96	SE PRESS 104	ROLLOUT:						RMS/OBSS	159:23:38:04Z, 7:38:04 PM EDT on Friday, 06/08/07.
		SCHEDULED EVA 96	7:02 7:03	9979 FT						SURVEYS AND	00,00,00
		DURATION 7:16	MECO CMD:	1:04 M:S						GRAPPLE/	Continued
		SS EVA 104	8:24.9 8:24.9							UNBERTH	Continued
		DOCKED QUEST EVA								S3/S4,	
		27								HANDOFF TO	
		EMU/TETHERED EVA	Continued	Continued						SSRMS	
		97 UNSCHEDULED EVA 8									
		DURATION 7:58	l		l			<b> </b>		l	Į.

#### Revision T, PCN-2 August 2009 Page 175 - STS-117/13A

Revision T, PCN-2 August 2009 Page 176 - STS-117/13A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM	OF	RBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continue

Continued... SS EVA 105 DOCKED QUEST EVA 28 EMU/TETHERED EVA SCHEDULED EVA 97 DURATION 6:29

MCC WHITE FCR (48)

FLIGHT DIRECTORS: SHUTTLE: A/E - N. D. Knight LD/O1 - C. A. Koerner O2 - B. C. Lunney O3/PLNG - R. S. Jones MOD - P. L. Engelauf Team 4 - M. L. Sarafin

LD/O2 - K. B. Beck O1 - A. P. Hasbrook O3/PLNG - H. E. Ridings Team 4 - S. P. Davis

CAPCOMS: SHUTTLE: A/E - D. A. Antonelli - T. W. Virts (Wx) LD/01 - T. W. Virts O2 - K. A. Ford O3/Plng - R. S. Kimbrough Team 4 - N/A

<u>ISS</u>: LD/O2<sub>.</sub> - K. M. McArthur O1 - S. G. Bowen O3/PLNG - R. M. Davis Team 4 - N/A

Continued...

<u>VI</u>: 25819.0

OMS-2: 37:46 38:30 98.7 FPS 96.8

WINDS: 1.9T/0.5R KTS 25818.5 OFFICIAL: 08002P06 KTS 5T/3L KTS

Continued...

DENS ALT: 5169 FT

FLT DURATION: 13:20:11:33

<u>OV-104</u>: 245:12:44:01

DISTANCE: 5,809,363 sm

<u>S/T</u>: 1096:16:06:06

TOTAL SHUTTLE DISTANCE: 444,524,399

iss015e11705 S3 S4 PL: The 17.8 ton S3/S4 truss to be added to the station is shown



Continued...

TAL WEATHER: Launch Day Synopsis: "Showers and thunderstorms will develop during the daylight hours on Friday across Spain and France but are expected to diminish rapidly after sunset. TAL landing times are well after sunset." ZZA and FMI TAL Sites were forecast and observed GO. ZZA was selected as Prime TAL Site. MRN was not available.

PERFORMANCE ENHANCEMENTS:

Include the standard set plus: (1) PE Operational High Q SUM/JUN, (2) OMS Assist, (3) 52 nm MECO, Del Psi, and (4) Non-standard Consumables Reduction.

FLIGHT DURATION CHANGES/LANDING: STS-117 was planned as an 11+2+2 duration

FD4: The MMT concurred with the recommendation to repair the Port OMS Pod thermal blanket damage incurred during ascent. An additional 2 days, docked to the ISS. and a 4th EVA were added to conduct the

FD14: Two KSC landing attempts (12:55 pm & 2:30 pm CDT) were waved due to weather. After wave-off, an Orbit Adjust Maneuver was added to the timeline. This 11 FPS burn brought in an additional landing opportunity (total of 3) for Edwards AFB on Friday, FD15. FD15: KSC landing attempt at 1:18 pm CDT

was waved due to weather. Landing site was switched to Edwards AFB for a successful landing on Orbit Rev 219 at 2:49 pm CDT (12:49 pm PDT). (PAO: "It's a good day to land in California...")

FIRSTS/LASTS: - First flight of 2007.

First Launch from PAD 39A since final flight of Columbia.

First flight of Advanced Health Monitoring System (AHMS) on all three Sesame's. One flew in Active Mode. Two flew in Monitor Mode. In active mode, AHMS provides safe engine shutdown for excessive turbopump vibrations.

Sunita Williams sets new female long duration spaceflight record of 195 Days 18 Hours 58 Min, breaking Shinned Lucid's record of 188 Days 4 Hours. Williams surpassed Lucid's record on Saturday, 06/16/07, at 12:47 a.m.

First EVA repair of Shuttle thermal blanket. Last flight for James Reilly. Reilly flew to two space stations and clocked more than 853 hours in space, with five space walks totaling over 31 hours. He left NASA in June 2008.

RENDEZVOUS #66: Rendezvous and dock with

EVENTS:

- OMS 2 ignition at 160:00:16:34Z resulted in a 123.7 by 84.7 nm orbit.

SRMS OBSS/LDRI survey of nosecap, port and starboard wing RCC (WLE's) was completed.

#### Revision T, PCN-2 August 2009 Page 176 - STS-117/13A

Revision T, PCN-2 August 2009 Page 177 - STS-117/13A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)





iss015e12948 EVA Repair: Anchored to a foot restraint on the RMS robotic arm, astronaut John "Danny" Olivas moves toward port OMS pod thermal blanket damage during EVA 3. Skin

Continued...

EVENTS (continued):

- TI maneuver at 161:17:00:57Z: Resultant orbit

was 181.2 by 179.4 nm orbit

 Rbar Pitch Maneuver was performed. Photos of Atlantis' tile surfaces and the damaged OMS POD thermal blanket were taken by ISS crew. The thermal blanket damage was later determined to be from ET foam/ice shedding from LO2 line bracket during ascent.

- Docking Capture occurred at 161:19:36:10Z - Hard Docking occurred at 161:19:47:48Z.

- ISS Hatch open 161:21:20:00Z, 4:20 pm CDT, Sunday, June 10, 2007, ISS crew welcoming - IELK Seat Liner transfer at 162:00:55Z (7:55 PM CDT, June 10, 2007). At that time, Sunita Williams became a member of STS-120 and Daniel Tani injured the ISS Expedition 16 as

Daniel Tani joined the ISS Expedition 16 as Flight Engineer.

STS-117 delivered new set of solar arrays on 21st flight to ISS; P6 Starboard array was retracted for over 3 days.

 "Suni" Williams was replaced by Clay Anderson on Expedition 15 and returned home on STS-117 with long duration space record for a female (see Firsts above).

- <u>FD4</u> - Station robotic arm used to install S3/S4

truss on S1 truss.

- FD4 EVA 1: Reilly/EV1 & Olivas/EV2 completed the following tasks for S3/S4 Power Generation work: connected 13 power & data umbilicals, unstowed & deployed 1A & 3A solar arrays, and uncinched/unwinched photovoltaic radiator (PVR) for deployment. SARJ work included: installing 4 alpha joint I/F structure (AJIS) struts, installing drive lock assembly (later, EVA 2 determined a problem, see below), removed 6 SARJ locks, and released all swing bolts along SARJ. EVA 1 duration: 6h16m.

- FD4 - MMT Management Decisions Summary:
On 06/11/07, the MMT concurred: (1) that the
Port OMS Pod TPS Blanket is considered [to be]
suspect in case of a contingency deorbit, (2)
with performing a repair of the OMS Pod
Blanket, and (3) with adding 2 extension days

and a 4th EVA.

 FD5: Activities completed nominally. Solar Array deployment - 8 bays retracted. Array behavior similar to 4B retraction on STS-116 (sticking grommets, asymmetric folding).

- <u>FD6</u>: Russian central and terminal computers failed during docked operations at GMT 164:15:15:00Z and were restored with jumper cables bypassing power monitoring devices.

FD6 EVA 2: Forrester/EV3 & Swanson/EV4 conducted partial retraction of P6 2B Solar Array (including cut leader). Inspected P6 aft radiator starboard PIP pin (only one confirmed). SARJ work included: Installed 4 SARJ brace beams, installed DLA 1 (discovered DLA's were cross wired on the ground), removed 10 SARJ launch locks, and broke torque on 3 SARJ launch restraints. EVA 2 duration: 7h16m.

Revision T, PCN-2 August 2009 Page 178 - STS-117/13A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)





s117e08006ISS-earth.jpg: Back-dropped by the blackness of space and Earth's horizon, the new ISS configuration is viewed Continued...

EVENTS (Continued):
- FD8 EVA 3: Conducted by Reilly/EV1 &
Olivas/EV2: Removed Lab H2O Vent & installed Lab H2 Vent, repaired OMS POD thermal blanket with skin stapler and pins, relocated 1 of 3 APFR's for 13A.1, and finished retraction of P6 2B Solar Array. This was unscheduled EVA added by MMT. EVA 3 duration: 7h58 m. - FD10 EVA 4: Conducted by Forrester/EV3 &

Swanson/EV4: Activated SARI for rotation, cleared S3 Mobile Transporter path, relocated 2 of 3 APFR's for 13A.1, released torque on S4 MMOD Shield bolts, moved VSSA to Camera Port 1, cleared Node 1 Port for 10A Node 2 temporary stowage, and opened Lab H2 Vent. EVA duration: 6h29m.

Transfers:

- Mid-deck resupply cargo transfer to ISS from Atlantis was 1277 lbs.
- Mid-deck return cargo transfer to Atlantis from ISS was 1528 lbs.
- Supply Water total to ISS was 751 L (1,656 lbm)
- Oxygen (net) to ISS was 89 lbm
- Nitrogen to ISS: to A/L tanks 17.3 lbm; into stack for repress 16 lbm
- Lithium Hydroxide (LiOH): STS [used] to ISS = 3, ISS (new) to STS = 3
- Undocked at 170:14:42:00Z followed by a flyaround (1/2 lap).
- Sep 1 & Sep 2 maneuvers resulted in orbit of 185.0 x 177.1 nm
- Micrometeoroid Orbital Debris late inspection was completed.
- No communications blackout during Entry.

#### SIGNIFICANT ANOMALIES:

Orbiter:

- MDM OA2 CARD 5 Failed Invalid Data
- MADS Recorder Tape Speed Went To 120 IPS (Nom is 15) at Nose Wheel TD
- E3 LH2 Inlet Pressure Transducer Went OSH at T+ 3.5 Min

SRB: None.

RSRM:

Gas Penetration Through Nozzle Joint 2 RTV, RSRM-96A&B

SSME: None.

- Post-Launch Camera & Film Rev. Loss of LH2 Acreage Foam at Stations 1160, 1623 & 1871
- GDR Data Dropouts During Ascent
- Ascent LOC Push Button Inoperative
- LCC Activation Turning Off WLES PGSC Integration:
- Tile Piece Liberated From Aft Fuselage Body Flap I/F During Ascent FOD Found In Aft Compartment
- Port OMS Pod Blanket Damage During Ascent
- Rope-Like Material Noted Moving In Umbilical Well Imagery
- Propellant Use During FDS Extended Shuttle Attitude - Hold Approx 3 Times Higher Than Predicted

#### Revision T, PCN-2 August 2009 Page 178 - STS-117/13A

Revision T, PCN-2 August 2009 Page 179 - STS-118/13A.1

FL	T	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NC	).		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

			<b>3P</b>	ACE SHU	JIILE			N2 20	IVIIV	IART	Page 179 - STS-118/13A.1
STS- 118/ ISS	OV-105 (Flight 20) ENDEAVO	CDR: Scott J. Kelly (Flt 2 - STS-103)	KSC 39A 220:22:36:42Z 6:36:42 PM EDT	KSC 15 (KSC 65) 233:16:32:17Z	104/104/109 %	BI-130 RSRM	51. 6 (22)	DIRECT INSERTION	OI- 30 (6)	CARGO: 37390 LBS	BRIEF MISSION SUMMARY: STS-118/13A (22nd ISS mission) continued the assembly and resupply of the
13A.1	LID	P733/R253/V187/M22 0	6:36:42 PM EDT	233:16:32:17Z 12:32:17 PM EDT Tuesday (21) 08/21/07 (8)	100/104.5/ 104.5/72/	97 ET-117		<u>POST OMS-</u> 2: 172.2X124.	(-,	PAYLOAD CHARGEABLE: 23899 LBS	International Space Station and fulfilled a long-standing teacher's legacy. The new assembly included the delivery of
SEQ FLT# 119	PODS: LPO3-31	PLT: Charles O. Hobaugh	Wednesday (14) 8/8/07 (8)	DEORBIT	104.5 ACTUAL: 100/104.5/	SLWT 27		2 NM		DEPLOYED: 11830 LBS	the S5 Truss segment, installation of a spare parts platform, and changeout of a failed gyroscope. This was the last
KSC-119 PAD 39A-	RPO4-27 FRC5-20	(Fit 2 - STS-104)	<u>LAUNCH</u> <u>WINDOW</u> :	BURN: 233:15:25:12Z	100/104.5/ 104.5/74/ 104.5	FT				NON- DEPLOYED:	shuttle resupply mission using the SPACEHAB module. In addition, Barbara R. Morgan, who had served as backup to
42 MLP-1		4 <u>MS 1/R</u> :	(PLT IN-PLANE)	XRANGE: 697	1 = 2047 (10)	ET_ IMPACT				11740 LBS	Christa McAuliffe in the Teacher in Space Project 21 years earlier, flew as the first Educator Mission Specialist. McAuliffe
22ND SHUTTLE		Tracy E. Caldwell P735/R311/F43	EOM PLS: KSC TAL: ZZA TAL WX: MRN, FMI	ORBIT DIR: A/L 37 AIM PT:	3 = 2045 (9)					329 LBS	was a member of the crew that lost their lives in the 1986 Challenger accident.
FLIGHT TO ISS		MS 2/EV1: Richard A. Mastracchio (Flt 2 - STS-106)		NOMINAL MLGTD: 1628		<u>LAT:</u> 36.9S LONG:				ACCUMULATE D WEIGHTS:	KSC W/D: OPF 1332+64+63+18 = 1477, VAB 9, PAD 25 = 1511 Total Work Days (OPF Processing occurred over a total time period of
			SELECTED: RTLS: KSC 15 TAL: ZZA 30L (FMI: NO-GO)	FT 233:16:32:17Z VEI: 210 KGS		<u>LONG</u> : 159.2W				<u>DEPLOYED</u> : 1329454 LBS	1665 days.)
KELLY	HOBAUGH	MS 3/EV2: David R. Williams	AOA: KSC 15 1ST DAY PLS: EDW 22	212 KEAS HDOT: -3.1 FPS						NON- DEPLOYED: 1597761 LBS	LAUNCH POSTPONEMENTS: - Added STS-118 to FDRD - launch date of 10/09/03 on 08/01/02 Postponed to NET 11/13/03 on 10/08/02 due to
GAN		(Canada) P737/R312/M269	TDEL: 0:000(P)	TD NORM 205: 2302 FT						CARGO TOTAL: 3781165 LBS	engine flowliner crack repairs Postponed to NET 05/06/04 on 03/13/03 due to Columbia accident.
MASTE	ACCHIO ACCHIO	<u>MS 4</u> : Barbara R. Morgan P738/R313/F44	MAX Q NAV: 707.47(P)	DRAG CHUTE DEPLOY: 163 KEAS 233:16:32:30Z						PERFORMANC E MARGINS	- Postponed to NET 06/01/04 on 04/17/03 due to Columbia accident Deleted flight from FDRD on 05/28/03.
		MS 5: B. Alvin Drew P739/R314/M270	699.34(A) <u>SRB STG:</u> 2:02.56(P)	NLGTD: 5619 FT						(LBS): FPR: 2651 FUEL BIAS:	- Re-baselined to NET 09/14/06 on 07/14/05. - Revised to "TBD" on 11/10/05. Slip reflected latest manifest constraints. - Postponed to NET 06/11/07 on 04/04/06. Slip
		SS EVA 106 DOCKED QUEST EVA	2:03.04(A)	233:16:32:29Z VEL: 169 KGS 165 KEAS	<u>M 3 EOM</u> :					1063 FINAL TDDP: 1913	- Revised to TBD on 11/10/05. Slip reflected latest manifest constraints Postponed to NET 06/11/07 on 04/04/06. Slip reflected latest manifest constraints Postponed to NET 06/28/07 on 11/02/06. Slip due to ET delivery/processing schedule Postponed to NET 08/09/07 on 04/16/07. Slip due to STS-117 rollback Advanced to 08/07/07 on 06/28/07. Provide an adequate number of launch opportunities
		29 EMU/TETHERED EVA 99	PERF: NOMINAL	HDOT: -6.3 FPS BRK INIT: 123	WEIGHT: 221740 LBS			DEORBIT: HA 187.2		RECON: 2435 PAYLOADS:	- Postponed to NET 08/09/07 on 04/16/07. Slip due to STS-117 rollback. - Advanced to 08/07/07 on 06/28/07. Provide an
AND	EIAMS KOTOB	SCHEDULED EVA 98 DURATION 6:17	2 ENG TAL (MRN*): 2:34 (P) 2:40(A) *ZZA prime TAL	KGS	X CG: 1078.1 IN			NM HP 22.8 NM		PLB: ISS 13A.1-ITS S5	adequate number of launch opportunities before a range conflict. - Launch delayed to 08/08/07 on 08/03/07 due to "cabin leak checks and other processing
		SS EVA 107 DOCKED QUEST EVA 30	site; Call made off MRN (GO site)	DRAG CHUTE JETTISON: 54 KGS 233:16:32:59Z	<u>LANDING</u> : WEIGHT:			ENTRY VELOCITY:		SPACEHAB SM, ESP-3	work."  LAUNCH SCRUBS: None
		EMU/TETHERED EVA 100 SCHEDULED EVA 99	NEG RETURN: 3:53 3:56	BRK DECEL FPS <sup>2</sup> : AVE 6.1 PK 9.1	221660 LBS			25860 FPS ENTRY RANGE:		MIDDECK: ISS 13A.1 RAMBO	LAUNCH WINDOW: - Total launch window was 8 minutes 11 seconds
		DURATION 6:28	PTA (U/S 167 FPS):	WHEELS STOP: 233:16:33:16Z	1079.8 IN			RANGE: 4343 NM		MAUI 5 CRYO TK	with window open at 220:22:32:45Z and close at 220:22:40:56Z. Preferred Launch Time was 220:22:36:42Z (In-Plane Time) for a launch
		DOCKED QUEST EVA 31 EMU/TETHERED EVA	5:04 5:10 <u>SE TAL (ZZA</u> 104):	11862 FT ROLLOUT:						SETS RMS 76	window of 4m14s.  LAUNCH DELAYS:
	• SOLLSID	101 SCHEDULED EVA 100 DURATION 5:28	5:58 6:08	10234 FT 46 SEC						ODS, OBSS RMS USED	- None. Launch occurred on time at 220:22:36:42Z, 6:36:42 PM EDT on Wednesday, 08/08/07.
	_	SS EVA 109 DOCKED QUEST EVA	PTM (U/S 179 FPS): 6:16 6:23	Continued						FOR RMS/OBSS SURVEYS	TAL WEATHER: Forecast: Pressure gradient between a surface high over northern Spain and low over northern Italy will keep NW winds at FMI and ZZA
		32 EMU/TETHERED EVA 102 SCHEDULED EVA 101	SE PRESS 104 6:56 6:58							AND GRAPPLE/ UNBERTH S5,	Italy will keep NW winds at FMI and ZZA Wednesday through Friday. Peak winds at FMI are forecast to be above headwind limits all 3 days, but remain within limits at ZZA. MRN
			MECO CMD: 8:25.0 8:25.4							HANDOFF TO SSRMS	days, but remain within limits at ZZA. MRN weather is forecast "GO" all 3 days.

Revision T, PCN-2 August 2009 Page 179 - STS-118/13A.1

Revision T, PCN-2 August 2009 Page 180 - STS-118/13A.1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM	OF	RBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continue

Continued... MCC WHITE FCR (49)

FLIGHT DIRECTORS: SHUTTLE: A/E - J. S. Stich LD/O1 - M. R. Abbott O2 (FD1-FD6) - R. S. O2 (FD7-EOM) - M. L.

O3/PLNG (FD1-Undock) -M. P. Moses O3/PLNG/Prelaunch/P ost-Undock - P. F. Dye MOD - P. L. Engelauf Team 4 - R. E. LaBrode

ISS: LD/O2 - J. R. Montalbano O1 - K. L. Alibaruho O3/PLNG - G. Kerrick Team 4 - J. D. Hassmann

CAPCOMS: SHUTTLE: A/E - C. J. Ferguson - J. P. Dutton (Wx) LD/O1 - S. K. Robinson O2 - R. S. Kimbrough O3/PLNG - S. W. Lucid Team 4 - N/A

<u>ISS</u>: LD/O2 - S. Walker O1 - D. A. Antonelli O3/PLNG - L. McCullough Team 4 - N/A Continued...

<u>VI</u>: 25819.0 25817.4

OMS-2: 37:00 37:00.7 253.9 FPS252.6

DENS ALT: 1973 FT FLT DURATION: 12:17:55:35

Continued...

WINDS: 6H 4L KTS OFFICIAL: 11909P13 KTS

10H 8L KTS

<u>S/T</u>: 1109:10:01:41

<u>OV-105</u>: 219:08:07:41

DISTANCE: 5.274.977 sm

SHUTTLE DISTANCE: 449,799,376

ISS015-E-21711 - Endeavour delivers a new S5 stbd truss segment, cargo inside the SPACEHAB module (in center of bay), and the external

Continued...

PERFORMANCE ENHANCEMENTS: Include the standard set plus: 1) PE Operational High Q WIN/DEC, 2) OMS Assist, 3) a 52 nm MECO, and 4) Del Psi

FLIGHT DURATION CHANGES/LANDING: On 8/12/07, FD5, the MMT concurred with extending the Mission to 14+2 days and adding EVA 4.

<u>FIRSTS/LASTS</u>: - First flight of Endeavour in 5 years

- First flight test of new system to monitor ECO circuit voltage to fuel sensors. System allows Flight Controllers to recommend manual engine shutdown by the crew if sensor voltage has failed.

First flight of Automated Meteorological Profiling System (AMPS) High Resolution (HR) as primary system for DOLILU wind measurements - replacement for limspheres.

First flight that Station Shuttle Power Transfer System (SSPTS) available to provide extended duration capability to shuttle

First flight that three-string Global Positioning System (GPS) was used to replace landing TACAN System - previously flown single string

First flight of SRB Command Receiver/Decoder (CRD). Replaced Integrated Receiver/Decoder (IRD) and Range Safety Distributor (RSD) due to obsolescence concerns

Last flight of SPACEHAB resupply module.

First and last flight of Educator Mission Specialist Barbara R. Morgan. She left NASA and returned to Boise State University in 2008.

NIGHT LAUNCH - N/A

RENDEZVOUS #67: Rendezvous and dock with

EVENTS:
- OMS 2 ignition at 220:22:47:15Z resulted in a 172.2 by 124.7 nm orbit.
- SRMS OBSS/LDRI survey of nosecap and port and starboard wing RCC (WLE's) was completed.

TI maneuver at 222:15:15:19Z - resultant orbit was 186.5 by 180.4 nm
During R-Bar Pitch Maneuver, a gouge in the heat shield below the right wing (site 3) was

Docking contact occurred at 222:18:01:54Z. Hard Dock occurred at 222:18:29:44Z. ISS Hatch open 222:20:04:00Z, 3:04 pm CDT, Friday, August 10, 2007, ISS crew welcoming

FD4: MMT, per Flight Rule 13A.1 A2-6 concurred that TPS was considered to be damaged.

Continued...


Revision T, PCN-2 August 2009 Page 181 - STS-118/13A.1

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	RUNWAY,	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continued



S118e06114 - Barbara R. Morgan flew as first Educator Mission Specialist



S118-E-06998 - Anchored to the foot restraint on the Canadarm2, Williams, and Mastracchio (out of frame), R&R a faulty control moment

Continued...

EVENTS (Continued):
- FD4, EVA 1: EV1 and EV2 installed S5 on S4, relocated S5 PVRGF to S5 Keel (ground strap bolt would not seat again, like P5), retracted and cinched P6 Forward PVR, and retrieved EVA ratchet from STBD Z1 toolbox. EVA 1 duration 6h17m.

duration 6h17m.

FD5: MMT concurred that TPS was considered to be damaged and authorized focused TPS inspection. Mission was extended to 14+2 and EVA4 (preplanned) was added.

FD6, EVA 2: EV1 and EV2 completed R&R of faulty CMG 3 into ISS Z1 truss, installed old CMG3/FSE/FRAM on nadir ESP-2 FRAM Site #5 with MLI cover (no straps), and retrieved EVA ratchet from PORT Z1 toolbox. The failed CMG will remain at its temperary conversed toward location.

with MLI cover (no straps), and retrieved EVA ratchet from PORT Z1 toolbox. The failed CMG will remain at its temporary stowage location until it is returned to Earth on a later shuttle mission. The new gyroscope is one of four CMG's used to control Station attitude on orbit. EVA 2 duration 6h28m.

FD8, EVA 3: EV1 and EV3 (Exp 15/16) relocated P6 SASA to P1 zenith, installed P1 Sband BSP and Xpdr, moved CETA cart 1 to STBD of MT (connected to MT), moved CETA cart 2 to STBD of MT (connected to CETA 1), and removed P6 S-band Xpdr (dummy box plate installed). EV1 EVA terminated early to EMU glove damage at EVA Phase Elapsed Time (PET) 4:20. The damage did not cause leakage; the suit pressure was unaffected. Due to the early termination, the S-band Antenna Structural Assembly (SASA) Spare Gimbal Locks and Materials International Space Station Experiment (MISSE) 3 and 4 tasks were not completed. EVA 3 duration 5h28m.

FD8: EVA 4 delayed from FD9 to FD11 by MMT for potential tile repair.

FD9: MMT decided that the TPS repair issue required a Programmatic assumption of risk and the table MMT was williage to accurate the table and the content of the content to the c

-FD9: MMT decided that the TPS repair issue required a Programmatic assumption of risk and that the MMT was willing to assume that risk. The preponderance of data (including ground analysis and arc jet testing) indicated acceptable margins to fly as is. MMT decided that no TPS repair would be performed on Endeavour and that the nominal planned EVA 4 would be executed on FD11.
-FD11, EVA 4: EV2 and EV3 (EXP 15/16) installed OBSS OSE (2) on S1 zenith trunnions, re-torqued Z1 SASA gimbal bolts, removed MISSE 3 and MISSE 4 from A/L and returned on Shuttle, Lab EWIS antenna handrails and cable installed (Lab fwd endcone nadir - got 3 of 3


installed (Lab fwd endcone nadir - got 3 of 3 DZU's installed), and retrieved tools from A/L toolboxes. Did not perform Lab or Node MMOD shield cleanup or S3 WETA installation. EVA 4 duration 5h2m.

FD12: MOD contingency plans for Hurricane Dean Preparedness included decreasing the flight control support to two teams and evacuation on military aircraft if required. The plan was not required to be implemented.

Continued...

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME.	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS.	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS.
NO.	ORBITER		LANDING SITES.		THROTTLE	AND	INC	HA/HP	1300	PAYLOADS/	TAL WEATHER, ASCENT I-LOADS.
NO.		TITLE, NAMES & EVA'S	ABORT TIMES	TIMES	PROFILE	ET	IIVC	11/4/111		EXPERIMENTS	,
		Q LVA 3		FLT DURATION,	ENG. S.N.						





S118-E-07918 - Category 4 Hurricane Dean, viewed from Endeavour, was moving westerly in the Caribbean nearing Jamaica with sustained winds of 150 mph. MOD contingency evacuation plans

#### Continued...

- EVENTS (Continued):
   <u>Transfers</u>:
   Hardware transferred to ISS (outside and inside): 14,740 lbs
- Hardware/supplies returned from ISS: 3.297

- lbs
   Water delivered to ISS: 918.6 lbm
   Oxygen to ISS: 77 lbm
   Nitrogen to ISS: 33.8 lbs
   Lithium Hydroxide (LiOH) cans from ISS to STS: 12 cans (9 old, 3 used)
   LiOH new cans from STS to ISS: 30 cans
   Power transferred from ISS to orbiter using the SSPTS was 1186 kWh.
- Undocked at 170:14:42:00Z followed by a flyaround (1/2 lap)
  Sep 1 and Sep 2 maneuvers resulted in orbit 185.2 by 183.5 nm.
- Micrometeoroid Orbital Debris late inspection was completed. No issues.
- No communications blackout during Entry.

#### SIGNIFICANT ANOMALIES:

#### Orbiter:

- A Magenta Hue Appeared On Camera (GFE). STS-118 Drag Chute Reefing Line Cutter Failure to Cut (GFE).
- None.
- RSRM:
- Gas Penetrations through Nozzle Joint 2 RTV, RSRM-97A&B
- SSME: 3 Com Card/Cable Failed (GFE).
- 2007 ET-117 Film Review Found TPS Loss at Sta. 1623 Outboard LO2 Feedline Support Bracket and TPS Orb Impact
- XT 1973 Inboard LO2 Feedline Bracket Base
- Fitting TPS Crack on ET-117
  Post-Launch Camera and Film Review Showed
  Loss of LH2 Acreage Foam
  - B30M Power Failure B-C Power Feeds
- Margi Output Error
- ET Umbilical Door Closure Timing SSRMS Movement Prior To Shuttle Ku Mask OBSS Sensor Mode Change From 6 to 2 per
- Procedure Error on PGSC Setup Integration:
- Partial Tyvek Cover Release SSRMS Movement Prior to Shuttle Ku Mask BFS Loss of Class III Alert from Spacehab E

Revision T, PCN-2 August 2009 Page 183 - STS-120/10A

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/I	HP	PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

### SPACE SHUTTLE MISSIONS SUMMARY

			<b>SP</b>	ACE SHU	JIILE	MISS		N2 20	IVIIV	IARY	Page 183 - STS-120/10A
STS- 120/ ISS	OV-103 (Flight 34) DISCOVER	CDR: Pamela A. Melroy (Flt 3 - STS-92, STS-	111:38:19 PM	66) 311:18:01:17 <i>7</i>	104/104/109 %	BI-131 RSRM 98	51. 6 (23)	DIRECT INSERTION	OI- 32 (1)	<u>CARGO</u> : 40872 LBS	BRIEF MISSION SUMMARY: STS-120/10A (23 <sup>rd</sup> ISS mission) provided for expansion of the ISS with delivery of the Italian-
<b>ISS</b> 10A	Υ	112) P740/R261/V175/F34	11:38:19 PM  EDT (A)	Wednesday (15)	PREDICTED: 100/104.5/ 104.5/72/	98 ET-120		POST OMS- 2: 169.9X123.	, ,	PAYLOAD CHARGEABLE: 33813 LBS	built U.S. multi-port Node 2 connecting module named Harmony. Installation of Harmony allows for attachment of research labs from the European Space
SEQ FLT# 120 KSC-120	PODS: LPO1-37 RPO3-35	<u>PLT</u> : George Zamka P741/R315/M271	Tuesday (16) 10/23/07 (12) <u>LAUNCH</u>	11/07/07 (12) <u>DEORBIT</u> BURN:	104.5 ACTUAL: 100/104.5/	SLWT 28		8 NM		DEPLOYED: 33474 LBS	research labs from the European Space Agency (Columbus) and the Japan Aerospace Exploration Agency (Kibo) to be delivered on subsequent flights. The
PAD 39A- 43	FRC3-34	MS 1/FV1:	WINDOW: 7M 17S (PLT IN-PLANE)	311:16:58:49Z XRANGE: 196	104.5/72/ 104.5	<u>ET</u>				NON- DEPLOYED:	be delivered on subsequent flights. The P6 truss segment and solar arrays were replaced from a temporary location (on Z1) to a permanent location on P5 truss.
MLP-2		Scott E. Parazynski (Flt 5 - STS-66, STS- 86, STS-95, STS- 100)	EOM PLS: KSC TAL: MRN TAL WX: FMI	NM <u>ORBIT DIR</u> : D/R 21	1 = 2050 (6) 2 = 2048 (7) 3 = 2058 (2)	MET 1:14:06				280 LBS MIDDECK: 59 LBS	In this new location, the solar arrays were redeployed to maximize needed power generation for inclusion of the
23RD SHUTTLE FLIGHT		P742/R187/V144/M16 5	SELECTED:	AIM PT: CLOSE	M 3 EOM: WEIGHT:	LAT: 36.749		DEORBIT: HA 188.0 NM		SHUTTLE ACCUMULATE	future research labs. Also on this mission, a 1-day extension was added to extend EVA 4 for starboard SARJ
TO ISS		MS 2/R: Stephanie D. Wilson (Flt 2 - STS-121)	RTLS: KSC 15 N/N TAL: MRN 20 N/N	MLGTD: 1247 FT	203067 LBS X CG:	S LONG:		HP 12.1 NM		D WEIGHTS: DEPLOYED:	inspections, but the EVA was later reworked for a successful repair of P6 4B solar power array damaged during
AND THE MEL	THE THE STATE OF T	P743/R298/V190/F39 MS 3/EV2:	( <u>ŽZA</u> : NO-GO) AOA: NOR 35	311:18:01:17Z VEL: 204 KGS 220 KEAS HDOT: -5.4 FPS	<u>LANDING</u> : WEIGHT:	158.98 3W		ENTRY VELOCITY: 25850 FPS		1362928 LBS NON-	<b>deploy.</b> KSC W/D: OPF 234, VAB 7, PAD 23 = 264 Total
WITH MINEETO		Douglas H. Wheelock P744/R316/M272	1ST DAY PLS: EDW 04 CI/N	TD NORM 195: 3249 FT	202989 LBS X CG: 1083.0 IN			ENTRY RANGE:		DEPLOYED: 1598100 LBS	Work Days (OPF Processing occurred over a total time period of 273 days.)  LAUNCH POSTPONEMENTS:
Į <sub>STS</sub>	-120	MS 4/R: Paolo A. Nespoli	TDEL: 0:000(P) 0.162(A)	DRAG CHUTE DEPLOY: 189 KEAS				4436 NM		CARGO TOTAL: 3822037 LBS PERFORMANC	- Added STS-120 to FDRD - launch date of 02/19/04 on 01/23/03. - Postponed to NFT 09/23/04 on 03/13/03 due to
XV		(ESA) P745/R317/M273 MS 5 UP/EXP 16 FLT	MAX Q NAV: 719.02(P)	311:18:01:26Z Continued						E MARGINS (LBS): FPR: 2651	Columbia accident Deleted flight from FDRD on 05/28/03 Rebaselined to NET 08/09/07 on 06/01/06 Postponed to NET 09/07/07 on 11/02/06. Slip
8		ENG: Daniel M. Tani (Flt 2 - STS-108)	SRB STG: 2:02.56(P) 2:03.20(A)	7						FUEL BIAS: 1063 FINAL TDDP:	- Postponed to NET 109/07/07 of 11/02/06. Slip due to ET delivery/processing schedule - Advanced to 08/26/07 on 02/08/07 to avoide spacing problem with Soyuz and ATV Postponed to 10/20/07 on 04/16/07. Slip due to STS-117 rollback Postponed to 10/23/07 on 08/07/07. Slip to maintain standard minimum interval between
		P746/R272/V191/M23	PERF: NOMINAL	1		20373				2091 RECON: 1880	- Postponed to 10/20/07 on 04/16/07. Slip due to STS-117 rollback. - Postponed to 10/23/07 on 08/07/07. Slip to
		MS 5 DN/EXP 15/16 FLT ENG: Clayton C. Anderson	2 ENG TAL (MRN):	4						PAYLOADS: PLB: ISS 10A (NODE 2), PDGF,	Soyuz undocking (changed for landing opportunities) and orbiter docking to the ISS.
HARM	MONY	(UP on STS-117, Stay on ISS) P747/R310/M268	2:37 (P) 2:45(A) NEG RETURN: 3:51 3:55	18 Comments		Y				MBSU, SASA  MIDDECK:	LAUNCH SCRUBS: None LAUNCH WINDOW:
NOT	DE 2	SS EVA 110 DOCKED QUEST EVA	PTA (U/S 167 FPS):							ISS 10A RAMBO MAUI	- Total launch window was 11 minutes 19 seconds with window open at 296:15:34:17Z and close at 296:15:45:36Z. Preferred Launch Time was 296:15:38:19Z (In-Plane Time) for a
		EMU/TETHERED EVA	5:16 5:26 <u>SE TAL (ISTRES 104):</u> 6:04 6:12		· San		300			5 CRYO TK SETS	launch window of /m1/s. LAUNCH DELAYS:
				female Womer					70	RMS 77 ODS, OBSS	- None. Launch occurred on time at 296:15:38:19Z, 11:38:19 AM EDT on Tuesday, 10/23/07. (PAO: "It's a nice day in Florida")
		Continued	PTM (U/S 181 FPS): 6:16 6:27	ISS EXP 16 CD	R, greets Pan	n Melroy,	STS-:	L20 CDR.			Continued

Continued...

Revision T, PCN-2 August 2009 Page 184 - STS-120/10A

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continued... NLGTD: 5419

311:18:01:30Z

BRK INIT: 109 KGS

DRAG CHUTE |ETTISON: 52 KGS 311:18:01:53Z

AVE 6.3PK 10.5

WHEELS STOP: 311:18:02:11Z 9593 FT

<u>WINDS</u>: 10.6H 2.8R KTS

OFFICIAL: 35013P22 KTS 21H 6R KTS

FLT DURATION: 15:02:22:58

<u>S/T</u>: 1124:12:24:39

<u>OV-103</u>: 291:13:57:03

DISTANCE: 6,249,432 sm

TOTAL SHUTTLE DISTANCE: 456,048,808

sm

<u>DENS ALT</u>: 771 FT

ROLLOUT: 8346 FT

54 SEC

BRK\_DECEL FPS<sup>2</sup>:

HDOT: -5.9 **FPS** 

VEL: 150 KGS 163 KEAS

Continue

	<b>5</b> P.
Continued	Continued
SS EVA 111 DOCKED QUEST EVA	<u>SE PRESS 104</u> 7:06 6:57
34 EMU/TETHERED EVA 104	MECO CMD: 8:25.6 8:25.8
SCHEDULED EVA 103 DURATION 6:33	<u>VI</u> : 25819 25817
SS EVA 112 DOCKED QUEST EVA 35	OMS-2: 37:22 37:19.6 232.8 FPS230.9 FPS
EMU/TETHERED EVA	FPS FPS230.9
105 SCHEDULED EVA 104 DURATION 7:08	
SS EVA 113 DOCKED QUEST EVA	
36 EMU/TETHERED EVA	
106 SCHEDULED EVA 105 DURATION 7:19	
MCC WHITE FCR (50)	
FLIGHT DIRECTORS: SHUTTLE: A/E - N. D. Knight LD/O1 - R. E. LaBrode O2 (FD2-FD13) - M. P. Moses O2 (FD1, FD14 and Waveoff) - M. R. Abbott O3/PLNG (FD1-FD13)	
- M. L. Sarafin PLNG (Prelaunch, FD1, FD14, and Waveoff - A. J. Ceccacci ENT - B. C. Lunney MOD - P. L. Engelauf Team 4 - P. F. Dye	
ISS: LD/O2 - J. D. Hassmann O1 - D. J. Weigel O3/PLNG - H. L. Rarick Team 4 - G. Kerrick	
CAPCOMS: SHUTTLE: A/E - T. W. Virts - L. J. Archambault (Wx)	
LD/O1 - C. J. Ferguson O2 - D. A. Antonelli O3/Plng - S. W. Lucid Team 4 - N/A	

Continued...

ISS016-E-009207 (3 Nov. 2007) --- While anchored to a foot restraint on the end of the OBSS, Parazynski/EV1 assesses his repair work as the solar array is fully

SS016-E-006834 (27 Oct. 2007 --- Interior view of Harmony node after it was attached to temporary Continued...

TAL WEATHER:

The weather model data for Europe continued to show an area of low pressure near Italy, with high pressure over central France. Windy conditions at ZZA and FMI were expected to contribute to pockets of turbulence in the region. Weakening high pressure was forecast over southern Spain, with partly cloudy skies and soutwest winds at MRN Tuesday. All three TAL sites were forecast and observed GO. Moron was selected as Prime TAL Site.

PERFORMANCE ENHANCEMENTS: Include the standard set plus: 1. PE Operational High Q TRN/OCT, 2. OMS Assist, 3. 52 nautical mile MECO, and 4. Del Psi.

FLIGHT DURATION CHANGES/LANDING: On FD7, MMT concurred with adding a docked extension day to the mission to extend EVA 4 for starboard SARJ inspections for cause of vibrations and drag.

FIRSTS:
- Historical first meeting of two spacecrafts commanded by women: Peggy Whitson, the first woman to command the ISS, and Pamela A. Melroy, the second woman space shuttle commander.

Successful first time operation of OV-103 Station-to-Shuttle Power Transfer System

First ET LO2 IFR bracket pockets filled with BX (replaces PDL in pockets) to minimize void formation.

First flight of OI-32 Flight Software. Standard capability release included changes for enhanced crew safety and situational awareness, improved mated control of ISS, and other enhancements for ground and flight

operations and safety. First High Definition TV coverage of Launch (by

NIGHT LAUNCH: (N/A)

RENDEZVOUS #68: Rendezvous and dock with

#### **EVENTS**

OMS 2 ignition at 296:15:48:44Z resulted in a 159.9 by 123.8 NM orbit. SRMS OBSS/LDRI survey of nosecap and port and starboard wing RCC (WLE's) was completed.

TI maneuver at 298:09:55:25Z resulted in a 188.7 by 179.7 NM orbit.
R-Bar Pitch Maneuver was performed. No

significant issues

Docking Capture occurred at 298:12:39:57Z.

Hard Dock occurred at 298:12:52:50Z.

Continued...

Revision T, PCN-2 Augst 2009 Page 185, STS-120/10A


FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continue

Continued...

ISS: LD/O2 - K. A. Ford O1 - H. Getzelman O3/PLNG - Z. Jones Team 4 - N/A

ISS016-E-008875 (3 Nov. 2007) --- Close-up view of the repaired



SIGNIFICANT ANOMALIES:
Orbiter:
- V070-396376-201, Blanket R&R
- PLB Floodlight #3 failed
- Protrusion on the Arrowhead Plate (H-0.38)
- Protruding Ames Gap Filler (H=0.21)
- Protruding Ames Gap Filler (H=0.29)
- Blanket is lifted off left (Port) OMS Pod
- Could not install the plug on the bent end of the GO2
Transfer Flex Hose Assy
- The MPS Engine #1 LO2 Inlet Temperature failed off
scale high at 15:41:15GMT during STS-120 Ascent.
- On STS-120/OV-103, Measurement V62T0519A was
erratic, diverged from approximately 184 degrees F erratic, diverged from approximately 184 degrees F

- Missing debris SRB:

Nonlinear separation on LH SRB of the Frustrum/Forward Skirt Ordnance Ring for STS-120/BI-

STS-120/ET-120 launched on 10/23/07: Post Launch camera and film review showed loss of foam at two locations.

RSRM:

Gas penetrations through Nozzle Joint 2 RTV, RSRM-

- Gas penetration through RTV, Nozzle Joint 5, RSRM-98B

SSME: None

- Post Launch photograph and film review of STS-120/ET-120

MOD:

- Wall clocks hung state in both FCR's
- Wall clocks hung state in both FCR's
- Missing step in PDRS STBD survey procedure
- Typo - IMU align in Orb Ops Checklist
- RMS Joint Angle Ground Display Error
INTEGRATION:

- LH2 Umbilical ice noted prelaunch - GUCP ice bridged to ET Intertank Foam



S120-E-008531 (5 Nov. 2007) --- Back-dropped by the blackness of space and Earth's horizon, the new ISS configuration is viewed from the departing STS-120

#### Continued...

ISS Hatch opened at 9:39 AM (CDT) on10/25/07 (298:14:39:00Z) - Shuttle Crew welcomed by ISS Crew - Historical first meeting

welcomed by ISS Crew - Historical first meeting of two spacecrafts commanded by women.
- IELK Seat Liner Transfer at 298:16:12Z (11:12 AM CDT, Oct. 25, 2007). At that time Clayton Anderson became a member of STS-120 and Daniel Tani joined the ISS Expedition 16 as Flight Engineer.
- FD4 EVA 1: (EV1 and EV2) Removed the failed SASA from Z1; installed SASA in PLB sidewall carrier; prepped Node 2 (Harmony) for removal from bay; demated P6/Z1 fluid QD's; used Station robot arm (PDGF) to install Node 2 to temporary location on Node 1 (Unity). [NOTE: Node 2 was moved to its permanent location at the front of the U.S. Lab using the ISS robotic arm after shuttle departure.] EVA1 duration 6h14m
- FD6 EVA 2: EV1 and EV3 conducted P6 truss

duration 6h14m

- FD6 EVA 2: EV1 and EV3 conducted P6 truss demate from temporary location on Z1; EV3 performed inspection of suspected sharp edge on S1 CETA rail; Initial stbd SARJ inspection; Node 2 Outfitting (EV1 completed all of this solo); structurally installed the Node 2 PDGF; successfully deployed the two outboard S1 radiators between EVA 2 and EVA 3 (so all three are now deployed). EVA 2 duration 6h33m

finite are now deployed). EVA 2 duration 6h33m

- FD7: MMT concurred with adding a docked extension day to the mission to extend EVA 4 for starboard SARJ inspections for cause of vibrations and drag.

- FD8 EVA 3: EV1 and EV2 attached P6 truss to P5 (permanent location). The 2B solar array was 100% deployed. The 4B array was aborted at 25 bays, with a tear in the right blanket (guide wire snag). EVA 3 duration 7h8m

- FD11: MMT concurred with new plan for EVA4 to repair the Solar Array Wing (SAW) 4B repair. The Tile Ablator Dispenser DTO was postponed.

- FD12 EVA 4: (EV1 & EV2) EV1 repaired the P6 4B array using the OBSS on the SSRMS with a WIF-E. As reported by the Rocky Mountain News: "Parazynski...performed what NASA is calling on e of the greatest 'space saves' in the history of manned spaceflight. ...[He] floated outside with wire cutters, pliers, and homemade tools to fix the torn wing" [restoring maximum power capability to the

[restoring maximum power capability to the ISS.] EVA 4 duration 7h19m

Transfers:

Hardware transferred ISS (outside and inside): 33,834 lbs

Hardware/supplies returned from ISS: 2,020

Water delivered to ISS: 939.1 lbm
Oxygen transferred to ISS: 30 lbm
Nitrogen transferred to ISS: 31.6 lbs
Power from ISS to Orbiter using SSPTS: 1186

FD14: Undocking from ISS: 309:10:32:03Z (4:32 am CST, 11/05/07) Sep 1 & Sep 2 maneuvers resulted in orbit

189.6 by 181.9 nm.

Micrometeoroid Orbital Debris late inspection was completed. No issues.

- Anderson returned home after 152 days in

Revision T, PCN-2 Augst 2009 Page 185, STS-120/10A

Revision T, PCN-2 August 2009 Page 186 - STS-122/1E

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM	ORBI	Т	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES, & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA	VHP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

			SP	<b>ACE SHU</b>	<b>JTTLE</b>	MISS	SIO	NS SU	MN	IARY	August 2009 Page 186 - STS-122/1E
SEQ FLT# 121	OV-104 (Flight 29) ATLANTIS OMS PODS: LPO4-29	P748/R276/V192/M2 42	KSC 39A 038:19:45:30Z 2:45:30 PM EST (P) 2:45:30 PM EST (A) Tuesday (35) 2/07/08 (9)	KSC 15 (KSC 67) 051:14:07:09Z 9:07 AM EST Thursday (11) 02/21/08 (7) DEORBIT	104/104/109 % PREDICTED: 100/104.5/ 104.5/72/ 104.5	BI-132 RSRM 99 ET-125 SLWT	6 (24)	DIRECT INSERTION POST OMS- 2: 124.0X118. 8 NM	OI- 32 (2)	CARGO: 40296 LBS PAYLOAD CHARGEABLE: 32941 LBS	BRIEF MISSION SUMMARY: STS-122/1E (24th ISS mission) delivered the European Space Agency's Columbus research laboratory module to the ISS. Columbus, measuring 23 ft in length and 15 ft in diameter, is ESA's largest contribution to the expansion of the ISS. Also delivered
KSC-121 PAD 39A- 44 MLP-1 24TH	RPO1-36 FRC4-29	PLT: Alan G. Poindexter P749/R318/M274  MS 1/R: Leland D. Melvin P750/R319/M275  MS 2/EV1:	LAUNCH WINDOW: 5M1S (PLT IN-PLANE) EOM PLS: KSC TAL: ZZA TAL WX: MRN,	BURN: 051:12:59:52.0 Z XRANGE: 408 NM ORBIT DIR: A/L	ACTUAL: 100/104.5/ 104.5/74/ 104.5 1 = 2059 (2) 2 = 2052 (6) 3 = 2057 (3)	29 FT				DEPLOYED: 30657 LBS NON- DEPLOYED: 2162 LBS MIDDECK:	were ESA experiments and two ESA astronauts with one of them to join the ISS crew for operation of Columbus research. This mission also saw the Columbus Control Center in Oberpfaffenhofen, near Munich, Germany, brought on-line for initial checkout and future operations of the
SHUTTLE FLIGHT TO ISS		Rex J. Walheim (Flt 2 - STS-110) P751/R277/V193/M24 3 MS 3/EV2:	SELECTED: RTLS: KSC 15 N/N	AIM PT: NOMINAL MLGTD: 2344 FT		1:14:07 <u>LAT</u> : 36.619 S <u>LONG</u> : 158.79		DEODDIT		122 LBS  SHUTTLE ACCUMULATE D WEIGHTS: DEPLOYED:	Asc W/D: OPF: 121, VAB HB-3: 7, PAD A: 76 = 204 Total Work Days (+1 holiday @ OPF Processing + 10 holidays + 4 contingency days @ PAD)
122		Hans Schlegel (Germany) (Flt 2 - STS-55) P752/R163/V194/M1 43 MS 4/EV3:	TÂL: ZZA 30L N/N AOA: NOR 23 N/N 1ST DAY PLS: EDW 04 N/N TDEL:	051:14:07:09Z VEL: 197 KGS 194 KEAS HDOT: -2.1 FPS TD NORM 195: 2200 FT	WEIGHT: 207295 LBS X CG: 1078.2 IN	6W		DEORBIT: HA 187.6 NM HP 23.1 NM		1393585 LBS NON- DEPLOYED: 1600348 LBS CARGO TOTAL:	LAUNCH POSTPONEMENTS: - Added STS-122 to FDRD - launch date of 10/17/07 on 10/05/06 Postponed to 12/06/07 on 04/16/07 due to STS-117 rollback After 12/06/07 scrub, see LAUNCH SCRUBS below, launch was reset for 24-hr turnaround on Friday, 12/07/07.
		Stanley G. Love P753/R320/M276 MS 5 UP/EXP 16 FLT ENG: Leopold Eyharts (ESA) (also flew on MIR	MAX Q NAV: 756.21(P)	NLGTD: 5175 FT 051:14:07:17Z	LANDING: WEIGHT: 207215 LBS X CG: 1080.4 IN			VELOCITY: 25860 FPS ENTRY RANGE: 4403 NM		3862333 LBS  PERFORMANC E MARGINS (LBS): FPR: 2651 FUEL BIAS: 1063	- Later, on 12/06/07, during MMT Scrub Turnaround Meeting, it was decided to extend to a 48-hr turnaround for Saturday, 12/08/07 launch to allow additional time to address all concerns At Friday, 12/07/07 MMT, it was determined that necessary discussion could not be finished in time for Saturday 12/08/07 launch attempt. The launch was moved to Sunday 12/09/07
		Feb 1998) P754/R321/M277 MS 5 DN/EXP 16 FLT ENG: Daniel M. Tani (Flt 2 - STS-108,	2:04.16(A) PERF: NOMINAL 2 ENG TAL	VEL: 157 KGS 155 KEAS HDOT: -4.9 FPS BRK INIT: 91 KGS	1	3	A Second			PAYLOADS: PLB: ISS 1E	with a new Launch Commit Criteria (for this launch only) requiring four of four valid ECO sensor readings (rather than three of four) prior to launch. In addition, the following two conditions were added: 1) Launch Window was limited to in-plane +1 minute (to provide
		STS-120 up) P755/R272/V191/M2 38 SS EVA 114 DOCKED QUEST EVA	(MRN): 2:35(P) 2:38(A) NEG RETURN: 3:51 3:54 PTA (U/S 161 FPS):	DRAG CHUTE JETTISON: 54 KGS 051:14:07:46Z BRK DECEL					•	(COLUMBUS MODULE) ICC-LITE ECSH PDGF	additional ascent fuel margin), and 2) utilization of new in-flight ECO circuit voltage readings (successfully tested on STS-118 and STS-120 by ground flight controllers to recommend manual engine shutdown by the crew, if required After second scrub on 12/09/07, see LAUNCH SCRUBS below, launch was rescheduled to NET
colume us	S MODULA S MODULA MODULA MODULA MODULA MO	37 EMU/TETHERED EVA 107 SCHEDULED EVA 106 DURATION 7:58 SS EVA 115	5:04 5:05 <u>SE TAL (ZZA</u> 104): 6:04 6:082 PTM (U/S 167	FPS <sup>2</sup> : AVE 4.6 PK 6.9 WHEELS STOP: 051:14:08:07Z 10911 FT	\$122E807873 \$122-F-007	7873 (11 ned from	Feb. ISS, t	2008) the station's es the Columi payload bay	hus	MIDDECK: ISS 1E MAUI 5 CRYO TK SETS	implementation of fuel ECO sensor system troubleshooting plan.  - Postponed to 01/10/08 on 12/13/07 dependent on resolution of the problem with the fuel sensor system. Slip was to allow "as many poorle as possible to have time with family to the control of the problem."
			FPS): 5:58 6:02 Continued	ROLLOUT: 8567 FT 58 SEC	laboratory	from Atla	ntis'	pavload bav	to	RMS 78 ODS OBSS SSPTS	and friends at the time of year when it means the most." Tanking test using add-on Time Domain Reflectivity (TDR) instrumentation on 12/18/07 isolated ECO Sensor System failures to open circuit in the three-part "pass-through connector." TPS removal on the tank was authorized at the pad to begin moving toward
		Continued		Continued							removal of the hardware, if required, to solve the problem. Launch date remained unchanged.  - Postponed to <u>TBD</u> on 01/03/08; however, PRCB

#### Revision T, PCN-2 August 2009 Page 186 - STS-122/1E

								10 00			Page 187 - \$15-122/1E
FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM-ABORT EMERG	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES, & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)
STS-		Continued	Continued								Continued
STS- 122/ ISS 1E Continued			MECO CMD: 8:22.9 8:22.8 VI: 25819 25818 OMS-2: 37:46 37:40 159.6 FPS158.1 FPS	Continued  WINDS: 1.9T 0.6R KTS OFFICIAL: 31003P05 KTS 5H 2L KTS  DENS ALT: 77 FT  FLT DURATION: 12:18:21:39  S/T: 1137:06:46:18  OV-104: 258:07:05:40  DISTANCE: 5,296,842 sm  TOTAL SHUTTLE DISTANCE: 461,345,650 sm  S122- Walhe labora	E-008923 (15 eight) E-ion, performs atory. Mission of this FVA with	work on Speciali	the o	utside of the	: Colur	nbus	Continued  - New "work to" launch date of NET 02/07/08 established on 01/14/08. Testing of removed ECO connector confirmed problem in the connector.  - Officially postponed launch to 02/07/08 on 01/28/08. Slip was due to ECO sensor problems experienced during December launch attempt and implementation of ECO sensor connector soldered mod. (Also, LCC went back to the standard three of four valid ECO sensor readings.)  LAUNCH SCRUBS:  - Thursday, 12/06/07 launch attempt was terminated 2 hours into tanking when two of four engine cutoff (ECO) low-level LH2 fuel sensors failed wet/dry test. (The 5% sensor also failed wet during drain-back.) The ECO sensors are required for backup engine shutdown command to avoid catastrophic failure in the event of early fuel depletion. Launch was scrubbed at 8:56 am CST. Technical Scrub.  - Sunday, 12/09/07 launch attempt was terminated when one of previously failed sensors failed again during tanking, a couple of minutes into fast-fill. Engineers stated that the ET feedthrough and connector assembly was the most likely source of the problems. The 12/06/07 and 12/09/07 launch attempts produced previously unavailable time trending data that showed sensor faults occurring shortly before and after the feedthrough and connector were immersed in the super-cold propellants.  Technical Scrub.  LAUNCH WINDOW:  - Total launch window was 10m1s with window open at 038:19:45:30Z (In-Plane Time) for a launch window of 5m1s.  LAUNCH DELAYS:  - None. Launch occurred on time at 038:19:45:30Z (In-Plane Time) for a launch window of 5m1s.  LAUNCH DELAYS:  - None. Launch occurred on time at 038:19:45:30Z (In-Plane Time) for a launch window of 5m1s.  LAUNCH DELAYS:  - None. Launch occurred on time at 038:19:45:30Z (In-Plane Time) for a launch window of 5m1s.  LAUNCH DELAYS:  - None. Launch occurred on time at 038:19:45:30Z (In-Plane Time) for a launch window of 5m1s.  LAUNCH DELAYS:  - None. Launch occurred on time at 038:19:45:30Z (In-Plane Time) for a launch window of 5m1s.  LAUNCH DELAYS:  - Non

Revision T, PCN-2 August 2009 Page 188 - STS-122/1E

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,		NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES, & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)





S122-E-008911 (15 Feb. 2008) --- ESA astronaut Hans Schlegel continues work aimed toward readying the new Columbus

Continued...

PERFORMANCE ENHANCEMENTS: Include the standard set plus: 1) PE Operational High Q WIN/FEB, 2) OMS Assist, 3) a 52 nm MECO, and 4) Del Psi.

FLIGHT DURATION CHANGES/LANDING: On FD4, MMT concurred with formally changing mission duration from 11+1+2 to 12+0+2 to honor ISSP request for extra docked day for commissioning Columbus. (Activity did not fit 11-day mission.)

On FD7, MMT concurred with extending the mission duration to 13+0+2 to provide additional time needed to complete the activation of the Columbus module. Landing day was moved to 02/20/08.

FIRSTS/LASTS:
- First flight ECO sensor connector soldered mod
- First flight of new RSRM Nozzle-to-Case J-leg

Joint insulation configuration
New Annex Flight Rule in place to outline
operational use of ECO sensor voltage measurements

measurements
- Addition of the Modified Adjustable Protective
Mitten Assemblies (APMA's) or Overgloves
- First operational support from the Columbus
Control Center in Oberpfaffenhofen, Germany
- First reboost of ISS since December 2002
- Last Shuttle Mission for Shuttle Program
Manager N. Wayne Hale, Jr., a 30-year veteran
of NASA who helped lead the space agency's
recovery from the 2003 Columbia Disaster.

**MEMENTOS:** 

- Mementos carried aboard STS-122 included three green starter flags celebrating the 50th anniversary of NASA and the 50th running of the Daytona 500 NASCAR Race, a dried red rose to be woven into a NASA-themed 50th anniversary float for the Tournament of Roses Parade, and 20 ESA flags whose use will be to commemorate the addition of Columbus to the

NIGHT LAUNCH: N/A

RENDEZVOUS #69: Rendezvous and dock with

EVENTS:
- OMS 2 ignition at 038:20:23:09.9Z resulted in a 124.4 by 118.7 nm orbit.
- SRMS OBSS/LDRI survey of nosecap and port and starboard wing RCC (WLE's) was completed.

TI maneuver at 040:14:37:28Z resulted in a

184.0 by 176.0 nm orbit.
R-Bar Pitch Maneuver was performed. No significant issues

Docking Capture occurred at 040:17:17:20Z. Hard Dock occurred at 040:17:30:22Z (above the South Australian coast - Columbus reached its permanent home).

ISS Hatch Open 12:40 PM CST, Saturday, 02/09/08 - welcomed by ISS Crew.


Continued...

#### Revision T, PCN-2 August 2009 Page 188 - STS-122/1E

Revision T, PCN-2 August 2009 Page 189 - STS-122/1E

F	FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
N	VO.		TITLE, NAMES, & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continue



S122-E-011027 (18 Feb. 2008) --- The new ISS configuration is seen from Atlantis during separation.

NOTES:

- Landing occurred at KSC on Wednesday 02/20/08 at 9:07 AM EST, 46 years to the day after the first American, John Glenn, orbited the Earth.
- Daniel Tani returned home after 120 days.

# <u>SIGNIFICANT ANOMALIES</u>: <u>Orbiter:</u>

- Overexposed video due to suspect AVIU
- Fuel Cell 3 O2 flowmeter is erratic. During flight, Port AFT MPM Pedestal Stow indications came on approximately 11 hours after actual stow.
- SSOR #1 intermittent comm dropouts
- Suspect indication of possible IML crack on noted
- CCTV black and white video shows intermittent color.
- Mid Port Payload Bay Floodlight not illuminating
- One of the three main parachutes on BI-132 LH showed significant damage in the canopy.
- Missing piece of forward factory joint weather seal, RSRM-99B

SSME: None

- ET-124 Post Launch camera and film review showed LH2 acreage foam loss at Sta. 1160 during Launch.
- A crack in the +Y SRB Pal Ramp was observed prior to the ET-125 tanking test on 12/18/07.
   A crack in the +Y Longeron Closeout was observed during the post-drain walkdown after the ET-125 tanking test on 12/18/07.
- During the first launch attempt of ET-125 on 12/06/07, ECO/S #3 and #4 failed wet.
   STS-122/ET-125 launched on 02/07/08. Post
- Launch camera and film review showed LH2 acreage foam loss at Sta. 1145 during Launch.
- STS-122/ET-125 Post Launch camera and film review showed TPS losses at the intertank to Lh2 flange closeout at two locations.
- High-speed data dropouts during Launch Trajectory Server GPS time misconfiguration

Integration:

- Stinger tile observed falling after SSME startup
- Ku-Band radiated in Hi Power
- Unexpected debris/expected debris exceeding mass allowable prior to pad clearance (liftoff debris)

Continued...

- IELK Seat Liner Transfer at 040:23:20Z (5:20 PM CST, Feb. 9, 2008). At that time Daniel Tani became a member of STS-122 and Leopold Evharts/ESA joined the ISS Expedition 16 as Flight Engineer.
- Due to crew health issue, EVA1 postponed from FD4 to FD5
- FD5 EVA 1: EV1 and EV3 (sub for EV2, health issue) performed Columbus prep activities: connected data, power, and communications lines; removed LTA cable and CBM seal cover; installed PDGF; performed NTA prep activities; and stowed OTSD. Columbus second stage bolting completed at 3:44 PM CST Monday,
- o2/11/08. EVA1 duration 7h58m
  FD7 EVA 2: EV1 and EV2 completed primary task to R&R a spent Nitrogen Transfer
  Assembly, outfit Columbus with trunnion covers, and repair Lab MMOD shield. EVA 2 duration 6hr45m
- The OMS Pod stinger tile was cleared for entry.

  FD9 EVA 3: EV1 and EV3 transferred SOLAR to Columbus, installed Columbus keel pin cover and handrail, transferred CMG to PLB, transferred EuTEF, and performed Airlock handrail damage swatch test. EVA 3 duration 7h25m
- EVA NOTE: One EMU glove from STS-122, S/N 6197, had a 3/16-inch hole in the Vectran of left thumb that wasn't seen until postflight inspections on the ground. S/N 6197 was Rex Walheim's left glove worn on all three EVA's (per STS-123 03/11/08 MMT notes). European Flight Controllers told the crew they
- had successfully completed initial activation of Columbus with the module's computer systems. German Chancellor Angela Merkel called to congratulate the crew.
- FD9: To clear the path to shoot down a crippled spy satellite, NASA agreed to open its California landing strip on Wednesday, 02/20/08 so Atlantis could land that day, even if weather was bad at KSC. "The reason is to give the military the biggest possible window and maximum flexibility to ensure the success of the satellite intercept" per Lead Shuttle Flight Director Sally Davis.
- Transfers:
- Hardware transferred to ISS (outside and inside): 30404 lbs
- Columbus ESA Laboratory: 26627 lbs
- Hardware/supplies transferred from ISS: 3585
- H2O transferred to ISS: 1386 lbs
- O2 transferred to ISS: 95 lbs
  N2 transferred to ISS: 27 lbs
- N2 transferred to ISS: 2/ IBS

   FD10: Reboost at 047:12:17:00.0Z resulted in 187.8 by 177.6 nm orbit (first reboost since December 2002). ISSP estimated prop savings to get 400 lbs of logistics gains.

   Undocked at 049:09:24:40Z followed by a flyaround (1/2 lap)
- Separation Burn 1 at 049:10:34:02.0Z resulted in 188.1 by 175.8 nm orbit Separation Burn 2 at 049:11:01:30.0Z resulted
- in 187.9 by 175.5 nm orbit
- No communications blackout during Entry.

Revision T, PCN-2 August 2009 Page 189 - STS-122/1E

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

				AOL OIL							Page 190 - STS-123/1JA
STS- 123/	(Flight 21)	CDR: Dominic L. Gorie	KSC 39A 071:06:28:14Z	KSC 15 (KSC 68)	104/104/10 9%		51.6 (25)	DIRECT INSERTION	OI- 32 (3)	<u>CARGO</u> : 38915 LBS	BRIEF MISSION SUMMARY: STS-123/1JA (25 <sup>th</sup> ISS mission) delivered the first
ISS 1JA	ÉNĎEAVÓ UR	(Flt 4 - STS-91, STS- 99, STS-108)	2:28:14 AM EDT (P) 2:28:14 AM EDT	8:39:06 PM	PREDICTED	RSRM 101		POST OMS- 2:		<u>PAYLOAD</u> <u>CHARGEABLE</u> :	pressurized component of the Japanese Kibo Laboratory to ISS, delivered a Canadian robotic device called Dextre, and
SEQ	OMS PODS:	P756/R242/V157/M2 11	(A) Tuesday (17)	Wednesday (16)	100/104.5/ 04.5/72/10	4.		124.9X84.8 NM		30762 LBS	provided five spacewalks. Endeavour's 16-day flight was the longest shuttle
FLT #122	1002 22	<u>PLT</u> :	3/11/08 (9) <u>LAUNCH</u>	03/26/08 (9) DEORBIT	5	SLWT 30				29442 LBS	mission to the ISS. The Japanese Experiment Logistics Module Pressurized
KSC-122	FRC5-21	<u>PLT</u> : Gregory H. Johnson P757/R322/M278	<u>WINDOW</u> : 4M54S		<u>ACTUAL</u> : 100/104.5/ 9/	9					Section (ELMPS or JLP), the smaller of two pressurized modules of Kibo, was attached
PAD 39A-		MS 1/EV2: Robert L. Behnken	(PLT IN-PLANE)	_	9/ 72/104.5	<u>ET</u> <u>IMPACT</u>		DEORBIT:		1132 LBS	temporarily to a docking port on the space-facing side of Harmony. Kibo, which
45		P758/R323/M279	<u>EOM PLS</u> : KSC TAL: ZZA TAL WX: BEN	XRANGE:187.7 NM	1 = 2047	: MET		HA 190.0 NM HP 22.5		MIDDECK: 188 LBS	means "hope," is the major Japanese (JAXA) contribution to the Station, and will increase its research capability in a variety
MLP-3		MS 2/EV3: Michael J. Foreman P759/R324/M280	SELECTED: RTLS: KSC 15	ORBIT DIR: A/R (14)	(11) $2 = 2044$	1:14:05		NM		SHUTTLE ACCUMULATE	of disciplines. The robot Dextre is designed somewhat like the human form
25TH SHUTTLE		MS 3:	N/N	AIM PT:	(10) $3 = 2054$	LAT: 7) 36.723		ENTRY VELOCITY:		D WEIGHTS:	with a torso, a head area (camera), and arm appendages. It rides on the SSRMS as
FLIGHT TO ISS		Takao Doi, JAXA (Flt 2 - STS-87)	TÁL: ZZA 30L N/N (MRN: NO-GO)	NOMINAL MLGTD: 2174	<u>M 3 EOM</u> :	I ONG:		25859 FPS FNTRY		<u>DEPLOYED</u> : 1423027 LBS	a "dexterous tool for ORU changeout without requiring a space walk." This mission included representation of all five
		P760/R231/V195/M2 01	<u>AOA</u> : NOR 23 N/N	FT 087:00:39:06Z	WEIGHT: 208629.5	<u>LONG</u> : 158.95 7W		ENTRY RANGE: 4402 NM		DEPLOYED:	Station partner interests - the U.S., Japan, Canada, Russia, and the European Space
		MS 4/FV1:	EDW 04 N/N	200 KEAS HDOT: -1.8 FPS	LBS X CG:					1601668 LBS CARGO TOTAL:	Agency (ESA).
COMPANT FOREMAN	DOI LIMBERTY RE	Richard M. Linnehan (Flt 4 - STS-78, STS- 90, STS-109)	<u>TDEL</u> : 0.000 (P) -0.288	<u>TD NORM 195</u> :	1080.57 IN					3901248 LBS	KSC W/D: OPF: 159, VAB HB-1: 7, PAD A: 23 = 189 Total Work Days (+ 14 holidays @ OPF)
		P760/R214/V150/M18	(A)	2707 FT DRAG CHUTE:	<u>LANDING</u> : WEIGHT:					PERFORMANC E MARGINS (LBS):	LAUNCH POSTPONEMENTS: - Added STS-123 to FDRD - launch date of NET
		1	754.38 (P) 758.53 (A)	DEPLOY: 192 KEAS	208762 LE X CG:					(LBS): FPR: 2651 FUEL BIAS:	12/08/07 on 11/14/06 - Postponed to 02/14/08 on 04/16/07. Slip due to
XV		MS 5 UP/EV4/EXP 16/17 FLT ENG: Garrett E. Reisman	<u>SRB STG</u> : 2:05.44 (P)	087:00:39:10Z NLGTD: 5351	1081.8 IN					1063 FINAL TDDP: 2109	STS-117 rollback - Postponed to 03/11/08 on 01/28/08. Slip due
		P/01/K323/M281	2:03.44 (P) 2:04.64 (A)	087:00:39:16Z VEL: 161 KGS						RECON: 5128	to ECO sensor problems experienced during December launch attempt of STS-122
		<u>ENG</u> :	PERF: NOMINAL	VEL: 161 KGS 158 KEAS HDOT: -4.6 FPS				4		PAYLOADS:	LAUNCH SCRUBS: None
		FSA	<u>2 ENG TAL</u> (ZZA): 2:39 (P)2:41 (A)	BRK INIT: 57 KGS						<u>PLB</u> : ISS-1JA (JAXA LOGISTICS	LAUNCH WINDOW: Total launch window was 9 minutes 44 seconds
		(UP on STS-122, Stay on ISS. Also flew on MIR Feb		DRAG CHUTE JETTISON: 58						MODULE)	with window open at 071:06:23:20Z and close at 071:06:33:04Z. Preferred Launch Time was
		1998.) P762/R321/M277		<u>JETTISON</u> : 58 KGS 087:00:39:55Z						MIDDECK: ISS-1JA	071:06:28:14Z (In-Plane Time) for a launch window of 4m54s.
		SS 5) (A 117	FPS):				and the	from		5 CRYO TANK SETS	Chief Astronaut Steve Lindsey flying the Shuttle Training Aircraft said, "It's a really nice night out
		SS EVA 117 DOCKED QUEST EVA 40	SE TAL (ZZA	BRK DECEL FPS <sup>2</sup> : AVE 2.7 PK 4.1			* 44	Mich		RMS (79)	here." PAO: "Florida's east coast is about to get an early sunrise!"
	\$18-128 1J/A	FMU/TETHERED EVA	104): 5:57 6:04	WHEELS STOP: 087:00:40:36Z		CTC122.2	000	(11 M		ODS OBSS	LAUNCH DELAYS: None. Launch occurred on
		110 SCHEDULED EVA 108 DURATION 7:01	FP2).	13629 FT		2008)	Over	(11 March cast clouds a		CCDTC	time at 2:28 a.m. EDT, Tuesday, March 11, 2008. An eclipse of the GOES-East weather satellite
		224 EAN 118		ROLLOUT: 11455 FT 1:30 M:S				ed a spectac s the clouds	ular		prevented using any satellite imagery in the hour prior to launch. Fortunately, the low clouds remained well behaved as skies were cloudy but
		EMU/TETHERED EVA	<u>SE PRESS 104</u> : 6:56 6:57	1.50 1.1.5		1				1	above the range safety and Return to Launch Site (RTLS) cloud ceiling limits.
		111 SCHEDULED EVA 109 DURATION 7:09	Continued								Continued
		Continued		Continued							

Continued...

Revision T, PCN-2 August 2009 Page 191 - STS-123/1JA

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-123/ ISS 1JA Continued

SS EVA 119 DOCKED QUEST EVA 42 EMU/TETHERED EVA 112 SCHEDULED EVA 110 DURATION 6:47

Continued...

SS EVA 120 DOCKED QUEST EVA 43 EMU/TETHERED EVA 113 SCHEDULED EVA 111 DURATION 6:24

SS EVA 121 DOCKED QUEST EVA 44 EMU/TETHERED EVA 114 SCHEDULED EVA 112 DURATION 6:02

MCC WHITE FCR (52)

FLIGHT DIRECTORS: SHUTTLE: ASC - B. C. Lunney LD/O1 - M. P. Moses O2 - R. E. LaBrode PLNG - M. R. Abbott ENT - R. S. Jones MOD - P. L. Engelauf Team 4 - R. S. Jones/ A. J. Ceccacci

ISS: LD/O2 - D. J. Weigel O1 - K. L. Alibaruho O 3 - G. Kerrick Team 4 - H. L. Rarick IP FD - E. J. Nelson (I/F w/CSA & JAXA)

CAPCOMS: SHUTTLE: A/E - J. P. Dutton K. A. Ford (Wx) LD/O1 - T. W. Virts O2 - N. J. Patrick PLNG - B. A. Drew Team 4 - N/A

Continued...

Continued...

MECO CMD: 8:23.6 8:22.6

25819 25817.6 2H 2R KTS

OMS-2: 38:15 38:30 FT 97.4 FPS 96.1 FPS FL

Continued...

WINDS: 1.5T 1.3L KTS OFFICIAL: 01002P03 KTS 2H 2R KTS

<u>DENS ALT</u>:-336 FT

FLT DURATION: 15:18:10:52

<u>S/T</u>: 1153:00:57:10

<u>OV-105</u>: 235:02:18:33

<u>DISTANCE</u>: 6,577,857 sm

TOTAL SHUTTLE DISTANCE:



ISS016-E-032598 (12 March 2008) --- The Canadian-built Dextre robotic system and the Japanese Kibo laboratory (JLP) are visible in Endeavour's cargo bay on approach to ISS.

Continued...

TAL WEATHER:

Weather at the TAL sites was tricky as showers were monitored near Zaragoza, Spain and Istres, France during the launch countdown. Post cold front low level wind flow from the northwest brought showers to the windward sides of the Pyrenees and central French mountains. These showers dissipated as they crossed the high terrain. TAL weather was GO.

PERFORMANCE ENHANCEMENTS: Include the standard set plus: 1) PE Operational High Q WIN/MAR, 2) OMS Assist, 3) A 52 nm MECO, and 4) Del Psi

FLIGHT DURATION CHANGES/LANDING: Deorbit burn was planned for 086:21:58:14Z. Due to low clouds moving in at KSC, the deorbit burn was delayed to second opportunity at 086:23:33:13.9Z. Landing occurred at 087:00:39:06Z, Wednesday, 03/26/08, at 8:39:06 PM EDT.

FIRSTS/LASTS:

- First 16-day Space Station Assembly Mission, 12 days docked. (Longest mission is STS-67 -Spacelab, 16D 21H 47M 35S.)

 Tied the current mission record of five spacewalks held by the HST Servicing Missions (STS-61, STS-82, and STS-109). Most EVA's docked to ISS.

 - A redesign to RSRM Nozzle Joints 2 and 5, the latter with an additional bolt enhancement, follows up the new Nozzle-to-Case J-leg Joint insulation configuration that debuted on STS-122's motors.

- First flight of a lighting system derived from an off-the-shelf flash (Nikon SB800) was added to a digital camera (in orbiter umbilical well) to capture photos of ET after separation for about 130 ft away.

 This is the last modified tank (before Columbia) and the next will be a tank built with all mods done in line.

- First on-orbit test of orbiter tile repair technique.

 First time the OBSS was left on the Station so that the next flight can deliver the large JAXA Kibo module.

This mission marks a significant milestone with the inauguration of the JAXA IP support to real-time operations, adding them to the fold with ESA, CSA, and Russia. "We have reached a new pinnacle in the 'international' part of the Space Station operations."

Space Station operations."
- Spacelab Logistics Pallet (SLP) used by Dextre made its fourth and final flight to space, "concluding a long history that can be traced back before the first shuttle left the launch pad." - PAO.

- First flight with John Shannon as Shuttle Program Manager.

NOTE: The unmanned cargo ship Jules Verne, the ESA's first Automated Transfer Vehicle (ATV), launched toward ISS on March 7. It was parked well away from ISS at a safe distance

### Revision T, PCN-2 August 2009 Page 191 - STS-123/1JA

Revision T, PCN-2 August 2009 Page 192 - STS-123/1JA

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES		THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continue

Continued...

01 - Z. Jones LD/02 - S. K. Robinson O3 - M. T. Vande Hei Team 4 - R. C. Dempsey



S123-E-007088 (18 March 2008) --- Canada's two armed robot, Dextre, is shown in the grasp of the station's robotic Canadarm2.

Continued...

NIGHT LAUNCH #30: Shannon: "We are launching in the dark.

NIGHT LANDING KSC #16: (#22 in Shuttle history)

RENDEZVOUS #70: Rendezvous and dock with

EVENTS:
- OMS2 ignition at 071:07:06:44.0Z resulted in a 124.9 by 84.8 nm orbit.
- SRMS OBSS/LDRI survey of nosecap and port and starboard wing RCC (WLE's) was completed.

TI maneuver at 073:00:42:21.9Z resulted in a 186.3 by 180.6 nm orbit.

R-Bar Pitch Maneuver was performed. No

Docking contact occurred at 073:03:46:54Z.

Hard Dock occurred at 073:04:02:11Z ISS Hatch opened at 073:05:36:00Z, 12:36 AM CDT, Thursday, March 13, 2008, ISS crew

CDT, Thursday, March 13, 2008, ISS crew welcoming
IELK Seat Liner Transfer at 073:07:50Z (2:50
AM CDT, March 13, 2008). At that time
Leopold Eyharts/ESA became a member of
STS-123 and Garrett Reisman joined the ISS
Expedition 16/17 as Flight Engineer.
The first transfer item after hatch opening was
swapping Garrett Reisman/MS for Leopold
Eyharts (ESA)/Expedition 16 FE. The transfer
was official when the form-fitting Soyuz
seatliners were swapped. Eyharts spent 33
days as a member of ISS Expedition 16. With
the on-time landing of March 26, Eyharts spent
a total of 48 days in space.

thé on-time landing of March 26, Eyharts spent a total of 48 days in space.
- FD4/5: EVA 1: EV1 & EV4: JLP prepped for unberthing, shuttle robot arm grappled JLP, Orbital Replacement Unit (ORU) and Tool Changeout Mechanism installed on the Canadian Special Purpose Dexterous Manipulator (SPDM or Dextre) arm 2 and arm 1, shuttle arm unberthed JLP, and shuttle arm installed JLP onto Harmony zenith port (temporary location until Kibo delivery on STS-124). Unable to provide keep-alive power to SPDM (later determined to be flawed cable in pallet). EVA 1 duration 7:01

SPDM (later determined to be flawed cable in pallet). EVA 1 duration 7:01

- FD6: While Expedition 16 and STS-123 crewmembers brought the Kibo logistics module to life, Dextre's power supply unit was brought to life via the SSRMS.

- FD6: EVA 2: EV1 & EV3: EVA ran long due to problems with the SPDM Arm Expandable Diameter Fasteners (EDF's) not releasing per procedure. Crew ended up using a pry bar. Time didn't permit removing some of the SPDM blankets. EV3 experienced RTV delamination. Per Rule {1|A C2-105}, EMU OVERGLOVE EXCEPTIONS, Crew continued the SPDM assembly task without donning overgloves due to the thermal constraints on SPDM. EV3 donned overgloves once the thermal critical tasks were complete. ISS multimeter was repaired and would later be swapped with shuttle multimeter prior to hatch closure. shuttle multimeter prior to hatch closure. Installed the Node 2/JLP vestibule barrier assembly. EVA 2 duration 7:09

### Revision T, PCN-2 August 2009 Page 192 - STS-123/1JA

Revision T, PCN-2 August 2009 Page 193 - STS-123/1JA

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continue



S123-E-009262 (24 March 2008) --- The ISS latest configuration is viewed from Endeavour post-separation.

# <u>SIGNIFICANT ANOMALIES</u>: Orbiter:

-Sensor Unit S/N 1150 on the port wing had excessive triggers (quantity 4452) during the first hour of MMOD monitoring for Late Inspection.

Inspection System Sensor Pack 1 Pan Tilt Unit 10 degrees offset

-DCS OI1 card 1 failure

-FES shutdown on Primary A Controller -GG Chamber pressure indicated a shift upward -APU 1 fuel tank pressure decay

-LH OMS Pod mid surface temperature -Sensor Unit 1150 (Ref Des: 65V08A01) on the

-APU 3 seal cavity drain line pressures indicate

slow decay. -Body Flap tile damage

-Aft arrowhead damage -STBD FWD RAD Retract Flexhose did not fully retract into RRSC (ref SPC# 205181853). -APU 1 Gas Generator Chamber Pressure

Transducer shift

-Cabin Temp Controller 1 noisy -MPS E-3 LOX Inlet pressure showed a shift of 30 psi at Liftoff.

psi at LITCOT.

-MADS PCM MSRMNT gradually and abruptly moved to OSH throughout the MADS and MMU1/SSR1 recording phase.

-Lost OMS POD (RH OMS024) putty repair
-Damage to the V070-391044-174 (BRI-18) tile
-Damage to the V070-191101-043 (BRI-18) tile

-Loss of data from SRB RH ET Observation Camera during Ascent

RSRM: None SSME: None

ET: None MOD:

-White-VTS-Servers hung

Integration:

#### Continued...

FD8: RTV Loss in EVA Gloves: EV3's gloves were NO-GO for subsequent EVA's. First spare set used on EVA 4.

were NO-GO for subsequent EVA's. First spare set used on EVA 4.

- FD8: EVA3: EV1 & EV2: Finished assembly of Dextre, including installation of tool holder assembly and a Camera Light Pan Tilt Assembly (CLPA) which serves as Dextre's eyes. Also, the Spacelab Logistics Pallet used for assembly was prepared for return to shuttle cargo bay. Attempted to install MISSE-6 experiment (unsuccessful - moved to EVA5). EVA 3 duration 6:53

- FD10: Japanese Prime Minister called to congratulate the crew.

- FD10: During press interview, asked to describe the fast-growing Space Station, Reisman said the crew was struck by the view during final approach and similarities with the famous Space Station scene in the movie "2001: A Space Odyssey" by Stanley Kubrick and Arthur C. Clarke. Clarke died during this mission on 3/19/08 at the age of 90. Clarke in "First on the Moon" stated, "The inspirational value of the space program is probably of far greater importance to education than any input of dollars...a whole generation is growing up which has been attracted to the hard disciplines of science and engineering by the romance of space." disciplines of science and engineering by the

romance of space."
FD11: EVA4: EV2 & EV3: Tasks were Remote
Power Control Module removal and replacement, and the Tile Repair Ablator Dispenser (T-RAD) detailed test objective worksite setup and demonstration. The demonstration was considered a "huge" success, but needs results from post-landing detailed analysis. EVA 4 duration 6:24 FD13: EVA 5: EV2 & EV3: Primary tasks

completed were positioning of OBSS to temporary home on ISS truss, installation of MISSE-6 experiment, and inspection of SARJ.

MISSE-6 experiment, and inspection of SARJ. EVA 5 duration 6:02 - FD14: Conducted Rigidizable Inflatable Gas Experiment (RIGEX) funded by the Air Force. RIGEX was designed to test how well ground models and computer simulations predict what happens to the inflated structures in weightlessness. Once rigid, the sample tubes aboard Endeavour were blasted with vibrations to test their structural integrity. The experiment was returned to Earth aboard the shuttle for further scientific analysis. shuttle for further scientific analysis. Transfers:

 Hardware transferred to Station (outside and inside: 25839 lbs

- Hardware transferred to Station (outside): 23776 lbs
- Hardware transferred to Station (inside): 1432 lbs
- Japanese pressurized logistics module: 18377
- Dextre Special Purpose Dexterous Manipulator: 3431 lbs
- Middeck items returned from ISS aboard Endeavour: 1565 lbs

  Water transferred to Station: 608 lbs
- Oxygen transferred to Station: N/A
- Nitrogen transferred to Station: 23 lbs
   Undocked at 085:00:25:00Z followed by a

Revision T, PCN-2 August 2009 Page 194 - STS-124/1J

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

(4)

0 LBS

**79 LBS** 

WEIGHTS: DEPLOYED:

DEPLOYED:

1601747 LBS

TOTAL: 3943245 LBS

PERFORMANC E MARGINS

(LBS): FPR: 2651 FUEL BIAS:

FINAL TDDP:

RECON: 2513

PAYLOADS:

MIDDECK:

5 CRYO TK

SRMS (80) ODS. OBSS

(Return Only)

1063

1308

PLB:

ISS 1

ISS 1

MAUÁI

SETS

SSPTS

NON-

CARGO

1456917 LBS


STS- 124/ ISS 1J	OV-103 (Flight 35 DISCOVEF
SEQ FLT# 123 KSC-123 PAD 39A- 46 MLP-3 26TH SHUTTLE FLIGHT TO ISS	OMS PODS: LPO1-38 RPO3-36 FRC3-35
OWNOR THE PROPERTY OF THE PROP	REGISTAL CHAMTOFF :






Continued...

	SF
<u>CDR</u> : Mark E. Kelly (Flt 3 - STS-108, STS-121)	KSC 39A 152:21:02:12Z 5:02:12 PM EDT (P) 5:02:12 PM EDT
P763/R271/V181/M2 37	(A) Saturday (7) 05/31/08 (7)
<u>PLT</u> : Kenneth T. Ham P764/R326/M282	LAUNCH WINDOW: 6M 47S (PLT IN
MS 1/Robotics: Karen L. Nyberg P765/R327/F45	PLANE) EOM PLS: KSC TAL: MRN
MS 2/EV2: Ronald J. Garan P766/R328/M283	TAL WX: FMI SELECTED: RTLS: KSC 15
<u>MS 3/EV1</u> : Michael E. Fossum (Flt 2 - STS-121)	N/N TAL: MRN 20 N/N (ZZA NO-
P767/R296/V196/M2 59	GO) <u>AOA</u> : KSC 15 N/N
MS 4/Robotics: Akihiko Hoshide (Japan)	1ST DAY PLS: EDT 22 N/N
P768/R329/M284 MS 5 UP/Stay as EXP	TDEL: 0:000(P) 0.508(A)
17/18 FLT ENG: Gregory E. Chamitoff P769/R330/M285	MAX Q NAV: 715.16(P) 701.98(A)
MS 5 DN/EXP 16/17 FLT ENG:	SRB STG: 2:03:36(P) 2:02.56(A)
Garrett E. Reisman (Up on STS-123, stay ISS) P770/R325/M281	PERF: NOMINAL
 SPECIAL EDUCATOR "Buzz" Lightyear	2 ENG TAL (ZZA): 2:48(P) 2:47(A)
(UP/EXP 18) See "Firsts"	NEG RETURN: 3:48 3:55
ENGL MICH.	PTA (U/S 159



Continued...

8:26.3 Continued...





"Shuttle launch exhaust thrust damaged flame trench and blasted bricks and other debris beyond a perimeter fence some 1.800 feet from

**BRIEF MISSION SUMMARY: STS-124/1J** 41997 LBS (26th ISS mission) delivered the second and main segment of the Japanese PAYLOAD (IAXA) Station Kibo (Hope) Laboratory. CHARGEABLE: 33969 LBS This seament known as the Japanese Pressurized Module (JPM) is the ISS's largest laboratory measuring 14.4 feet in DEPLOYED: diameter and 36.7 feet long. The Kibo 33890 I BS complex also includes: An airlock and two robotic arms also delivered on this <u>NON-</u> <u>DEPLOYED</u>: flight; the Japanese Experiment Logistics Module Pressurized Section (JLP) launched on STS-123; and an exterior platform for experiments exposed to MIDDECK: space, scheduled for delivery on STS-127. The STS-124 mission is the first in which the JAXA Flight Control Team activated and controlled a module from **SHUTTLE** ACCUMULATE Kibo Mission Control in Tsukuba, Japan. Also, as the STS-124 launch countdown

> (SC W/D: OPF: 157, VAB HB-1: 7, PAD A: 29 = 193 Total Work Days (+ 13 Holidays @ OPF)

was added to Discovery's manifest to fix "a balky toilet" on the ISS.

got underway, a special Russian pump

<u>LAUNCH POSTPONEMENTS</u>:
- Added STS-124 to FDRD - launch date of 02/28/08 on 02/20/07.

Ppd. to 04/24/08 on 04/16/07. Slip due to STS-117 rollback.

Ppd. to 05/25/08 on 03/07/08. Slip due to ET delivery delay and Beta Angle restriction. Ppd. to 05/31/08 on 04/03/08. Slip due to adverse weather conditions affected on dock delivery date of ET-128.

LAUNCH SCRUBS: None

**\_AUNCH WINDOW**: Total launch window was 7 minutes 45 seconds with window open at 152:21:01:14Z and close at 152:21:08:59Z. Preferred Launch Time was 152:21:02:12Z (In-Plane Time) for a launch

window of 6m47s. LAUNCH DELAYS: None. Launch occurred on time at 152:21:02:12Z,

5:02:12 p.m. EDT. Saturday, May 31, 2008. On launch day, the seabreeze pushed across KSC with showers just west of the launch pad several hours before launch time. However, the seabreeze had pushed west of KSC by early afternoon with near ideal conditions for launch. Thunderstorms were occurring over central Florida but were well outside the 20 nautical mile thunderstorm flight rule limit. "Nice day to send 'Hope' to the ISS" - PAO. Cain: "If you watched today, you saw a flawless countdown."

Continued...

#### Revision T, PCN-2 August 2009 Page 194 - STS-124/1J

Revision T, PCN-2 August 2009 Page 195 - STS-124/1J

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,		SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-124/ ISS 1J Continue d...

SS EVA 122 DOCKED QUEST EVA 25819 45 EMU/TETHERED EVA 115 SCHEDULED EVA 250.7 IF PS PS

Continued...

SS EVA 123 DOCKED QUEST EVA 46 EMU/TETHERED EVA 116 SCHEDULED EVA 114 DURATION 7:11

SS EVA 124 DOCKED QUEST EVA 47 EMU/TETHERED EVA 117 SCHEDULED EVA 115 DURATION 6:33

MCC WHITE FCR

FLIGHT DIRECTORS: SHUTTLE: ASC - N. D. Knight LD/O1 - M. R. Abbott O2 - M. L. Sarafin PLNG - P. F. Dye/ A. J. Ceccacci ENT - R. S. Jones MOD - J. A. McCullough Team 4 - R. E. LaBrode

ISS: LD/O2 - A. P. Hasbrook O1 - R. C. Dempsey O3 - E. J. Nelson Team 4 - B. T. Smith IP FD - H. E. Ridings (I/F w/JAXA)

Continued...

Continued...

.1 DENS ALT: 1748 FT

> FLT DURATION 13:18:13:06

Continued...

<u>S/T</u>: 1166:19:10:16

<u>OV-103</u>: 305:08:10:09

<u>DISTANCE</u>: 5,735,643 sm

TOTAL SHUTTLE DISTANCE: 473,659,150 sm

installed Kibo IPM.

S124E010186

S124-E-010186 (11 June 2008) --- The Kibo laboratory (center left) is shown attached to the port side of the Harmony Node with: Kibo logistics module at bottom left, Columbus lab at center right, and at top center is

S124-E-006279 (4 June 2008)
--- JAXA astronaut Akihiko
Hoshide works in the newly



Continued...

#### TAL WEATHER:

The TAL weather conditions were rather challenging. An upper low had been spinning over Spain for several days, drifting slowly to the northwest. Timing differences in the models made forecasting where precipitation would develop difficult. Initially on L-2 day, NO-GO forecasts were issued for Moron and Zaragoza, Spain with a GO forecast for Istres, France. Shuttle launches require only one of the three TAL sites have GO weather. As the upper low began to finally move to the northwest, forecasts were updated to GO for Moron, but a NO-GO for Istres. On launch day. Moron weather remained favorable and conditions at Istres improved and were GO. Zaragoza was observed NO-GO at TAL landing time.

#### PERFORMANCE ENHANCEMENTS:

Include the standard set plus: 1) PE
Operational High Q TRN/JUN, 2) OMS Assist, 3) A
52 nautical mile MECO, and 4) Del Psi.

FLIGHT DURATION CHANGES/LANDING: None

FIRSTS/LASTS:

- First flight of an ET built from scratch with all of the safety modifications stemming from the 2003 Columbia accident. "This essentially is the completed return-to-flight tank," Shannon. - First docking of Shuttle while ATV also docked to ISS.

- First OBSS transfer from ISS to Orbiter. - First Post-Undock Inspection (Orbiter heat shield) will be the full "FD2 Inspection" done on previous missions

on previous missions.

First flight of Modified EMU gloves: includes addition of Turtleskin™ patches to thumb and index finger – to provide increased protection against cuts.

A first: NASA and Disney joined forces for education. "Buzz Lightyear," a 12-inch tall action doll, based on the cartoon character from the Pixar Studios Toy Store animated movies was delivered to the ISS for a 6-month stay. While on ISS, Lightyear will demonstrate zero gravity to elementary school children.

NIGHT LAUNCH: N/A

RENDEZVOUS: #71 - Rendezvous and dock with ISS

Continued...

Revision T, PCN-2 August 2009 Page 196 - STS-124/1J


FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENT S	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continue d...

Continued...

CAPCOMS: SHUTTLE: A/E - T. W. Virts - K. A. Ford (Wx) LD/O1 - N. J. Patrick O2 - B. A. Drew PLNG - S. W. Lucid Team 4 - N/A

O1 - M. T. Vande Hei LD/O2 - C. J. Cassidy O3/PLNG - M. C. Jensen Team 4 - N/A



S124-E-009982 (11 June 2008) --- View of ISS configuration post Shuttle sep shows Kibo attached to Harmony at bottom center with first ESA ATV Docked at top center.

Continued...

EVENTS:
- Shuttle launch sent asbestos 1,800 feet from pad. The 6 million pounds of thrust from Discovery's engines, channeled by the flame trench, blasted bricks, concrete rubble, and asbestos beyond a perimeter fence some 1,800 feet away. Bricks and some asbestos landed in a retention pond behind the fence. No damage to Shuttle.
- OMS2 ignition at 152:21:39:32.5Z resulted in a 170.3 by 125.0 NM orbit.
- NOTE: SRMS OBSS/LDRI survey of nosecap and port and starboard wing RCC (WLE's) was not performed until post undocking (no OBSS on Shuttle).

on Shuttle).

FD2: TI Maneuver at 154:15:16:26.0Z resulted in a 183.9 by 182.2 NM orbit. R-Bar Pitch Maneuver was performed. No

FD3: Docking Contact occurred at 154:18:03:20Z

Hard Dock occurred at 154:18:16:30Z. ISS Hatch opened at 154:19:30:00Z, 2:30 PM CDT, Monday, June 02, 2008; welcomed by ISS

IELK Seat Liner Transfer at 154:22:35Z (5:35 PM CDT, June 2, 2008). At that time Garrett Reisman became a member of STS-124 and Greg Chamitoff joined the ISS Expedition 17

Reisman became a member of STS-124 and Greg Chamitoff joined the ISS Expedition 17 as Flight Engineer.

- FD4: EVA 1: EV1 & EV2: EVA 1 egress was delayed by about 1 hour to reconnect EV1's comm cap - lost comm during pre-breathe. EV1 & EV2, Fossum and Garan, prepared the Kibo (JPM) for its removal from the Shuttle payload bay, disconnecting cables and removing covers. JAXA MS/Hoshide and MS/Nyberg robotically removed Kibo from the Shuttle P/L bay and latched it to Harmony, Node 2. Hoshide noted: "We have a new 'Hope' on the ISS." EV1 & EV2 assisted in the transfer of the OBSS from its ISS stored position (since STS-123) back to the Shuttle. The OBSS would be used with the shuttle robotic arm on FD12 to inspect the Orbiter heat shield. EV1& EV2 also demonstrated a technique that could be used to clean the starboard SARJ, which has had limited capability for several months. EV2 installed a new bearing and EV1 verified by inspection that a spot on earlier EVA's was a divot. This will feed into further analysis of the origin of the damage. EVA 1 duration 6:48.

- FD4: Based on review of launch imagery, the MMT decided that the focused inspection of the Orbiter heat shield was not required.

- FD6: EVA 2 - Garan and Fossum outfitted the outside of the JPM, installing covers and external television equipment and removing thermal covers and insulation on the JAXA RMS and top hatch. They also loosened bolts holding two Nitrogen Tank Assemblies in place on the Station's truss. Those tanks will be swapped during EVA 3. They also retrieved a failed external television camera from the port truss. In addition, Fossum inspected the left SARG, which had been performing perfectly.

russ. In addition, Fossum inspected the left SARG, which had been performing perfectly. No shavings or debris were found, but photos were taken to be sent to the ground for review. EVA 2 duration 7:11.

### Revision T, PCN-2 August 2009 Page 196 - STS-124/1J

Revision T, PCN-2 August 2009 Page 197 - STS-124/1J

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)



losaic of the Zenith and Aft Sides of the ISS During Flyaround 1J/STS-124 S5 Truss S3 Truss P1 Truss P6 Trues P3 Truss S0 Truss Z1 Truss S4 Truss S1 Truss ESP2

SIGNIFICANT ANOMALIES:

Orbiter:

- TCS Dropouts during Rendezvous

- Engine # 2 Dome Heat C/P Tile Damage - Imagery Showed F3D (V070-421558-024) and F44 (V070-421558-025) Tyvek Rain Covers Released

- IMU 1 Z Gyro excessive drift

- The Left Hand ET Door BRI-18 Tile V070-395055-

- Rudder Speed Brake Thermal Tab found dislodged and floating

- A buildup of ceramic adhesive identified under the Thermal Barrier

- Closed 2 Indication failed to Transfer On when door was closed

- Crew reported difficulty latching the External Airlock Upper Hatch prior to Undocking

- STS-124 Pad debris items

SRB:

- STS-124/BI-134rh Data Acquisition System failed to record video and obtained erroneous Accelerometer data

RSRM: None. SSME: None. MOD: None

- STS-124/ET-128 Post-Launch Camera Film Review showed two foam losses (80971008428-510) on Xt 1129 LO2 Feedline Support Fitting Closeout Integration:

Continued...

FD9: EVA 3: Garan and Fossum began the EVA 30 minutes ahead of schedule. The EVA was highlighted by Garan's dramatic robot ride some 80 feet over the top of the ISS to replace a 550 lb nitrogen tank on the starboard truss. The ride was dubbed the "windshield wiper maneuver" or as Mark Carreau (Houston Chronicle) headlined it: "Wild robot-arm ride caps workday at Space Station." Fossum returned to the port SARJ (inspected on EVA 2) taking particulate matter from inside the joint, using a strip of tape that was returned to Earth for analysis. He also removed thermal insulation from the Kibo robotic arm's wrist and elbow cameras and launch locks from one of the Kibo windows and deployed debris shields on Kibo. Other tasks by the pair included: The repaired video camera retrieved on EVA 2 was re-installed and several extra tasks (installation of thermal cover on Harmony, relocation of foot restraint aid. and removal of SARI launch lock) were conducted. EVA 3 duration 6:33.

Transfers:

 Hardware transferred to ISS (outside & inside): 34.353 lbs

Hardware transferred to ISS (inside): 1.787

 Hardware transferred to shuttle (outside -OBSS): 536 lbs

• Hardware/supplies transferred from ISS (inside): 1,807 lbs
• H2O delivered to ISS: 569 lbs
• O2 used for the 3 EVA's: 92 lbs

• O2 used for "stack maintenance:" 29 lbs N2 transferred to ISS: 15 lbs

 N2 transferred to ISS: 15 lbs
 FD12: Undocked at 163:11:41:54Z followed by a fly-around (1/2 lap).
 Conducted the late inspection of the Shuttle's heat shield using the OBSS. No issues.
 FD14: Rudder/Speedbrake thermal spring tab was seen floating away from the vehicle during the FCS checkout. The function of the tab interpretable flow as the forescent. tab is to prevent a flow path for ascent heating and is not required for entry. The TPS was cleared for entry.

[Post-flight, this issue was presented to 08/07/08 PRCB; decision was made to continue to fly as is. PRCB directed a new ascent thermal environmental assessment to

consider flying without the tabs.] No communications blackout during Entry

### Revision T, PCN-2 August 2009 Page 197 - STS-124/1J

Revision T, PCN-3 October 2009 Page 198 - STS-126/ULF2

	PCN-3 Change ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM			FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO	. This Colum n Only	TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

(27)

POST OMS-

2: 125<u>.7</u>x

84.6NM

DEORBIT: HA 193.1

HP 21.9

ENTRY VELOCITY: 25863 FPS

ENTRY RANGE: 4400NM

STS-126/ ISS- ULF2	OV-: (Flig END UR
SEQ FLT # 124	OMS POD
KSC-124	LPO:
PAD 39A (47)	FRC
MLP- 3	
27 <sup>th</sup> SHUTTLE FLIGHT TO ISS	



PLT Eric Boe 3-33 P772/R331/M286 4-29 5-22

MS1 Donald Pettit Flt 2 (STS-113 Up -Soyuz TMA-1 Dn) <u>EOM PLS:</u> P773/R289/V198/M25 <u>TAL</u>: ZZA

MS2 Steve Bowen P774/R332/M287

MS3 Heidemarie Stefanyshyn-Piper Flt 2 (STS-115) P775/R301/V199/F40 EDT22 N/SFD


MS4 Shane Kimbrough P776/R333/M288

MS5 UP Stay ISS EXP 18/FLT ENG Sandra Magnus Flt 2 (STS-112) P777/R284/V200/F36

MS5 DN EXP 17/Flt **ENG** Greg Chamitoff (UP ON STS-124, stav ISS) P778/R330/M285

**SS EVA 125** DOCKED OUEST EVA 48 EMU/TETHERED EVA 118 SCHEDULED EVA 116 **DURATION 6:52** 

Continued...



DEORBIT WINDOW: 4M BURN: 39S (PLT in-335:20:19:29Z 72/104.5 plane) EOM PLS: KSC XRANGE: 169.6 1 = 2047 TAL WX: FMI

ORBIT DIR: A/L

AIM PT: Close-

MLGTD: 2040

335:21:2

211

219

(40)

5:09Z

VEL:


KGS

KEAS

SELECTED: RTLS: KSC15 CI/NOM TAL: ZZA30L N/N AOA: KSC15

CI/N 1ST DAY PLS:

Continued...



(12)

(7)

(8)

X CG:

WEIGHT:

X CG:

221712 LBS

**IMPACT** 2 = 2052MET 3 = 2054

1:14:18 LAT: 36.202 LONG: 158.21

M 3 EOM: WEIGHT: 221787 LBS 5W 1087.2 IN LANDING:

51. DIRECT OI-6 INSERTION 33 CARGO: 39471 LBS

> PAYLOAD CHARGEABLE: 32403 LBS

DEPLOYED: 30432 LBS

NON-DEPLOYED: 1760 LBS

MIDDECK: 211 LBS

SHUTTLE ACCUMULATED WEIGHTS: DEPLOYED: 1487349 LBS

NON-DEPLOYED: 1603708 LBS

CARGO TOTAL: 3982716 LBS

OMS-2: L25.7PERSARMANAE MARGINS (LBS):

FPR: 2651 FUEL BIAS: 1063

FINAL TDDP: 1682 RECON: 2329

PAYLOADS: PLB:

ISS-ULF2 (MPLM, LMC),SSPL/PSSC

MIDDECK: ISS-ULF2, MAUI SEITE

5 CRYO TANK SETS

RMS (81) SRMS, ODS, OBSS, SSPTS

Brief Mission Summary: "Extreme Home Improvements" STS-126/ULF2 (27th ISS mission) outfitted the ISS to increase accommodations from a crew of three to six. Life support and habitability additions included: an advanced resistive exercise device, a second toilet, a galley, two sleep stations and an integrated water recycling system. The mission also included EVA's for lubricating the sluggish Solar Alpha Rotary Joints (SARJ) and installation of other external systems.

Endeavour was originally rolled to Launch Pad 39B as the Launch on Need (LON) vehicle in support of STS-125 HST servicing mission. Last minute complications with HST caused an indefinite delay for STS-125. Endeavour was rolled to Launch Complex 39A and prepared for the STS-126 November launch date. (Shuttles have only moved from one spaceport launch pad to another twice before in the program's history, in 1990 and 1993.)

#### KSC W/D

The Orbiter prep days are 162 workdays (W/D) + 3 holidays

+ 3 weather days in the OPF. VAB ops = 7 W/D + 1 weather day

Pad B ops = 19 W/D + 15 contingency daysPad A ops = 18 W/D + 5 contingency days Total W/D = 206

#### LAUNCH POSTPONEMENTS

- Added STS-126 to FDRD - launch date of 09/18/08 on 08/15/07.

- Ppd. to 10/16/08 on 02/14/08. Slip due to ECO sensor problems experienced during December launch attempt of STS-122.

Ppd. to 11/10/08 on 05/27/08. Slip due to delays in delivery of ET-127 & ET-129 for STS-125 & STS-400, respectively.

Ppd. to 11/12/08 on 09/08/08. Slip due to Hurricane Fave impacts to HST payload readiness.

Ppd. to 11/16/08 on 09/24/08. Slip due to STS-125 slip to from 10/10/08 to 10/14/08 caused by Hurricane Ike.

- Launch moved forward to 11/14/08 on 10/19/08. Move due to critical path adjustment. STS-126/ULF2 now "prime crew" as STS-125 postponed to NET Mid-Feb 2009 on 10/02/08.

LAUNCH SCRUBS: None.

Continued...



STS-125 (HST Service) & LON Vehicle on Pads 39A & 39B. LON Vehicle became STS-126 when STS-125 was ppd to 2009. Picture courtesy of Rod Ostoski/KSC-USA.

Revision T, PCN-2 August 2009 Page 199 - STS-126/ULF2

FLT	ORBITE R	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM		RBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	/	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/H P		PAYLOAD S/ EXP	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continued...

DRAG CHUTE

335:21:25:12Z

NLGTD: 6761

335:21:25:20Z

VEL: 154 KGS

BRK INIT: 124

DRAG CHUTE

335:21:25:42Z

BRK DECEL FPS2-

AVE 6.2 PK

WHEELS STOP:

11180 FT

ROLLOUT:

9140 FT

0:53 M:S

WINDS:

OFFICIAL:

4H KT 0 KTS

04004P06 KTS

**6H OCROSS KTS** 

**DENS ALT**: 3234

**FLT DURATION:** 

1183:15:39:46

250:22:48:03 <u>DISTANCE</u>: 6,615,109 sm <u>TOTAL SHUTTLE</u> <u>DISTANCE</u>: 480,274,259

15:20:29:30

S/T:

sm

OV-105:

335:21:26:02Z

IETTISON:

53 KGS

146

-6.2

DEPLOY:

193 KEAS

KEAS

FPS

KGS

9.3

HDOT:

STS-	Continued	Continued
126/ ISS- ULF2 Continu ed	SS EVA 126 DOCKED QUEST EVA 49 EMU/TETHERED EVA	TDEL: 0.000 (P) 0.192 (A)
	119 SCHEDULED EVA 117 DURATION 6:45	MAX Q NAV: 757.6 (P) 750.2 (A)
	SS EVA 127 DOCKED QUEST EVA 50 EMU/TETHERED EVA	SRB STG: 2:04.32(P) 2:06.24(A)
	120 SCHEDULED EVA 118 DURATION 6:57	2 ENG TAL (MRN): 2:38 (P) 2:39
	SS EVA 128 DOCKED QUEST EVA 51	(A)  NEG RETURN: 3:52 3:54
	EWA 31 EMU/TETHERED EVA 121 SCHEDULED EVA	PTA (U/S 157 FPS):
	119 DURATION 6:07	5:08 5:14
		<u>SE TAL (ZZA</u> 104):
	MCC WHITE FLIGHT FCR (54)	6:01 6:04 PTM (U/S 168
	FLIGHT DIRECTORS: SHUTTLE:	FPS): 6:07 6:18
	ASC- Bryan Lunney LD/O1- Mike Sarafin O2- Tony Ceccacci	<u>SE PRESS 104</u> 6:54 6:59
	FD 1-12 - Paul Dye FD 13- EOM Planning- Paul Dye FD 1-3	MECO CMD: 8:22.1 8:23.0
	- Kwatsi Alibarufo FD 4-EOM ENT- Bryan Lunney	<u>V</u> I: 25819.0 25818.8
	MOD – John McCullough Team 4- Richard Jones	OMS-2: 38:20 38:19.3 97.4 FPS 95.9 FPS
	O1 - Holly Ridings LD/O2- Ginger Kerrick	
	O3 – Brian Smith Team 4- Courtenary	



Parade of storms during STS-125 & STS-126 launch preps as seen on Sep. 04, 2008: Gustav (inland remnants, upper left)



IKE08-notrack.gif: Hurricane IKE tracking. Category 2 landfall at 2:10 a.m. CDT near Galveston Sep. 13, 2008. (From: JSC Roundup Nov. 2008) Damage from burricanae cost NASA

Continued...

#### LAUNCH WINDOW:

Total launch window was 9 minutes 26 seconds with window open at 320:00:50:52Z and close at 320:01:00:18Z. Preferred Launch Time was 320:00:55:39 (In-Plane Time) for a launch window of 4m39s.

LAUNCH DELAYS: None. Launch occurred on time at 320:00:55:39Z, 7:55:39 p.m. EST, Friday, November 14, 2008. Weather on launch day was acceptable. Isolated afternoon showers were observed at 60 miles south of KSC along the sea breeze late in the day. The showers diminished by sunset - not a threat for the evening launch time or RTLS.

#### TAL WEATHER

Weather at the TAL sites was forecast/observed GO.

#### PERFORMANCE ENHANCEMENTS:

Include the standard set plus: 1) PE Operational High Q TRN/NOV, 2) OMS Assist, 3) a 52 nautical mile MECO, and 4) Del Psi

#### FLIGHT DURATION CHANGES/LANDING:

- FD 11 MMT decision made for a one-day extension for additional on-orbit time for the Urine Processing Assembly (UPA) troubleshooting & processing or possible Distillate Assembly (DA) return.
- Weather for landing was guite complex. Both KSC and EAFB were activated on Sunday, November 30, 2008, as possible landing sites. A large upper level low pressure system over the eastern US with a cold front moving across FL were concerns for landing at KSC on Sunday (EOM) & Monday (EOM+1). Spaceflight Meteorology Group (SMG) weather forecasts were "NO GO" for KSC with crosswind, ceiling, precipitation, and thunderstorm flight rule violations. Also, two Tornado Watches were issued for central FL and a third Watch included KSC. A squall line moving east at 20 kts combined with an unstable air mass across south and central FL generated numerous thunderstorms and isolated tornadoes by mid day. The weather continued to deteriorate across central FL, prompting the MMT to assess the possibility of staying on orbit and attempting EOM+1 landing at KSC. The SMG forecasts for that day indicated marginal conditions for a safe return to KSC. After waving off the first opportunity to KSC and with weather

conditions deteriorating through the day at KSC, the decision was made to land at EAFB. Weather conditions at EAFB were nearly ideal with light northeast surface winds and mostly clear skies. Endeavour touched down at 335:21:25:09Z (3:25 PM CST, November 30, 2008) on temporary runway 04. This runway was built due to construction and resurfacing of the primary runway.

Continued...

Revision T, PCN-2 August 2009 Page 200 - STS-126/ULF2

FLT	ORBITE R	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANG E	SSME-TL NOM- ABORT EMERG	SRB RSR M	ORBIT	FS W	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	ET	INC HA/H		PAYLOADS/ EXP	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-126/ ISS-ULF2 Continue Continued...


CAPCOMS: SHUTTLE A/E - Alan Poindexter

- Greg (Box) Johnson (Wx) LD/01 - Steve Robinson O2 - Iim Dutton Planning -Shannon Lucid Team 4 - N/A

<u>ISS</u> 01- Terry Virts LD/O2- Mark Vande Hei O3 - Robert Hanley Team 4 - N/A



S126-E-008178 (18 Nov. 2008) --- Pettit installs the Water Recovery System (WRS) rack in Destiny lab.



S126-E-008143 (18 Nov. 2008) ---Tool bag drifts away from ISS during EVA1 SARI lubrication. It would later burn up during re-entery into the earth's atmosphere in Aug 2000



S126-E-008741 (20 Nov. 2008) ---Stefanyshyn-Piper (left) and Kimbrough during EVA2 continue removing debris and applying lubrication around starboard SARJ.

Continued...

#### FIRSTS/SECONDS:

- First water regeneration system to recycle urine into drinking water delivered and installed on ISS.
- First flight OI-33 Flight Software. Several minor changes made to improve Post MECO attitude control and reduce the risk of recontact with the ET.
- First flight of new SSME controller S/W to downlink Advanced Health Management System (AHMS) data on-orbit - provides backup to MADS data.
- First flight of redesigned EVA Prime Flight Glove TMG, a Turtleskin® reinforcement layer sandwiched between molded palm and RTV on thumb and index finger and new RTV-3145.
- First flight of ET redesigned LO2-to-Intertank Flange closeout per RTF B/L Plan
- First flight of ATK BSMs in both forward and aft positions.
- First Flight of BSM Forward Segment Grain Redesign eliminated waiver.
- First flight of SRB Installed Enhanced Data Acquisition System (EDAS) Units and Instrumentation.
- First flight of SRB Redesigned Frangible Nut with Pyrotechnic Crossover Assembly to help prevent stud hang-up.
- A Second: "World Toilet Organization (WTO) is a global nonprofit organization committed to improving toilet and sanitation conditions worldwide. World Toilet Day November 19th - During this mission the crew did their bit for WTD with installation of a new second toilet facility on ISS."

NIGHT LAUNCH: # 31 NASA Test Director Charlene Blackwell-Thompson, "Endeavour is ready to go. And we're really excited to share our version of a sunrise with you ..."

**RENDEZVOUS: #71** Rendezvous and dock with ISS.

#### **EVENTS:**

- FD1: OMS2 ignition at 320:01:33:58.3Z resulted in a 125.7 by 84.6 NM orbit.
- FD2: RCC inspection found no areas of concern focused inspection cancelled on FD4.
- T1 maneuver at 321:19:26:48.0Z resulted in a 192.4 by 184.3 NM orbit
- FD3: R-Bar Pitch Maneuver was performed. No issues.
- Docking Contact occurred at 321:22:01:17Z
- Hard Dock occurred at 321:22:44:35Z ISS Hatch opened at 321:24:16:00Z (6:16PM CST, Nov 16, 2008) welcomed by ISS crew.
- IELK Seat Liner Transfer at 322:02:50:00Z (8:50 PM CST, Nov 16, 2008). At that time Grea Chamitoff became a member of STS-126 and Sandra Magnus joined the ISS Expedition 18 as Flight Engineer.

Continued...

FLT	ORBITE R	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/F	ı	PAYLOADS/ EXPERIMEN TS	,,

STS-126/ ISS-ULF2 Continu ed ...

> Pawel-Warchal-EndISS281108 1227890243.jpg: Impressive photo taken by Polish



296595main ED08-0306-131c 946-710.jpg: STS-126 Ferry Flight in route to KSC



#### **SIGNIFICANT ANOMALIES:**

#### Orbiter:

- -The Fuel Cell 1 S/N P760106 Hydrogen Flowmeter Measurement Began Drifting High And Erratic At 320/12:36 GMT.
- MER-02, LV57 E2 GH2 FCV, After Engine Throttle up E2 GH2 Line Shows a Drop of 200
- MPS Helium Bottle Lost 140 Psi During Ascent, OMRSD Allows 60 Psi Max. (MER-10)
- GNC Bypass of Ku-Band Radar Data
- Tile Damage on Edge .65l X .23w X .05d KSC:
- RDUnassigned Column parity errors on all ME FEPs.
- IRAMS Failed at GMT Rollover. SRB:
- STS126/Bi136 Squawk 126-001: HDP 3 Blast Container Debris Containment Failure RSRM, SSME, & ET: None. MOD:
- Updating Minimum EPS Consumables
- Loss of Crewlock Bag during Eva #1
- Over Torque of Trundle Bearing Assembly
- Middeck Return Item Weights Missing
- Debris Released Near the LH2 T-0 Plate Integration:

#### **EVENTS:** Continued...

FD5: Based on review of launch imagery, the MMT decided that the focused

inspection of the Orbiter heat shield was not required. -FD5: EVA 1: Piper & Bowen transferred the Nitrogen Tank Assembly (NTA) from the External Stowage Platform (ESP)-3 to Lightweight MPESS Carrier (LMC), followed by the Flex Hose Rotary Coupler (FHRC) transfer from LMC to ESP-3. IEM EFBM Multi-Layered Insulation (MLI) Cover was removed in prep for c/o of EFBM (to be installed on 2IA later in 2009). Stbd SARI trundle bearing assembly (TBA) #10 and #6 were replaced, and the stbd race ring was partially cleaned and lubed. A crew equipment bag was inadvertently released during the EVA, but there was sufficient redundant cleaning and lube equipment to finish scheduled tasks. EVA 1 duration 6:52.

- FD6: Home improvements continued aboard ISS with installation of two new

bedrooms and preparations to activate the water recycling facility.

facility.
- FD7: EVA2: Piper & Kimbrough relocated the CETA carts in prep for 15A install of S6 solar array upcoming in Feb. 2009; SSRMS Latching End Effector (LEE) A snares were lubricated; all stbd SARJ cleaning and lube objectives were completed except for cleaning under covers 11 and 12; & 4 more trundle bearing assemblies were replaced. EVA was terminated slightly early due to high CO2 readings in Kimbrough's' suit. EVA2 duration 6:45.
[During this EVA the ISS marked the 10th Anniversary of launching its first element - the Russian-built Zarya control module. "It's hard to believe it's been 10 years," said Kirk Shireman, NASA's Deputy Manager for ISS, who remembers it being a cold day on the steppes of Kazakhstan.]
- FD9: UPA anomalous shutdown due to centrifuge speed

- on the steppes of Kazakhstan.]
  FD9: UPA anomalous shutdown due to centrifuge speed below limits & high motor current.
  FD9: EVA3: Piper & Bowen continued cleaning of ISS stbd SAR]; R&R'ed the remaining TBA; and cleaned area around SAR]'s drive lock assemblies. EVA3 duration 6:57.
  FD11:EVA4: Bowen & Kimbrough completed stbd and port SAR] lube tasks; P1 lower inboard camera installed in camera port 7; external facility berthing mechanism latch bolt retracted via EVA override and cover reinstalled; JEM GPS A installed and heaters checked out ok, JEM GPS B deferred to stage or next flight; and, no get-ahead radiator imagery was taken. EVA4 duration 6:07.
  SARI put back in autotrack at 330/00:35 GMT (nost-EVA)
- SARI put back in autotrack at 330/00:35 GMT (post-EVA).
- FD12: UPA processing was completed for the docked mission.

#### Transfers:

- 16,390 lbs of hardware transferred to ISS (Leonardo & middeck)
- 3.642 lbs of hardware returned from ISS to Endeavour (inside)
- 25 lbs O2 transferred to ISS
- FD15: Undocked at 333:14:47:26Z followed by Sep-1, Sep-2 and Sep-3: OBSS
- surveys on starboard, nose cap and port; and LDRI downlink.
- Communications blackout during Entry: "There [were] a few drop outs but nothing
- big around GMT 335:21:09 d:h:m."

Revision T, PCN-2 August 2009 Page 201 - STS-126/ULF2

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	SSME-TL NOM- ABORT EMERG	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	/	LANDING TIMES FLT DURATION, WINDS		AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

### **MARY**

			SP	<b>ACE SHU</b>	TTLE	MISS		NS SU	MN
SEQ FLT #	(Flight 36)	CDR: Lee Archambault Flt 2 (STS-117) P779/R307/V201/M2 65	KSC 39A 074:23:43:44Z 7:43:44 PM EDT (P) 7:43:44 PM EDT	KSC 15 (KSC 70) 087:19:13:26Z 2:13:26PM CDT Saturday (23) 03/28/09 (10)	109% PREDICTED :	RSRM 103	6 (28)	DIRECT INSERTION POST OMS- 2: 126.0x84.9 NM	OI- 33 (2)
125 KSC-125	OMS PODS LPO1-39 RPO3-37	PLT Tony Antonelli P780/R334/M289	(A) Sunday (12) 03/15/09 (10) LAUNCH	DEORBIT BURN: 087:18:08:14Z	100/104.5/ 104.5/72/1 04.5	SLWT-		DEORBIT: HA 184.8 NM HP 21.6	
PAD 39A (48) MLP-1	FRC3-36	MS1 Joseph Acaba P781/R335//M290	WINDOW: 4M 14S (PLT in- plane)	XRANGE: 222.2 NM ORBIT DIR: A/R	ACTUAL: 100/104.5/ 104.5/72/1 04.5			ENTRY VELOCITY: 25849	
28 <sup>th</sup> SHUTTLE FLIGHT TO ISS		MS2 Steve Swanson Flt 2 (STS-117) P782/R308/V202/M2	EOM PLS: KSC TAL: ZZA TAL WX: MRN	(14) <u>AIM PT</u> : Close-In <u>MLGTD</u> : 2705	1 = 2048 (9) 2 = 2051 (8)			25849 FPS ENTRY RANGE: 4377 NM	
ARCH	AMBAULT	66 <u>MS3</u> Richard Arnold P783/R336/M291	SELECTED: RTLS: KSC15 CI/NOM TAL: ZZA30L N/N	FT 087:19:13 :26Z VEL: 188 KGS 203	3 = 2058 (3)				POST
SWANSON	119 ACABA	MS4 John Phillips Flt 2 (STS-100) P784/R266/V203/M2	AOA: KSC15 CI/N 1 <sup>ST</sup> DAY PLS: EDW22 N/N	KEAS HDOT: -2.7 FPS					
office act	HAMITOFF THE	32 MS5 UP Stay ISS EXP 18FLT ENG Koichi Wakata	TDEL: 0.000 (P) -0.008 (A)	TD NORM 195: 3473 FT DRAG CHUTE			and the same of th		
AFINCKE - TON	Hão Saga	Flt 3 (STS-72, STS- 92) P785/R208/V164/M1 81	MAX Q NAV: 739.4 (P) 722.9 (A) SRB STG:	DEPLOY: 194 KEAS 087:19:1 3:29Z	(It will be a	Waiting long wait	for C - Pres	onstellation sident directed	
		MS5 DN EXP 18/Flt ENG Sandra Magnus	2:04.00 (P) 2:05.12 (A) PERF: NOMINAL	NLGTD: 5369 FT 087:19:1	cancellatio 317861ma 710STS11	in_image_ 9Moon.jpo	13019	on in 2010.) 946-	
	****	FLT 2 (STS-112) (UP ON STS-126, stay ISS) P786/R284/V200/F3	2 ENG TAL (MRN): 2:35 (P) 2:37 (A)	3:34Z VEL: 152 KGS 167 KEAS	M 3 EOM: WEIGHT: 201795 LBS X CG:	<u>LAT</u> : 35.725 S <u>LONG</u> :			
No.		SS EVA 129 DOCKED QUEST EVA 52 EMU/TETHERED EVA	NEG RETURN: 3:54 3:55 PTA (U/S 166	HDOT: -6.7 FPS BRK INIT: 40 KGS	1082.8 IN <u>LANDING</u> :	157.56 W			
		122 SCHEDULED EVA 120 DURATION 6:07	FPS): 5:12 5:15 SE TAL (ZZA	DRAG CHUTE JETTISON: 60 KGS 087:19:1	WEIGHT: 201713 LBS				
		SS EVA 130 DOCKED QUEST EVA 53	104): 6:00 6:00 PTM (U/S 181	2 507	X CG: 1084.7 IN				

Brief Mission Summary: ISS United States Operational Segment (USOS) assembly was completed with installation of S6 truss with final set of power generating Solar Arrays on Shuttle's 28th ISS Mission. This additional power prepares the ISS with the capability of housing six member crews in the near future.

**KSC W/D**: OPF = 191+13H+3Wx. VAB = 6+ $\overline{\text{OC, PAD}} = 47 + 14\text{C}$ : Total Work Days = 244 (OPF Processing occurred over a total time period of 207 days.)

#### LAUNCH POSTPONEMENTS

CARGO:

39088 LBS

PAYLOAD

DEPLOYED:

32489 LBS

NON-DEPLOYED:

0 LBS

57 LBS

SHUTTLE

WEIGHES:

NON-

CARGO

TOTAL:

DEPLOYED:

DEPLOYED:

1603765 LBS

4021804 LBS

PERFORMANC

MARGINS

FUEL BIAS:

FINAL TDDP:

RECON:2016

PAYLOADS:

ISS 15A (S6)

ISS 15A, MAUI

5 CRYO TANK

MIDDECK:

SEITE,

SETS

SIMPLEX

RMS (82)

SRMS, ODS,

OBSS, SSPTS

(LBS): FPR: 2651

1063

1746

PLB:

1517781 LBS

ACCUMULATE

MIDDECK:

CHARGEABLE: 32546 LBS

- Added STS-119 to FDRD launch date of 01/15/04 on 01/23/03
- Ppd. to NET 06/10/04 on 03/13/03 due to Columbia accident.
- Ppd. to NET 06/30/04 on 04/17/03 due to Columbia accident.
- Deleted from FDRD on 05/28/03 pending Columbia accident investigation outcome.
- Re-Baselined in FDRD Launch date of 11/06/08 on 10/04/07
- Ppd to 12/04/08 on 02/14/08. Slip due to ECO Sensor problems during STS-122 launch attempt.
- Ppd to 02/12/09 on 07/03/08. Slip due to ET delivery schedule.
- Ppd. to NET 02/19/09 on 02/04/09. Slip due to additional testing & analysis required to resolve MPS flow control valve issue
- Ppd. to NET 02/22/09 on 02/09/09. Slip due to additional testing & analysis required to resolve MPS flow control valve issue
- Ppd. to 02/27/09 on 02/14/09. Slip due to additional testing & analysis required to resolve MPS flow control valve issue
- Ppd. to TBD at STS-119 "Continuation" FRR on 02/20/09. Managers could not reach a consensus.
- Ppd. to tentative date of 03/12/09 on 02/25/09. MPS flow control valve U/R.
- Launch date set for NET 03/11/09 on 03/04/09. MPS flow control valve U/R.
- Launch date set for 03/11/09 at Delta FRR on 03/06/09.
- Officially ppd. launch to 03/15/09 on 03/12/09 after Scrub on 03/11/09. Scrub was due to gaseous hydrogen leak in vent line.

#### LAUNCH SCRUB:

Mar.11. 2009. Wednesday, with less than 20 minutes left in tanking process launch was scrubbed due to a gaseous hydrogen vent line leak. This line connects the Ground Umbilical Carrier Plate (GUCP), attached to ET, to the "flare stack" for burn-off of vented gaseous

### Revision T, PCN-2 August 2009 Page 202 - STS-119/15A

Revision T, PCN-2 August 2009 Page 203 - STS-119/15A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	RUNWAY,	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-119/ ISS- 15A Continue d ...



Continued... SS EVA 131 DOCKED QUEST EVA 54 EMU/TETHERED EVA 124 SCHEDULED EVA 122 **DURATION 6:27** MCC WHITE FCR (55)FLIGHT DIRECTORS: SHUTTLE: ASC/ENT- Richard

LD/O1- Paul Dve

lones

O2- Mike Sarafin (FD1- FD12) O2-Tony Ceccacci (FD13-EOM) O3- Richard LaBrode (Prelaunch -FD1) O3- Norman Knight (FD2-FD8 O3- Bryan Lunney (FD9-EOM) Planning- Norm Knight - Bryan Lunnev MOD - John Mccullough Team 4 - Tonv Ceccacci Continued...

Continued... MECO CMD: 8:23.8 OFFICIAL: 8:23.6

25819.0 25819.6

OMS-2: 38:00 38:30.0 97.7 FPS 96.1

3 KTS KTS DENS ALT: 1718 FT

FLT DURATION: 12:19:29: 42

S/T: 1196:11:09:2

WINDS:

0.3L KTS

15H KT

15017P2

X1P1H17P23

OV-103:

318:03:39: 51

DISTANCE: 5,304,10 6 sm

TOTAL SHUTTLE DISTANCE: 485,578,25 9 sm

ABOVE: STS-119 launch panorama into twilit sky. Photo by Ryan R. Smith (KSC-BOE-K2)

http://www.rvansmithphotography.com/

BELOW: S119-E-007747 --- STS-119 & Exp18 crews in ISS Harmony, From left (bottom row); PLT Antonelli, CDR Archambault, & Acaba/MS. From left (middle row): Magnus/MS. Exp 18 CDR Michael Fincke, Yury Lonchakov/Exp18FE(RSA). & Koichi Wakata/Exp18FE (JAXA). From left (top row) Swanson/MS, Arnold/MS, & Phillips/MS.



Continued...

LAUNCH DELAYS: None. Launch occurred on time at 074:23:43:44Z, 7:43:44 p.m. EST. Sunday, March 15, 2009. Launch weather was relatively benign at KSC. A sea breeze developed at KSC and moved west of the Banana River about 3-hours prior to launch. The movement of the sea breeze inland produced favorable weather conditions with widely scattered clouds.

#### TAL WEATHER

TAL sites at both Zaragoza and Moron, Spain were acceptable for launch due to a high pressure system. Winds at Istres were out of limits following the passage of a cold front the day prior to launch, but launch proceeded with two acceptable TAL sites.

#### PERFORMANCE ENHANCEMENTS:

Include the standard set plus: 1) PE Operational High O WIN/MAR. 2) OMS Assist. 3) 52 nautical mile MECO. & 4) Del Psi

#### FLIGHT DURATION CHANGES/LANDING:

- When STS-119 launch was slipped to March 15, 2009, (due to earlier scrub) the mission duration was reduced from 14 to 13 days to accommodate a Russian Soyuz mission to ISS later in the month. This also reduced number of EVA's from 4 to 3.

- For first KSC landing opportunity weather was no go with cloud decks building in at lower than anticipated broken (5/8) at 3000. Weather improved as did the wind direction. Discovery was given "Go" to land on second KSC opportunity. Landing occurred at 087:19:13:26Z (2:13:26 PM CDT Saturday. 03/28/09).

#### FIRSTS/SECONDS/LASTS:

- SSME ECP 1514 LPOTP Bearing Ball Process
- SRB Hold Down Post Debris Containment mod
- S&MA: Orbiter LH2 T-0 Umbilical Ice: Update to IDBR-01 and NSTS-60559 to reflect new expected debris source.
- Last to be installed on ISS, the 45-foot S6 aluminum girder weighing more than 31,000 pounds was the first truss segment built (stored at KSC for six years).
- Second time a bat attempted to fly into space on Space Shuttle ET; coincidentally Koichi Wakata was on both flights.
- Discovery served as a hypersonic test bed during entry for new heat shield tiles in development for NASA's next-generation spacecraft.

## Revision T, PCN-2 August 2009 Page 203 - STS-119/15A

Revision T, PCN-2 August 2009 Page 204 - STS-119/15A

ı	FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM		RBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
1	NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	НА/НР		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-119/ ISS- 15A Continue

d ...

Continued...

ISS

LD/O1 - Kwatsi Alibaruho O2 - Heather Ranick O3 - David Korth Team 4 - Robert dempsey


### CAPCOMS:


SHUTTLE

ISS


A/E – George Zamka Asc (Wx)- C. Hobaugh Ent (Wx)- Al Poindexter LD/01 - George Zamka O2 - Greg (Box) Iohnson Planning - Shannon Lucid Team 4 - N/A

S119-E-009765 (25 March 2009) --- ISS USOS assembly complete as seen during Shuttle fly-around [labeled the "\$100" Billion Picture" by ISS Lead Flight Director Kwatsi Alibaruho]. The ISS truss backbone measures 361 feet - longer than a football field.





S119-E-006673 --- Swanson (center) and Arnold (partially obscured above Swanson) during EVA 1 connected bolts to attach S6 truss to S5, plugged in power and data connectors, prepared a radiator for cooling. and readied new solar arrays.



S119-E-010506 Backdropped by the blackness of space and the thin line of Earth's atmosphere. ISS is seen from Discovery post sep. Thin orange arc is outline of Discovery window.

### Continued... FIRSTS/SECONDS/LASTS:

March 27, 2009: In a rare example of overlapping space missions, a U.S. space shuttle [STS-119] is set to return to Earth on Saturday just a few hours after a Russian Soyuz arrives at the ISS. Together the crews of the three craft total 13 people, tying the record for humans in space, first set 14 years ago this month, [Robert Pearlman - collectSPACE.com]

#### MCC ROSES:


This was the 100<sup>th</sup> flight since the Challenger accident that a beautiful bouquet of roses was delivered to the Houston MOCR to celebrate each mission since the landing of STS-26 in 1988. In 1989 it was determined that the roses were sent by the Shelby family (Mark, Terry & MacKenzie) of Bedford, TX. On March 27, 2009, the Shelbys personally delivered their 100th bouguet in recognition of STS-119. They received a warm welcome in the MOCR. led by lames "Milt" Heflin, ISC Associate Director (Technical). They also received several ISC mementos for their kindness and dedication to the Space Program.

NIGHT LAUNCH: # 32 (Into twilit sky)

RENDEZVOUS: #72 Rendezvous and dock with ISS.

#### **EVENTS:**

- FD1: OMS2 ignition at 075:00:22:14Z resulted in a 126.0 by 84.9 NM orbit.
- FD2: RCC inspection found no areas of concern
- T1 maneuver at 076:18:35:39.0Z resulted in a 196.8 by 183.3 NM orbit
- FD3: R-Bar Pitch Maneuver was performed. No issues.
- Docking Contact occurred at 076:21:19:49Z, St. Patrick's Day
- Hard Dock, hooks closed, occurred at 076:21:33:597
- ISS Hatch opened at 076:23:22:59Z (6:09 PM CDT, March17, 2009) welcomed by ISS crew.
- IELK Seat Liner Transfer at 077:02:00Z (9:00 PM CDT) March 17, 2009). At that time Sandra Magnus became a member of STS-119 and Koichi Wakata joined the ISS Expedition 18 as Flight Engineer.
- FD5: Based on review of launch imagery, MMT cancelled FD6 focused inspection of Orbiter heat shield.
- FD5: EVA 1: Steve Swanson & Ricky Arnold: Activities included: S6 Connected to ISS, SABB Unstow, PCDF-PU Transfer, PVR Deploy, and 1B & 3B solar arrays deployed EVA1 duration 6:07.



## Revision T, PCN-2 August 2009 Page 204 - STS-119/15A

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,		NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-119/ ISS- 15A Continue d ...

JSC2009-E-060959 (20 March 2009) --- Group portrait of STS-119/15A ISS Orbit 1 Flight Control Team in JSC MOCR. FD Kwatsi Alibaruho (right) is visible on the front row.

**Participated** 

In

**ISS USOS** 

Complete

JSC2009-E-060960 (20 March 2009) --- Group portrait of Shuttle STS-119 Orbit 1 Flight Control Team in JSC MCC. FD Paul Dye (left) is visible on the front row.





### Continued... SIGNIFICANT ANOMALIES:

- Ground Imagery Showed That When Thruster F4D's Tyvek Rain Cover Released at 5:28 Sec Met ( $\sim$ 93fps Or 63 Mph), A  $\sim$ 21 Inches X  $\sim$ 7.4 Inches Piece Remained Attached to the Thruster Lip as Shown In Figures 1 and 2.

KSC:

- STS-119 Post Launch Debris SRB: RSRM: SSME: None.

FT:

-During Initial Launch Attempt of STS-117/Et-127, a GH2 Leak was Detected at Approximately One Minute After Start of LH2 Topping

MOD:

-Inadvertent Abort Light Command Sent from FDO

Integration:

-Unexpected Debris/Expected Debris
Exceeding Mass Allowable Prior to Pad

Continued... EVENTS:

Downlinked, P3 UCCAS Deploy unsuccessful, temporary tethers installed, S3 PAS Deploy deferred to EVA3, and Z1 Patch Panel Reconfigunsuccessful. EVA2 duration 6:30.

- FD8: CDR Lee Archambault maneuvered the Shuttle-ISS "stack" to avoid a 9-year-old piece of Chinese space junk (4" fragment) that could have been a close encounter during upcoming EVA3. (A 4' fragment from a Russian satellite had previously passed at a safe distance prior to Shuttle/ISS docking.)
- FD9: EVA3: Joe Acaba & Ricky Arnold: Activities included: UCCAS troubleshooting; tethered in place, CETA cart relocation and SSRMS LEE B lube completed. Numerous get aheads accomplished: CETA coupler, S1/S3 SSAS panel BBC reconfig, S1 FHRC outboard pclamps released 2 of 6 (#5, #6), and retrieved bungee caddy from Nadir STBD A/L toolbox. EVA3 duration 6:27.
- Transfers:
- 32,962 lbs of hardware transferred to ISS (S6 Truss & Middeck)
- 1963 lbs of hardware returned from ISS to Discovery (middeck)
  - 1142 lbs of water transferred to ISS
- FD11: Undocked at 084:19:53:26Z
- Fly-around initiated 084: 20:19Z
- Communications blackout during Entry occurred at GMT 87:18:47 to 87:18:52 d:h:m due to plasma effect.

### **SIGNIFICANT ANOMALIES:**

Orbiter:

- Galley Water Leakage.
- WLES Group 2 Sensor S/N# 1033 Time Slip
- During MM/OD Monitoring With Group 2 Sensors, Sensor S/N 1024 On The Port Wing Unexpectedly Dropped Out Of On-Orbit Mode After 5-6 Hrs Of Monitoring.
- AVIU S/N 1031 Failure
- Failed Camera Shutter Actuation.
- Incorrect SORG Needle Installed
- V07P9379A Dropped To Lower Limit (Unit Step) During STS-119 Ascent
- Aft Stub Tile on the Upper Body Flap Was Suspect to be Damaged During FD3 On-Orbit Inspection. During Post-Flight Inspection the V070-395018-144 Tile Was Verified As Damaged.

Continued at left...

Revision T, PCN-3 October 2009 Page 206 - STS-125

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	(	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

											Fage 200 - 313-125
STS- 125	OV-104	CDR:	KSC 39A	EDW22 CONC	104/104/10	BI-137	28.4	DIRECT INSERTIO	OI- 32 (5)	CARGO:	<b>Brief Mission Summary:</b> STS-125 was the
125	(Fliaht 30)	Scott Altman	131:18:01:56Z	EDW 53 CONC	9%		5	INSERTIO	32	32418 LBS	5 <sup>th</sup> and final service mission (SM) visit to
	ATLANTIS	(Flt 4 - STS-90.STS-	2:01:56 PM EDT				(51)	IN	(5)		the 19 year old Hubble Space Telescope
		106,	(P)	144:15:39:04Z	PREDICTED:	RSRM				PAYLOAD	(HST) deployed on STS-31 in 1990. This
650								DOCT		CHARGEABLE:	
SEQ		STS-109)	2:01:56 PM EDT		100/104.5/1	105		POST			was the 4th planned SM for HST . (The
FLT #		P787/R237/V161/M20		CDT	04.5/			OMS2:		22254 LBS	3rd SM was conducted in two parts, 3A on
126	LPO4-30	7	Monday (14)	SUNDAY (16)	72/104.5	ET-130		298.1 NM			STS-103 & 3B on STS-109 .) HST
	RPO1-37		05/11/09 (8)	05/24/09 (11)				X 106.8		DEPLOYED:	improvements included a new camera, a
KSC-126	FRC4-30	PLT	, , , . ,	, , , , ,	ACTUAL:	SLWT		NM		4694 LBS	new spectrograph , repair of two other
KJC 120	1.1.6.1.50	Gregory C. Johnson	LAUNCH	DEORBIT	100/104.5/9	34				103 1 253	instruments, and replacement of six
DAD 204		P788/R337/M292	WINDOW:	BURN:	4/	)4				NON-	batteries and six gyroscopes. These
PAD 39A		P/00/K33//M292									
(49)			59M 45S (Total)		72/104.5					<u>DEPLOYED</u> :	improvements resulted in a higher
		<u>MS1</u>	41M 50S	0Z		<u>ET</u>				17560 LBS	definiton view of the universe and HST
		Michael Good	(Preferred)	XRANGE:	1 = 2059	<b>IMPACT</b>					life extension into the next decade. A
MLP-2		P789/R338//M293		405.6 NM	(3)	1:18:57		DEORBIT:		MIDDECK:	launch- on-need (LON) vehicle, STS-400,
1-121 2			EOM PLS: KSC		2 = 2044	MET				0 LBS	was readied on Pad B for potential crew
5™ &		MS2	TAL. MDN	ORBIT DIR:	(11)			HA 294.3		O LBS	rescue since there was no ISS safe haven
			TAL: MRN					NM		CLULTTI E	
Final		Megan McAuthur	<u>TAL WX</u> : None.	D/L (50)	3 = 2057	<u>LAT</u> :		HP 26.4		<u>SHUTTLE</u>	on this misssion. STS-400 release from
HST		P790/R339/F46			(4)	16.699		NM		<u>ACCUMULATE</u>	rescue duty occurred on May 21st , 2009,
Service			SELECTED:	AIM PT:		N				D	as the STS-125 crew prepared for the first
Flight		MS3		Nominal	М 3 ЕОМ:			ENTRY		WEIGHTS:	deorbit/landing opportunity.
i iigiic		John Grunsfeld	N/N		WEIGHT:	LONG:		VELOCITY:		DEPLOYED:	
		(Flt 5-STS-67, STS-	TAL. MONIOO	MLGTD: 3863	225509.5	147.375				1524432 LBS	KSC W/D:
						W		26046		1324432 LB3	OPF Run 1: 178+2H+3Wx OPF Run 2: 120+11H
		81,	CI/N	FT	LBS	VV		FPS			
		STS-103, STS-109)	<u>AOA</u> : KSC15	144:15:3						NON-	VAB Run 1: 12+0C
		P791/R191/V133/M16	N/N	9:04Z	1078.3 IN			ENTRY RANGE: 4267		DEPLOYED:	PAD Run 1: 40+2C PAD Run 2: 38+4C
		7	1 <sup>ST</sup> DAY PLS:	VEL: 192 KGS				RANGE:		1621371 LBS	Total Work Days = 396 (OPF Processing occurred
			NOR17 N/N	200 KFAS	LANDING:			4267			over a total time period of 314 days.)
		MS4	NOILT N/N	HDOT: -2.5	WEIGHT:			NM		CARGO	, , ,
		Mike Massimino		FPS	225898 LBS					TOTAL:	POSTPONEMENTS:
	4 . 10			rr5						4054222 LBS	- Added STS-125 to FDRD - launch date of 08/07/08
ELT PAR	776	(Flt 2 - STS-109)	Continued		X CG:					4034222 LB3	on 06/29/07.
	+6 2	P792/R275/V204/M24		Continued	1080.9						
₹ +	+ +++ a	1							1	<u>PERFORMANC</u>	- Ppd. to 08/28/08 on 02/14/08. Slip due to ECO
Z	+ + + / =									<u>E</u>	sensor problems experienced during December
	+ +	MS5								MARGINS	launch attempt of STS-122.
g	1A A	Andrew Feustel								(LBS):	- Ppd. to 10/08/08 on 05/27/08. Slip due to delays in
n 125					(36)					FPR: 2651	delivery of ET 127 & ET-129 (STS-400).
120	8	P793/R340/M294				20	961				- Ppd. to 10/10/08 on 09/08/08. Slip due to Hurricane
Tr.	.6							F-1		FUEL BIAS:	Faye impacts to HST payload readiness.
Mo	ARTHUR									1063	
		SS EVA 132						1000		FINAL TDDP:	- Ppd. to 10/14/08 on 09/24/08. Slip due primarily to
		EMU/TETHERED EVA			1		1300			1689	training time lost in the aftermath of Hurricane Ike.
		125		. %				The second second		RECON:2499	- Ppd. to NET Mid-Feb 2009 on 10/02/08. Slip due to
		SCHEDULED EVA 123	TOTAL STATE OF THE								HST on-orbit failure of A-side of Control Unit Science
		DURATION 7:20					-	THE RESERVE		PAYLOADS:	Data Formatter.
		DUNATION 7:20				180				PLB:	- Ppd. to NET Mid-May 2009 on 10/30/08. Slip due to
				A LANGE	West Control of the C	411	W / E			LED.	checkout problems with HST spare control unit.
		SS EVA 133	Ka	The same of		The state of the s					Colored May 12, 2000 James data on 10/04/00
		EMU/TETHERED EVA		17 1			4			3D	- Selected May 12, 2009 launch date on 12/04/08.
		126		1	AT A COMPANY			Will .			- Advanced from 05/12/09 to 05/11/09 on 05/01/09.
		SCHEDULED EVA 124			NASA		1			MIDDECK:	Advancing one day provided a 3rd launch
		DURATION 7:56					3 12			HST SM4	opportunity before range conflicts.
		DUNATION 7:30	* 10							1	,
			JSC2006-E-47	144 (31 Oct. 200	06): Last Shu	ittle Servi	ce Cr	ew to HST		5 CRYO TANK	LAUNCH SCRUBS: None.
		Continued		left to right are					1	SETS	TABLES IN THE PARTY OF THE PART
		- Continuedin				ou, ourins	on (þ	noty, miniai	•	RMS (83)	Continued
			(CDR), GIUNSI	eld, Massimino &	k reustet.					UND (Q2)	Contanacam
										SRMS, OBSS	

Revision T, PCN-3 October 2009 Page 207 - STS-125


FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,		NOM-	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	ET	INC HA/I	IP .	PAYLOADS/ EXPERIMEN TS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

		SP	<b>ACE SHI</b>
STS- 125	Ontinued	Continued	Continued
Continue d	SS EVA 134 EMU/TETHERED EVA 127 SCHEDULED EVA 125 DURATION 6:36 SS EVA 135 EMU/TETHERED EVA 128	SE TAL (BYD 104): 5:39 (P) 5:46 (A) PTM (U/S 500 FPS): 5:09 (P) 5:12 (A)	TD NORM 205: 320 1 FT DRAG CHUTE DEPLOY: 189 KEAS 144:15:39:
	SCHEDULED EVA 126 DURATION 8:02 SS EVA 136 EMU/TETHERED EVA 129 SCHEDULED EVA 127 DURATION 7:02	SE PRESS 109 6:22 (P) 6:29 (A) MECO CMD:	06Z NLGTD: 7134 FT 144:15:39: 15Z VEL: 137 KGS 141
	MCC WHITE FLIGHT FCR (56)	<u>V</u> I: 26088.0 (P) 26086.0 (A)	KEAS HDOT: -6.3 FPS
	FLIGHT DIRECTORS: ASC/ENT- Norm Knight LD/O1- Tony Ceccacci O2- Rick LaBrode Planning- Paul Dye MOD - John McCullough Team 4- Bryan lunneyi  CAPCOMS: A/E - Greg (Box) Johnson - Eric Boe (Wx)	OMS-2: 43:46 (P) 43:45.0 (A) 142.5 (P) 139.7 (A) FPS TDEL: 0.000 (P) -0.448 (A) MAX Q NAV: 740.95 (P) 734.75 (A) SRB STG: 2:04.16 (P)	BRK INIT: 96 KGS  DRAG CHUTE JETTISON: 55 KGS 144:15:39: 40Z  BRK DECEL FPS <sup>2</sup> : AVE 2.8 PK 7.4  WHEELS STOP: 144:15:40:
	LD/01 - Dan Burbank O2 - Alan poindexter Planning - Janice Voss Team 4 - N/A		ROLLOUT: 8504

4:11 (P)

4:12 (A)

HD 16 PK 20)



S125-E-007221 (14 May 2009)-- Grunsfeld & Feustel and mirrored reflection during first HST EVA. Activities included installation of a new WFC3 and SI C&DH unit.

Continued...

### LAUNCH WINDOW:

Total launch window was 59M 45S with window open at 131:17:44:01Z and close at 131:18:43:46Z. Preferred Launch Time was 131:18:01:56Z (In-Plane Time) for a launch window of 41M 50S.

LAUNCH DELAYS: None. Launch occurred on time at 131:18:01:56Z, 2:01:56 p.m. EDT,Monday, May 11, 2009. The Spaceflight Meteorology Group (SMG) forecast no flight rule violations for launch or RTLS. The SMG also tracked a large wildfire 18nm northwest of KSC that stayed north of the orbiter track for an RTLS if needed.

### TAL WEATHER

At Moron, the only TAL site for the HST low inclination orbit, a trough of low pressure initially resulted in a "NO GO" with a slight chance of showers wihtin 20nm. Balloon data showed the atmosphere was too dry for showers and the forecast was updated to "GO" at 1636Z. Peak crosswinds of 15.5 kts surpassed the 15kt limit for a brief time at TAL landing, however, the FD had previouly stated a peak crosswind of 17kts was acceptable.

#### PERFORMANCE ENHANCEMENTS:

Include the standard set plus: PE Operational High Q TRN/MAY

### FLIGHT DURATION CHANGES/LANDING:

- For both KSC landing opportunities on Friday, May  $22^{nd}$  the unstable weather was no go with low ceilings and thunderstorms expected. Landing was postponed to Saturday (EOM  $\pm$  1).
- KSC weather was no go for EOM+1 with broken low ceilings and thunderstorms. Little change was expected for Sunday (EOM+2) and Monday (EOM+3) as moisture remained abundant over KSC.
- KSC landing for Sunday (EOM+2) waived off due to weather. Next opportunity to EDW's was selected on EOM +2 with typical summer weather and mostly clear skies. Landing occurred at 144:15:39:04Z (10:39:04 AM CDT Sunday, 05/24/09).

### **FIRSTS/LASTS:**

- First mission post-STS-107 incident without ISS safe haven. LON STS-400 mission was on standby on PAD 39B. "First time since 2001 that two such birds have simultaneously perched on NASA's twin shuttle launch pads" Todd Halvorson, Florida Today.
- 116 new EVA tools (GSFC) were developed to meet unique demands of this HST SM.
- First flight of food bars and Metamucil wafers
- First ET build with elimination of "Hand Pack Ablator (SLA)"

Continued...

Revision T, PCN-3 October 2009 Page 208 - STS-125

		CREW		LANDING SITE/	SSME-TL						
		(7)	LAUNCH SITE,	RUNWAY,	NOM-ABORT	SRB	Ol	RBIT		PAYLOAD	MISSION HIGHLIGHTS
FLT	ORBITER	(7)	LIFTOFF TIME,	CROSSRANGE	EMERG	RSRM			FSW	WEIGHTS,	(LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES	LANDING	LANDING TIMES	THROTTLE	AND	INC	HA/HP		PAYLOADS/	TAL WEATHER, ASCENT I-LOADS,
		& EVA'S	SITES,	FLT DURATION,	PROFILE	ET				EXPERIMEN	FIRSTS, SIGNIFICANT ANOMALIES, ETC.)
		Q EVA 3	ABORT TIMES	WINDS	ENG. S.N.					TS	

STS-125 Continue Continued...

FLT DURATION: 12:21:37:1

8 S/T**:** 

1196:08:46:46

OV-105: 247:23:55:5


<u>DISTANCE</u>: 5,276,106 sm

TOTAL SHUTTLE DISTANCE: 490,854,36 5 sm



S125-E-008120 (16 May 2009)-- Andrew Feustel moves Corrective Optics Space Telescope Axial Replacement (COSTAR) in 3rd EVA to upgrade HST.

- Grunsfeld, on end of RMS, and Feustel, conduct mission's fifth and final HST service EVA: Replaced batteries, a Fine Guidance Sensor, and three thermal blankets (NOBL).



Continued... FIRSTS/LASTS:

- First flight of ATK BSM's in both forward and aft positions - SRB Frangible nut redesigned with pyrotechnic crossover
- SRB Frangible nut redesigned with pyrotechnic crossover assembly
   Mike Massimino first to 'Tweet' from space, through email
- to JSC to his Twitter.
   First job offer in space: John Grunsfeld, whilel flying high in
- space, was named an
- adjoint professor at the University of Colorado at Boulder Fifth & last HST Service mission.

**NIGHT LAUNCH: N/A** 

RENDEZVOUS: #73 Rendezvous with HST.

## **EVENTS:**


- FD1: OMS2 ignition at 131:18:45:40.9Z resulted in a 298.1 by 106.6 NM orbit.
- T1 maneuver at 133:14:41:56.0Z resulted in a 303.2 by302.9 NM orbit
- FD2: RCC inspection found no areas of concern no requirement for Focused Inspection.
- FD3: HST Grapple by McArthur occurred at 133:17:14Z.
   Timeline was about 20 min. behind schedule due to a comm.
   problem with HST that delayed HST prep for capture.
- FD4: EVA 1: Grunsfeld & Feustel: Activities included installing and completing good aliveness tests for new WFC3 and SI C&DH unit. The HST can now see farther into space and across a wider spectrum of colors. EVA ran 50 min longer than planned as the crew encountered difficult (aging) latches and bolts. EVA1 duration 7:20.
- FD5: EVA 2: Massimino & Good: Activities included Rate Sensor Unit changeouts & Bay 2 Battery checkout. EVA ran long due to the challenges for seating and bolting of RSU's. EVA2 duration 7:56.
- FD6: EVA 3: Grundsfeld & Feusel: Activities included replacement of the COSTAR instrument with the Cosmic Orgins Spectrograph and repair of the Advanced Camera for Surveys. EVA3 duration 6:36.
- FD7: EVA 4: Massimino & Good: Activities included refurbishment of Space Telescope Imaging Spectrograph and replacement of 6 Gyros. EVA 4 duration 8:02 (6th longest in program history).
- FD8: EVA 5:Grundsfeld & Feustel: Activities included Bay 3 battery changeout and FGS 2 changeout. On way back to A/L crew found debris liberated from carrier and head under HST. On retrieving the debris, PLSS contact damaged the TPS cover on the Low Gain Aantenna (LGA). The LGA cover was reinstalled. The HST was in a good configuration for long term exposure to space. EVA5 duration 7:02.
- On departing the telescope, astronaut Grunsfeld called the week a "tour de force of tools and human ingenuity." He also added: "'Hubble Isn't Just a Satellite, It Is About Mankind's Quest for Knowledge".
- FD9: HST was released at 139:12:57:00Z. This was followed shortly by OBSS late inspection of Atlantis TPS.
   During Entry comm blackout occurred at GMT 144/1513 -

1517 due to plasma effect.

FLT NO.	ORBIT ER	CREW (7) TITLE, NAMES & EVA'S	LAUNCH SITE, LIFTOFF TIME, LANDING SITES, ABORT TIMES	CROSSRANGE  LANDING TIMES	SSME-TL NOM- ABORT EMERG THROTTLE PROFILE ENG. S.N.	SRB RSRM AND ET		HA/H P	FSW	PAYLOAD WEIGHTS, PAYLOADS/ EXPERIMEN TS	
STS.						Pilla	ir and Stellar J	et in the Cari	a Nebula		SIGNIFICANT ANOMALIES: Orbiter:
STS- 125		After Shi	r Shuttle release, the HST orbital			HST WFC3/UVIS				*	- FWD STBD PLB FLOODLIGHT (#2) FAILED DURING STS-125

Continue





- OCCURRED THAT CAUSED ASA 1 TO BE LOST.
- AFTER CARRIER PANEL REMOVAL AN IN-PLANE CRACK WAS DETECTED AT THE DENSIFICATION LAYER INTERFACE WITH BASE MATERIAL ON TILES V070-395018-143 (SERIAL S83057) AND V070-395018-151 (SERIAL 7HB1DR)
- THE CREW DISCOVERED CARRYOVER OR UNPROCESSED CONDENSATE IN THE IMMEDIATE AREA OF THE HUMIDITY SEPARATORS IN THE LOWER EQUIPMENT BAY. - THE IMU FAN DELTA PRESSURE (V61P2869A) WAS
- OBSERVED TO SLOWLY INCREASE ON FD 12, WITH THE FIRST INCIDENCE OF TOGGLING ABOVE THE FLIGHT RULE LIMIT OF 4.71 PSI OCCURRING AT GMT 142/18:22:37. - DURING SSME IGNITION AN ELECTRICAL SHORT
- OCCURRED ON THE 26VAC EXCITATION CIRCUIT BETWEEN AEROSURFACE SERVOAMPLIFIER 1 (ASA-1) AND THE RIGHT HAND INBOARD ELEVON ACTUATOR PRIMARY DELTA PRESSURE TRANSDUCER.
- MDU CRT 4 REPORTED 'MSG COM 1553B ERROR', 'MESSAGE 1553B FAIL' AND 'MEDS I/O ERROR' IN DOWNLIST AT NOSE GEAR TOUCHDOWN.

### KSC:

- Fondu-Fyre Liberated from SRB Main Flame Deflector, STS-125. Pad A
- Brick Liberated from East Flame Trench Wall, SSME Side, STS-125, Pad A

SRB: None.

## RSRM:

- MISSING STIFFENER RING FOAM WITH DISCOLORATION,
- STIFFENER RINGS, RSRM-105B
- SSME: None.
- ET: None.

MOD: None.

### Integration:

HST Program released the above photos on 09/10/09 taken by the "Refurbished Hubble" (using WFC3). At upper right is: Stars Bursting to Life in Chaotic Carina Nebula - These two images of a huge pillar of star birth demonstrate how observations taken in visible and in infrared light by HST reveal dramatically different and complementary views of an object. At left is cauldrons of gas at 36K Deg F tearing across space at 600K mph resembling a "butterfly". In center is NGC 6302 Stephan's Quintet Galactic Wreckage - a clash among members of the quintet revealing stars from young blue stars to aging red stars. At right is a panoramic view of a colorful assortment of 100K stars residing in the core of a giant star cluster.

See: http://www.nasa.gov/hubble Credit: NASA, ESA, and the Hubble SM4 ERO Team

- Aerosurface Servo Amplifier-1 (ASA-1) Power Supply Failed
- Unexpected Debris/Expected Debris Exceeding Mass Allowable Prior to Pad Clearance (Liftoff Debris)
- Ice Internal and External to the LH2 T-0 Umbilical
- Gap Filler Releases From Port OMS Pod







FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		(PCN4 Change Col 3) TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

			<b>5P</b>	ACE SH	UIILE			<b>N2 20</b>	IVIIV	IARY
STS-	OV-105	CDR:	VCC 204	KSC 15 (KSC	104/104/10	BI-138	E 1	DIRECT	OI.	CARGO:
127/	(Flight 23)	Mark Polansky	KSC 39A	71)	9%		51. 6	DIRECT INSERTION	OI- 33	36253LBS
ISS-	ENDEAVO	,	196:22:03:09Z	212:14:48:07Z	2250	RSRM	(29)	INSERTION	(3)	PAYLOAD
2JA	UR	116)	6:03:10 PM EDT (P)	09:48:07 AM CDT	PREDICTED:	106		POST OMS-		CHARGEABLE:
<b>2</b> JA		P794/R262/V185/M22 8	6:03:10 PM EDT	FRIDAY (15)	100/104.5/1 04.5/	ET-131		<u>2:</u>		24682 LBS
SEQ	OMS PODS	~	(A)	07/31/09 (12 )	72/104.5			123.8x32.3		
FLT #	LPO3 -33	PLT	Wednesday	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , , ,	SLWT		NM		DEPLOYED: 24266 LBS
127	RPO4 29	Doug Hurley	(15)	<u>DEORBIT</u>	ACTUAL:	35		DEORBIT:		24200 LB3
	FRC5-22	P795/R341/M295	07/15/09 (10)	BURN:	100/104.5/1	<u>ET</u>		HA 184.5		NON-
KSC-127		MS 1	LAUNCH	212:13:41:09. 9Z	00// 72/104.5	IMPACT		NM		DEPLOYED:
DAD 20A		Christopher Cassidy	WINDOW:	XRANGE:	/2/104.5	1:14:27		HP 22.2		290 LBS
PAD 39A (50)		P796/R342/M296	10M 0S (Total)	672.5 NM	1 = 2045	MET		NM		MIDDECK:
(30)			5M 0S		(10)			ENTEN		126 LBS
		MS 2	(Preferred)	ORBIT DIR: A/L		<u>LAT</u> :		ENTRY VELOCITY:		CULTER F
MLP-3		Julie Payette	EOM PLS: KSC	(41)	(1)	35.889		25855		SHUTTLE ACCUMULATE
		(Canada) (Flt 2-STS-96)	TAL: MRN	AIM DT.	3 = 2054	S		FPS		D ACCOMOLATE
29 <sup>th</sup>		P797/R249/V205/F33		<u>AIM PT</u> : Nominal	(9)	LONG				WEIGHTS:
SHUTTLE FLIGHT		1757/1(245/ \$205/155	17.12 VVX. 227.11	Nomina	м з еом:	<u>LONG</u> : 157.79		<u>ENTRY</u>		DEPLOYED:
TO ISS		MS 3	SELECTED:	MLGTD: 1797	WEIGHT:	W		RANGE:		1548698 LBS
10 155		Tom Marshburn	RTLS: KSC15	FT	215899.5			4334 NM		NON-
		P798/R343/M297	N/N	212:14:4	LBS					DEPLOYED:
0.500000			<u>TAL</u> : MRN20 N/N	8:07Z VEL: 208	X CG: 1089.8 IN					1621661 LBS
/(49	HURLEY PAY		AOA: NOR 17	KGS	1009.0 111					CARCO
of the	1 . *	<b>TA</b>	N/SFD S B	209	LANDING:					CARGO TOTAL:
13 15	7		1 <sup>ST</sup> DAY PLS:	KEAS	WEIGHT:					4090475 LBS
N		+12	EDW 22L N/N	HDOT: -2.8	215816.5					
		\$	TDEL:	FPS	LBS					PERFORMANC
			0.000 (P)	TD NORM 195:	X CG:					<u>E</u> MARGINS
	ASSIDY MARSHO		-0.308 (A)	2865	1091.7 IN					(LBS):
S. CNSSEL			` '	FT	IIN					FPR: 2651
		MS 4	MAX Q NAV:	DD 4 0 01 11 17 5						FUEL BIAS:
INTE	RNATIONAL E STATION	Dave Wolf	722.7 (P)	DRAG CHUTE DEPLOY: 186						1059
ICC-VLD	and the line had been been	(Flt 4 - STS-58, Up to	705.3 (A)	KEAS						FINAL TDDP: 2553
	ELM-ES	Mir	SRB STG:	212:14:4						RECON:2734
	JEM-EF	on STS-86, Dn on STS-89.	2:04.2 (P)	8:13Z					1	
	N	STS-112)	2:03.8 (A)						11	PAYLOADS:
17		P799/R173/V147/M1	DEDE NOMINAL	NLGTD: 5842					W.	PLB:
1	TS-127 2J/A	51	<u>PERF</u> : NOMINAL	212:14:48:		ON PERSONAL PROPERTY.			11	ISS-2J/A, ANDRE-2,
`			2 ENC TAL	19Z				million.		DRAGONSAT
		MS 5 UP Stay ISS	2 ENG TAL (MRN):	VEL: 152						
		EXP20/FLT ENG T1m Kopra	(MKN): 2:29 (P) 2:35	KGS			Lie Lie	16		MIDDECK:
		P800/R344/M298	(A)	130			T XX		10	ISS-2A,MAUI, SEITE,SIMPLEX
			 	KEAS HDOT: -5.0			MIL			JEITE, JIMITEEA
		Continued	NEG MRN (2@	FPS						5 CRYO TANK
			<u>104):</u> 3:53 (P)	_		restra!	1	JEY'S	N. Carlot	SETS
			3:58(A)	BRK INIT: 71	Gaseous by	Irogen ver	nt line	leak caused s	STS.	ODS, SRMS
				KGS				so caused two		(84), OBSS,SSPTS,
			PTA (U/S 158	DRAG CHUTE	scrubs on ST	S-127. T	his lin	e connects th		ECSHS(2),ROE
			EDC).	DIVAG CUOTE	Cround Limb	iliaal Carri	or Die	oto (CLICD)		lii `

IETTISON:

Ground Umbilical Carrier Plate (GUCP),

vented gaseous hydrogen.

attached to ET, to "flare stack" for burn-off of

<u>FPS)</u>:

5:02(P)

5:10(A)

Brief Mission Summary: STS-127 (29th mission to ISS) was a "16 day marathon construction mission". The final pieces of the lapanese Kibo Complex including an Experiment Exposed Facility "Porch" and the unpressurized Experiment Logistics Module were delivered along with spare equipment intended to keep ISS operational long after Shuttle is retired. Five EVA's and operations of three robotic arms were conducted for completion of all objectives.

### KSC W/D:

OPF: 109 + 9HVAB: 7 + 0CPAD B: 32 + 10C + 1 SD (STS-125 launch) + 1 CR (Crew Rest Day) PAD A: 42 + 3C + 1H

Total Work Days = 190 (OPF processing occurred over a total time period of 118 days.)

#### POSTPONEMENTS:

- Added STS-127 to FDRD launch date of 04/23/09 on 04/24/08.
- Ppd. to 05/15/09 on 07/03/08. Slip due to ET deliveries.
- Ppd. to 06/13/09 on 03/10/09. Slip due to interim changes while Cx and SSP schedules were assessed and prioritized.

### LAUNCH SCRUBS:

PPSUS(2)

- Launch scrubbed officially on Saturday, 06/13/09 at 12:26 a.m. EDT due to gaseous Hydrogen leak at the GUCP - the same type of leak that scrubbed STS-119 in March. Launch rescheduled for 06/17/09. Technical Scrub.
- Launch scrubbed officially on Wednesday 06/17/09 at 1:55 EDT with the reoccurrence of the same type of GUCP leak as previous scrub. Launch rescheduled for 07/11/09. Technical Scrub.
- Launch officially scrubbed during L-11 Hour Hold at MMT meeting on Saturday morning, 07/11/09, due to unstable weather and lightning strikes overnight in KSC area. Seven strikes hit the lightning protection system, but none hit the vehicle. Launch rescheduled for 07/12/09. Weather Scrub.
- SEITE, SIMPLEX Launch scrubbed during a final hold at T-9 minute mark on Sunday 07/12/09 due to predicted thunderstorms within 20 nm limit of SLF. Launch rescheduled for 07/13/09. Weather Scrub.
  - Launch scrubbed at 6:39 PM EDT on Monday 07/13/09 due to weather violations in KSC area. Launch rescheduled for 07/15/09. Weather Scrub.

## Revision T, PCN-4 March 2010 Page 210 - STS-127/2JA

Revision T, PCN-3 Octoberl 2009 Page 211 - STS-127/2JA

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,		NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

Continued...

49:137

11856 FT

ROLLOUT:

10059 FT

1:06 M:S

OFFICIAL:

DENS ALT:

1916 FT

58

S/T:

OV-105:

**DISTANCE**:

sm

TOTAL

SHUTTLE

18 sm

DISTANCE:

7H KT 6R

19008P13KT

(X5P7 H7P11)

FLT DURATION:

1212:01:31:4

266:15:33:0

6,547,853

497,402,2

15:16:44:

WINDS:

KTS

WHEELS STOP:


212:14:

			<b>SI</b>
STS-		Continued	Continued
127/ ISS-2JA Continue		MS 5 DN EXP 18/19/20	<u>SE TAL (ZZA</u> <u>104)</u> :
d		<u>FLT ENG (</u> Japan) Koichi Wakata (Flt 3 - STS-72,STS-	6:03(P) 6:08(A)
		92, Up on STS-119 stay ISS)	PTM (U/S 181 FPS):
		P801/R208/V164/M18	6:01(P) 6:14(A)
		SS EVA 137	SE PRESS 104 6:52(P)
40		DOCKED QUEST EVA 55	7:01(A) MECO CMD:
3 36		EMU/TETHERED EVA 130 SCHEDULED EVA 128	8:22.4(P) 8:24.9(A)
44		DURATION 5:32	<u>V</u> I: 25819(P)
ETOED	ITION 18	SS EVA 138 DOCKED QUEST EVA 56	25820(A)
		EMU/TETHERED EVA	OMS-2: 35:45 (P) 38:30(A)
EV	INNE POMAHEL	RATION 6:53	98.7(P) 96.9(A) FPS
S AMAZINA AMAZINA			
		SS EVA 139 DOCKED QUEST EVA	
		57 EMU/TETHERED EVA 132 SCHEDULED EVA 130	
		DURATIO N 5:59	

Continued...



ISS020-E-022626 (20 July 2009) --- Endeavour's crew cabin, along with the ISS's Kibo laboratory and Harmony node are shown during 2nd EVA.



S127-E-009372 (27 July 2009) Marshburn (left) & Cassidy, STS-127 MS's, participate in fifth and final EVA as construction and maintenance continue on the ISS.

Continued...

**LAUNCH WINDOW:** Total launch window was 10M 5S with window open at 196:21:58:10Z and close at 196:22:08:10Z. Preferred Launch Time was 196:22:03:10Z (In-Plane Time) for a launch window of 5M 0S.

### **LAUNCH DELAYS:**

- None. Launch occurred on time at 196:22:03:10Z, 6:03:10 p.m. EDT,Wednesday, July 15, 2009. The Spaceflight Meteorology Group (SMG) forecast was challenged by thunderstorms along the east coast breeze throughout the day. However, the weather improved at the SLF and within the 20nm limit prior to launch for a "Go".

**TAL WEATHER:** TAL weather also cooperated for a Go for launch. A high pressure system produced dry and stable conditions across southern Spain. The two Spanish TAL sites were forecast for clear skies and winds within flight rule limits. Istres was forecasting a slight chance of a ceiling below flight rule limits for launch day.

### **PERFORMANCE ENHANCEMENTS:**

Include the standard set plus: 1) PE Operational High Q SUM/JUL, 2) OMS Assist, 3) a 52 nautical mile MECO, and 4) Del Psi

### FLIGHT DURATION CHANGES: NONE

- Planned landing at KSC on orbit 248. Landed at KSC Runway 15 on orbit 248 at 212:14:48:07Z on Friday, July 31, 2009.

### FIRSTS/SECONDS/LASTS:

- Five launch scrubs is second highest number: STS-73 in 1995 & STS-61C in 1986 had six.
- Koichi Wakata, first Japanese astronaut to have engaged in long-duration on-orbit, returned to Earth after 4 1/2 months.
- First flight of SSME controller constant updates, an updated MPS propellant inventory, and an updated CMR.
- Record-size space crew of thirteen (ISS & Shuttle).

**NIGHT LAUNCH**: N/A

**RENDEZVOUS: #74** Rendezvous and dock with ISS.

Continued...

Revision T, PCN-3 Octoberl 2009 Page 212 - STS-127/2JA

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSR M	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMEN TS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-127/ ISS-2JA Continue d ... Continued...

SS EVA 140 DOCKED QUEST EVA 58 EMU/TETHERED EVA 133 SCHEDULED EVA 131 DURATIO N 7:12

SS EVA 141 DOCKED QUEST EVA 59 EMU/TETHERED EVA 134 SCHEDULED EVA 132 DURATION 4:54

MCC WHITE FLIGHT FCR (57)

FLIGHT DIRECTORS: SHUTTLE: A/E- Bryan Lunney LD/O1- Paul Dye

LD/O1- Paul Dye O2- Kwatsi Alibaruho Planning- Gary Horlacher

- Mike Sarafin MOD – John Mccullough Team 4- Richard Jones

<u>ISS</u> O1 - Brian Smith LD/O2 – Holly Ridings O3 – Derek Hassmann Team 4 - Ron

Continued...

Spencer



S127-E-009733 (28 July 2009) --- Record Size Space Crew: The STS-127 and Expedition 20 crew members pose for a group portrait in ISS Harmony Node. From left (front row) are NASA astronauts Michael Barratt, Exp 20 FE; Mark Polansky, STS-127 CDR; cosmonaut Gennady Padalka, Exp 20 CDR; and NASA astronaut Dave Wolf, STS-127 MS. From left (middle row) are JAXA astronaut Koichi Wakata, STS-127 MS; Canadian astronauts Julie Payette, STS-127 MS and Robert Thirsk, Exp 20 FE; and NASA astronaut Tom Marshburn, STS-127 MS. From left (back row) are cosmonaut Roman Romanenko, Exp 20 FE; NASA astronauts Christopher Cassidy, STS-127 MS; Doug Hurley, STS-127 Pilot; Tim Kopra, Exp 20 FE; and ESA astronaut Frank De Winne, Exp 20 FE.

Continued...

### **EVENTS:**

- During liftoff several pieces of foam insulation came off the ET. Shuttle was hit two or three times, said Bill Gerstenmaier. Some scuff marks were spotted on the belly, but that probably is coating loss and considered minor, he said. That was later determined to be the case.
- FD1: OMS2 ignition at 196:22:41:40.0.9Z resulted in a 125.4 by 85.1 NM orbit.
- FD2: RCC inspection found no areas of concern
- T1 maneuver at 198:15:17:25.9Z resulted in a 188.7 by184.0 NM orbit
- FD3: R-Bar Pitch Maneuver was performed. No issues.
- Hard Dock, hooks closed, occurred at 198:15:47:10Z (12:47 CDT, July 17, 2009)
- ISS Hatch opened at 198:17:48:10Z (2:48 PM CDT, July 17, 2009) welcomed by ISS crew.
- IELK Seat Liner Transfer at 198:19:22:10Z (9:00 PM CDT March 17, 2009). At that time Koichi Wakata became a member of STS-127 and Tim Kopra joined the ISS Expedition 20 as Flight Engineer.
- Reboost ~2.5 fps posigrade delta V. Increased altitude approx 4700 ft . Cleared vehicles of conjunction with Object 84180.
- FD4: Based on review of launch imagery, MMT cancelled FD5 focused inspection of Orbiter heat shield.
- FD4: EVA 1: David Wolf & Tim Kopra: Activities included: JPM berthing mechanism prep and install, CETA cart mods, and the P3 Nadir UCCAS deploy. EVA was shortened due to suit consumables. The PAS deploy was ppd. EVA1 duration 5:32.
- Using the SSRMS and SRMS the JEM Exposed Facility (JEF) was successfully unberthed from the Shuttle P/B and captured on the Japanese Experiment Module (JEM).
- FD6: EVA2: Dave Wolf & Tom Marshburn: Activities included: Transfer of ORU's (Space-to-Ground Antenna, Linear drive Unit & Pump Module) from the Intgrated Cargo Carrier (ICC) to the External Stowage Platform. linstallation of the JEF forward Vision Equipment [VE] was deferred.

EVA2 duration 6:53.

- FD8: EVA3: Dave Wolf & Chris Cassidy: Activities included: Node 2 WIF 14 removal and installation to COL WIF 2, JLE payload prep, completion of 2 Lab FPP grounding sleeves, changeput of 2 of 6 batteries on P6 (batts A & B from the ICC-VLD) and positioning of ICC-VLD in overnight parking configuration. EV2's LiOH performance caused early termination. EVA3 duration 5:59.
- FD10: EVA4: Chris Cassidy & Tom Marshburn: Activities included: successful R&R of all batteries and successful latching of the ICC-VLD back into the Shuttle P/L bay for return. EVA4 duration 7:12.

Continued...

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSR M			FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC F	HA/H P		PAYLOADS/ EXPERIMEN TS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-127/ ISS-2JA Continue d ... Continued...

### CAPCOMS:

### SHUTTLE

A/E - Alan Poindexter - Eric Boe (Wx) LD/O1 - Greg (Box) Johnson O2 - Janice Voss Planning - Stan Love - Shannon

Lucid Team 4 - N/A

### ISS

O1 - Hal Getzelman LD/O2-Akihiko Hoshide O3 - Jason hutt Team 4 - N/A



S127-E-011200 (28 July 2009) --- The ISS is seen from Space Shuttle Endeavour as the two spacecraft begin their relative separation.



S127-E-012919 (30 July 2009) --- The DOD-Satellite ANDE-2 shown after release from Endeavour's P/L Bay. The satellite data will be used to better predict

#### SIGNIFICANT ANOMALIES: Continued...

#### FT:

- POST-LAUNCH CAMERA AND FILM REVIEW SHOWED LOSS OF FOAM AT SEVERAL LOCATIONS ON THE INTERTANK.
- POST-LAUNCH CAMERA & FILM REVIEW SHOWED LOSS OF FOAM IN THE AFT INBOARD CORNER OF THE LO2 ICE FROST RAMP AT STATION 718
- ET TPS Loss Outboard Section of the -Y Bipod Closeout

MOD: None.

#### Integration:

- Unexpected Debris/Expected Debis Exceeding Mass Allowable Prior to Pad Clearance (Liftoff Debris)
- LH2 Leak at ET Ground Umbilical Carrier Plate

### **EVENTS**: Continued...

- FD13: EVA5: Chris Cassidy & Tom Marshburn: Activities included: completion of Z1 patch panel reconfig, SPDM covers, JEF Vision Equipment installation and several getaheads (JEM handrail and WIF installation, Lab cable tiedowns, Node 2 Gap Spanner installation, and relocating two APFR's for STS-128). The S3 Zenith Outboard PAS task was not performed due to lack of time based on predicted METOX capability. EVA5 duration 4:54.
- 24,638 Pounds of hardware transferred to ISS (inside & out)
  - 10,479 Pounds of hardware returned aboard Endeavour 2,175 Pounds of middeck items delivered to ISS aboard Endeavour
  - 1,980 Pounds of middeck items returned from ISS to Endeavour
  - 1.225 Pounds of water transferred to ISS
    - 45 Pounds of Oxygen used for "stack maintenance"
    - 12 Pounds of Nitrogen transferred to ISS
- ISS Mass in space 685,986 mass pounds
- FD14: Undocked at 209:17:26:00Z (12:26 PM CDT, July 28, 2009)
- After undocking, Hurley initiated Endeavour fly-around at a distance of 400 feet from ISS and completed Sepmaneuver at 209:19:09:00Z (2:09 PM CDT, July 28, 2009)
- During Entry comm blackout occurred at 212:14:34:05Z -212:14:36:24Z due to plasma effect.

### SIGNIFICANT ANOMALIES:

### Orbiter:

- MICROBIAL REMOVAL ASSEMBLY LEAKAGE
- FUEL CELL 3 SN 121 SUSTAINING HEATER TURNED ON WHEN THE FC STACK OUT TEMPERATURE REACHED A VALUE OF 185 DEG F
- DURING THE RCS HOTFIRE TEST, FORWARD RCS THRUSTER F2F
- EXHIBITED LOW PC (V42P1542A) OF APPROXIMATELY 16 PSI, F2F
- WAS DECLARED FAILED OFF AND AUTO DESELECTED BY RCS RM AT MET 14/10:45:40 (GMT 211/08:48:50). KSC:
- The Istres Backup Azimuth system is in a Hard Overscan Alarm
- STS-127 Post Launch Debris

### SRB:

- TOP LAYERS OF MSFC CONVERGENT COATING (MCC-1)
  MISSING ON AFT SKIRT TPS ACREAGE (BOTH LEFT & RIGHT
  HAND)POST FLIGHT OF STS-127/BI-138
- LEFT HAND SOLID ROCKET BOOSTER ENHANCED DATA ACOUISITION
- SYSTEM (EDAS) ASSEMBLY CHANNEL 4 DID NOT RECORD NOMINAL

STRAIN RESPONSE.

RSRM: None.

SSME: None.

Continued at left...

### Revision T, PCN-3 October 2008 Page 213 - STS-127/2JA

Revision T, PCN-4 March 2010 Page 214 -STS-128

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

			OI	ACE SHU	, , , <u>, , , , , , , , , , , , , , , , </u>	VIIOC		110 00			Page 214 -STS-128
STS-	OV-103	CDR:	KSC 39A		104/104/	BI-139	- 1	DIDECT	01		Brief Mission Summary: The STS-128
128	(Flight 37)	Rick Sturckow	241:03:59:37Z	EDW 54 CONC	109%		51. 6	DIRECT INSERTIO	OI- 34	<u>CARGO</u> :	(30th mission to ISS) main objective was
	DISCOVE	(Flt 4 - STS-88,STS-	11:59:37 PM	35		RSRM	(30	N	(1)	40605LBS	to deliver science and environmental
(17A)	RY	105	EDT (P)	255:00:53:20Z	PREDICTED:	107	)		(-/		racks to dramatically enhance the
		STS-117)	11:59:37 PM	7:53:20 PM	100/104.5/1			POST OMS-		<u>PAYLOAD</u>	scientific capability of the ISS. These
SEQ		P802/R247/V173/M21	EDT (A)	CDT	04.5/	ET-132		<u>∠</u> 127.5x84.4		CHARGEABLE:	racks were carried in the Leonardo MPLM.
FLT #	OMS PODS	5	Friday (27)	FRIDAY (16)	72/104.5			NM		33056 LBS	Included in the cargo was the highly
128	LPO1 -40		08/28/09 (9)	09/11/09 (12 )		SLWT					publicized Combined Operational Load
		PLT			<u>ACTUAL</u> :	36		DEORBIT: HA 192.1		DEPLOYED:	Bearing External Resistance Treadmill
KSC-128		Kevin Ford	<u>LAUNCH</u>	<u>DEORBIT</u>	100/104.5/1			ПА 192.1 NM		30572 LBS	(COLBERT) named after TV comedian
		P803/R345/M259	WINDOW:	BURN:	00//			HP 22.5		NON-	Stephen Colbert. Three EVA's were
PAD 39A			9M 36S (Total)	254:23:47:37Z	/2/104.5			NM		DEPLOYED:	conducted and included replacement of
(51)		MS 1	4M 48S	XRANGE:	1 2052	ET		ENTRY		2331 LBS	the massive amonia tank used by the ISS
		Patrick Forrester	(Preferred)	374.6NM	1 = 2052	IMPACT		<u>VELOCITY</u> :		2551 LD5	Thermal Control System.
MIDO		(Flt 3 - STS-105, STS- 117)	EOM DI C. KCC	ORBIT DIR: A/L	(8)	1:14:26 MET		25863		MIDDECK:	KSC W/D
MLP-2		P804/R269/V186/M23	EOM PLS: KSC	(42)	(9)	IVI⊏ I		FPS		153 LBS	OPF: 117+ 2H
30 <sup>th</sup>		5	TAL WX:		3 = 2047	LAT:		FNTRY			VAB: 9 + 0C
SHUTTLE		3	FMI.(NO	AIM PT:	(13)	35.875		ENTRY RANGE:		<u>SHUTTLE</u>	PAD A: 25 + 0C
FLIGHT		MS 2	GO)	Nominal	(13)	53.073		4399.1		<u>ACCUMULATE</u>	Total Work Days = 151 (OPF processing occurred
TO ISS		lose Hernandez	ZZA (NO	I voi i i i i i i i i i i i i i i i i i i	<u>M 3 EOM</u> :			NM		<u>D</u>	over a total time period of 119 days.)
10 100		P805/R346/M300	GO)	MLGTD: 1515	WEIGHT:	LONG:				WEIGHTS:	
			,	FT	222200 LBS					DEPLOYED:	POSTPONEMENTS:
		<u>MS 3</u>	SELECTED:	255:00:	X CG:	1 W				1579270 LBS	- Added STS-128 to FDRD - launch date of
ckow	FOR	Danny Olivas	RTLS: KSC33	53:20Z	1088.4 IN					NON	07/30/09 on 06/23/08.
SUSTER	128 HERNA	(Flt 2-STS-117)	N/N	VEL: 220 KGS						NON- DEPLOYED:	- Ppd. to 08/06/09 on 12/10/08. Interim
		P806/R309/V207	<u>TAL</u> : MRN20	199	<u>LANDING</u> :					1623992 LBS	manifest while HST final placement is
		/M267	N/N	KEAS	WEIGHT:					1023992 LB3	considered.
Q <sub>2</sub>			<u>AOA</u> : NOR 17	HDOT: -4.3	222271					CARGO	- Ppd to 08/07/09 on 06/08/09. Slip due to MA
48	FUGL	MS 4	N/SFD S B	FPS	LBS					TOTAL:	direction.
`		Christer Fuglesang	1 <sup>ST</sup> DAY PLS:	TD NODM 105	X CG:					4131080 LBS	- Ppd. to 08/18/09 on 06/30/09. Slip due to STS- 127 GUCP delays.
		(Flt 2 - STS-116)	EDW 22L N/SFD		1090 IN					1131000 255	- Ppd. to 08/25/09 on 08/20/09. Sliped to
	7/4	P807/R304/V208/M26	TDEL:	1753 FT						<u>PERFORMANC</u>	support KSC processing.
RS 1		4	0.000 (P)							E	Support NGC processing.
N3 + +	+ +		-0.078 (A)	DRAG CHUTE						MARGINS_	LAUNCH SCRUBS:
~ +	6A	MS 5 UP Stay ISS	(.,,	DEPLOY: 155	STS128-S-0	)11 (28 <i>A</i>	Aua. 2	2009)View	ved	<u>(LBS)</u> :	- 08/25/09 weather did not cooperate, systems
	\$0 60	EXP20/FLT ENG Nicole Stott	MAX Q NAV:	KEAS				iewing Site,		FPR: 2908	looked good. Setting up for the next
H /	, m	P808/R347/F47	752.76 (P)	255:00				ard Earth or	bit	FUEL BIAS:	opportunity, window open at 12:05am CDT
	3	F000/K347/T47	738.70 (A)	:53:32Z	and rendez	vous wit	h ISS	. Night laun	ch	1059	tomorrow with the in-plane time at 12:10am.
		MS 5 DN EXP 20			No. of the Control of					FINAL TDDP:	Weather Scrub.
	Ā	FLT ENG	SRB STG:	<u>NLGTD</u> : 4854	<b>3</b> 405					1707 RECON: 2077	- 08/25/09 the 2nd launch attempt was
H - Mar	N	Tim Kopra	2:02.2 (P)	FT						NECON: 20//	scrubbed officially at 4:52 p.m. CDT (5:52
~	SR	Up on STS-127 stay	2:02.6 (A)	255:00	ON TO A					PAYLOADS:	Eastern) by Launch Director Pete Nickolenko due to stuck "fill & drain valve during ET
MSRR	100	ISS)	DEDE MOMINIAL	:53:29Z						PLB:	loading. Based on the results of a technical
<b>28</b>	§-128 <sup>₹</sup>	P809/R344/M298	<u>PERF</u> : NOMINAL	161						ISS-17A	review of the MPS Hydrogen Fill & Drain Valve
			2 ENG TAL	KEAS					1	(MPLM,LMC),	data, a 48 hour scrub turnaround was initiated.
			(MRN):	HDOT: -6.3		gar.			111	MISSE 6.	Technical scrub.
			2:38 (P) 2:41							TRIDAR	- 08/27/09 Official no go for launch today.
			(A)			18/1	11 4			AR&D	Launch postponed to allow engineers additional
			<u>'</u>	BRK INIT: 113			Trail !	CALLA TE		SENSOR,DTO-	time to develop flight rationale based on testing
		Continued	NEG MRN (2@	KGS		NAMES CAME	THE STATE OF		San	701A	of F&D valve. Moses, "Will try tomorrow night
			<u>104):</u>	DDAG CUUTE							if we get there." Next opportunity is Friday at
			3:52 (P)	DRAG CHUTE						Continued	10:59 pm CDT (11:59 Eastern).
			3:53(A)	<u>JETTISON</u> :						Continued	-08/28/09 MMT Summary at 12:55 PM:
				54 KGS							Reviewed LH2 valve (PV12) and agreed to plan
			PTA (U/S 157	255:00:54:0							for tonight's launch attempt. MMT is go to
			<u>FPS)</u> :	, 255.00.54.0		•			•	•	proceed for launch.

Revision T, PCN-4 March 2010 Page 215 - STS-128

FL		ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
N	0.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

## STS-128 (17A)

# Continue

At FRR News Conf: News 13 Flordia: "Buzz Lightvear doing okay?" Suffredini: "There are big plans for him. He's been stowed, so I didn't talk to him."



SPECIAL EDUCATOR "Buzz" Lightyear (DN/EXP 20, see bèlow)





EVA 142 Continued... DOCKED OUEST EVA

EMU/TETHERED EVA 135

SCHEDULED EVA 133 **DURATION 6:35** 

SS EVA 143 DOCKED QUEST EVA 61

EMU/TETHERED EVA

SCHEDULED EVA 134 SE PRESS 104 **DURATION 6:39** 

SS EVA 144 DOCKED QUEST EVA 62 EMU/TETHERED EVA

SCHEDULED EVA 135 25819(P) 25820(A) DURATIO N 7:01

Continued...

SE TAL (FMI 104): 6:05(P) 6:08(A)

PTM (U/S 181 FPS): 6:09(P) 6:16(A)

6:57(P) 6:58 (A)

MECO CMD: 8:24.0(P) 8:24.7 (A)

Continued...



Google Earth Plots of StrikeNet and CGLSS Coordinates.

From: Aug 15, 2009 Daily PRCB, John

Continued...

LAUNCH WINDOW: Total launch window was 9M 36S with window open at 241:03:54:49Z and close at 241:04:04:25Z. Preferred Launch Time was 241:03:59:37Z (In-Plane Time) for a launch window of 4M 48S.

#### LAUNCH DELAYS:

 None. Launch occurred on time at 241:03:59:37Z, 11:59:37 PM EDT, Friday, August 28, 2009. The Spaceflight Meteorology Group (SMG) gave a "Go" for weather.

TAL WEATHER: SMG Forecast: A frontal system is approaching Istres and a upper level shortwave is dropping into northern Spain and southern France. Result in very windy conditions at Istres and breezy conditions at Zaragozal. Istres winds will be violating flight rule limits while Zaragoza will be very near the headwind limit. Moron weather is looking very favorable with clear skies and relatively light winds.

### **PERFORMANCE ENHANCEMENTS:**

Include the standard set plus: 1) PE Operational High Q - SUM/AUG, 2) OMS Assist, 3) a 52 nautical mile MECO, and 4) Del Psi

### **FLIGHT DURATION CHANGES:**

- Thursday, Sep 10, 2009, first deorbit opportunity waved off for violations of showers within 30nm & crosswind violations at 17 kts. Second opportunity also waved off; showers, instability, broken cloud deck and crosswind violation. Flight extended for EOM +1 day to Friday, 4 opportunities available. First & second opportunities at KSC were again waved off due to weather. EDW had no violations and low winds, first opportunity shows winds 230 8p12 kts. GO for EDW given. Landed on EDW Runway 22 at 255:00:53:20Z, Friday, Sep 11, 2009.

### FIRSTS:

Continued...

ISS-17A, MAUI,

SEITE.SIMPLEX

5 CRYO TANK

ODS, SRMS

OBSS.SSPTS

MIDDECK:

SETS

(85).

- Water Tower

RSRM Improved Resiliency O-rings, Nozzle-to-Case Joint. Fly with higher margins. RSRM Inactive Stiffener Stub Removal -Eliminated four debris liberation/debris impact causes

NIGHT LAUNCH: #33

Continued...

Revision T, PCN-4 March 2010 Page 216 - STS-128

FLT	ORBITE R	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,		NOM-	SRB		ORBIT		PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.		INC	HA/H P		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-128 (17A)

Continu ed... Continued... Continued...

MCC WHITE FLIGHT OMS-2: 39:00 (P) 39:00(A) FLIGHT DIRECTORS: SHUTTLE: 94.5(A) FPS

A/E- Richard Iones

Planning- Gary

Horlacher

LD/O1- Tony Ceccacci

MOD - John Mccullough

LD/O2 - Heather Rarick

- Chris Ferguson

- Tony Antonelli

LD/O1 - Chris Ferguson

Team 4- Mike Sarafin

O1 - Ron Spencer

O3 - Royce Renfro

Team 4 - Derek

Hassmann

CAPCOMS:

A/E - Eric Boe

O2 - Stan Love

Team 4 - N/A

O1 - Chris Zaiac

O3 - Mike Jensen

Team 4 - N/A

LD/O2- Robert Hanley

Planning - Shannon

SHUTTLE

(Wx)

Lucid

02- Kwatsi Alibaruho

ROLLOUT: 11594 FT 1:13 M:S WINDS: -6.5T KT

Continued...

-2.5L KTS OFFICIAL: 09007P08KT (X4P4 T6P7)

DENS ALT: 5489 FT

FLT\_ DURATION: 13:20:53:

43 <u>S/T</u>: 1225:22:25: 27

OV-103: 332:00:33: 34:

<u>DISTANCE</u>: 5,702,716 sm

TOTAL SHUTTLE DISTANCE: 503,104,93 4 sm



Construction and maintenance continued on the ISS.

ABOVE: S128-E-007229 (1 Sept. 2009) --- Nicole Stott/EXP 20 FE, during EVA 1with Danny Olivas/MS3 (out of frame). Activities included removal of an empty ammonia tank from ISS truss .

BELOW: S128-E-007720 (5 Sept. 2009) --- Olivas/MS3 (left) & Christer Fuglesang//ESA/MS4, participate in EVA3 activites.



Continued...

**RENDEZVOUS: #75** Rendezvous and dock with ISS.

#### **EVENTS:**

- FD1: OMS2 ignition at 241:04:38:36.9Z resulted in a 127.5 by 84.4 NM orbit.
- FD2: RCC inspection found no areas of concern
- T1 maneuver at 242:22:26:17Z resulted in a 193.2 by181.6 NM orbit
- FD3: R-Bar Pitch Maneuver was performed. No issues.
- Docking Contact occurred at 243:00:53:56Z
- Hard Dock, hooks closed, occurred at 243:01::07:23Z
- ISS Hatch opened at (9:32 PM CDT, Aug 30, 2009) welcomed by ISS crew.
- IELK Seat Liner Transfer at (10:50 PM CDT, Aug 30). At that time Tim Kopra became a member of STS-128 and Nicole Stott joined ISS EXP 20.
- MMT FD3 reported VRCS jet F5R experienced a jet fail leak at 00/4:37 MET. ISS to perform all attitude control & maneuvers during the docked mission.
- MMT FD5 concured that no Focused Inspection of Orbiter was required.
- FD5: "Leonardo" MPLM transfered to ISS, Zero-G stowage rack transfered to "Harmony" node & CDLB treadmill transferred.
- EVA 1: Olivas & Stott successfully completed: Prep of P1 truss Ammonia Tank Assembly (ATA) for removal, EuTEF & MISSE experiment removal from Columbus module. EVA1 duration 6:35
- FD7: EVA2: Olivas & Fuglesang: EVA was about 51 min late due to Olivas' comm. cap chin strap came undone while in pre-breathe. The ATA task was completed early & 3 get ahead tasks were completed: CLA cover installation, APFR 4 tool stanchion relocation, & CLPA cover installation. EVA2 duration 6:39.
- FD9: EVA3: Olivas & Fuglesang: Activities included: Deploy S3 Truss Payload Attach System, Rate Gyro Assembly 2 R&R, S0 Truss Remote Power Control Unit R&R, Global Positioning System 4 installation, "Tranquility" Node 3 avionics cable routing (full), & Oxygen Generator Assembly water filter R&R. A lense became mechanically detached from Fuglesang's helmet at the end of the EVA. Without intact helmet lights he headed to the A/L before sunset. His PET was 6:22. Olivas performed cleanup. EVA3 duration (PET) 7:01.

Continued...

FLT	ORBITER	CREW (6+1 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-128 (17A)

Continu ed...



ISS020-E-038322 --- STS-128 & Exp 20 crew inflight portrait on ISS. STS-128 red-clad crewmembers are: front row, from left, Sturckow, Hernandez, & Forrester; middle row in red, Ford, Olivas, & Fuglesang (ESA). EXP 20 crew (in blue) are: bottom left, Kopra, who joined ISS crew in July, now scheduled to return to Earth with STS-128. Clockwise fashion from him are: Stott, Robert Thirsk/CSA, Roman Romanenko/RSA, Frank De Winne/ESA, Gennady Padalka/RSA, and Michael Barratt.

S128-E-009998 (8 Sept. 2009) --- Backdropped by Earth's horizon and the blackness of space, ISS as seen from Discovery as the two spacecraft begin



\$128F009988

STS128-S-047 (11 Sept. 2009) --- Shuttle
Discovery's main landing gear touchdown at EAFB.
Landing was diverted from KSC due to marginal



Continued...

-Transfers:

18,548 Lbs of hardware transferred to ISS 1,705 Lbs"New" ATA ( with 600 lbs of ammonia) to ISS

1,295 "Old" ATA to Discovery

5,223 Lbs hardware returned to Discovery

1,705 Lbs of middeck items transferred to

861 Lbs of middeck items returned from ISS to Discovery

1,243 Lbs of water transferred to ISS 710,966 Mass in space of the ISS ( lbs)

84 Percentage complete of ISS assembly

- FD12: Undocked at 251:19:26:22Z - During Entry comm blackout occurred at 255:00:38:39Z - 255:00:39:02Z due to plasma

55:00:38:39Z - 255:00:39:02Z due to plasma ffect.

- FD15: Deorbit burn on orbit 219 for EDW landing.

### SIGNIFICANT ANOMALIES:

Orbiter:

- EV2 UNACCEPTABLE COMM DURING EVA 2.
- Vernier Thruster F5R Indicates Leak In Flight
- APU 3 EGT 2 R&R
- Vernier Thruster F5R Indicates Leak In Flight KSC:
- HANDLES ON BULK HEAD PLATES ARE LIBERATING
- STS-128 Post Launch Debris SRB:

- DEBRIS OBSERVED NEAR HOLD DOWN POST (HDP-4) DURING ASCENT.

- RH MAIN CHUTE CANOPY DAMAGED WITH A VERTICAL TEAR EXTENDING FROM THE TOP VENT BAND TO THE CANOPY BOTTOM SKIRT BAND DURING STS-128 ON BI-139

RSRM: None.

SSME: None.

ET:

- STS-128/ET-132 REVIEW SHOWED FOAM LOSS BETWEEN +Y JACKPAD/-Y BIPOD CLOSEOUTS AT LH2/IT FLANGE

MOD: None.

Integration:

- LH2 PV-12 Inboard Fill and Drain valve did not indicate closed when commanded
- Debris Observed Near RH SRB Aft Skirt HDP #4 Foot
- LH2 PV-12 Inboard Fill and Drain valve did not indicate closed when commanded


FLT	ORBITER	CREW (6 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/	ΗP	PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

			<b>3P</b>	ACE SH	JIILE			N2 20	IVII
STS-	OV-104	CDR:	KSC 39A	KSC 33 KSC	104/104/	BI-140	51.	DIRECT	OI-
129/	(Flight 31)	Charles O. Hobaugh	320:19:28:10Z	(72)	109%		6 (31)	INSERTION	(2)
	ATLANTIS	(Flt 3 - STS-104, STS-	1:28:01 PM CST	331 /		RSRM	(31)		(2)
ULF3		118)	(P)	14:44:21Z	PREDICTED:	108		POST OMS-	
		P810/R268/V188/M23			100/104.5/1			2	
SEQ	OMS PODS	4	(A)	CST	04.5/	ET-133		125.0x84.8	
FLT #	LPO4-30		Monday (15)	Saturday (24)	72/104.5	SLWT		NM	
129	RPO1-38	PLT	11/16/09 (15)	11/7/09 (14 )		37			
KCC 120	FRC4-31	Barry E. Wilmore	LAUNCH	DEORBIT	ACTUAL:			DEORBIT	
KSC-129		P811/R348/M301	<u>LAUNCH</u> WINDOW:	BURN:	100/104.5/1 00/	ET		HA 191.9	
PAD 39A		MS 1	9M 01S (Total)	331:13:37:09Z	72/104.5	IMPACT		NM	
(52)		Leland Melvin	4M 28S		72/104.5	1:14:13		HP 23.3	
(32)		(Flt-2 - STS-122)	(Preferred)	XRANGE:	1 = 2048	MET		NM	
		P812/R319/V209/M27	(,	344.1NM	(10)				
MLP-3		5	EOM PLS: KSC	ODDIT DID A	2 = 2044	LAT:		<b>ENTRY</b>	
			<u>TAL</u> : ZZA	ORBIT DIR: A/L (43)	(12)	36.434		<u>VELOCITY</u> :	
31 <sup>th</sup>		MS 2	<u>TAL WX</u> : MRN,	AIM PT: (Close-	3 = 2058	S		25867	
SHUTTLE		Randy Bresnik	FMI (Cloud	In)	(4)			FPS	
FLIGHT		P813/R349/M302	Ceiling)	"",		LONG:		ENTEN	
TO ISS		MC 2	CEL ECTED	MLGTD: 2971	<u>M 3 EOM</u> :	158.53		ENTRY	
		MS 3 Mike Foreman	SELECTED:	FT	WEIGHT:	1 W		RANGE: 4390.31	
		(Flt 2 -STS-123)	RTLS: KSC33N/N	331:14:4	206917 LBS X CG:			NM	
		P814/R324/V210/M280	TAL: ZZA 30L	4:20Z	1083.8 IN			INIVI	
		1 014/1(324/ \$210/18/200	N/SFD	VEL: 184 KGS	1005.0 11				
	^	MS 4, EV2	<u>AOA</u> : KSC 33	197	LANDING:				
- A		Robert Satcher, Jr.	N/N	KEAS	WEIGHT:	KSC-2	009-	-5945 (28 C	Oct.
3		P815/R350/M303	1 <sup>ST</sup> DAY PLS:	HDOT: -2.1 FPS	207200 LBS	2009)	N	IASA's new	,
200			EDW 22L N/N	IF5	X CG:	Ares Í	-X te	st rocket	
		MS 5 DN	TDEL:	TD NORM 195:	1084.6 IN			rom PAD 3	9B
Ad	1	EXP20/21 FLT ENG	0.000 (P)	298				9 readies fo	
	- 8	Nicole Stott	-0.072 (Á)	9 FT				1	_
Ŷ	. R	P816/R347/F47		DRAG CHUTE					
ā.	= 5		MAX Q NAV:	DEPLOY: 189					
	3	SS EVA 145	760.9 (P)	KEAS					
	- 1907	DOCKED QUEST EVA	733.8 (A)	331:14:4					
-44	V BREAT	63	SRB STG:				- 1754W)		
		EMU/TETHERED EVA	2:03.0 (P)						
		138	2:04.0 (A)						
STS-12	9 ULF3	SCHEDULED EVA 136	2.0 1.0 (/ (/	The same of the same of					1
80 ///		DURATION 6:37	<u>PERF</u> : NOMINAL						
TA THE	T + 111	SS EVA 146							
5	DARE	DOCKED QUEST EVA	2 ENG TAL						
ELC1	ELC2	64	<u>(ZZA)</u> :	TIME				<b>2</b>	
		EMU/TETHERED EVA	2:36 (P) 2:43	HIN ST					
		139	(A)						100
		SCHEDULED EVA 137	NEC 774 (36		du die ro				1
		DURATION 6:08	NEG ZZA (2@ 104):		THE PROPERTY OF THE PARTY OF TH		2		
		Continued	3:52 (P)		did to the second	TON THE REAL PROPERTY.	A POPULAR OF THE PARTY OF THE P		
		- Continuedin	3:57(A)			Will.		Anna Carlotte and Anna Anna Anna Anna Anna Anna Anna	
			` ′	-					
				THE RESERVE OF THE PARTY OF THE					

PTA (U/S 157 FPS):

5:08(P)

5:09(A)



http://www.nasa.gov/images/content/389937 main 2009-5728.jpg Ares 1-X Rocket (1st Test Flight) and STS-129 Shuttle

Brief Mission Summary: The STS-129 (31th mission to ISS) main objective was to deliver nearly 14 tons of ISS systems spares. The most critical spares being transferred were two 600 lb. control moment gyros. "They've done a tremendous job of really outfitting station with all the spares that are going to be needed, essentially through its lifetime." Bill Gerstenmaier. NASA Associate Administrato for Space Operations.

### KSC W/D

CARGO:

38893LBS

PAYLOAD

29372 LBS

DEPLOYED:

27615 LBS

1404 LBS

MIDDECK:

353 LBS

SHUTTLE

WEIGHTS:

DEPLOYED:

DEPLOYED:

CARGO

TOTAL:

1625396 LBS

4131080 LBS

PERFORMANC

MARGINS

FUEL BIAS:

FINAL TDDP:

PAYLOADS:

ISS-ULF3 (ELC

ELC 2, SASA,

MISSE 7A.

MISSE 7B)

Continued...

(LBS): FPR: 2908

1059

2228 RECON: 2041

PLB:

NON-

1606885 LBS

ACCUMULATE

NON-DEPLOYED:

CHARGEABLE:

OPF: 113 days + 10 non-workdays + 1 holiday 7 days + 1 contingency day PAD A: 32 days + 2 contingency days Total Work Days = 152 (OPF processing occurred over a total time period of 124 days.)

### **POSTPONEMENTS:**

- Baselined STS-129 to FDRD launch date of 10/15/09 on 10/06/08.
- Ppd. to 11/12/09 on 12/04/08. Interim manifest while HST final placement is considered.
- Ppd. to 11/16/09 at10/29/09 FRR. Slip due to latest SSP planning.

#### LAUNCH SCRUBS: None.

LAUNCH WINDOW: Total launch window was 9M 01S with window open at 320:19:23:37Z and close at 320:19:32:38Z. Preferred Launch Time was 320:19:28:10Z (In-Plane Time) for a launch window of 4M 28S.

#### **LAUNCH DELAYS:**

- None. Launch occurred on time at 320/19:28:10Z, 2:28:10 PM EST, Monday, November 16, 2009. A cloud ceiling below 5000 feet developed early in the morning, violating flight rule limits. The ceiling lifted to above flight rule limits about 5 hours prior to launch, but continued to violate US Air Force Range Safety cloud criteria. Astronaut Steve Lindsey, flying weather reconnaissance. provided measurements of the cloud thickness for the 45th Space Wing's Launch Weather Officer and found the thickness to be acceptable about 3 hours prior to launch... (Courtesy NWS SMG Post-Mission Summary.)

Continued...

### Revision T, PCN-4 March 2010 Page 218 STS-129/ULF3

Revision T, PCN-4 March 2010 Page 219 STS-129/ULF3

FLT	ORBITER	CREW (6 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-129/ ULF3 Continue

Continued...

SS EVA 147 DOCKED OUEST EVA FMU/TFTHERED EVA 140 SCHEDULED EVA 138

DURATION 5:42

PTM (U/S 181 FPS): 6:11(P)

6:13(A)

SE PRESS 104 6:56(P) 6:56 (A)

MECO CMD: 8:24.2(P) 8:24.3 (A)

25819(P) 25819(A)

OMS-2: 37:55 (P) 38:15(A) 98.8(P) 96.7(A) FPS

Continued...

FPS<sup>2</sup>: 7.9

WHEELS STOP: 331:14:45

955 7 FT ROLLOUT:

6 FT

WINDS:

OFFICIAL: 33011P17KTS X1P2H11P17)

DENS ALT: -473 FT

FLT DURATION 10:19:16:

OV-104: 281:23:59: 12

DISTANCE:

Continued...

BRK DECEL AVE 6.4 PK

047

658

0:44 M:S

11H KTS -1L KTS

14

S/T: 1235:41:41:4

4.490.138

sm TOTAL SHUTTLE DISTANCE: 507,595,07 2 sm



PAYLOADS: MIDDECK: ISS-ULF3. MAUI. SEITE, SIMPLEX, RAMBO-2

5 CRYO TANK SETS ODS. SRMS (86). OBSS

Continued...

TAL WEATHER: Weather on launch day caused a couple minor issues at back-up site. Istres. Weather conditions at Zaragoza, the prime TAL site, and Moron were observed and forecast acceptable throughout the countdown. However, a cloud ceiling developed at Istres 2 hours prior to launch limiting the use of that landing site. (Courtesy NWS SMG Post-Mission Summary.) Istres became GO close to launch undate.

### PERFORMANCE ENHANCEMENTS:

Include the standard set plus: 1) PE Operational High O - TRN/NOV. 2) OMS Assist. 3) a 52 nautical mile MECO, and 4) Del Psi

### **FLIGHT DURATION CHANGES:**

None. Landed on KSC Runway 33 at 331:14:44:21Z. Friday. November 27, 2009. at8:24:21 CST.

### FIRSTS/SECONDS/LASTS:

Second child born while astronaunt dad in space. Randy Bresnik's wife, Rebecca, gave birth to Abigail Mae Bresnik, 6 lbs 13 oz, at 11:04 p.m. Saturday, Nov. 21st, in Houston. First "dad while in space" was Mike Fincke in 2004 on ISS during a 6 mo tour- a girl. First Orthopedic Surgeon in space: Dr. Robert Satcher.lir.

First flight of new variable Alt DAP First flight ET replaced LH2 ice Frost Ramp (IFR) base TPS with NCFI at 14 locations First Flight SSME Nozzle Corrosion Inhibitor Application Change


First Monarch Butterflies delivered to ISS. Butterflies took flight on 12/09/09 as monitored by thousands of students back on Earth. Super Bowl XLIV opening-toss coin flown to ISS & returned.

**NIGHT LAUNCH: N/A** 


**RENDEZVOUS: #76** Rendezvous and dock with ISS.

#### **EVENTS:**

- FD1: OMS2 ignition at 320:20:06:25Z resulted in a 125.0 by 84.8 NM orbit.
- FD2: RCC inspection found no areas of
- T1 maneuver at 322:14:05:57Z resulted in a 185.6 by179.5 NM orbit
- FD3: R-Bar Pitch Maneuver was performed. No issues.
- Docking Contact occurred at 322:16:51:16Z



Continued...



STS129-S-027 (16 Nov. 2009) --- NASA

Administrato for Space Operations is at

mission managers monitor Atlantis

launch from KSC FR 4. Bill

Gerstenmaier, NASA Associate

ISS021-E-029824 (18 Nov. 2009) --- Atlantis loaded with spares is photographed on approach to ISS by an Expedition 21 crew member. The Russian Progress 35P

### Revision T, PCN-4 March 2010 Page 219 STS-129/ULF3

Revision T PCN-4 March 2010 Page 220 STS-129/ULF3

FLT	ORBITER	CREW (6 UP/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,		NOM-ABORT	SRB RSRM	_	RBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-129/ ULF3 Continue Continued...

CAPCOMS:

SHUTTLE
A/E - Chris Ferguson
- Steve Frick
(Wx)
LD/O1 - Stan Love
O2 - Megan McArthur
Planning - Aki
Hoshide
Team 4 - N/A
ISS

O1 - Drew Feustel LD/O2- Steve Swanson O3 - Ryan Lien Team 4 - N/A



ISS021-E-032724--- (24 Nov. 2009) Portrait Time: Twelve internationally-represented astronauts and cosmonauts spend time together in space. The group includes the seven STS-129 astronauts Charles O. Hobaugh, commander; Barry E. Wilmore, pilot; and Nicole Stott, Mike Foreman, Leland Melvin, Robert L. Satcher Jr. and Randy Bresnik, all mission specialists, plus the five ISS crewmembers, Jeffrey Williams, Frank De Winne/ESA, Robert Thirsk/CSA and Russia's FSA cosmonauts Roman Romanenko and Maxim Suraev.



ISS021-E-030165 (19 Nov. 2009) Foreman installing a spare S-band antenna structural assembly to the Z1 segment of the station's truss. EVA 1.



S129-E-007762 (21 Nov. 2009) New Dad In Space, Bresnik, installing a Grappling Adaptor to On-Orbit Railing Assembly (GATOR) on Columbus Lab. EVA 2.



S129-E-008103 (23 Nov. 2009) Satcher moves debris shields from Quest airlock to the External Stowage Platform #2. EVA 3.

Continued...

#### EVENTS: Continued...

- Hard Dock, hooks closed, occurred at 322:17:03:49
- ISS Hatch opened at (12:28 PM CST, Nov. 18, 2009) welcomed by ISS crew. At that time Stott ended her stay as EXP 21 FE and became an STS-129 MS.
- FD4: EVA 1: Foreman & Satcher successfully completed all ISS maintenance and spares transfer tasks ahead of schedule. A get-ahead task was the most difficult. In releasing a cargo platform, a spring loaded device jammed and had to be manhandled to achive relaese. EVA1 duration 6:37.
- MMT concured that no Focused Inspection of Orbiter was required.
- FD6: EVA2: Russian false depress event overnight, but EVA2 was conducted on time. Foreman & Bresnik completed all nominal tasks plus the following get-aheads: S3 Nadir/Inboard PAS Deploy, SGANT Y-cable check (CHIT 8025), Tool stanchion relocation to P1 WIF 3, & APFR 5 retrieve. EVA2 duration 6:08.
- FD8: EVA3: Satcher & Bresnik: EVA-3 started one hour late due to EV2's drink bag valve coming loose. All tasks successfully completed included: transfer of HPGT & MISSE & from ExPRESS Logistics Carrier 2 to Quest airlock. Towards the end of the EVA two [unknown] items were lost overboard at 327:17:37Z. All tools were accounted for. EVA3 duration (PET) 5:42.
- Hard Dock, hooks closed, occurred at 322:17:03:49
- ISS Hatch opened at (12:28 PM CST, Nov. 18, 2009) welcomed by ISS crew. At that time Stott ended her stay as EXP 21 FE and became an STS-129 MS.

#### -Transfers:

- 31,789 Pounds of hardware transferred to station (inside & out)
- 40 Pounds of Oxygen "transferred" (pumped) into ISS cabin
- 11 Pounds of Nitrogen transferred into ISS tanks
- 2,211 Pounds of middeck items delivered  $\underline{\text{to}}$  ISS
- 2,110 Pounds of middeck items returned from ISS
- ~1,400 Pounds of water transferred to ISS
- Mass in space of the ISS 759,222 pounds
- ISS assembly: 86 Percentage complete
- FD10: Undocked at 329:09:53:02Z
- During Entry there was no RF blackout. It was

Revision T PCN-4 March 2010 Page 220 STS-129/ULF3

SRB

**RSRM** 

AND

ET

SSME-TL NOM-ABORT

EMERG

THROTTLE

PROFILE

ENG. S.N.

ANDING SITE/

RUNWAY.

CROSSRANGE

LANDING

**TIMES** 

LT DURATION, WINDS

FLT	ORBITER	CREW (6 Up/6+1 DN)	LAUNCH SITE, LIFTOFF TIME,	L
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	F
STS- 129/ ULF3 Continue d				



S129-E-009497 (24 Nov. 2009) --- Nicole Stott/MS takes one of her final "strolls" through the modules and hatchways of the ISS on the eve of her departure from the orbital outpost.

JSC2009-E-243548 (24 Nov. 2009) --- The members of the STS-129 Ascent Flight Control Team pose for a group portrait in the Space Shuttle Flight Control Room in the Mission Control Center at JSC. Flight director Bryan Lunney and flight controller Christi Worstell hold the STS-129 logo.



INC

ORBIT

HA/HP

S129-E-009228 (25 Nov. 2009) --- ISS, post Shuttle sep, is shown against the background of Earth's



Continued...

**PAYLOAD** 

PAYLOADS/

**EXPERIMENTS** 

WEIGHTS.

**FSW** 

### **SIGNIFICANT ANOMALIES:**

Orbiter:

WASTE DUMP STOPPED PREMATURELY, THE WASTE WATER DUMP INITIATED POST-UNDOCK AT APPROX, 329/12:07:38 GMT, EXHIBITED A NOMINAL WASTE DUMP RATE (APPROX. 2.0 %//MIN) UNTIL APPROX. 329/12:19:36 GMT WHEN THE WASTE DUMP RATE DEGRADED TO 0.3 /%/MIN. WASTE DUMP WAS TERMINATED BY CLOSING THE DUMP VALVE AND NOZZLE WAS REHEATED TO APPROX, 258 DEG F. DUMP VALVE WAS THEN OPENED AT 329/12:35:34 GMT FOR CONTINUATION OF THE DUMPING OPERATION, THE OBSERVED DUMP RATE CONTINUED OFF-NOMINALLY AT NEAR 0 %/MIN AND THE WASTE DUMP WAS TERMINATED AFTER 19 MINUTES. This IFA is considered a constraint to STS-132/ULF4 (next flight of OV-104), but is expected to be resolved with a dump line filter change.

MISSION HIGHLIGHTS

(LAUNCH SCRUBS/DELAYS

TAL WEATHER, ASCENT I-LOADS.

FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

- APU water tank heater A (50V46HR01A) did not operate at expected temp. APU water tank temp
- LRCS BFS FUEL AND OXIDEZER QUANTITIES INCREASED OFF NOMINAL

KSC: None.

SRB:

RH SOLID ROCKET BOOSTER AFT SKIRT FOAM ON THE OUTBOARD SIDE OF HOLDDOWN POST M2 NEAR THE GN2 PURGE LINE IS OBSERVED TO CRACK DURING LIFTOFF

RSRM: None. SSME: None. ET: None. MOD: None. Integration:

- Unexpected Debris/Expected Debris Exceeding Mass Allowable Prior to Pad Clearance (Liftoff Debris)
- Single Transient SRB I/O Error at Liftoff

Revision T, PCN-5 JUNE 2010 Page - 222 STS-130(20A)

FLT	ORBITER	CREW (6)	LAUNCH SITE, LIFTOFF TIME,	- ,	NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

### Revision T. PCN-5 JUNE 2010 Page - 222 STS-130(20A)

### ACE SHUTTLE MISSIONS SUMMARY

5219

			SP	ACE SH
STS- 130/ 20A	OV-105 (Flight 24) ENDEAVO UR	CDR: George D. Zamka (Flt 2 - STS-120) P817/R315/V211/M27 1	KSC 39A 39:09:14:07Z 4:14:07 AM EST (P) 4:14:07 AM EST	KSC15 KSC (73) 053:03:20:292 9:20:29 PM
SEQ FLT #	OMS PODS LPO3 -34 RPO4 30	PLT Terry W. Virts, Jr. P818/R351/M304 MS 1	4:14:07 AM EST (A) Monday (16) 02/08/10 (10)	CST Sunday (17) 02/21/10 (8)
130 KSC-130	FRC5-23	Kathyrn P. Hire (Flt 2 - STS-90) P819/R238/V212/F31	<u>LAUNCH</u> <u>WINDOW</u> : 11M 57S (Total)	DEORBIT BURN: 053:02:14:47
PAD 39A (53)		MS 2 Stephen K. Robinson (Flt 4 - STS-85, STS- 95, STS-114)	7M 32S (Preferred)	XRANGE: 336.9NM
MLP-2		P820/R222/V152/M19 6 MS 3	EOM PLS: KSC TAL: ZZA TAL WX:	ORBIT DIR: A
32nd SHUTTLE FLIGHT		Nicholas J. M. Patrick (Flt 3 - STS-105, STS- 116)	MRN (NO GO), FMI (NO GO)	AIM PT: (Close In)
TO ISS		P821/R303/V186/M26 3 MS 4	<u>RTLS</u> : KSC15 N/N	MLGTD: 2760 FT 053:03:2
ROBINSON	ния	Robert L. Behnken (Flt 2 - STS-123) P822/R323/V213/M27 9	TAL: ZZA 30L N/N AOA: KSC 15 N/N 1 <sup>ST</sup> DAY PLS: EDW 22R N/N	0:29Z VEL: 188 KGS 190 KEAS HDOT: -1.9 FPS
	PATRICK	SS EVA 148 DOCKED QUEST EVA 66 EMU/TETHERED EVA	TDEL: 0.000 (P) 0.232 (A)	TD NORM 199 24 5 FT
NODE 3 T	RANQUILITY	141 SCHEDULED EVA 139 DURATION 6:32	MAX Q NAV: 757.6 (P) 756.6 (A)	DRAG CHUTE DEPLOY: 185 KEAS
STS-130	ISS 20A	SS EVA 149 DOCKED QUEST EVA 67	SRB STG: 2:05.9 (P)	053:03:2 0:31Z
	CUPOLA	EMU/TETHERED EVA 142 SCHEDULED EVA 140	2:07.2 (A) <u>PERF</u> : NOMINAL	NLGTD: 521
		DURATION 5:53 SS EVA 150 DOCKED QUEST EVA	2 ENG TAL (ZZA): 2:42 (P) 2:43	
		68 EMU/TETHERED EVA 143 SCHEDULED EVA 141	(A) <u>NEG ZZA (2@</u> 104):	-0
		DURATION 5:48	3:52 (P) 3:54(A)	
		Continued	PTA (U/S 160 FPS): 5:08(P) 5:06(A)	http://www main_2009

ACE SHU	JIILEN		Or	<b>15 SUI</b>	VIIVI	ARY
KSC15 KSC (73)	104/104/ 109%	BI-141	51. 6 (32)	DIRECT INSERTION	OI- 34 (3)	<u>CARGO</u> : 40956 LE
053:03:20:29Z 9:20:29 PM CST Sunday (17)	PREDICTED: 100/104.5/10 4.5/ 72/104.5	RSRM 109 ET-134	(32)	POST OMS- 2 124.0x110. 08 NM	, ,	PAYLOAD CHARGE 34931 LE
02/21/10 (8 )	ACTUAL:	SLWT 38		DEORBIT		DEPLOYE 34648 LE
<u>DEORBIT</u> <u>BURN</u> : 053:02:14:47Z	100/104.5/10 0/ 74/104.5	<u>ET</u> IMPACT		HA 190.3 NM HP 23.3		NON- DEPLOYE 0 LBS
XRANGE: 336.9NM	1 = 2059 (4) 2 = 2061 (1) 3 = 2057 (5)	1:13:54 MET		NM <u>ENTRY</u> VELOCITY:		MIDDECK 283 LBS
ORBIT DIR: A/L (44) AIM PT: (Close- In)	<u>M 3 EOM</u> : WEIGHT: 201138 LBS	<u>LAT</u> : 37.192 S		25866 FPS		SHUTTLE ACCUMU D
MLGTD: 2760 FT	X CG: 1082.8 IN	<u>LONG</u> : 159.60 3 W		ENTRY RANGE: 4367.5 NM		WEIGHTS DEPLOYE 1641533
053:03:2 0:29Z VEL: 188 KGS 190	LANDING: WEIGHT: 201084 LBS X CG:		Г		70	NON- DEPLOYE 1626311
KEAS HDOT: -1.9 FPS	1084.8 IN			iss022e0626	0/2	<u>CARGO</u> <u>TOTAL</u> : 4210929
TD NORM 195: 240 5 FT						PERFORM E MARGINS
DDAG CHLITE						MAKGINS

Shuttle approaches ISS with Node 3/Cupola



http://www.nasa.gov/images/content/389937 main 2009-5728.jpg Ares 1-X Rocket (1st Test Flight) and STS-129 Shuttle

10956 LBS PAYLOAD CHARGEABLE: 34931 LBS

DEPLOYED: 34648 LBS

-NO DEPLOYED: LBS

MIDDECK: 283 LBS

SHUTTLE ACC<u>UMULATE</u>

WEIGHTS: DEPLOYED: L641533 LBS

-NO DEPLOYED: .626311 LBS

CARGO TOTAL: 1210929 LBS

PERFORMANC MARGINS (LBS): FPR: 2908 FUEL BIAS: 1059 FINAL TDDP:

1188 **RECON: 2828** 

PAYLOADS: PLB: ISS-20A (NODE 3 W/CUPOLA)

MIDDECK: ISS-20A, MAUI. SEITE, SIMPLEX, RAMBO-2

5 CRYO TANK SETS ODS, SRMS (87),

Brief Mission Summary: The STS-130 (32nd mission to ISS) main objectives were to deliver and assemble the final U.S. module (Tranquility) and the Italian built Cupola Node plus delivery of ISS equipment, supplies, and experiments. Tranquility provides additionall room for the ISS crew and life support systems. The Cupola is a robotic control station and provides a panoramic view of earth through 7 windows, "A Room With a View" - PAO. The mission included 3 EVA's.

#### KSC W/D

OPF-2: 130 days + 3 holidays 9 days + 5 contingency days +11 VAB-1:

holidavs

PAD A: 31 days + 3 contingency days Total Work Days = 170 (OPF processing occurred over a total time period of 133 days.)

#### POSTPONEMENTS:

- Baselined STS-130 to FDRD - launch date of 12/10/09 on 11/17/08.

Ppd. to 02/04/10 on 03/10/09. Interim change while Cx and SSP schedules were assessed and prioritized.

- Ppd. to 02/07/10 on 12/17/09. Launch date change supports efficient use of KSC ground operation resources.

**LAUNCH SCRUBS:** Sunday, 02/07/10 launch attempt was terminated about an hour before scheduled launch of 4:40 AM EST. Launch scrub was was due to a massive area of low cloud ceilings that blanked the northern half of Flordia.. launch was reset for 02/08/10. WEATHER SCRUB.

**LAUNCH WINDOW:** Total launch window was 11M 57S with window open at 39:09:09:42Z and close at 39:09:21:39Z. Preferred Launch Time was 39:09:14:07Z (In-Plane Time) for a launch window of 7M32S.

**LAUNCH DELAYS:** None. Launch occurred on time at 39:09:14:07Z on Monday 02/08/10.

TAL WEATHER: Spaceflight Meteorology Group (SMG) reported "quite challenging" weather for TAL sites: low clouds & showers at Moron & showers in 20 circle at ZZA. Recon aircraft at ZZA reported moisture (not rain droplets) so TAL "rainshower rule" was invoked for "GO". Istres changed form "GO" to "NO GO" (Low cloud ceiling) late in launch count.

### PERFORMANCE ENHANCEMENTS:

Include the standard set plus: 1) PE Operational High Q - WIN/FEB, 2) OMS Assist, 3) a 52 nautical mile MECO, and 4) Del Psi

Revision T, PCN-5 JUNE 2010 Page - 222 STS-130(20A)

Revision T, PCN-5 JUNE 2010 Page - 223 STS-130(20A)

FLT	ORBITER	CREW (6)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

## STS-130/ 20Δ

MCC WHITE FLIGHT FCR (60) Continue

Continued...

FLIGHT DIRECTORS:

SHUTTLE: A/E- Norm knight LD/01- Kwatsi Alibaruho O2- Gary Horlacher Planning- Chris Edelen

MOD - Iohn Mccullough

Team 4- Paul Dve

O1 - Royce Renfrew LD/O2 - Bob Dempsey O3 - Mike Lammers Team 4 - Dana Weigel

CAPCOMS:

SHUTTLE

- Steve Frick

LD/O1 - Danny Olivas - Rick

Sturckow

O2 - Mike Massimino

Lucid

ISS

O1 - Robert Hanley LD/O2- Hal

Continued...

PTM (U/S 181 FPS): 6:10(P) 6:12(A)

SE PRESS 104 6:57(P) 6:56 (A)

MECO CMD: 8:22.5 (P) 8:21.4 (A)

25819(P) 25817(A)

OMS-2: 37:44 (P) 37:42(A) 143.4(P) 142.1(A) FPS

A/E - Rick Sturckow

(Wx)

(Flt Davs 3 & 12)

Planning - Shannon

Team 4 - N/A

Getzelman O3 - Kathy Bolt Team 4 - N/A

Endeavour launch as seen in time lapse photo from top of the Intracoastal Waterway Bridge in Ponte Vedra, FL. 115 Miles from the launch site. Monday, February 8, 2010 @ 4:14 am EST. Photo by: James Vernacotola, copyright 2010: www.jamesvernacotola.com

Continued...

#### FLIGHT DURATION CHANGES:

On FD6 MMT agreed to add +1 day to nominal flight plan to facilitate complete transfer of the regen ECLSS racks to Node 3 as well as assist with accomplishing other flight objectives. Landed on KSC Runway 15 at 053:03:20:29Z, Sunday,

February 21, 2010 at 9:20:29 CST.

FIRSTS/LASTS:
- Shuttle's last night launch.
- Shuttle's lst night landing.
- Last U.S. on-orbit Segment (Node 3) installed

Orbiter: First flight of Main Engine Ignition Overpressure Acoustic Instrumentation.

First lunar rock returned to space. The sample was colleceted on Apollo 11 by Neil Armstrong in 1969 and carried by Scott Parazynski (Shuttle astronaut) in 2009 on his

climb of Mt. Everest. Now on ISS, it orbits Earth once

NIGHT LAUNCH: # 34

RENDEZVOUS: #77 Rendezvous and dock with ISS.

### **EVENTS:**

- FD1: OMS2 ignition at 039:09:51:49Z resulted in a 124.0 by

110.0 NM orbit.

- FD2: During RCC surveys the crew downlinked some views of pulled up portion of port wing upper surface flapper door seal area. Area was cleared.

- T1 maneuver at 041:02:28:25Z resulted in a 187.4 bv180.7 NM orbit

- FD3: R-Bar Pitch Maneuver was performed. No issues. MMT

concurred no focus inspection required.

Docking Contact occurred at 041:05:05:56Z

Hard Dock, hooks closed, occurred at 041/05:54:12Z

ISS Hatch opened at 1:16 AM CST Wednesday, Feb. 10, 2010, welcomed by ISS crew.

- FD4: EVA 1: Behnken & Patrick successfully completed preparations for unberthing Tranquility (Node 3). ISS arm unberthed Node 3 & installed it on Node 1 port side followed by crew activation. EVA1 duration 6:32.

- FD7: EVA2: Behnken & Patrick All planned activities were completed including installation of the ammonia jumpers, integrating Node 3 to EATCS Loop A, and installing the Node 3 port center disc cover (CDC). Cupola was

Revision T, PCN-5 JUNE 2010 Page - 223 STS-130(20A)

FLT	ORBITER	CREW (6)	LAUNCH SITE, LIFTOFF TIME,	RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)
STS-				Continued							Continued


no rank-cons

130/

20A

Continued

ISS construction and maintenance continue. Above: ISS022-E-062844 -- Patrick during EVA1. Below: ISS022-E-065750 -- Behnken during EVA 2



WINDS: 5H KTS 0.3R KTS OFFICIAL: 16007P10KT (X1P1 H7P10)

102

1:3

ROLLOUT:

06 FT

1 M:S

DENS ALT: 410

FLT DURATION: 13:18:06:2


<u>S/T</u>: \_\_1250:11:48:0

OV-105: 280:09:39: 23

DISTANCE: 5,738,991 sm TOTAL

DISTANCE: 513,386,66 2 sm

SHUTTLE



ISS022-E-067727 --- Crews for STS-130 (red) & Exp22 (blue) in Harmony node. Front row (lt to rt): Exp22 CDR Jeffrey Williams, Patrick/MS, CDR Zamka, & Behnken/MS. Middle row: Exp22 Soichi Noguchi/FE (JAXA), Hire/MS, & Exp22 T.J. Creamer/FE. Back row: Maxim Suraev & Oleg Kotov, both Exp22/FE (RSA); along with Robinson/MS & PLT Virts.



ISS022-E-067184 --- Behnken (left) & Patrick conduct 3rd EVA, here removing insulation blankets & launch restraint bolts from each of Cupola's seven windows.

#### EVENTS: Continued...

- FD8: Cupola unberthed and moved from forward end to nadir

port of Tranquility.

- FD10: EVA3: Behnken & Patrick All planned and a number of get ahead tasks were completed including Loop B QD opening (integration of EATCS Loop B with Node 3 heat exchanger), PMA-3 cable installation, Cupola MLI removal, and VSC video cable routing. EVA3 duration (PET) 5:48.

-Transfers:

36,130 Pounds of hardware transferred <u>to</u> ISS (inside & out)

29,788 Tranquility Node 3 weight in pounds (as installed)

3,594 Cupola

757 Integrated Stowage Platform cargo 24 Pounds of Oxygen transferred into ISS Airlock tanks

0 Pounds of Nitrogen transferred (N2 was used to

repress the stack)

1,991 Pounds of middeck items delivered  $\underline{\text{to}}$  ISS aboard

Endeavour

1,803 Pounds of middeck items returned from ISS to

Endeavour

~1,095 Pounds of water transferred to ISS

799,045 Mass in space of the International Space Station (in

pounds)

- FD13: Undocked at 051:00:53:52Z

- During entry a manual handover to TDRS-46 early avoided

rolling on to a lower antenna and prevented a comm blackout period.

Continued...

**SRB** 

**RSRM** 

AND

ET

INC

FLT	ORBITER	CREW (6)
NO.		TITLE, NAMES & EVA'S
STS- 130/ 20A		
Continue d		

Ouoting Oscar Wilde's "Life imitates art far more than art imitates life". Dave Zani -CinemaBlend.com, sees the Cupola window as the inside window of a Star Wars TIE Fighter.

SSME-TL **NOM-ABORT** 

**EMERG** 

THROTTLE

PROFILE

ENG. S.N.



S130-E-012251 --- A close-up view of ISS during post-undocking showing newly installed Tranquility node & Cupola at top



JSC2010-E- 017955 --- Flight Directors in JSC MCC: From left: Chris Edelen, Norm Knight, Kwatsi Alibaruho and Gary Horlacher.



LANDING SITE/

RUNWAY.

CROSSRANGE

LANDING

**TIMES** 

WINDS

ABORT TIMES FLT DURATION.


LAUNCH SITE.

LIFTOFF TIME.

LANDING

SITES,

S130-E-010380--- Soichi Noguchi/JAXA/FE ISS Exp 22, takes earth photo from a window in Cupola.



ORBIT

HA/HP

ISS022-E-068724 -- CDR Zamka tries out view from Cupola.

Continued...

#### SIGNIFICANT ANOMALIES:

Orbiter:

**PAYLOAD** 

PAYLOADS/

**EXPERIMENTS** 

WEIGHTS.

**FSW** 

- Orbitel:
   During STS-130 Ascent monitorng, WLE
   Sensor Unit S/N 1155
   experienced two (2) off-scale high data

MISSION HIGHLIGHTS

(LAUNCH SCRUBS/DELAYS TAL WEATHER, ASCENT I-LOADS.

FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

- spikes.
   MUX bypass switch will not switch to Bypass front for OCA 48Mbps downlinks.
   Audio drop-out during EVA 1.
   Trajectory Control Sensor (TCS) had trouble transistioning to CW mode. CW data became ratty and unusable.
- 12 IFA's entritled "STS-130 Post Launch Debris" SRB: None.
- RSRM: None. SSME: None.

- POST-FLIGHT REV. IDENT. 2 FOAM LOSSES +Z SIDE INTERTANK NCFI 24-124 ACREAGE, 19 FOAM LOSSES ?Z SIDE OF THE INTERTANK NCFL 24-12 ACREAGE
- MOD:



S130-E-012188 --- ISS as seen by Endeavour postundocking and separation. Tranquility & Cupola are located just left of center.



STS130-S-128 --- Shuttle's last night landing. Drag chute is deployed at MLGTD on KSC Runway 15 at 10:20:29 PM EST on Feb. 21, 2010. It was the 23rd night landing in Shuttle history and the 17th at KSC.

Revision T PCN-5 JUNE 2010 Page - 226 STS-131(19A)

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS- 131/19 A	OV-103 (Flight 38) DISCOVER Y OMS PODS LPO1 -41 RPO3-39 FRC3-38	James P. Dutton, Jr. P824/R352/M305	KSC 39A 95:10:21:25Z 6:21:25 AM EDT (P) 6:21:25 AM EDT (A) Monday (17) 04/05/10 (16)	KSC33 KSC (74) 110:13:08:34Z 8:08:34 AM CDT Tuesday (18) 04/20/10 (12)
		MS 1 Rick Mastracchio (Flt 3 - STS-106, STS- 118) P825/R257/V189/M22 4 MS 2 Dorthy Metcalf- Lindenburger	LAUNCH WINDOW: Dual pane day with window open at 95:10:18:40Z	
	111	P826/R353/F48  MS 3 Stephanie Wilson (Flt 3 - STS-121, STS-120) P827/R298/V190/F39	and close at 95:10:27:17Z 5M 52S (Preferred) EOM PLS: KSC TAL: ZZA	ORBIT DIR: D/L (50) AIM PT: NOMINAL MLGTD: 3559 FT
		MS 4 Naoko Yamazaki P828/R354/F49 MS5 Clayton Anderson (Flt 2-UP ON STS- 117STAY ISS, DN ON STS-120) P829/R310/V215/	TAL WX: MRN FMI (NO GO)  SELECTED: RTLS: KSC33 N/N TAL: MRN20 N/N	110:13:0 8:34Z VEL: 198 KGS 198 KEAS HDOT: -1.6 FPS
		M268 SS EVA 151 DOCKED QUEST EVA 69	<u>AOA</u> : KSC33 N/N <u>1<sup>ST</sup> DAY PLS</u> KSC15 N/N	TD NORM 195: 295 5 FT
SABATIER CO	MARES	EMU/TETHERED EVA 144 SCHEDULED EVA 142 DURATION 6:27	TDEL: 0.000 (P) 0.142 (A	DRAG CHUTE DEPLOY: 191 KEAS 110:13:0 8:36Z
BAS IMPORTAGE	31	SS EVA 152 DOCKED QUEST EVA 70 EMU/TETHERED EVA 145 SCHEDULED EVA 143 DURATION 7:26	MAX Q NAV: 708.0 (P) 700.5 (A) SRB STG: 2:04.8 (P) 2:05.8 (A)	NLGTD: 6398 FT
		SS EVA 153 DOCKED QUEST EVA 71 EMU/TETHERED EVA 146 SCHEDULED EVA 144 DURATION 6:24	PERF: NOMINAL  2 ENG TAL (MRN): 2:36 (P) 2:41	
		Continued	NEG MRN (2@ 104): 3:47 (P) 3:54(A)	http://www main_2009 Test Flight)

CDR

01/102

	KSC33 KSC (74)	104/104/ 109%	BI-142	51. 6 (33	DIRECT INSERTION
	110:13:08:34Z 8:08:34 AM	PREDICTED: 100/104.5/1	RSRM 110	)`	POST OMS- 2
	CDT Tuesday (18) 04/20/10 (12)	04.5/ 72/104.5	ET-135 SLWT		140.0x123. 8 NM
	DEORBIT	<u>ACTUAL</u> : 100/104.5/1	39		DEORBIT HA 190.6
	BURN: 110:12:02:59Z	00/ 72/104.5	<u>ET</u> IMPACT		NM HP 14.2 NM
t	XRANGE: 20.4 NM	1 = 2045 (11)	1:13:55 MET		<u>ENTRY</u> VELOCITY:
	ORBIT DIR: D/L (50)	2 = 2060 (2) 3 = 2054	<u>LAT</u> : 37.233		25862 FPS
	<u>AIM PT</u> : NOMINAL	10) M 3 EOM:	S LONG:		ENTRY RANGE:
	<u>MLGTD</u> : 3559 FT	WEIGHT: 224257 LBS X CG:	159.66 7 W		4480 NM
	110:13:0 8:34Z VEL: 198 KGS	1089.0 IN			
	198 KEAS	<u>LANDING</u> : WEIGHT: 224206 LBS			
	HDOT: -1.6 FPS	X CG: 1090.7 IN			
	TD NORM 195: 295 5 FT				
	DRAG CHUTE				
	DEPLOY: 191 KEAS				



ISS023-E-020718 --- ISS robotic Canadarm2 relocates Leonardo (MPLM) from Discovery's PLB to port on Harmony node.

http://www.nasa.gov/images/content/389937 main 2009-5728.jpg Ares 1-X Rocket (1st Test Flight) and STS-129 Shuttle

Brief Mission Summary: The STS-131 (33rd mission to ISS), dubbed "Experiment Express" by PAO, main objectives were to bring some 8 tons of CHARGEABLE: supplies and scientific equipment to ISS. remove & replace a depleted Ammonia tank, and return a large load of experiments and no longer useful gear

### KSC W/D

back to earth.

CARGO:

39516 LBS

PAYLOAD

32131 LBS

DEPLOYED: 30512 LBS

NON-DEPLOYED:

1388 LBS

MIDDECK: 231 LBS

SHUTTLE

WEIGHTS:

DEPLOYED:

NON-DEPLOYED:

CARGO

TOTAL:

1672045 LBS

1627930 LBS

4250445 LBS

**PERFORMANC** 

MARGINS

**FUEL BIAS:** 

FINAL TDDP:

RECON: 1491

PAYLOADS:

PLB: ISS-19A

(MPLM.LMC).

TRIDAR AR&D

SENSOR DTO-

(LBS): FPR: 2908

1059

1133

701A MIDDECK:

ISS-19A.

SIMPLEX.

RAMBO-2

ODS. SRMS

5 CRYO TANK

MAUI.

SEITE.

SETS

ACCUMULATE

OPF: 142 days + 11 holidays 9 days + 0 contingency days VAB: PAD A: 32 days + 2 contingency days Total Work Days = 183 (OPF processing occurred over a total time period of 153 days

#### POSTPONEMENTS:

- Baselined STS-131 to FDRD - launch date of 03/18/10 on 02/05/09.

Ppd. to 04/05/10 on 03/09/10. Due to cold weather conditions, Orbiter rollover from the OPF to VAB was delayed such that the March 18, 2010 launch date could not be met.

LAUNCH SCRUBS: None

LAUNCH WINDOW: Dual pane day with window open at 95:10:18:40Z and close at 95:10:27:17Z. Preferred Launch Time was 95:10:21:25Z (In-Plane Time) for a launch window of 5M52S.

LAUNCH DELAYS: None. Launch occurred on time at 95:10:21:25Z on Monday 04/05/10.

TAL WEATHER: Spaceflight Meteorology Group (SMG) reported a pressure gradient between a high & a departing low contributed to winds at Istres above headwind limits. Only high cirrus clouds prevailed at both Zaragoza & Moron with winds well within flight rule limits. Weather was "GO".

#### PERFORMANCE ENHANCEMENTS:

Include the standard set plus: 1) PE Operational High Q - TRN/APR, 2) OMS Assist, 3) a 52 nautical mile MECO, and 4) Del Psi

### **FLIGHT DURATION CHANGES:**

- FD 4: MMT approved plan for conducting a docked late inspection using +1 day extended mission from 12 to 13 days.

 Landing postponed 1 day due to unstable weather. Weather was still unstisfactory next day with fog and area showers for firat opportuniy. Weather cleared for "Go" on 2nd opportunity at KSC. Landing occurred at 110:13:08:34Z, Tuesday, April 20, 2010, at

Revision T PCN-5 JUNE 2010 Page - 226 STS-131(19A)

Revision T PCN-5 JUNE 2010 Page - 227 STS-131(19A)

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,		NOM-ABORT	SRB RSRM		ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC	HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)



		0.
STS-	Continued	Continued
131/19 A Continue d	MCC WHITE FLIGHT FCR (61)  FLIGHT DIRECTORS: SHUTTLE: A/E- Bryan lunney LD/O1- Richard Jones O2- Mike Sarafin Planning- Ginger Kerrick	PTM (U/S 180 FPS): 6:20(P) 6:29(A) SE PRESS 104 6:58(P) 7:01 (A) MECO CMD:
	MOD – John Mccullough Team 4- Gary Horlacher	8:22.5 (P) 8:23.5 (A) <u>V</u> I: 25819(P) 25816(A)
	O1 - Courtenay McMillan LD/O2 - Roy Spencer O3 - Ed Van Cise Team 4 - Brian Smith	OMS-2: 37:16 (P) 37:14(A) 197.2(P) 196.5(A) FPS
	CAPCOMS: SHUTTLE A/E - Rick Sturckow - George Zamka (Wx) LD/O1 - Rick Sturckow O2 - Aki Hoshide Planning - Megan McArthur/ Chris Cassidy Team 4 - N/A	
	<u>ISS</u> O1 - Mike Jensen LD/O2 - Stan Love O3 - Marcus Reagant Team 4 - N/A	

Continued...

WINDS: 2.1H KTS 2.2R KTS OFFICIAL:

02003P05KT (X0P0 H5P6)

DENS ALT: 908

FI

FLT DURATION: 15:02:47:0

9

<u>S/T</u>:

1265:14:35:1

OV-103: 347:03:20:

09

DISTANCE: 6,232,235

sm TOTAL SHUTTLE DISTANCE: 519,613,76 STS131-S-050 --- NASA Commentator Mike Curie and astronaut Kathryn (Kay) Hire discuss launch in LCC Firing Room 4 at KSC.



S131-E-010002 --- STS-131 & EXP 23 crews gather in ISS Kibo Lab STS-131 crew members pictured (light blue shirts) are CDR Poindexter, PLT Dutton; Anderson/MS, Mastracchio/MS, Metcalf-Lindenburger/MS, Wilson/MS, & Yamazaki/MS (JAXA). EXP 23 crew members are CDR Oleg Kotov (RSA), Mikhail Kornienko/FE (RSA), Alexander Skvortsov/FE (RSA); Soichi Noguchi/FE (JAXA), T.J. Creamer/FE

(USA), & Tracy Caldwell Dyson/FE (USA).

Continued...

### FIRSTS/LASTS:

- Last return trip for MPLM Leonardo. After STS-133 it will remain on ISS as a permanent fixture.
- First time for four women living in space.
- First time for two Japanese astronauts in space together.
- First special cookies from the Italian Café in Seabrook, TX, requested originally by Col. Timothy Creamer after a 6-month ISS tour, were delivered to ISS. The sand tarts passed NASA tests with the request to go light on the powdered sugar.

### **NIGHT LAUNCH: N/A**

**RENDEZVOUS: #78** Rendezvous and dock with ISS.

#### **EVENTS:**

- FD1: OMS2 ignition at 095:10:58:39Z resulted in a 140.0 by
- 123.8 NM orbit.
- FD2: During RCC surveys showed no areas of concern.
- T1 maneuver at 097:05:06:44Z resulted in a 189.3 by181.7 NM orbit
- Ku Band failed.
- FD3: R-Bar Pitch Maneuver was performed. Four areas of interest were identified: 1) RSB Trailing Edge Tile, 2) FWD Gap Filler, 3) Port ET Door Tile Chip, 4) three closely grouped OMS POD tile damage sites. The Damage Assessment Team later cleared these areas for entry and MMT concurred no focus inspection required.
- Crew executed the radar fail procedures for rendezvous after the system failed to respond to a last attempt early in the rendezvous.
- Docking Contact occurred at 097:07:44:09Z
- Hard Dock, hooks closed, occurred at 097:07:58:52Z
- ISS Hatch opened at 4:11 AM CDT April 7, 2010, welcomed by ISS crew.
- FD4: MPLM was grappled, unberthed, and installed on the Node 2 Nadir without issue.
- FD5: EVA 1:Mastracchio & Anderson remove old ATA and handover new ATA to SSRMS, retrieve JEM SEED, & R&R RGA. EVA1 duration 6:27.

Continued...

Revision T PCN-5 JUNE 2010 Page - 228 STS-131(19A)

FLT	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME,	LANDING SITE/ RUNWAY, CROSSRANGE	NOM-ABORT	SRB RSRM	ORBIT	FSW	PAYLOAD WEIGHTS,	MISSION HIGHLIGHTS (LAUNCH SCRUBS/DELAYS,
NO.		TITLE, NAMES & EVA'S	LANDING SITES, ABORT TIMES	LANDING TIMES FLT DURATION, WINDS	THROTTLE PROFILE ENG. S.N.	AND ET	INC HA/HP		PAYLOADS/ EXPERIMENTS	TAL WEATHER, ASCENT I-LOADS, FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

STS-131/19 Continue d...



AT LEFT: S131-E-008710 --Mastracchio (left) & Anderson conduct 2nd EVA during which they unhooked and removed depleted ammonia tank and installed a 1.700pound ammonia tank on ISS Starboard 1 truss. Crew had problems with bolting down the new ATA tank on S1. They eventually got all 4 bolts secured, however, the time required to do this resulted in several tasks dropping off this EVA.



S131-E-009456 --- Mastracchio (right) & Anderson conduct 3rd & session EVA. Activities included fluid lines hookup of new 1,700-pound ammonia tank and prepared cables on the Zenith 1 truss for a spare Space to Ground Ku-Band antenna.



S131-E-007954 --- First time four women in space shown in the Zvezda Service Module: clockwise from lower left: are Tracy Caldwell Dyson/FE EXP 23, Metcalf-Lindenburger/MS, Yamazaki/MS(JAXA), & Wilson/MS,

Continued...

#### **EVENTS: Continued**

- FD6&7: EVA2: Mastracchio & Anderson had difficulty installing new ATA onto S1 truss due to sticky plungers on bolt 4. Numerous workarounds were employed and eventually the bolt did cooperate. Alignment of the bolts and soft dock mechanisms are orientation sensitive and the task took much more time than booked. Several tasks were not completed & were rescheduled to EVA 3. EVA2 duration 7:26.
- FD9: EVA3: Mastracchio & Anderson completed: S1 ATA Fluid connectors (from EVA 2). Retrieve A/L MMOD shields (from EVA 2). Old ATA transfer to the LMC in Shuttle payload bay (all 4 bolts were engaged, though the last bolt required extra time due to some alignment challenges), & S1 ATA FGB install. EVA3 duration (PET) 6:24.
- FD9; Monday, April 12th celebrated the 49th Anniversary of the Sovet's cosmonaut. Yuri Gagarin, first human to orbit the earth in 1961 and the 29th Anniversary of the first U.S. Space Shuttle launch in 1981.
- Transfers:
- -15.222 Lbs of hardware transferred to ISS (inside & out)
- -12,060 Lbs of MPLM supplies & logistics transferred to ISS
- 4,109 Lbs of MPLM supplies & logistics returned from ISS
- 1.702 Lb Ammonia Tank Assembly (ATA) delivered to ISS
- 1.295 Lb ATA (old) returned from ISS
- 94.5 Lbs of Oxygen used to repress the stack
- 1,460 Lbs middeck items delivered to ISS
- 1.235 Lbs of middeck items returned from ISS to Discovery
- 6,639 Lbs of total hardware returned aboard Discovery
- 975 Lbs of water transferred to ISS
- 806,282 Mass (Lbs) of ISS now in space
- 98 Percentage complete of ISS assembly (pressurized

volume)

- FD13: Undocked at 107:12:52:10Z
- During entry comm blackout times were approx 110/12:49:15 to 12:54:34 (~ 5.5 min). Early H/O to TDRS 46 was not an option as TDRS 46 stayed on a lower antenna. INCO prediction of LOS was in error due to DOL PAD error, noted in Significant Anomalies below.

Revision T PCN-5 JUNE 2010 Page - 228 STS-131(19A)

**SRB** 

**RSRM** 

AND

ET

INC

SSME-TL **NOM-ABORT** 

EMERG

THROTTLE

PROFILE

ENG. S.N.

FLT NO.	ORBITER	CREW (7)	LAUNCH SITE, LIFTOFF TIME, LANDING	LANDING SITE/ RUNWAY, CROSSRANGE LANDING
NO.		TITLE, NAMES & EVA'S	SITES, ABORT TIMES	TIMES FLT DURATION, WINDS
<b>STS- 131/19 A</b> Continue d				7



ABOVE: JSC2010-E-045167 --- Flight Directors for the STS-131/19A: From the left are Tony Ceccacci, Bryan Lunney, Paul Dye, Richard Jones, Ginger Kerrick and Mike Sarafin.

BELOW: JSC2010-E-051978 -- STS-131 Orbit 2 Flight Control Team pose in JSC MCC. FD Mike Sarafin holds





**ORBIT** 

HA/HP

Discovery's approach and landing track across the continental U.S. Photo courtesy PAO.



SHUTTLE051109 049(KSC)--- Discovery on approach to KSC Runway 33 on April 20, 2010, after weather waveoffs on April 19th and again on first opportunity of April 20th.

Continued...

**PAYLOAD** 

PAYLOADS/

**EXPERIMENTS** 

WEIGHTS.

**FSW** 

### SIGNIFICANT ANOMALIES:

- CCTV Camera C zoom not functioning - DURING STS-131, KU-BAND FAILED FROM POWER UP FOR BOTH COMM AND RADAR

MISSION HIGHLIGHTS

(LAUNCH SCRUBS/DELAYS

TAL WEATHER, ASCENT I-LOADS,

FIRSTS, SIGNIFICANT ANOMALIES, ETC.)

OPERATIONS.
- NIRD 131-005, D-131-RPM-410-001: DEBRIS EVENT DURING ACCENT AT 42SEC MET FROM PORT UPPER RSB TRAILING EDGE. TILE HAS BROKEN AWAY, APPEARS TO BE PARTIAL LIBERATION. VISIBLE CHARRING ALONG THE AFT EDGE.

- LRCS fuel helium ISO B valve slow to close during post wave off system reconfigure.
FRCS fuel helium ISO A valve slow to close during post entry valve test.

- STS-131 Post Launch Debris SRB:

- UPLOADED ACCELEROMETER DATA FROM THE S/N 2000003 DAS SHOWED 446 SECONDS OF PREFLIGHT TESTING FOLLOWED BY THE FIRST 94 SECONDS OF FLIGHT DATA RSRM: None.

SSME:

ME-2 HPFTP 21 DEGREE ACCEL DISOUALIFIED @ T+7:19

ET: None.

MOD:

- INCORRECT COMM PREDICTS DUE TO PADS **ERROR** 

Integration:

- Base Heat Shield TPS Liberation - Windows 5, 6 Missing/Protruding Ceramic

- Rudder Speedbrake TPS Liberation